

# Ana LÃ³cia S Rodrigues

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/615339/publications.pdf>

Version: 2024-02-01

244  
papers

11,499  
citations

20817

60  
h-index

48315

88  
g-index

245  
all docs

245  
docs citations

245  
times ranked

10682  
citing authors

#	ARTICLE	IF	CITATIONS
1	Role of heme oxygenase-1 in the antidepressant-like effect of ursolic acid in the tail suspension test. <i>Journal of Pharmacy and Pharmacology</i> , 2022, 74, 13-21.	2.4	3
2	Functional role of ascorbic acid in the central nervous system: a focus on neurogenic and synaptogenic processes. <i>Nutritional Neuroscience</i> , 2022, 25, 2431-2441.	3.1	20
3	Vitamin E for the management of major depressive disorder: possible role of the anti-inflammatory and antioxidant systems. <i>Nutritional Neuroscience</i> , 2022, 25, 1310-1324.	3.1	31
4	Guanosine boosts the fast, but not sustained, antidepressant-like and pro-synaptogenic effects of ketamine by stimulating mTORC1-driven signaling pathway. <i>European Neuropsychopharmacology</i> , 2022, 57, 15-29.	0.7	4
5	Prophylactic efficacy of ketamine, but not the low-trapping NMDA receptor antagonist AZD6765, against stress-induced maladaptive behavior and 4E-BP1-related synaptic protein synthesis impairment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 115, 110509.	4.8	7
6	Involvement of serotonergic neurotransmission in the antidepressant-like effect elicited by cholecalciferol in the chronic unpredictable stress model in mice. <i>Metabolic Brain Disease</i> , 2022, 37, 1597-1608.	2.9	5
7	Temporal Characterization of Behavioral and Hippocampal Dysfunction in the YAC128 Mouse Model of Huntingtonâ€™s Disease. <i>Biomedicines</i> , 2022, 10, 1433.	3.2	2
8	Guanosine as a promising target for fast-acting antidepressant responses. <i>Pharmacology Biochemistry and Behavior</i> , 2022, 218, 173422.	2.9	3
9	Molecular Basis Underlying the Therapeutic Potential of Vitamin D for the Treatment of Depression and Anxiety. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7077.	4.1	18
10	SARS-CoV-2 consequences for mental health: Neuroinflammatory pathways linking COVID-19 to anxiety and depression. <i>World Journal of Psychiatry</i> , 2022, 12, 874-883.	2.7	10
11	Physical exercise stimulates hippocampal mTORC1 and FNDC5/irisin signaling pathway in mice: Possible implication for its antidepressant effect. <i>Behavioural Brain Research</i> , 2021, 400, 113040.	2.2	11
12	Physical exercise prevents amyloid $\beta$ 1-40-induced disturbances in NLRP3 inflammasome pathway in the hippocampus of mice. <i>Metabolic Brain Disease</i> , 2021, 36, 351-359.	2.9	22
13	Ursolic acid abrogates depressive-like behavior and hippocampal pro-apoptotic imbalance induced by chronic unpredictable stress. <i>Metabolic Brain Disease</i> , 2021, 36, 437-446.	2.9	8
14	Neuronal activity regulated pentraxin (narp) and GluA4 subunit of AMPA receptor may be targets for fluoxetine modulation. <i>Metabolic Brain Disease</i> , 2021, 36, 711-722.	2.9	6
15	Antidepressant-like effect of guanosine involves activation of AMPA receptor and BDNF/TrkB signaling. <i>Purinergic Signalling</i> , 2021, 17, 285-301.	2.2	14
16	Guanine-Based Purines as an Innovative Target to Treat Major Depressive Disorder. <i>Frontiers in Pharmacology</i> , 2021, 12, 652130.	3.5	2
17	Ketamine, but not fluoxetine, rapidly rescues corticosterone-induced impairments on glucocorticoid receptor and dendritic branching in the hippocampus of mice. <i>Metabolic Brain Disease</i> , 2021, 36, 2223-2233.	2.9	9
18	A single administration of ascorbic acid rapidly reverses depressive-like behavior and hippocampal synaptic dysfunction induced by corticosterone in mice. <i>Chemico-Biological Interactions</i> , 2021, 342, 109476.	4.0	15

#	ARTICLE	IF	CITATIONS
19	Dopaminergic Receptors as Neuroimmune Mediators in Experimental Autoimmune Encephalomyelitis. <i>Molecular Neurobiology</i> , 2021, 58, 5971-5985.	4.0	2
20	Low doses of ketamine and guanosine abrogate corticosterone-induced anxiety-related behavior, but not disturbances in the hippocampal NLRP3 inflammasome pathway. <i>Psychopharmacology</i> , 2021, 238, 2555-2568.	3.1	11
21	The resilient phenotype elicited by ketamine against inflammatory stressors-induced depressive-like behavior is associated with NLRP3-driven signaling pathway. <i>Journal of Psychiatric Research</i> , 2021, 144, 118-128.	3.1	15
22	Behavioral and neurochemical effects of folic acid in a mouse model of depression induced by TNF- $\alpha$ . <i>Behavioural Brain Research</i> , 2021, 414, 113512.	2.2	8
23	A low-dose combination of ketamine and guanosine counteracts corticosterone-induced depressive-like behavior and hippocampal synaptic impairments via mTORC1 signaling. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021, 111, 110371.	4.8	12
24	Glibenclamide treatment prevents depressive-like behavior and memory impairment induced by chronic unpredictable stress in female mice. <i>Behavioural Pharmacology</i> , 2021, 32, 170-181.	1.7	3
25	Agmatine as a novel candidate for rapid-onset antidepressant response. <i>World Journal of Psychiatry</i> , 2021, 11, 981-996.	2.7	10
26	Effects of cholecalciferol on behavior and production of reactive oxygen species in female mice subjected to corticosterone-induced model of depression. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 111-120.	3.0	14
27	Ascorbic acid presents rapid behavioral and hippocampal synaptic plasticity effects. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 96, 109757.	4.8	25
28	mTORC1-dependent signaling pathway underlies the rapid effect of creatine and ketamine in the novelty-suppressed feeding test. <i>Chemico-Biological Interactions</i> , 2020, 332, 109281.	4.0	21
29	The involvement of PI3K/Akt/mTOR/GSK3 $\beta$ signaling pathways in the antidepressant-like effect of AZD6765. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 198, 173020.	2.9	27
30	Ketamine, but not guanosine, as a prophylactic agent against corticosterone-induced depressive-like behavior: Possible role of long-lasting pro-synaptogenic signaling pathway. <i>Experimental Neurology</i> , 2020, 334, 113459.	4.1	19
31	Agmatine potentiates antidepressant and synaptic actions of ketamine: Effects on dendritic arbors and spines architecture and Akt/S6 kinase signaling. <i>Experimental Neurology</i> , 2020, 333, 113398.	4.1	7
32	Multiple cellular targets involved in the antidepressant-like effect of glutathione. <i>Chemico-Biological Interactions</i> , 2020, 328, 109195.	4.0	4
33	The effect of voluntary wheel running on the antioxidant status is dependent on sociability conditions. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 198, 173018.	2.9	1
34	Ascorbic acid as an antioxidant and applications to the central nervous system. , 2020, , 159-167.		0
35	Protective Effects of Agmatine Against Corticosterone-Induced Impairment on Hippocampal mTOR Signaling and Cell Death. <i>Neurotoxicity Research</i> , 2020, 38, 319-329.	2.7	6
36	Guanosine fast onset antidepressant-like effects in the olfactory bulbectomy mice model. <i>Scientific Reports</i> , 2020, 10, 8429.	3.3	18

#	ARTICLE	IF	CITATIONS
37	Neuroprotective effects of mirtazapine and imipramine and their effect in pro- and anti-apoptotic gene expression in human neuroblastoma cells. <i>Pharmacological Reports</i> , 2020, 72, 563-570.	3.3	12
38	Prophylactic effect of physical exercise on A $\beta$ 1-40-induced depressive-like behavior and gut dysfunction in mice. <i>Behavioural Brain Research</i> , 2020, 393, 112791.	2.2	8
39	Cholecalciferol abolishes depressive-like behavior and hippocampal glucocorticoid receptor impairment induced by chronic corticosterone administration in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2020, 196, 172971.	2.9	19
40	Subthreshold doses of guanosine plus ketamine elicit antidepressant-like effect in a mouse model of depression induced by corticosterone: Role of GR/NF- $\kappa$ B/IDO-1 signaling. <i>Neurochemistry International</i> , 2020, 139, 104797.	3.8	17
41	The role of vitamin C in stress-related disorders. <i>Journal of Nutritional Biochemistry</i> , 2020, 85, 108459.	4.2	60
42	Antidepressant-like and pro-neurogenic effects of physical exercise: the putative role of FNDC5/irisin pathway. <i>Journal of Neural Transmission</i> , 2020, 127, 355-370.	2.8	22
43	Guanosine potentiates the antidepressant-like effect of subthreshold doses of ketamine: Possible role of pro-synaptogenic signaling pathway. <i>Journal of Affective Disorders</i> , 2020, 271, 100-108.	4.1	15
44	The involvement of GABAergic system in the antidepressant-like effect of agmatine. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2020, 393, 1931-1939.	3.0	9
45	Novel Targets for Fast Antidepressant Responses: Possible Role of Endogenous Neuromodulators. <i>Chronic Stress</i> , 2019, 3, 247054701985808.	3.4	18
46	Involvement of PI3K/Akt/GSK-3 $\beta$ signaling pathway in the antidepressant-like and neuroprotective effects of <i>Morus nigra</i> and its major phenolic, syringic acid. <i>Chemico-Biological Interactions</i> , 2019, 314, 108843.	4.0	35
47	A single coadministration of subeffective doses of ascorbic acid and ketamine reverses the depressive-like behavior induced by chronic unpredictable stress in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2019, 187, 172800.	2.9	15
48	Protective Effects of Ursolic Acid Against Cytotoxicity Induced by Corticosterone: Role of Protein Kinases. <i>Neurochemical Research</i> , 2019, 44, 2843-2855.	3.3	15
49	Potential Role of Vitamin D for the Management of Depression and Anxiety. <i>CNS Drugs</i> , 2019, 33, 619-637.	5.9	76
50	Prophylactic effect of physical exercise on A $\beta$ 1-40-induced depressive-like behavior: Role of BDNF, mTOR signaling, cell proliferation and survival in the hippocampus. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 94, 109646.	4.8	17
51	Augmentation effect of ketamine by guanosine in the novelty-suppressed feeding test is dependent on mTOR signaling pathway. <i>Journal of Psychiatric Research</i> , 2019, 115, 103-112.	3.1	32
52	Depression in neurodegenerative diseases: Common mechanisms and current treatment options. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 102, 56-84.	6.1	159
53	Intracellular Signaling Pathways Implicated in the Pathophysiology of Depression. , 2019, , 97-109.		4
54	The antidepressant-like effect of guanosine is dependent on GSK-3 $\beta$ inhibition and activation of MAPK/ERK and Nrf2/heme oxygenase-1 signaling pathways. <i>Purinergic Signalling</i> , 2019, 15, 491-504.	2.2	23

#	ARTICLE	IF	CITATIONS
55	The possible beneficial effects of creatine for the management of depression. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2019, 89, 193-206.	4.8	28
56	Levels of 25-hydroxyvitamin D3, biochemical parameters and symptoms of depression and anxiety in healthy individuals. <i>Metabolic Brain Disease</i> , 2019, 34, 527-535.	2.9	11
57	Central irisin administration affords antidepressant-like effect and modulates neuroplasticity-related genes in the hippocampus and prefrontal cortex of mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 84, 294-303.	4.8	49
58	Natural Polyphenols and Terpenoids for Depression Treatment: Current Status. <i>Studies in Natural Products Chemistry</i> , 2018, 55, 181-221.	1.8	11
59	Anxiolytic effects of ascorbic acid and ketamine in mice. <i>Journal of Psychiatric Research</i> , 2018, 100, 16-23.	3.1	48
60	Brain-Derived Neurotrophic Factor Prevents Depressive-Like Behaviors in Early-Symptomatic YAC128 Huntingtonâ€™s Disease Mice. <i>Molecular Neurobiology</i> , 2018, 55, 7201-7215.	4.0	14
61	Depression and peripheral inflammatory profile of patients with obesity. <i>Psychoneuroendocrinology</i> , 2018, 91, 132-141.	2.7	73
62	Folic Acid Protects Against Glutamate-Induced Excitotoxicity in Hippocampal Slices Through a Mechanism that Implicates Inhibition of GSK-3 $\beta$ and iNOS. <i>Molecular Neurobiology</i> , 2018, 55, 1580-1589.	4.0	12
63	Antidepressant and pro-neurogenic effects of agmatine in a mouse model of stress induced by chronic exposure to corticosterone. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 395-407.	4.8	40
64	Evidence for the involvement of opioid system in the antidepressant-like effect of ascorbic acid. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2018, 391, 169-176.	3.0	11
65	Duloxetine Protects Human Neuroblastoma Cells from Oxidative Stress-Induced Cell Death Through Akt/Nrf-2/HO-1 Pathway. <i>Neurochemical Research</i> , 2018, 43, 387-396.	3.3	20
66	Antidepressant Effects of Probucol on Early-Symptomatic YAC128 Transgenic Mice for Huntingtonâ€™s Disease. <i>Neural Plasticity</i> , 2018, 2018, 1-17.	2.2	11
67	Subchronic administration of creatine produces antidepressant-like effect by modulating hippocampal signaling pathway mediated by FNDC5/BDNF/Akt in mice. <i>Journal of Psychiatric Research</i> , 2018, 104, 78-87.	3.1	16
68	Agmatine potentiates neuroprotective effects of subthreshold concentrations of ketamine via mTOR/S6 kinase signaling pathway. <i>Neurochemistry International</i> , 2018, 118, 275-285.	3.8	18
69	Antidepressant effects of creatine on amyloid $\beta$ 1-40-treated mice: The role of GSK-3 $\beta$ /Nrf2 pathway. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 86, 270-278.	4.8	15
70	Locomotor Treadmill Training Promotes Soleus Trophism by Mammalian Target of Rapamycin Pathway in Paraplegic Rats. <i>Neurochemical Research</i> , 2018, 43, 1258-1268.	3.3	3
71	Single administration of agmatine reverses the depressive-like behavior induced by corticosterone in mice: Comparison with ketamine and fluoxetine. <i>Pharmacology Biochemistry and Behavior</i> , 2018, 173, 44-50.	2.9	25
72	Involvement of Heme Oxygenase-1 in Neuropsychiatric and Neurodegenerative Diseases. <i>Current Pharmaceutical Design</i> , 2018, 24, 2283-2302.	1.9	28

#	ARTICLE	IF	CITATIONS
73	Pramipexole, a Dopamine D2/D3 Receptor-Preferring Agonist, Prevents Experimental Autoimmune Encephalomyelitis Development in Mice. <i>Molecular Neurobiology</i> , 2017, 54, 1033-1045.	4.0	48
74	Inosine, an Endogenous Purine Nucleoside, Suppresses Immune Responses and Protects Mice from Experimental Autoimmune Encephalomyelitis: a Role for A2A Adenosine Receptor. <i>Molecular Neurobiology</i> , 2017, 54, 3271-3285.	4.0	35
75	Evidence for the involvement of heme oxygenase-1 in the antidepressant-like effect of zinc. <i>Pharmacological Reports</i> , 2017, 69, 497-503.	3.3	13
76	NLRP3 inflammasome-driven pathways in depression: Clinical and preclinical findings. <i>Brain, Behavior, and Immunity</i> , 2017, 64, 367-383.	4.1	295
77	Therapeutic potential of agmatine for CNS disorders. <i>Neurochemistry International</i> , 2017, 108, 318-331.	3.8	41
78	Ursolic acid affords antidepressant-like effects in mice through the activation of PKA, PKC, CAMK-II and MEK1/2. <i>Pharmacological Reports</i> , 2017, 69, 1240-1246.	3.3	22
79	Ascorbic Acid to Manage Psychiatric Disorders. <i>CNS Drugs</i> , 2017, 31, 571-583.	5.9	39
80	Effects of physical exercise and social isolation on anxiety-related behaviors in two inbred rat strains. <i>Behavioural Processes</i> , 2017, 142, 70-78.	1.1	9
81	Signaling pathways underlying the antidepressant-like effect of inosine in mice. <i>Purinergic Signalling</i> , 2017, 13, 203-214.	2.2	28
82	Preventive and therapeutic potential of ascorbic acid in neurodegenerative diseases. <i>CNS Neuroscience and Therapeutics</i> , 2017, 23, 921-929.	3.9	79
83	Therapeutic Potential of Ursolic Acid to Manage Neurodegenerative and Psychiatric Diseases. <i>CNS Drugs</i> , 2017, 31, 1029-1041.	5.9	44
84	Glutamatergic system and mTOR-signaling pathway participate in the antidepressant-like effect of inosine in the tail suspension test. <i>Journal of Neural Transmission</i> , 2017, 124, 1227-1237.	2.8	18
85	Antidepressant-like effect of pramipexole in an inflammatory model of depression. <i>Behavioural Brain Research</i> , 2017, 320, 365-373.	2.2	36
86	Creatine Prevents Corticosterone-Induced Reduction in Hippocampal Proliferation and Differentiation: Possible Implication for Its Antidepressant Effect. <i>Molecular Neurobiology</i> , 2017, 54, 6245-6260.	4.0	27
87	MPP+-Lesioned Mice: an Experimental Model of Motor, Emotional, Memory/Learning, and Striatal Neurochemical Dysfunctions. <i>Molecular Neurobiology</i> , 2017, 54, 6356-6377.	4.0	31
88	Atorvastatin Protects from $\text{A}\beta_{1-40}$ -Induced Cell Damage and Depressive-Like Behavior via ProBDNF Cleavage. <i>Molecular Neurobiology</i> , 2017, 54, 6163-6173.	4.0	31
89	Effects of ascorbic acid on anxiety state and affect in a non-clinical sample. <i>Acta Neurobiologiae Experimentalis</i> , 2017, 77, 362-372.	0.7	10
90	Effects of ascorbic acid on anxiety state and affect in a non-clinical sample. <i>Acta Neurobiologiae Experimentalis</i> , 2017, 77, 362-372.	0.7	6

#	ARTICLE	IF	CITATIONS
91	Involvement of PI3K/Akt/GSK-3 $\beta$ and mTOR in the antidepressant-like effect of atorvastatin in mice. <i>Journal of Psychiatric Research</i> , 2016, 82, 50-57.	3.1	62
92	Agmatine produces antidepressant-like effects by activating AMPA receptors and mTOR signaling. <i>European Neuropsychopharmacology</i> , 2016, 26, 959-971.	0.7	53
93	Is there an association between hypercholesterolemia and depression? Behavioral evidence from the LDLr $\alpha^{\gamma}/\alpha^{\gamma}$ mouse experimental model. <i>Behavioural Brain Research</i> , 2016, 311, 31-38.	2.2	24
94	ISX-9 can potentiate cell proliferation and neuronal commitment in the rat dentate gyrus. <i>Neuroscience</i> , 2016, 332, 212-222.	2.3	15
95	Antidepressant-like effects of ascorbic acid and ketamine involve modulation of GABAA and GABAB receptors. <i>Pharmacological Reports</i> , 2016, 68, 996-1001.	3.3	59
96	Subchronic administration of ascorbic acid elicits antidepressant-like effect and modulates cell survival signaling pathways in mice. <i>Journal of Nutritional Biochemistry</i> , 2016, 38, 50-56.	4.2	21
97	Acute agmatine administration, similar to ketamine, reverses depressive-like behavior induced by chronic unpredictable stress in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2016, 150-151, 108-114.	2.9	41
98	Agmatine, a potential novel therapeutic strategy for depression. <i>European Neuropsychopharmacology</i> , 2016, 26, 1885-1899.	0.7	39
99	The antidepressant-like effect of chronic guanosine treatment is associated with increased hippocampal neuronal differentiation. <i>European Journal of Neuroscience</i> , 2016, 43, 1006-1015.	2.6	33
100	Agmatine attenuates reserpine-induced oral dyskinesia in mice: Role of oxidative stress, nitric oxide and glutamate NMDA receptors. <i>Behavioural Brain Research</i> , 2016, 312, 64-76.	2.2	24
101	Creatine affords protection against glutamate-induced nitrosative and oxidative stress. <i>Neurochemistry International</i> , 2016, 95, 4-14.	3.8	25
102	Involvement of glutamatergic neurotransmission in the antidepressant-like effect of zinc in the chronic unpredictable stress model of depression. <i>Journal of Neural Transmission</i> , 2016, 123, 339-352.	2.8	13
103	Creatine, Similar to Ketamine, Counteracts Depressive-Like Behavior Induced by Corticosterone via PI3K/Akt/mTOR Pathway. <i>Molecular Neurobiology</i> , 2016, 53, 6818-6834.	4.0	111
104	Novel approaches for the management of depressive disorders. <i>European Journal of Pharmacology</i> , 2016, 771, 236-240.	3.5	35
105	Guanosine and its role in neuropathologies. <i>Purinergic Signalling</i> , 2016, 12, 411-426.	2.2	78
106	Glutamatergic NMDA Receptor as Therapeutic Target for Depression. <i>Advances in Protein Chemistry and Structural Biology</i> , 2016, 103, 169-202.	2.3	30
107	Agmatine, by Improving Neuroplasticity Markers and Inducing Nrf2, Prevents Corticosterone-Induced Depressive-Like Behavior in Mice. <i>Molecular Neurobiology</i> , 2016, 53, 3030-3045.	4.0	82
108	Involvement of PI3K/Akt Signaling Pathway and Its Downstream Intracellular Targets in the Antidepressant-Like Effect of Creatine. <i>Molecular Neurobiology</i> , 2016, 53, 2954-2968.	4.0	50



#	ARTICLE	IF	CITATIONS
109	Current perspectives on the antidepressant-like effects of guanosine. <i>Neural Regeneration Research</i> , 2016, 11, 1411.	3.0	4
110	mTOR signaling in the neuropathophysiology of depression: current evidence. <i>Journal of Receptor, Ligand and Channel Research</i> , 2015, , 65.	0.7	3
111	Caffeine acts through neuronal adenosine A <sub>2A</sub> receptors to prevent mood and memory dysfunction triggered by chronic stress. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 7833-7838.	7.1	248
112	The modulation of NMDA receptors and l-arginine/nitric oxide pathway is implicated in the anti-immobility effect of creatine in the tail suspension test. <i>Amino Acids</i> , 2015, 47, 795-811.	2.7	40
113	Antidepressant-like effect of zinc is dependent on signaling pathways implicated in BDNF modulation. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2015, 59, 59-67.	4.8	36
114	Agmatine enhances antidepressant potency of MK-801 and conventional antidepressants in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2015, 130, 9-14.	2.9	35
115	Creatine, similarly to ketamine, affords antidepressant-like effects in the tail suspension test via adenosine A1 and A2A receptor activation. <i>Purinergic Signalling</i> , 2015, 11, 215-227.	2.2	34
116	Thalidomide reduces mechanical hyperalgesia and depressive-like behavior induced by peripheral nerve crush in mice. <i>Neuroscience</i> , 2015, 303, 51-58.	2.3	22
117	Effects of Agmatine on Depressive-Like Behavior Induced by Intracerebroventricular Administration of 1-Methyl-4-phenylpyridinium (MPP+). <i>Neurotoxicity Research</i> , 2015, 28, 222-231.	2.7	42
118	TNF- $\alpha$ -induced depressive-like phenotype and p38MAPK activation are abolished by ascorbic acid treatment. <i>European Neuropsychopharmacology</i> , 2015, 25, 902-912.	0.7	46
119	Anxiolytic-like effects of ursolic acid in mice. <i>European Journal of Pharmacology</i> , 2015, 758, 171-176.	3.5	49
120	Statins enhance cognitive performance in object location test in albino Swiss mice: Involvement of beta-adrenoceptors. <i>Physiology and Behavior</i> , 2015, 143, 27-34.	2.1	9
121	Agmatine Induces Nrf2 and Protects Against Corticosterone Effects in Hippocampal Neuronal Cell Line. <i>Molecular Neurobiology</i> , 2015, 51, 1504-1519.	4.0	52
122	Both Creatine and Its Product Phosphocreatine Reduce Oxidative Stress and Afford Neuroprotection in an <i>In Vitro</i> Parkinson's Model. <i>ASN Neuro</i> , 2014, 6, 175909141455494.	2.7	32
123	Involvement of PKA, PKC, CAMK-II and MEK1/2 in the acute antidepressant-like effect of creatine in mice. <i>Pharmacological Reports</i> , 2014, 66, 653-659.	3.3	24
124	NCS-1 deficiency causes anxiety and depressive-like behavior with impaired non-aversive memory in mice. <i>Physiology and Behavior</i> , 2014, 130, 91-98.	2.1	33
125	Antidepressant-like effect of ascorbic acid is associated with the modulation of mammalian target of rapamycin pathway. <i>Journal of Psychiatric Research</i> , 2014, 48, 16-24.	3.1	61
126	Agmatine abolishes restraint stress-induced depressive-like behavior and hippocampal antioxidant imbalance in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2014, 50, 143-150.	4.8	82



#	ARTICLE	IF	CITATIONS
127	ConBr, a lectin from <i>Canavalia brasiliensis</i> seeds, modulates signaling pathways and increases BDNF expression probably via a glycosylated target. <i>Journal of Molecular Recognition</i> , 2014, 27, 746-754.	2.1	8
128	Guanosine prevents behavioral alterations in the forced swimming test and hippocampal oxidative damage induced by acute restraint stress. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 127, 7-14.	2.9	53
129	Sub-chronic agmatine treatment modulates hippocampal neuroplasticity and cell survival signaling pathways in mice. <i>Journal of Psychiatric Research</i> , 2014, 58, 137-146.	3.1	33
130	Folic acid prevents depressive-like behavior induced by chronic corticosterone treatment in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 127, 1-6.	2.9	63
131	Antidepressant-like effect of <i>Canavalia brasiliensis</i> (ConBr) lectin in mice: Evidence for the involvement of the glutamatergic system. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 122, 53-60.	2.9	27
132	Depressive-like behavior induced by tumor necrosis factor- $\alpha$ is abolished by agmatine administration. <i>Behavioural Brain Research</i> , 2014, 261, 336-344.	2.2	57
133	Serotonergic and noradrenergic systems are implicated in the antidepressant-like effect of ursolic acid in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 124, 108-116.	2.9	43
134	Atorvastatin evokes a serotonergic system-dependent antidepressant-like effect in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2014, 122, 253-260.	2.9	23
135	Role of agmatine in neurodegenerative diseases and epilepsy. <i>Frontiers in Bioscience - Elite</i> , 2014, 6, 341-359.	1.8	20
136	Antidepressant-like action of the bark ethanolic extract from <i>Tabebuia avellanedae</i> in the olfactory bulbectomized mice. <i>Journal of Ethnopharmacology</i> , 2013, 145, 737-745.	4.1	26
137	The antidepressant-like effect of inosine in the FST is associated with both adenosine A1 and A2A receptors. <i>Purinergic Signalling</i> , 2013, 9, 481-486.	2.2	44
138	Antidepressant-like effect of $\alpha$ -tocopherol in a mouse model of depressive-like behavior induced by TNF- $\alpha$ . <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 46, 48-57.	4.8	53
139	Nutritional strategies for dealing with depression. <i>Food and Function</i> , 2013, 4, 1776.	4.6	29
140	NMDA Receptors and the L-Arginine-Nitric Oxide-Cyclic Guanosine Monophosphate Pathway Are Implicated in the Antidepressant-Like Action of the Ethanolic Extract from <i>Tabebuia avellanedae</i> in Mice. <i>Journal of Medicinal Food</i> , 2013, 16, 1030-1038.	1.5	14
141	Evidence for the involvement of 5-HT1A receptor in the acute antidepressant-like effect of creatine in mice. <i>Brain Research Bulletin</i> , 2013, 95, 61-69.	3.0	29
142	Antidepressant-like responses in the forced swimming test elicited by glutathione and redox modulation. <i>Behavioural Brain Research</i> , 2013, 253, 165-172.	2.2	27
143	Neuropeptide Y (NPY) prevents depressive-like behavior, spatial memory deficits and oxidative stress following amyloid- $\beta$ (A $\beta$ 1-40) administration in mice. <i>Behavioural Brain Research</i> , 2013, 244, 107-115.	2.2	78
144	Protective Effects of Ascorbic Acid on Behavior and Oxidative Status of Restraint-Stressed Mice. <i>Journal of Molecular Neuroscience</i> , 2013, 49, 68-79.	2.3	74

#	ARTICLE	IF	CITATIONS
145	Acute atorvastatin treatment exerts antidepressant-like effect in mice via the l-arginine-nitric oxide-cyclic guanosine monophosphate pathway and increases BDNF levels. <i>European Neuropsychopharmacology</i> , 2013, 23, 400-412.	0.7	79
146	Protective effect of creatine against 6-hydroxydopamine-induced cell death in human neuroblastoma SH-SY5Y cells: Involvement of intracellular signaling pathways. <i>Neuroscience</i> , 2013, 238, 185-194.	2.3	38
147	Chronic administration of duloxetine and mirtazapine downregulates proapoptotic proteins and upregulates neurotrophin gene expression in the hippocampus and cerebral cortex of mice. <i>Journal of Psychiatric Research</i> , 2013, 47, 802-808.	3.1	43
148	Antidepressant-like effects of fractions, essential oil, carnosol and betulinic acid isolated from <i>Rosmarinus officinalis</i> L.. <i>Food Chemistry</i> , 2013, 136, 999-1005.	8.2	113
149	Agmatine: clinical applications after 100 years in translation. <i>Drug Discovery Today</i> , 2013, 18, 880-893.	6.4	207
150	Nrf2 participates in depressive disorders through an anti-inflammatory mechanism. <i>Psychoneuroendocrinology</i> , 2013, 38, 2010-2022.	2.7	108
151	Evidence of the involvement of the monoaminergic systems in the antidepressant-like effect of <i>Aloysia gratissima</i> . <i>Journal of Ethnopharmacology</i> , 2013, 148, 914-920.	4.1	18
152	Folic acid prevents depressive-like behavior and hippocampal antioxidant imbalance induced by restraint stress in mice. <i>Experimental Neurology</i> , 2013, 240, 112-121.	4.1	75
153	The activation of $\beta$ -1-adrenoceptors is implicated in the antidepressant-like effect of creatine in the tail suspension test. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2013, 44, 39-50.	4.8	32
154	Fluoxetine modulates hippocampal cell signaling pathways implicated in neuroplasticity in olfactory bulbectomized mice. <i>Behavioural Brain Research</i> , 2013, 237, 176-184.	2.2	56
155	<i>Vatairea macrocarpa</i> Lectin (VML) Induces Depressive-like Behavior and Expression of Neuroinflammatory Markers in Mice. <i>Neurochemical Research</i> , 2013, 38, 2375-2384.	3.3	16
156	The Antidepressant-like Effect of Physical Activity on a Voluntary Running Wheel. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 851-859.	0.4	35
157	Ghrelin as a Neuroprotective and Palliative Agent in Alzheimer's and Parkinson's Disease. <i>Current Pharmaceutical Design</i> , 2013, 19, 6773-6790.	1.9	47
158	Antidepressant-like effect of creatine in mice involves dopaminergic activation. <i>Journal of Psychopharmacology</i> , 2012, 26, 1489-1501.	4.0	35
159	Involvement of PI3K, GSK-3 $\beta$ and PPAR $\gamma$ in the antidepressant-like effect of folic acid in the forced swimming test in mice. <i>Journal of Psychopharmacology</i> , 2012, 26, 714-723.	4.0	55
160	Antidepressant-like effect of ursolic acid isolated from <i>Rosmarinus officinalis</i> L. in mice: Evidence for the involvement of the dopaminergic system. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 103, 204-211.	2.9	83
161	Involvement of NMDA receptors in the antidepressant-like action of adenosine. <i>Pharmacological Reports</i> , 2012, 64, 706-713.	3.3	27
162	Depressive-like behavior induced by tumor necrosis factor- $\alpha$ in mice. <i>Neuropharmacology</i> , 2012, 62, 419-426.	4.1	252

#	ARTICLE	IF	CITATIONS
163	Acute ghrelin administration reverses depressive-like behavior induced by bilateral olfactory bulbectomy in mice. <i>Peptides</i> , 2012, 35, 160-165.	2.4	44
164	<i>Rosmarinus officinalis</i> L. hydroalcoholic extract, similar to fluoxetine, reverses depressive-like behavior without altering learning deficit in olfactory bulbectomized mice. <i>Journal of Ethnopharmacology</i> , 2012, 143, 158-169.	4.1	57
165	Involvement of monoaminergic systems in the antidepressant-like effect of <i>Eugenia brasiliensis</i> Lam. (Myrtaceae) in the tail suspension test in mice. <i>Journal of Ethnopharmacology</i> , 2012, 143, 720-731.	4.1	34
166	Guanosine produces an antidepressant-like effect through the modulation of NMDA receptors, nitric oxideâcGMP and PI3K/mTOR pathways. <i>Behavioural Brain Research</i> , 2012, 234, 137-148.	2.2	77
167	Involvement of PKA, CaMKII, PKC, MAPK/ERK and PI3K in the acute antidepressant-like effect of ferulic acid in the tail suspension test. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 103, 181-186.	2.9	55
168	Fluoxetine reverses depressive-like behaviors and increases hippocampal acetylcholinesterase activity induced by olfactory bulbectomy. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 103, 220-229.	2.9	79
169	The role of the NMDA receptors and l-arginineânitric oxideâcyclic guanosine monophosphate pathway in the antidepressant-like effect of duloxetine in the forced swimming test. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 103, 408-417.	2.9	32
170	Ferulic acid exerts antidepressant-like effect in the tail suspension test in mice: Evidence for the involvement of the serotonergic system. <i>European Journal of Pharmacology</i> , 2012, 679, 68-74.	3.5	77
171	Involvement of different types of potassium channels in the antidepressant-like effect of ascorbic acid in the mouse tail suspension test. <i>European Journal of Pharmacology</i> , 2012, 687, 21-27.	3.5	33
172	Ascorbic acid treatment, similarly to fluoxetine, reverses depressive-like behavior and brain oxidative damage induced by chronic unpredictable stress. <i>Journal of Psychiatric Research</i> , 2012, 46, 331-340.	3.1	177
173	Role of potassium channels in the antidepressant-like effect of folic acid in the forced swimming test in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 148-154.	2.9	18
174	Antidepressant-like effect of extract from <i>Polygala paniculata</i> : Involvement of the monoaminergic systems. <i>Pharmaceutical Biology</i> , 2011, 49, 1277-1285.	2.9	12
175	Involvement of nitric oxideâcGMP pathway in the antidepressant-like effect of ascorbic acid in the tail suspension test. <i>Behavioural Brain Research</i> , 2011, 225, 328-333.	2.2	61
176	Antidepressant-like and neuroprotective effects of <i>Aloysia gratissima</i> : Investigation of involvement of l-arginine-nitric oxide-cyclic guanosine monophosphate pathway. <i>Journal of Ethnopharmacology</i> , 2011, 137, 864-874.	4.1	40
177	Neurotoxicity induced by dexamethasone in the human neuroblastoma SH-SY5Y cell line can be prevented by folic acid. <i>Neuroscience</i> , 2011, 190, 346-353.	2.3	23
178	Neuroprotective effect of guanosine against glutamateâinduced cell death in rat hippocampal slices is mediated by the phosphatidylinositolâ3 kinase/Akt/ glycogen synthase kinase 3 $\beta$ pathway activation and inducible nitric oxide synthase inhibition. <i>Journal of Neuroscience Research</i> , 2011, 89, 1400-1408.	2.9	69
179	Protective effect of crude extract from <i>Wedelia paludosa</i> (Asteraceae) on the hepatotoxicity induced by paracetamol in mice. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 58, 137-142.	2.4	13
180	Involvement of dopamine receptors in the antidepressant-like effect of melatonin in the tail suspension test. <i>European Journal of Pharmacology</i> , 2010, 638, 78-83.	3.5	41

#	ARTICLE	IF	CITATIONS
181	Antidepressant-like effect of scopoletin, a coumarin isolated from <i>Polygala sabulosa</i> (Polygalaceae) in mice: Evidence for the involvement of monoaminergic systems. <i>European Journal of Pharmacology</i> , 2010, 643, 232-238.	3.5	123
182	Folic acid administration prevents ouabain-induced hyperlocomotion and alterations in oxidative stress markers in the rat brain. <i>Bipolar Disorders</i> , 2010, 12, 414-424.	1.9	40
183	Inosine Reduces Pain-Related Behavior in Mice: Involvement of Adenosine A <sub>1</sub> and A <sub>2A</sub> Receptor Subtypes and Protein Kinase C Pathways. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2010, 334, 590-598.	2.5	50
184	Î±-Tocopherol administration produces an antidepressant-like effect in predictive animal models of depression. <i>Behavioural Brain Research</i> , 2010, 209, 249-259.	2.2	56
185	Antidepressant-like action of the ethanolic extract from <i>Tabebuia avellanedae</i> in mice: Evidence for the involvement of the monoaminergic system. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 335-343.	4.8	63
186	Involvement of NMDA receptors and l-arginine-nitric oxide-cyclic guanosine monophosphate pathway in the antidepressant-like effects of escitalopram in the forced swimming test. <i>European Neuropsychopharmacology</i> , 2010, 20, 793-801.	0.7	82
187	Effects of Traumatic Brain Injury of Different Severities on Emotional, Cognitive, and Oxidative Stress-Related Parameters in Mice. <i>Journal of Neurotrauma</i> , 2010, 27, 1883-1893.	3.4	95
188	Antidepressant-like effect of the organoselenium compound ebselen in mice: Evidence for the involvement of the monoaminergic system. <i>European Journal of Pharmacology</i> , 2009, 602, 85-91.	3.5	74
189	Antinociceptive Properties of the Hydroalcoholic Extract and the Flavonoid Rutin Obtained from <i>Polygala paniculata</i> L. in Mice. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2009, 104, 306-315.	2.5	55
190	Evidence for the involvement of the opioid system in the antidepressant-like effect of folic acid in the mouse forced swimming test. <i>Behavioural Brain Research</i> , 2009, 200, 122-127.	2.2	34
191	Evidence for the involvement of the monoaminergic system in the antidepressant-like effect of magnesium. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 235-242.	4.8	69
192	Ascorbic acid administration produces an antidepressant-like effect: Evidence for the involvement of monoaminergic neurotransmission. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 530-540.	4.8	121
193	Antidepressant-like effect of the extract of <i>Rosmarinus officinalis</i> in mice: Involvement of the monoaminergic system. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2009, 33, 642-650.	4.8	137
194	Zinc reverses malathion-induced impairment in antioxidant defenses. <i>Toxicology Letters</i> , 2009, 187, 137-143.	0.8	44
195	Antioxidant and Acetylcholinesterase Response to Repeated Malathion Exposure in Rat Cerebral Cortex and Hippocampus. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008, 102, 365-369.	2.5	40
196	Antinociceptive Effect of the <i>Polygala sabulosa</i> Hydroalcoholic Extract in Mice: Evidence for the Involvement of Glutamatergic Receptors and Cytokine Pathways. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2008, 103, 43-47.	2.5	37
197	Antidepressant-like effect of rutin isolated from the ethanolic extract from <i>Schinus molle</i> L. in mice: Evidence for the involvement of the serotonergic and noradrenergic systems. <i>European Journal of Pharmacology</i> , 2008, 587, 163-168.	3.5	165
198	Antidepressant-like effect of folic acid: Involvement of NMDA receptors and l-arginine-nitric oxide-cyclic guanosine monophosphate pathway. <i>European Journal of Pharmacology</i> , 2008, 598, 37-42.	3.5	65

#	ARTICLE	IF	CITATIONS
199	Folic acid administration produces an antidepressant-like effect in mice: Evidence for the involvement of the serotonergic and noradrenergic systems. <i>Neuropharmacology</i> , 2008, 54, 464-473.	4.1	118
200	Involvement of the adenosine A1 and A2A receptors in the antidepressant-like effect of zinc in the forced swimming test. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 994-999.	4.8	40
201	Antidepressant-like effect of the novel thiazolidinone NP031115 in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1549-1556.	4.8	116
202	Interaction of zinc with antidepressants in the tail suspension test. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1913-1920.	4.8	119
203	The antimanic-like effect of tamoxifen: Behavioural comparison with other PKC-inhibiting and antiestrogenic drugs. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2008, 32, 1927-1931.	4.8	35
204	Involvement of glutathione, ERK1/2 phosphorylation and BDNF expression in the antidepressant-like effect of zinc in rats. <i>Behavioural Brain Research</i> , 2008, 188, 316-323.	2.2	50
205	Zinc Attenuates Malathion-Induced Depressant-like Behavior and Confers Neuroprotection in the Rat Brain. <i>Toxicological Sciences</i> , 2007, 97, 140-148.	3.1	73
206	Antidepressant-like effect of the extract from leaves of <i>Schinus molle</i> L. in mice: Evidence for the involvement of the monoaminergic system. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 421-428.	4.8	106
207	The inhibition of different types of potassium channels underlies the antidepressant-like effect of adenosine in the mouse forced swimming test. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 690-696.	4.8	42
208	Veratrine blocks the lamotrigine-induced swimming increase and immobility decrease in the modified forced swimming test. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2007, 31, 1307-1311.	4.8	5
209	Antinociceptive action of ethanolic extract obtained from roots of <i>Humirianthera ampla</i> Miers. <i>Journal of Ethnopharmacology</i> , 2007, 114, 355-363.	4.1	32
210	Anti-hypernociceptive properties of agmatine in persistent inflammatory and neuropathic models of pain in mice. <i>Brain Research</i> , 2007, 1159, 124-133.	2.2	35
211	Antidepressant-like effect of lamotrigine in the mouse forced swimming test: Evidence for the involvement of the noradrenergic system. <i>European Journal of Pharmacology</i> , 2007, 565, 119-124.	3.5	62
212	Evidence for imidazoline receptors involvement in the agmatine antidepressant-like effect in the forced swimming test. <i>European Journal of Pharmacology</i> , 2007, 565, 125-131.	3.5	48
213	Role of different types of potassium channels in the antidepressant-like effect of agmatine in the mouse forced swimming test. <i>European Journal of Pharmacology</i> , 2007, 575, 87-93.	3.5	33
214	Pharmacological evidence for the involvement of the opioid system in the antidepressant-like effect of adenosine in the mouse forced swimming test. <i>European Journal of Pharmacology</i> , 2007, 576, 91-98.	3.5	43
215	Evidence for the involvement of l-arginine-nitric oxide-cyclic guanosine monophosphate pathway in the antidepressant-like effect of memantine in mice. <i>Behavioural Brain Research</i> , 2006, 168, 318-322.	2.2	71
216	Involvement of PKA, MAPK/ERK and CaMKII, but not PKC in the acute antidepressant-like effect of memantine in mice. <i>Neuroscience Letters</i> , 2006, 395, 93-97.	2.1	49

#	ARTICLE	IF	CITATIONS
217	Putrescine produces antidepressant-like effects in the forced swimming test and in the tail suspension test in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2006, 30, 1419-1425.	4.8	72
218	Mechanisms involved in the antinociception caused by melatonin in mice. <i>Journal of Pineal Research</i> , 2006, 41, 382-389.	7.4	77
219	Contribution of spinal glutamatergic receptors to the antinociception caused by agmatine in mice. <i>Brain Research</i> , 2006, 1093, 116-122.	2.2	29
220	Antidepressant-like effect of lectin from <i>Canavalia brasiliensis</i> (ConBr) administered centrally in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2006, 85, 160-169.	2.9	54
221	Antioxidant defenses and lipid peroxidation in the cerebral cortex and hippocampus following acute exposure to malathion and/or zinc chloride. <i>Toxicology</i> , 2005, 207, 283-291.	4.2	69
222	Antidepressant-like and antinociceptive-like actions of 4-(4-chlorophenyl)-6-(4-methylphenyl)-2-hydrazinepyrimidine Mannich base in mice. <i>Pharmacology Biochemistry and Behavior</i> , 2005, 82, 156-162.	2.9	39
223	Involvement of nitric oxide-cGMP pathway in the antidepressant-like effects of adenosine in the forced swimming test. <i>International Journal of Neuropsychopharmacology</i> , 2005, 8, 601.	2.1	86
224	Evidence for the involvement of the opioid system in the agmatine antidepressant-like effect in the forced swimming test. <i>Neuroscience Letters</i> , 2005, 381, 279-283.	2.1	100
225	Evidence for the involvement of glutamatergic system in the antinociceptive effect of ascorbic acid. <i>Neuroscience Letters</i> , 2005, 381, 185-188.	2.1	40
226	Effects of potassium channel inhibitors in the forced swimming test: Possible involvement of l-arginine-nitric oxide-soluble guanylate cyclase pathway. <i>Behavioural Brain Research</i> , 2005, 165, 204-209.	2.2	94
227	Involvement of 5-HT <sub>1A</sub> receptors in the antidepressant-like effect of adenosine in the mouse forced swimming test. <i>Brain Research Bulletin</i> , 2005, 67, 53-61.	3.0	68
228	Behavioral effects and ChE measures after acute and repeated administration of malathion in rats. <i>Environmental Toxicology and Pharmacology</i> , 2005, 20, 443-449.	4.0	35
229	Mechanisms involved in the antinociception caused by agmatine in mice. <i>Neuropharmacology</i> , 2005, 48, 1021-1034.	4.1	120
230	Lead stimulates ERK1/2 and p38MAPK phosphorylation in the hippocampus of immature rats. <i>Brain Research</i> , 2004, 998, 65-72.	2.2	81
231	Adenosine administration produces an antidepressant-like effect in mice: evidence for the involvement of A <sub>1</sub> and A <sub>2A</sub> receptors. <i>Neuroscience Letters</i> , 2004, 355, 21-24.	2.1	130
232	Melatonin exerts an antidepressant-like effect in the tail suspension test in mice: evidence for involvement of N-methyl-d-aspartate receptors and the l-arginine-nitric oxide pathway. <i>Neuroscience Letters</i> , 2003, 343, 1-4.	2.1	168
233	Involvement of NMDA receptors and l-arginine-nitric oxide pathway in the antidepressant-like effects of zinc in mice. <i>Behavioural Brain Research</i> , 2003, 144, 87-93.	2.2	164
234	Agmatine produces antidepressant-like effects in two models of depression in mice. <i>NeuroReport</i> , 2002, 13, 387-391.	1.2	179



#	ARTICLE	IF	CITATIONS
235	The crude extract from the sea anemone, <i>Bunodosoma caissarum</i> elicits convulsions in mice: possible involvement of the glutamatergic system. <i>Toxicol</i> , 2002, 40, 1667-1674.	1.6	19
236	Involvement of monoaminergic system in the antidepressant-like effect of the hydroalcoholic extract of <i>Siphocampylus verticillatus</i> . <i>Life Sciences</i> , 2002, 70, 1347-1358.	4.3	168
237	Evidence for dual effects of nitric oxide in the forced swimming test and in the tail suspension test in mice. <i>NeuroReport</i> , 2000, 11, 3699-3702.	1.2	111
238	Acute treatments with GMP produce antidepressant-like effects in mice. <i>NeuroReport</i> , 2000, 11, 1839-1843.	1.2	71
239	Effects of lead on adenylate cyclase activity in rat cerebral cortex. <i>Neurochemical Research</i> , 1999, 24, 1037-1042.	3.3	5
240	Spinal and supraspinal antinociceptive action of dipyrone in formalin, capsaicin and glutamate tests. Study of the mechanism of action. <i>European Journal of Pharmacology</i> , 1998, 345, 233-245.	3.5	105
241	Î-Aminolevulinic Acid Dehydratase Activity in Weanling and Adult Rats Exposed to Lead Acetate. <i>Bulletin of Environmental Contamination and Toxicology</i> , 1996, 57, 47-53.	2.7	24
242	Effect of Perinatal Lead Exposure on Rat Behaviour in Open-Field and Two-Way Avoidance Tasks. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1996, 79, 150-156.	0.0	122
243	Lead exposure and latent learning ability of adult female rats. <i>Behavioral and Neural Biology</i> , 1993, 60, 274-279.	2.2	12
244	Effect of some metal ions on blood and liver delta-aminolevulinic acid dehydratase of <i>Pimelodus maculatus</i> (Pisces, pimelodidae). <i>Comparative Biochemistry and Physiology Part B: Comparative Biochemistry</i> , 1989, 94, 65-69.	0.2	27