Dario SimÃues Zamboni

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6155238/publications.pdf

Version: 2024-02-01

141 papers 9,604 citations

50 h-index 90 g-index

157 all docs

157 does citations

157 times ranked

13506 citing authors

#	Article	IF	CITATIONS
1	SARS-CoV-2–triggered neutrophil extracellular traps mediate COVID-19 pathology. Journal of Experimental Medicine, 2020, 217, .	4.2	675
2	Inflammasomes are activated in response to SARS-CoV-2 infection and are associated with COVID-19 severity in patients. Journal of Experimental Medicine, 2021, 218, .	4.2	583
3	Flagellin-Deficient Legionella Mutants Evade Caspase-1- and Naip5-Mediated Macrophage Immunity. PLoS Pathogens, 2006, 2, e18.	2.1	475
4	The Bircle cytosolic pattern-recognition receptor contributes to the detection and control of Legionella pneumophila infection. Nature Immunology, 2006, 7, 318-325.	7.0	468
5	Inflammasome-derived IL- $\hat{\Pi}^2$ production induces nitric oxide \hat{a} e"mediated resistance to Leishmania. Nature Medicine, 2013, 19, 909-915.	15.2	345
6	A Method for Generation of Bone Marrow-Derived Macrophages from Cryopreserved Mouse Bone Marrow Cells. PLoS ONE, 2010, 5, e15263.	1.1	270
7	Hemolysis-induced lethality involves inflammasome activation by heme. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E4110-8.	3.3	263
8	Caspase-11 stimulates rapid flagellin-independent pyroptosis in response to <i>Legionella pneumophila</i> . Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1851-1856.	3.3	242
9	NOD1 and NOD2 Signaling in Infection and Inflammation. Frontiers in Immunology, 2012, 3, 328.	2.2	229
10	NLRP3 inflammasome–mediated neutrophil recruitment and hypernociception depend on leukotriene B ₄ in a murine model of gout. Arthritis and Rheumatism, 2012, 64, 474-484.	6.7	202
11	Beneficial effects of colchicine for moderate to severe COVID-19: a randomised, double-blinded, placebo-controlled clinical trial. RMD Open, 2021, 7, e001455.	1.8	183
12	IL-33 contributes to sepsis-induced long-term immunosuppression by expanding the regulatory T cell population. Nature Communications, 2017, 8, 14919.	5.8	171
13	Gut microbiota translocation to the pancreatic lymph nodes triggers NOD2 activation and contributes to T1D onset. Journal of Experimental Medicine, 2016, 213, 1223-1239.	4.2	163
14	Coxiella burnetii express type IV secretion system proteins that function similarly to components of the Legionella pneumophila Dot/Icm system. Molecular Microbiology, 2003, 49, 965-976.	1.2	146
15	Malaria-Induced NLRP12/NLRP3-Dependent Caspase-1 Activation Mediates Inflammation and Hypersensitivity to Bacterial Superinfection. PLoS Pathogens, 2014, 10, e1003885.	2.1	134
16	Nitric Oxide Partially Controls Coxiella burnetii Phase II Infection in Mouse Primary Macrophages. Infection and Immunity, 2003, 71, 1225-1233.	1.0	117
17	Type IV Secretion-Dependent Activation of Host MAP Kinases Induces an Increased Proinflammatory Cytokine Response to Legionella pneumophila. PLoS Pathogens, 2008, 4, e1000220.	2.1	114
18	Inhibition of caspase-1 or gasdermin-D enable caspase-8 activation in the Naip5/NLRC4/ASC inflammasome. PLoS Pathogens, 2017, 13, e1006502.	2.1	114

#	Article	IF	CITATIONS
19	Critical Role of ASC Inflammasomes and Bacterial Type IV Secretion System in Caspase-1 Activation and Host Innate Resistance to <i>Brucella abortus</i> Infection. Journal of Immunology, 2013, 190, 3629-3638.	0.4	112
20	Gasdermin D inhibition prevents multiple organ dysfunction during sepsis by blocking NET formation. Blood, 2021, 138, 2702-2713.	0.6	107
21	Cutting Edge: Nucleotide-Binding Oligomerization Domain 1-Dependent Responses Account for Murine Resistance against <i>Trypanosoma cruzi</i> Infection. Journal of Immunology, 2010, 184, 1148-1152.	0.4	105
22	Opposing roles of LTB4 and PGE2 in regulating the inflammasome-dependent scorpion venom-induced mortality. Nature Communications, 2016, 7, 10760.	5.8	95
23	Pore Formation Triggered by <i>Legionella</i> spp. Is an NIrc4 Inflammasome-Dependent Host Cell Response That Precedes Pyroptosis. Infection and Immunity, 2010, 78, 1403-1413.	1.0	93
24	Mitochondrial DNA Activates the NLRP3 Inflammasome and Predisposes to Type 1 Diabetes in Murine Model. Frontiers in Immunology, 2017, 8, 164.	2.2	91
25	Leishmania Lipophosphoglycan Triggers Caspase-11 and the Non-canonical Activation of the NLRP3 Inflammasome. Cell Reports, 2019, 26, 429-437.e5.	2.9	91
26	Inflammasomes in host response to protozoan parasites. Immunological Reviews, 2015, 265, 156-171.	2.8	88
27	NLRP3 Inflammasome Mediates Aldosterone-Induced Vascular Damage. Circulation, 2016, 134, 1866-1880.	1.6	87
28	The pattern recognition receptors Nod1 and Nod2 account for neutrophil recruitment to the lungs of mice infected with Legionella pneumophila. Microbes and Infection, 2010, 12, 819-827.	1.0	86
29	Stimulation of Toll-like Receptor 2 by Coxiella burnetii Is Required for Macrophage Production of Pro-inflammatory Cytokines and Resistance to Infection. Journal of Biological Chemistry, 2004, 279, 54405-54415.	1.6	84
30	Role of regulatory T cells in long-term immune dysfunction associated with severe sepsis. Critical Care Medicine, 2010, 38, 1718-1725.	0.4	83
31	Apoptosis-Associated Speck–like Protein Containing a Caspase Recruitment Domain Inflammasomes Mediate IL-1β Response and Host Resistance to ⟨i⟩Trypanosoma cruzi⟨/i⟩ Infection. Journal of Immunology, 2013, 191, 3373-3383.	0.4	83
32	Pivotal Role of Toll-Like Receptors 2 and 4, Its Adaptor Molecule MyD88, and Inflammasome Complex in Experimental Tubule-Interstitial Nephritis. PLoS ONE, 2011, 6, e29004.	1.1	83
33	Inhibition of inflammasome activation by Coxiella burnetii type IV secretion system effector IcaA. Nature Communications, 2015, 6, 10205.	5.8	82
34	Subversion of inflammasome activation and pyroptosis by pathogenic bacteria. Frontiers in Cellular and Infection Microbiology, 2013, 3, 76.	1.8	80
35	Activation of NLRC4 by Flagellated Bacteria Triggers Caspase-1–Dependent and –Independent Responses To Restrict <i>Legionella pneumophila</i> Replication in Macrophages and In Vivo. Journal of Immunology, 2011, 187, 6447-6455.	0.4	77
36	IL-18 Triggered by the Nlrp3 Inflammasome Induces Host Innate Resistance in a Pulmonary Model of Fungal Infection. Journal of Immunology, 2015, 194, 4507-4517.	0.4	77

#	Article	IF	CITATIONS
37	The P2X7 Receptor Mediates Toxoplasma gondii Control in Macrophages through Canonical NLRP3 Inflammasome Activation and Reactive Oxygen Species Production. Frontiers in Immunology, 2017, 8, 1257.	2.2	77
38	Caspase-1 but Not Caspase-11 Is Required for NLRC4-Mediated Pyroptosis and Restriction of Infection by Flagellated <i>Legionella</i> Species in Mouse Macrophages and In Vivo. Journal of Immunology, 2015, 195, 2303-2311.	0.4	67
39	Guanylate-binding protein 5 licenses caspase-11 for Gasdermin-D mediated host resistance to Brucella abortus infection. PLoS Pathogens, 2018, 14, e1007519.	2.1	67
40	Gasdermin-D and Caspase-7 are the key Caspase-1/8 substrates downstream of the NAIP5/NLRC4 inflammasome required for restriction of Legionella pneumophila. PLoS Pathogens, 2019, 15, e1007886.	2.1	65
41	Leishmania RNA virus exacerbates Leishmaniasis by subverting innate immunity via TLR3-mediated NLRP3 inflammasome inhibition. Nature Communications, 2019, 10, 5273.	5.8	65
42	Ecology of the Worm-Lizard Amphisbaena alba in the Cerrado of Central Brazil. Copeia, 1999, 1999, 733.	1.4	64
43	NALP3: a key player in caspase-1 activation. Journal of Endotoxin Research, 2006, 12, 251-256.	2.5	64
44	THE ROLE OF INNATE IMMUNITY IN SEPTIC ACUTE KIDNEY INJURIES. Shock, 2010, 34, 22-26.	1.0	64
45	AIM2 Engages Active but Unprocessed Caspase-1 to Induce Noncanonical Activation of the NLRP3 Inflammasome. Cell Reports, 2017, 20, 794-805.	2.9	64
46	Dectin-1 Activation during <i>Leishmania amazonensis</i> Phagocytosis Prompts Syk-Dependent Reactive Oxygen Species Production To Trigger Inflammasome Assembly and Restriction of Parasite Replication. Journal of Immunology, 2017, 199, 2055-2068.	0.4	61
47	Mitochondrial DNA and TLR9 activation contribute to SARS-CoV-2-induced endothelial cell damage. Vascular Pharmacology, 2022, 142, 106946.	1.0	59
48	NALP3: a key player in caspase-1 activation. Journal of Endotoxin Research, 2006, 12, 251-256.	2.5	58
49	The Inhibition of Inflammasome by Brazilian Propolis (EPP-AF). Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-11.	0.5	56
50	Inflammasome Activation Is Reactive Oxygen Species Dependent and Mediates Irinotecan-Induced Mucositis through IL- $1\hat{l}^2$ and IL- 18 in Mice. American Journal of Pathology, 2014, 184, 2023-2034.	1.9	56
51	NOD-Like Receptor P3 Inflammasome Controls Protective Th1/Th17 Immunity against Pulmonary Paracoccidioidomycosis. Frontiers in Immunology, 2017, 8, 786.	2.2	56
52	Autophagy downstream of endosomal Toll-like receptor signaling in macrophages is a key mechanism for resistance to Leishmania major infection. Journal of Biological Chemistry, 2017, 292, 13087-13096.	1.6	52
53	IL- $1\hat{l}^2$ Production by Intermediate Monocytes Is Associated with Immunopathology in Cutaneous Leishmaniasis. Journal of Investigative Dermatology, 2018, 138, 1107-1115.	0.3	52
54	Mitochondrial DNA Promotes NLRP3 Inflammasome Activation and Contributes to Endothelial Dysfunction and Inflammation in Type 1 Diabetes. Frontiers in Physiology, 2019, 10, 1557.	1.3	52

#	Article	IF	CITATIONS
55	Nitric oxide donor <i>transâ€</i> [RuCl([15]aneN ₄)NO] ²⁺ as a possible therapeutic approach for Chagas' disease. British Journal of Pharmacology, 2010, 160, 270-282.	2.7	48
56	The <scp>NLRP</scp> 3 inflammasome contributes to host protection during <i>Sporothrix schenckii</i> ii> infection. Immunology, 2017, 151, 154-166.	2.0	48
57	A Dual Role for P2X7 Receptor during <i>Porphyromonas gingivalis</i> Infection. Journal of Dental Research, 2015, 94, 1233-1242.	2,5	46
58	The NLRP3 inflammasome is involved with the pathogenesis of Mayaro virus. PLoS Pathogens, 2019, 15, e1007934.	2.1	46
59	A Novel Pathway for Inducible Nitric-oxide Synthase Activation through Inflammasomes. Journal of Biological Chemistry, 2010, 285, 32087-32095.	1.6	45
60	Heparin prevents in vitro glycocalyx shedding induced by plasma from COVID-19 patients. Life Sciences, 2021, 276, 119376.	2.0	44
61	Joint NOD2/RIPK2 Signaling Regulates IL-17 Axis and Contributes to the Development of Experimental Arthritis. Journal of Immunology, 2012, 188, 5116-5122.	0.4	43
62	The Nlrc4 Inflammasome Contributes to Restriction of Pulmonary Infection by Flagellated Legionella spp. that Trigger Pyroptosis. Frontiers in Microbiology, 2011, 2, 33.	1.5	42
63	Innate Immunity to Legionella Pneumophila. Frontiers in Microbiology, 2011, 2, 109.	1.5	42
64	IFN-Î ³ Plays a Unique Role in Protection against Low Virulent Trypanosoma cruzi Strain. PLoS Neglected Tropical Diseases, 2012, 6, e1598.	1.3	42
65	Caspase-1 is Involved in the Genesis of Inflammatory Hypernociception by Contributing to Peripheral IL-11 ² Maturation. Molecular Pain, 2010, 6, 1744-8069-6-63.	1.0	40
66	Innate Immune Activation and Subversion of Mammalian Functions by <i>Leishmania < /i>Lipophosphoglycan. Journal of Parasitology Research, 2012, 2012, 1-11.</i>	0.5	40
67	Sepsis expands a CD39+ plasmablast population that promotes immunosuppression via adenosine-mediated inhibition of macrophage antimicrobial activity. Immunity, 2021, 54, 2024-2041.e8.	6.6	38
68	Gasdermin-D activation by SARS-CoV-2 triggers NET and mediate COVID-19 immunopathology. Critical Care, 2022, 26, .	2.5	38
69	Inhibition of inflammasome activation by a clinical strain of Klebsiella pneumoniae impairs efferocytosis and leads to bacterial dissemination. Cell Death and Disease, 2018, 9, 1182.	2.7	36
70	Relevance of the Myeloid Differentiation Factor 88 (MyD88) on RANKL, OPG, and Nod Expressions Induced by TLR and IL-1R Signaling in Bone Marrow Stromal Cells. Inflammation, 2015, 38, 1-8.	1.7	35
71	Interleukin 1 Receptor–Driven Neutrophil Recruitment Accounts to MyD88–Dependent Pulmonary Clearance ofLegionella pneumophilaInfection In Vivo. Journal of Infectious Diseases, 2015, 211, 322-330.	1.9	34
72	Infection of Vero cells with Coxiella burnetii phase II: relative intracellular bacterial load and distribution estimated by confocal laser scanning microscopy and morphometry. Journal of Microbiological Methods, 2001, 43, 223-232.	0.7	33

#	Article	IF	CITATIONS
73	Intrinsic expression of Nod2 in CD4 ⁺ T lymphocytes is not necessary for the development of cellâ€mediated immunity and host resistance to <i>Toxoplasma gondii</i> . European Journal of Immunology, 2011, 41, 3627-3631.	1.6	33
74	Systems analysis of subjects acutely infected with the Chikungunya virus. PLoS Pathogens, 2019, 15, e1007880.	2.1	33
75	NOD2 Contributes to <i>Porphyromonas gingivalis</i> i>â€"induced Bone Resorption. Journal of Dental Research, 2014, 93, 1155-1162.	2.5	31
76	Pro-inflammatory Ca++-activated K+ channels are inhibited by hydroxychloroquine. Scientific Reports, 2017, 7, 1892.	1.6	31
77	The NOD2 signaling in peripheral macrophages contributes to neuropathic pain development. Pain, 2019, 160, 102-116.	2.0	31
78	Efferocytosis of SARS-CoV-2-infected dying cells impairs macrophage anti-inflammatory functions and clearance of apoptotic cells. ELife, 0, 11, .	2.8	31
79	Mouse resident peritoneal macrophages partially control in vitro infection with Coxiella burnetii phase II. Microbes and Infection, 2002, 4, 591-598.	1.0	30
80	Murine Alveolar Macrophages Are Highly Susceptible to Replication of Coxiella burnetii Phase II <i>In Vitro</i> Infection and Immunity, 2016, 84, 2439-2448.	1.0	30
81	The role of annexin A1 in the modulation of the NLRP3 inflammasome. Immunology, 2020, 160, 78-89.	2.0	29
82	Role of the transcriptional regulator SP140 in resistance to bacterial infections via repression of type I interferons. ELife, 2021, 10, .	2.8	29
83	Inflammasomes and Leishmania: in good times or bad, in sickness or in health. Current Opinion in Microbiology, 2019, 52, 70-76.	2.3	28
84	Nucleotide-binding oligomerization domain-containing protein 2 prompts potent inflammatory stimuli during Neospora caninum infection. Scientific Reports, 2016, 6, 29289.	1.6	27
85	Inflammasome Activation in Response to Intracellular Protozoan Parasites. Trends in Parasitology, 2020, 36, 459-472.	1.5	27
86	SARS-CoV-2 productively infects primary human immune system cells <i>in vitro</i> and in COVID-19 patients. Journal of Molecular Cell Biology, 2022, 14, .	1.5	26
87	Genetic Control of Natural Resistance of Mouse Macrophages to Coxiella burnetii Infection In Vitro: Macrophages from Restrictive Strains Control Parasitophorous Vacuole Maturation. Infection and Immunity, 2004, 72, 2395-2399.	1.0	25
88	Primary Role for Toll-Like Receptor-Driven Tumor Necrosis Factor Rather than Cytosolic Immune Detection in Restricting Coxiella burnetii Phase II Replication within Mouse Macrophages. Infection and Immunity, 2016, 84, 998-1015.	1.0	25
89	NLRP12 Attenuates Inflammatory Bone Loss in Experimental Apical Periodontitis. Journal of Dental Research, 2019, 98, 476-484.	2.5	25
90	Molecular basis of carrageenan-induced cytokines production in macrophages. Cell Communication and Signaling, 2020, 18, 141.	2.7	25

#	Article	IF	CITATIONS
91	Peripheral NLCR4 inflammasome participates in the genesis of acute inflammatory pain. Pain, 2015, 156, 451-459.	2.0	24
92	Antiâ€metastatic immunotherapy based on mucosal administration of flagellin and immunomodulatory P10. Immunology and Cell Biology, 2015, 93, 86-98.	1.0	24
93	Phagocytosis of Apoptotic Cells Increases the Susceptibility of Macrophages to Infection with Coxiella burnetii Phase II through Down-Modulation of Nitric Oxide Production. Infection and Immunity, 2004, 72, 2075-2080.	1.0	23
94	<i><scp>NOD</scp>1</i> in the modulation of host–microbe interactions and inflammatory bone resorption in the periodontal disease model. Immunology, 2016, 149, 374-385.	2.0	23
95	Inflammasome biology taught by <i>Legionella pneumophila</i> . Journal of Leukocyte Biology, 2017, 101, 841-849.	1.5	23
96	Leishmania Viannia guyanensis, LRV1 virus and extracellular vesicles: a dangerous trio influencing the faith of immune response during muco-cutaneous leishmaniasis. Current Opinion in Immunology, 2020, 66, 108-113.	2.4	23
97	Microbicidal property of B1 cell derived mononuclear phagocyte. Immunobiology, 2009, 214, 664-673.	0.8	22
98	Inflammasome Activation Is Critical to the Protective Immune Response during Chemically Induced Squamous Cell Carcinoma. PLoS ONE, 2014, 9, e107170.	1.1	21
99	Expression and activity of <i>NOD1 </i> and <i>NOD2 </i> /i>/ <i>RIPK2 </i> signalling in mononuclear cells from patients with rheumatoid arthritis. Scandinavian Journal of Rheumatology, 2016, 45, 8-12.	0.6	21
100	NOD2-RIP2–Mediated Signaling Helps Shape Adaptive Immunity in Visceral Leishmaniasis. Journal of Infectious Diseases, 2016, 214, 1647-1657.	1.9	20
101	NLRC4 biology in immunity and inflammation. Journal of Leukocyte Biology, 2020, 108, 1117-1127.	1.5	20
102	Caspase- 11 -dependent IL- $1\hat{l}\pm$ release boosts Th17 immunity against Paracoccidioides brasiliensis. PLoS Pathogens, 2019, 15, e1007990.	2.1	19
103	Macrophage priming is dispensable for NLRP3 inflammasome activation and restriction of <i>Leishmania amazonensis</i> replication. Journal of Leukocyte Biology, 2019, 106, 631-640.	1.5	19
104	The DNA Sensor AIM2 Protects against Streptozotocin-Induced Type 1 Diabetes by Regulating Intestinal Homeostasis via the IL-18 Pathway. Cells, 2020, 9, 959.	1.8	19
105	Cytosolic detection of flagellin: a deadly twist. Nature Immunology, 2006, 7, 549-551.	7.0	18
106	Role of <i>NOD2</i> and <i>RIP2</i> in host–microbe interactions with Gram-negative bacteria: insights from the periodontal disease model. Innate Immunity, 2016, 22, 598-611.	1.1	18
107	Absence of NOD2 receptor predisposes to intestinal inflammation by a deregulation in the immune response in hosts that are unable to control gut dysbiosis. Immunobiology, 2018, 223, 577-585.	0.8	17
108	The global response to the COVID-19 pandemic: how have immunology societies contributed?. Nature Reviews Immunology, 2020, 20, 594-602.	10.6	17

#	Article	IF	Citations
109	Chikungunya Virus Exposure Partially Cross-Protects against Mayaro Virus Infection in Mice. Journal of Virology, 2021, 95, e0112221.	1.5	17
110	<i>Legionella longbeachae</i> is immunologically silent and highly virulent <i>in vivo</i> Journal of Infectious Diseases, 2017, 215, jiw560.	1.9	16
111	MyD88-, but Not Nod1- and/or Nod2-Deficient Mice, Show Increased Susceptibility to Polymicrobial Sepsis due to Impaired Local Inflammatory Response. PLoS ONE, 2014, 9, e103734.	1.1	16
112	Nucleotide-Binding Oligomerization Domain-1 and -2 Play No Role in ControllingBrucella abortusInfection in Mice. Clinical and Developmental Immunology, 2012, 2012, 1-5.	3.3	15
113	NLRP12 controls arthritis severity by acting as a checkpoint inhibitor of Th17 cell differentiation. FASEB Journal, 2020, 34, 10907-10919.	0.2	12
114	Interplay Between Reactive Oxygen Species and the Inflammasome Are Crucial for Restriction of Neospora caninum Replication. Frontiers in Cellular and Infection Microbiology, 2020, 10, 243.	1.8	12
115	Phosphoinositideâ€3 kinase gamma regulates caspaseâ€1 activation and leukocyte recruitment in acute murine gout. Journal of Leukocyte Biology, 2019, 106, 619-629.	1.5	11
116	Caspase-8 mediates inflammation and disease in rodent malaria. Nature Communications, 2020, 11, 4596.	5.8	11
117	Sepsis-Induced Immunosuppression Is Marked by an Expansion of a Highly Suppressive Repertoire of FOXP3+ T-Regulatory Cells Expressing TIGIT. Journal of Infectious Diseases, 2022, 225, 531-541.	1.9	11
118	Keeping the host alive $\hat{a} \in \text{``lessons}$ from obligate intracellular bacterial pathogens. Pathogens and Disease, 2021, 79, .	0.8	11
119	A Parent-of-Origin Effect Determines the Susceptibility of a Non-Informative F1 Population to Trypanosoma cruzi Infection In Vivo. PLoS ONE, 2013, 8, e56347.	1.1	10
120	Inflammasome Activation by CD8+ T Cells from Patients with Cutaneous Leishmaniasis Caused by Leishmania braziliensis in the Immunopathogenesis of the Disease. Journal of Investigative Dermatology, 2021, 141, 209-213.e2.	0.3	10
121	Lipid droplet accumulation occurs early following <i>Salmonella</i> intracellular bacterial survival and replication. Molecular Microbiology, 2022, 117, 293-306.	1.2	10
122	The Use of a Heterogeneously Controlled Mouse Population Reveals a Significant Correlation of Acute Phase Parasitemia with Mortality in Chagas Disease. PLoS ONE, 2014, 9, e91640.	1.1	9
123	Immunity to Protozoan Parasites. Journal of Parasitology Research, 2012, 2012, 1-3.	0.5	8
124	Recognition of Legionella pneumophila nucleic acids by innate immune receptors. Microbes and Infection, 2014, 16, 985-990.	1.0	8
125	Protein methyltransferase 7 deficiency in Leishmania major increases neutrophil associated pathology in murine model. PLoS Neglected Tropical Diseases, 2021, 15, e0009230.	1.3	8
126	Inflammasome-dependent Mechanisms Involved in Sensing and Restriction of Bacterial Replication. Current Issues in Molecular Biology, 2018, 25, 99-132.	1.0	8

#	Article	IF	CITATIONS
127	Nucleotide-binding oligomerization domain-2 (NOD2) regulates type-1 cytokine responses to Mycobacterium avium but is not required for host control of infection. Microbes and Infection, 2015, 17, 337-344.	1.0	7
128	COVIDâ€19 bimodal clinical and pathological phenotypes. Clinical and Translational Medicine, 2022, 12, e648.	1.7	7
129	Endosymbiotic RNA virus inhibits Leishmania-induced caspase-11 activation. IScience, 2021, 24, 102004.	1.9	6
130	Identification and functional characterization of K+transporters encoded byLegionella pneumophilaâ€kupgenes. Cellular Microbiology, 2013, 15, 2006-2019.	1.1	4
131	The Mouse as a Model for Pulmonary Legionella Infection. Methods in Molecular Biology, 2013, 954, 493-503.	0.4	4
132	Disease Severity and Mortality Can Be Independently Regulated in a Mouse Model of Experimental Graft versus Host Disease. PLoS ONE, 2015, 10, e0118079.	1.1	3
133	NOD2 receptor is crucial for protecting against the digestive form of Chagas disease. PLoS Neglected Tropical Diseases, 2020, 14, e0008667.	1.3	3
134	The host control of a clinical isolate strain of P. aeruginosa infection is independent of Nod-1 but depends on MyD88. Inflammation Research, 2018, 67, 435-443.	1.6	2
135	Inflammasome Activation in Legionella-Infected Macrophages. Methods in Molecular Biology, 2019, 1921, 305-319.	0.4	2
136	Dietary Fiber Drives IL-1β–Dependent Peritonitis Induced by Bacteroides fragilis via Activation of the NLRP3 Inflammasome. Journal of Immunology, 2021, 206, 2441-2452.	0.4	1
137	Carrageenan Triggers NLRP3 Inflammasome Activation and IL-1 \hat{l}^2 Production by Macrophages. SSRN Electronic Journal, 0, , .	0.4	1
138	When the Going Gets Tough: Scientists' Personal Challenges. Cell, 2014, 159, 225-226.	13.5	0
139	Editorial overview: Host-microbe interactions: parasites 2019 — publisher's note. Current Opinion in Microbiology, 2019, 52, vii.	2.3	0
140	Genetics of Mouse Macrophage Resistance to <i>Legionella pneumophila</i> ., 0, , 301-306.		0
141	Inflammasome-dependent Mechanisms Involved in Sensing and Restriction of Bacterial Replication. , 2017, , .		0