

Frans Boch Waldorff

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6156642/publications.pdf>

Version: 2024-02-01

80
papers

1,397
citations

394421

19
h-index

395702

33
g-index

85
all docs

85
docs citations

85
times ranked

2263
citing authors

#	ARTICLE	IF	CITATIONS
1	Hearing examinations in Southern Denmark (HESD) database: a valuable tool for hearing-related epidemiological research. <i>International Journal of Audiology</i> , 2021, 60, 300-311.	1.7	4
2	Socioeconomic position and mental health care use before and after first redeemed antidepressant and time until subsequent contact to psychologist or psychiatrists: a nationwide Danish follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 449-462.	3.1	3
3	Factors associated with a clinically relevant reduction in menopausal symptoms of a standardized acupuncture approach for women with bothersome menopausal symptoms. <i>BMC Complementary Medicine and Therapies</i> , 2021, 21, 29.	2.7	1
4	Burnout of intrinsically motivated GPs when exposed to external regulation. <i>Health Policy</i> , 2021, 125, 459-466.	3.0	9
5	Association of Socioeconomic Status With Dementia Diagnosis Among Older Adults in Denmark. <i>JAMA Network Open</i> , 2021, 4, e2110432.	5.9	54
6	“One feels somewhere that one is insignificant in that system” – older multimorbid patients’ between lifeworld and system in healthcare. <i>BMC Geriatrics</i> , 2021, 21, 397.	2.7	6
7	Symptoms presented during emergency telephone calls for patients with spontaneous subarachnoid haemorrhage. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2021, 29, 118.	2.6	2
8	Residential exposure to transportation noise in Denmark and incidence of dementia: national cohort study. <i>BMJ, The</i> , 2021, 374, n1954.	6.0	39
9	Predictors of health-related quality of life in patients with Crohn’s disease receiving biological therapy. <i>Scandinavian Journal of Gastroenterology</i> , 2021, 56, 1-8.	1.5	2
10	Activities of daily living at hospital admission associated with mortality in geriatric patients with dementia: a Danish nationwide population-based cohort study. <i>European Geriatric Medicine</i> , 2021, 12, 627-636.	2.8	3
11	Physicians’ experiences, attitudes, and beliefs towards medical cannabis: a systematic literature review. <i>BMC Family Practice</i> , 2021, 22, 212.	2.9	36
12	Does accreditation of general practice promote patient-reported quality of care? A natural cluster randomised experiment. <i>BMJ Open</i> , 2020, 10, e034465.	1.9	5
13	Clinical management of hip fractures in elderly patients with dementia and postoperative 30-day mortality: A population-based cohort study. <i>Brain and Behavior</i> , 2020, 10, e01823.	2.2	6
14	Does accreditation affect the job satisfaction of general practitioners? A combined panel data survey and cluster randomised field experiment. <i>Health Policy</i> , 2020, 124, 849-855.	3.0	3
15	Sustained effects of a brief and standardised acupuncture approach on menopausal symptoms: post hoc analysis of the ACOM randomised controlled trial. <i>Acupuncture in Medicine</i> , 2020, 38, 396-406.	1.0	2
16	Use of prescription medication in the last years of life: a population-based comparison of two oldest old Danish birth cohorts born 10 years apart. <i>Age and Ageing</i> , 2020, 49, 1105-1109.	1.6	2
17	Brief Assessment of Impaired Cognition Questionnaire (BASIC) – Development and validation of a new tool for identification of cognitive impairment in community settings. <i>International Journal of Geriatric Psychiatry</i> , 2020, 35, 693-701.	2.7	8
18	Predictors of health-related quality of life in patients with moderate to severely active ulcerative colitis receiving biological therapy. <i>Scandinavian Journal of Gastroenterology</i> , 2020, 55, 656-663.	1.5	15

#	ARTICLE	IF	CITATIONS
19	Motion-Based Technology for People With Dementia Training at Home: Three-Phase Pilot Study Assessing Feasibility and Efficacy. <i>JMIR Mental Health</i> , 2020, 7, e19495.	3.3	8
20	Dementia and road traffic accidents among non-institutionalized older people in Denmark: A Danish register-based nested case-control study. <i>Scandinavian Journal of Public Health</i> , 2019, 47, 221-228.	2.3	5
21	Rate and predictors for non-attendance of patients undergoing hospital outpatient treatment for chronic diseases: a register-based cohort study. <i>BMC Health Services Research</i> , 2019, 19, 386.	2.2	29
22	Brief Assessment of Impaired Cognition (BASIC)â€”Validation of a new dementia caseâ€”finding instrument integrating cognitive assessment with patient and informant report. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1724-1733.	2.7	14
23	Efficacy of a standardised acupuncture approach for women with bothersome menopausal symptoms: a pragmatic randomised study in primary care (the ACOM study). <i>BMJ Open</i> , 2019, 9, e023637.	1.9	18
24	Are perceived barriers to accessing mental healthcare associated with socioeconomic position among individuals with symptoms of depression? Questionnaire-results from the Lolland-Falster Health Study, a rural Danish population study. <i>BMJ Open</i> , 2019, 9, e023844.	1.9	18
25	Time trends in patients managed simultaneously in multiple hospital outpatient specialty clinics for chronic diseases: A register-based cross-sectional study. <i>Journal of Comorbidity</i> , 2019, 9, 2235042X1983190.	3.9	7
26	The Effect of Economic Assets on Mortality in Patients with Dementia: A Population-Based Cohort Study. <i>Journal of Alzheimer's Disease</i> , 2019, 67, 1245-1253.	2.6	4
27	Older multimorbid patientsâ€™ experiences on integration of services: a systematic review. <i>BMC Health Services Research</i> , 2019, 19, 795.	2.2	19
28	Self-rated versus Caregiver-rated Health for Patients with Mild Dementia as Predictors of Patient Mortality. <i>American Journal of Geriatric Psychiatry</i> , 2018, 26, 375-385.	1.2	9
29	Socioeconomic position, symptoms of depression and subsequent mental healthcare treatment: a Danish register-based 6-month follow-up study on a population survey. <i>BMJ Open</i> , 2018, 8, e020945.	1.9	14
30	Measuring bothersome menopausal symptoms: development and validation of the MenoScores questionnaire. <i>Health and Quality of Life Outcomes</i> , 2018, 16, 97.	2.4	19
31	Retirement, job satisfaction and attitudes towards mandatory accreditation: a Danish survey study in general practice. <i>BMJ Open</i> , 2018, 8, e020419.	1.9	9
32	Subjective memory complaints and future depression in primary care patients: A four-year follow-up study. <i>General Hospital Psychiatry</i> , 2018, 55, 4-9.	2.4	2
33	The risk of fall accidents for home dwellers with dementiaâ€”A registerâ€”and populationâ€”based caseâ€”control study. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2018, 10, 421-428.	2.4	13
34	â€”Iâ€™ve put diabetes completely on the shelf till the mental stuff is in placeâ€”. How patients with doctor-assessed impaired self-care perceive disease, self-care, and support from general practitioners. A qualitative study. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 342-351.	1.5	24
35	Can external interventions crowd in intrinsic motivation? A cluster randomised field experiment on mandatory accreditation of general practice in Denmark. <i>Social Science and Medicine</i> , 2018, 211, 224-233.	3.8	24
36	Influences of peer facilitation in general practice â€” a qualitative study. <i>BMC Family Practice</i> , 2018, 19, 75.	2.9	6

#	ARTICLE	IF	CITATIONS
37	How well do general practitioners know their elderly patients' social relations and feelings of loneliness?. BMC Family Practice, 2018, 19, 34.	2.9	27
38	"More constricting than inspiring" - GPs find chronic care programmes of limited clinical utility. A qualitative study. BJGP Open, 2018, 2, bjgpopen18X101591.	1.8	5
39	Full journal publication of abstracts presented at the Nordic Congress of General Practice in 2009 and 2011. Scandinavian Journal of Primary Health Care, 2017, 35, 84-88.	1.5	7
40	Impact of socioeconomic position and distance on mental health care utilization: a nationwide Danish follow-up study. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1405-1413.	3.1	48
41	Variation in Point-of-Care Testing of HbA1c in Diabetes Care in General Practice. International Journal of Environmental Research and Public Health, 2017, 14, 1363.	2.6	7
42	Major Depressive Symptoms Increase 3-Year Mortality Rate in Patients with Mild Dementia. International Journal of Alzheimer's Disease, 2017, 2017, 1-8.	2.0	15
43	How general practitioners perceive and assess self-care in patients with multiple chronic conditions: a qualitative study. BMC Family Practice, 2017, 18, 109.	2.9	11
44	Exploring the concurrent validity of the nationwide assessment of permanent nursing home residence in Denmark - A cross-sectional data analysis using two administrative registries. BMC Health Services Research, 2017, 17, 607.	2.2	8
45	Role enactment of facilitation in primary care - a qualitative study. BMC Health Services Research, 2017, 17, 593.	2.2	13
46	The efficacy of acupuncture on menopausal symptoms (ACOM study): protocol for a randomised study. Danish Medical Journal, 2017, 64, .	0.5	3
47	Geographical Variation in Antipsychotic Drug Use in Elderly Patients with Dementia: A Nationwide Study. Journal of Alzheimer's Disease, 2016, 54, 1183-1192.	2.6	10
48	Poor self-rated health did not increase risk of permanent nursing placement or mortality in people with mild Alzheimer's disease. BMC Geriatrics, 2016, 16, 87.	2.7	13
49	The role of diseases, risk factors and symptoms in the definition of multimorbidity - a systematic review. Scandinavian Journal of Primary Health Care, 2016, 34, 112-121.	1.5	144
50	Dementia and Traffic Accidents: A Danish Register-Based Cohort Study. JMIR Research Protocols, 2016, 5, e191.	1.0	7
51	Almost half of the Danish general practitioners have negative a priori attitudes towards a mandatory accreditation programme. Danish Medical Journal, 2016, 63, .	0.5	6
52	Weight Changes following the Diagnosis of Type 2 Diabetes: The Impact of Recent and Past Weight History before Diagnosis. Results from the Danish Diabetes Care in General Practice (DCGP) Study. PLoS ONE, 2015, 10, e0122219.	2.5	20
53	Longitudinal changes in awareness over 36 months in patients with mild Alzheimer's disease. International Psychogeriatrics, 2015, 27, 95-102.	1.0	16
54	Effect of Depression and Diabetes Mellitus on the Risk for Dementia. JAMA Psychiatry, 2015, 72, 612.	11.0	145

#	ARTICLE	IF	CITATIONS
55	The effectiveness of computer reminders versus postal reminders for improving quality assessment for point-of-care testing in primary care: a randomized controlled trial. <i>Journal of Evaluation in Clinical Practice</i> , 2015, 21, 13-20.	1.8	3
56	Alcohol consumption and mortality in patients with mild Alzheimer's disease: a prospective cohort study. <i>BMJ Open</i> , 2015, 5, e007851.	1.9	6
57	The impact of patients' involvement in cooking on their mortality and morbidity: A 19-year follow-up of patients diagnosed with type 2 diabetes mellitus. <i>Scandinavian Journal of Primary Health Care</i> , 2015, 33, 33-39.	1.5	6
58	P3-268: THE ASSOCIATION BETWEEN ALCOHOL CONSUMPTION AND MORTALITY IN PATIENTS DIAGNOSED WITH MILD ALZHEIMER'S DISEASE. , 2014, 10, P730-P730.		0
59	P3-279: THE IMPACT OF MAJOR DEPRESSION IN PATIENTS NEWLY DIAGNOSED WITH MILD ALZHEIMER'S DISEASE: THE DANISH ALZHEIMER'S DISEASE INTERVENTION STUDY (DAISY). , 2014, 10, P733-P734.		0
60	O2-02-02: PHYSICAL ACTIVITY AS A PREDICTOR OF CLINICAL COURSE IN MILD AD: THE DANISH ALZHEIMER'S INTERVENTION STUDY (DAISY). , 2014, 10, P165-P165.		1
61	P2-362: AGREEMENT BETWEEN SELF- AND PROXY-RATED PHYSICAL ACTIVITY IN PATIENTS WITH MILD ALZHEIMER'S DISEASE: THE DANISH ALZHEIMER'S DISEASE INTERVENTION STUDY (DAISY). , 2014, 10, P612-P612.		0
62	O3-01-02: COUNSELLING PATIENTS WITH EARLY PHASE AD AND THEIR PRIMARY CAREGIVERS. , 2014, 10, P207-P207.		0
63	P3-144: IMPACT OF PHYSICAL ACTIVITY ON NURSING HOME PLACEMENT AND MORTALITY IN MILD ALZHEIMER'S DISEASE: THE DANISH ALZHEIMER'S DISEASE INTERVENTION STUDY (DAISY). , 2014, 10, P680-P681.		0
64	P4-333: SELF-REPORTED AND PROXY-REPORTED HEALTH AS A PREDICTOR OF MORTALITY FOR PATIENTS WITH MILD DEMENTIA. , 2014, 10, P908-P910.		0
65	The effectiveness of computer reminders for improving quality assessment for point-of-care testing in general practice—a randomized controlled trial. <i>Implementation Science</i> , 2013, 8, 47.	6.9	10
66	Subjective memory complaints in primary care patients and death from all causes: A four-year follow-up. <i>Scandinavian Journal of Primary Health Care</i> , 2013, 31, 7-12.	1.5	11
67	Subjective memory complaints in general practice predicts future dementia: a 4-year follow-up study. <i>International Journal of Geriatric Psychiatry</i> , 2012, 27, 1180-1188.	2.7	84
68	The majority of sick children receive paracetamol during the winter. <i>Danish Medical Journal</i> , 2012, 59, A4555.	0.5	1
69	Impaired Awareness of Deficits and Neuropsychiatric Symptoms in Early Alzheimer's Disease: The Danish Alzheimer Intervention Study (DAISY). <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2010, 22, 93-99.	1.8	34
70	Self-rated health in patients with mild Alzheimer's disease: Baseline data from the Danish Alzheimer Intervention Study. <i>Archives of Gerontology and Geriatrics</i> , 2010, 50, 1-5.	3.0	30
71	GP and staff evaluation of the maturity matrix as a tool to assess and improve organisational development in primary care. <i>International Journal of Health Care Quality Assurance</i> , 2009, 22, 686-700.	0.9	3
72	The effect of reminder letters on the uptake of an e-learning programme on dementia: a randomized trial in general practice. <i>Family Practice</i> , 2009, 26, 466-471.	1.9	15

#	ARTICLE	IF	CITATIONS
73	Association between subjective memory complaints and nursing home placement: a four-year follow-up. <i>International Journal of Geriatric Psychiatry</i> , 2009, 24, 602-609.	2.7	29
74	Association between subjective memory complaints and health care utilisation: a three-year follow up. <i>BMC Geriatrics</i> , 2009, 9, 43.	2.7	38
75	Diffusion of an e-learning programme among Danish General Practitioners: A nation-wide prospective survey. <i>BMC Family Practice</i> , 2008, 9, 24.	2.9	14
76	Social participation in home-living patients with mild Alzheimer's disease. <i>Archives of Gerontology and Geriatrics</i> , 2008, 47, 291-301.	3.0	28
77	If you don't ask (about memory), they probably won't tell. <i>Journal of Family Practice</i> , 2008, 57, 41-4.	0.2	30
78	Identification and diagnostic evaluation of possible dementia in general practice. <i>Scandinavian Journal of Primary Health Care</i> , 2005, 23, 221-226.	1.5	16
79	Guidelines "let's take a break and then move forward together!". <i>Scandinavian Journal of Primary Health Care</i> , 2004, 22, 2-5.	1.5	8
80	Implementation of a clinical dementia guideline. <i>Scandinavian Journal of Primary Health Care</i> , 2003, 21, 142-147.	1.5	57