

Yoshiyuki Murata

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6158885/publications.pdf>

Version: 2024-02-01

218
papers

13,782
citations

25034

57
h-index

24258

110
g-index

222
all docs

222
docs citations

222
times ranked

10982
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxalic Acid Mitigates Cadmium Toxicity in <i>Cicer arietinum</i> L. Germinating Seeds by Maintaining the Cellular Redox Homeostasis. <i>Journal of Plant Growth Regulation</i> , 2022, 41, 697-709.	5.1	17
2	A Major Intestinal Catabolite of Quercetin Glycosides, 3-Hydroxyphenylacetic Acid, Protects the Hepatocytes from the Acetaldehyde-Induced Cytotoxicity through the Enhancement of the Total Aldehyde Dehydrogenase Activity. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1762.	4.1	14
3	Alleviation of Salt-Inhibited Germination and Seedling Growth of Kidney Bean by Seed Priming and Exogenous Application of Salicylic Acid (SA) and Hydrogen Peroxide (H ₂ O ₂). <i>Seeds</i> , 2022, 1, 87-98.	1.8	12
4	Green Tea Catechins, (âˆ’)-Catechin Gallate, and (âˆ’)-Gallocatechin Gallate are Potent Inhibitors ofABA-Induced Stomatal Closure. <i>Advanced Science</i> , 2022, 9, e2201403.	11.2	4
5	ELEVATION OF CYTOSOLIC CALCIUM IN GUARD CELLS. <i>Journal of Environmental Science for Sustainable Society</i> , 2021, 10, MR02_p5-MR02_p8.	0.1	0
6	Calcium and ethylene glycol tetraacetic acid mitigate toxicity and alteration of gene expression associated with cadmium stress in chickpea (<i>Cicer arietinum</i> L.) shoots. <i>Protoplasma</i> , 2021, 258, 849-861.	2.1	23
7	5-aminolevulinic acid-mediated plant adaptive responses to abiotic stress. <i>Plant Cell Reports</i> , 2021, 40, 1451-1469.	5.6	35
8	A multidrug resistance-associated protein inhibitor is a potential enhancer of the benzyl isothiocyanate-induced apoptosis induction in human colorectal cancer cells. <i>Journal of Biochemical and Molecular Toxicology</i> , 2021, 35, e22791.	3.0	1
9	Modulation of frequency and height of cytosolic calcium spikes by plasma membrane anion channels in guard cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, 85, 2003-2010.	1.3	1
10	Cadmium uptake via apoplastic bypass flow in <i>Oryza sativa</i> . <i>Journal of Plant Research</i> , 2021, 134, 1139-1148.	2.4	7
11	White rice ethanol extract is qualitatively, but not quantitatively, equivalent to that of brown rice as an antioxidant source. <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, 85, 2161-2168.	1.3	4
12	Screening of rice genotypes for salt tolerance by physiological and biochemical characters. <i>Plant Science Today</i> , 2021, 8, .	0.7	7
13	Citric Acid-Mediated Abiotic Stress Tolerance in Plants. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7235.	4.1	85
14	Seed Priming with Phytohormones: An Effective Approach for the Mitigation of Abiotic Stress. <i>Plants</i> , 2021, 10, 37.	3.5	139
15	Neither glutamate nor alanine but arginine sensitizes BY-2 cells to arsenate. <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, , .	1.3	0
16	SEED PRIMING AND EXOGENOUS APPLICATION OF SALICYLIC ACID ENHANCE GROWTH AND PRODUCTIVITY OF OKRA (<i>Abelmoschus esculentus</i> L.) BY REGULATING PHOTOSYNTHETIC ATTRIBUTES. <i>Journal of Experimental Biology and Agricultural Sciences</i> , 2021, 9, 759-769.	0.4	5
17	Exogenous Glutathione-Mediated Drought Stress Tolerance in Rice (<i>Oryza sativa</i> L.) is Associated with Lower Oxidative Damage and Favorable Ionic Homeostasis. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2020, 44, 955-971.	1.5	39
18	Stomatal immunity against fungal invasion comprises not only chitin-induced stomatal closure but also chitosan-induced guard cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 20932-20942.	7.1	43

#	ARTICLE	IF	CITATIONS
19	Exogenous proline enhances antioxidant enzyme activities but does not mitigate growth inhibition by selenate stress in tobacco BY-2 cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 2281-2292.	1.3	11
20	Stomatal response to isothiocyanates in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2020, 71, 6921-6931.	4.8	5
21	Reactive Carbonyl Species Mediate Methyl Jasmonate-Induced Stomatal Closure. <i>Plant and Cell Physiology</i> , 2020, 61, 1788-1797.	3.1	21
22	The Myrosinases TGG1 and TGG2 Function Redundantly in Reactive Carbonyl Species Signaling in <i>Arabidopsis</i> Guard Cells. <i>Plant and Cell Physiology</i> , 2020, 61, 967-977.	3.1	13
23	Interaction of intracellular hydrogen peroxide accumulation with nitric oxide production in abscisic acid signaling in guard cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 1418-1426.	1.3	4
24	Inhibition of light-induced stomatal opening by allyl isothiocyanate does not require guard cell cytosolic Ca ²⁺ signaling. <i>Journal of Experimental Botany</i> , 2020, 71, 2922-2932.	4.8	14
25	Salicylic acid receptor NPR1 is involved in guard cell chitosan signaling. <i>Bioscience, Biotechnology and Biochemistry</i> , 2020, 84, 963-969.	1.3	8
26	Insights into nitric oxide-mediated water balance, antioxidant defence and mineral homeostasis in rice (<i>Oryza sativa</i> L.) under chilling stress. <i>Nitric Oxide - Biology and Chemistry</i> , 2020, 100-101, 7-16.	2.7	60
27	STRESS INDUCED FACTOR 2 Regulates <i>Arabidopsis</i> Stomatal Immunity through Phosphorylation of the Anion Channel SLAC1. <i>Plant Cell</i> , 2020, 32, 2216-2236.	6.6	28
28	The mechanism of SO ₂ -induced stomatal closure differs from O ₃ and CO ₂ responses and is mediated by nonapoptotic cell death in guard cells. <i>Plant, Cell and Environment</i> , 2019, 42, 437-447.	5.7	12
29	Characterization of benzyl isothiocyanate extracted from mashed green papaya by distillation. <i>Food Chemistry</i> , 2019, 299, 125118.	8.2	13
30	Ethylene Inhibits Methyl Jasmonate-Induced Stomatal Closure by Modulating Guard Cell Slow-Type Anion Channel Activity via the OPEN STOMATA 1/SnRK2.6 Kinase-Independent Pathway in <i>Arabidopsis</i> . <i>Plant and Cell Physiology</i> , 2019, 60, 2263-2271.	3.1	28
31	Improving salinity tolerance in transplanted aman rice (<i>Oryza sativa</i> L.) by exogenous application of proline. <i>Journal of the Bangladesh Agricultural University</i> , 2019, 17, 194-199.	0.1	1
32	Yeast screening system reveals the inhibitory mechanism of cancer cell proliferation by benzyl isothiocyanate through down-regulation of Mis12. <i>Scientific Reports</i> , 2019, 9, 8866.	3.3	5
33	Reactive Carbonyl Species Function as Signal Mediators Downstream of H ₂ O ₂ Production and Regulate [Ca ²⁺] _{cyt} Elevation in ABA Signal Pathway in <i>Arabidopsis</i> Guard Cells. <i>Plant and Cell Physiology</i> , 2019, 60, 1146-1159.	3.1	39
34	Differential Response of Sugar Beet to Long-Term Mild to Severe Salinity in a Soil-Pot Culture. <i>Agriculture (Switzerland)</i> , 2019, 9, 223.	3.1	61
35	Effects of calcium and EGTA on thiol homeostasis and defense-related enzymes in Cd-exposed chickpea roots. <i>Acta Physiologiae Plantarum</i> , 2018, 40, 1.	2.1	11
36	Nonredundant functions of <i>Arabidopsis</i> LecRK ^{V.2} and LecRK ^{VII.1} in controlling stomatal immunity and jasmonate-mediated stomatal closure. <i>New Phytologist</i> , 2018, 218, 253-268.	7.3	29

#	ARTICLE	IF	CITATIONS
37	Mechanism of Stomatal Closure in Plants Exposed to Drought and Cold Stress. <i>Advances in Experimental Medicine and Biology</i> , 2018, 1081, 215-232.	1.6	161
38	Benzyl isothiocyanate ameliorates lipid accumulation in 3T3-L1 preadipocytes during adipocyte differentiation. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 2130-2139.	1.3	5
39	<i>Lycii fructus</i> extract ameliorates hydrogen peroxide-induced cytotoxicity through indirect antioxidant action. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 1812-1820.	1.3	12
40	Guard Cell Salicylic Acid Signaling Is Integrated into Abscisic Acid Signaling via the Ca ²⁺ /CPK-Dependent Pathway. <i>Plant Physiology</i> , 2018, 178, 441-450.	4.8	107
41	Benzyl isothiocyanate attenuates the hydrogen peroxide-induced interleukin-13 expression through glutathione S-transferase P induction in T lymphocytic leukemia cells. <i>Journal of Biochemical and Molecular Toxicology</i> , 2018, 32, e22054.	3.0	4
42	Methylglyoxal induces inhibition of growth, accumulation of anthocyanin, and activation of glyoxalase I and II in <i>Arabidopsis thaliana</i> . <i>Journal of Biochemical and Molecular Toxicology</i> , 2017, 31, N/A.	3.0	16
43	Brassinosteroid Involvement in <i>Arabidopsis thaliana</i> Stomatal Opening. <i>Plant and Cell Physiology</i> , 2017, 58, 1048-1058.	3.1	27
44	Exogenous proline enhances the sensitivity of Tobacco BY-2 cells to arsenate. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1726-1731.	1.3	7
45	Chitosan signaling in guard cells requires endogenous salicylic acid. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1536-1541.	1.3	13
46	(-)-Epigallocatechin-3-gallate inhibits human angiotensin-converting enzyme activity through an autoxidation-dependent mechanism. <i>Journal of Biochemical and Molecular Toxicology</i> , 2017, 31, e21932.	3.0	9
47	Antioxidant Defense Mechanisms of Salinity Tolerance in Rice Genotypes. <i>Rice Science</i> , 2017, 24, 155-162.	3.9	125
48	MPK9 and MPK12 function in SA-induced stomatal closure in <i>Arabidopsis thaliana</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1394-1400.	1.3	26
49	3,4-Dihydroxyphenylacetic acid is a potential aldehyde dehydrogenase inducer in murine hepatoma Hepa1c1c7 cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 1978-1983.	1.3	19
50	Benzyl isothiocyanate ameliorates acetaldehyde-induced cytotoxicity by enhancing aldehyde dehydrogenase activity in murine hepatoma Hepa1c1c7 cells. <i>Food and Chemical Toxicology</i> , 2017, 108, 305-313.	3.6	17
51	Inhibition of phosphatidylinositide 3-kinase ameliorates antiproliferation by benzyl isothiocyanate in human colon cancer cells. <i>Biochemical and Biophysical Research Communications</i> , 2017, 491, 209-216.	2.1	39
52	Blue light and CO ₂ signals converge to regulate light-induced stomatal opening. <i>Nature Communications</i> , 2017, 8, 1284.	12.8	100
53	Editorial: Signal Transduction in Stomatal Guard Cells. <i>Frontiers in Plant Science</i> , 2017, 8, 114.	3.6	4
54	Microbe Associated Molecular Pattern Signaling in Guard Cells. <i>Frontiers in Plant Science</i> , 2016, 7, 583.	3.6	27

#	ARTICLE	IF	CITATIONS
55	Galloylated Catechins as Potent Inhibitors of Angiotensin Converting Enzyme. <i>Food Science and Technology Research</i> , 2016, 22, 847-851.	0.6	5
56	L-Met Activates Arabidopsis GLR Ca ²⁺ Channels Upstream of ROS Production and Regulates Stomatal Movement. <i>Cell Reports</i> , 2016, 17, 2553-2561.	6.4	71
57	Involvement of OST1 Protein Kinase and PYR/PYL/RCAR Receptors in Methyl Jasmonate-Induced Stomatal Closure in Arabidopsis Guard Cells. <i>Plant and Cell Physiology</i> , 2016, 57, 1779-1790.	3.1	42
58	A novel tag-free probe for targeting molecules interacting with a flavonoid catabolite. <i>Biochemistry and Biophysics Reports</i> , 2016, 7, 240-245.	1.3	6
59	3,4-Dihydroxyphenylacetic acid is a predominant biologically-active catabolite of quercetin glycosides. <i>Food Research International</i> , 2016, 89, 716-723.	6.2	49
60	Calcium and EGTA Alleviate Cadmium Toxicity in Germinating Chickpea Seeds. <i>Journal of Plant Growth Regulation</i> , 2016, 35, 1064-1073.	5.1	30
61	Reactive Carbonyl Species Mediate ABA Signaling in Guard Cells. <i>Plant and Cell Physiology</i> , 2016, 57, 2552-2563.	3.1	42
62	OsHKT1;4-mediated Na ⁺ transport in stems contributes to Na ⁺ exclusion from leaf blades of rice at the reproductive growth stage upon salt stress. <i>BMC Plant Biology</i> , 2016, 16, 22.	3.6	168
63	GOLDEN 2-LIKE transcription factors for chloroplast development affect ozone tolerance through the regulation of stomatal movement. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 4218-4223.	7.1	40
64	Effects of Postharvest Near Infrared Light Exposure on Transpiration, Stomatal Aperture, and Appearance in Several Vegetables. <i>Horticultural Research (Japan)</i> , 2016, 15, 197-206.	0.1	2
65	Benzyl isothiocyanate inhibits IL-13 expression in human basophilic KU812 cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2015, 79, 159-163.	1.3	8
66	Inhibition by acrolein of light-induced stomatal opening through inhibition of inward-rectifying potassium channels in <i>Arabidopsis thaliana</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2015, 79, 59-62.	1.3	8
67	Diverse Stomatal Signaling and the Signal Integration Mechanism. <i>Annual Review of Plant Biology</i> , 2015, 66, 369-392.	18.7	321
68	Effect of postharvest short-term radiation of near infrared light on transpiration of lettuce leaf. <i>Postharvest Biology and Technology</i> , 2015, 108, 78-85.	6.0	11
69	Open Stomata 1 Kinase is Essential for Yeast Elicitor-Induced Stomatal Closure in Arabidopsis. <i>Plant and Cell Physiology</i> , 2015, 56, 1239-1248.	3.1	18
70	Allyl isothiocyanate induces stomatal closure in <i>Vicia faba</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2015, 79, 1737-1742.	1.3	23
71	Thiol modification by bioactivated polyphenols and its potential role in skin inflammation. <i>Bioscience, Biotechnology and Biochemistry</i> , 2014, 78, 1067-1070.	1.3	6
72	Accumulation of endogenous salicylic acid confers drought tolerance to <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2014, 9, e28085.	2.4	51

#	ARTICLE	IF	CITATIONS
73	Ascorbic Acid Synergistically Potentiates Phloxine-Induced Photocytotoxicity in Human Acute Promyelocytic Leukemia Cells. <i>Journal of Biochemical and Molecular Toxicology</i> , 2014, 28, 167-173.	3.0	8
74	(-)-Epigallocatechin-3-gallate Ameliorates Photodynamic Therapy Responses in an <i>In Vitro</i> T Lymphocyte Model. <i>Phytotherapy Research</i> , 2014, 28, 1486-1491.	5.8	12
75	Purification and partial characterisation of a cathepsin L-like proteinase from sea cucumber (<i>Stichopus japonicus</i>) and its tissue distribution in body wall. <i>Food Chemistry</i> , 2014, 158, 192-199.	8.2	52
76	Tea Catechins Inhibit Cell Proliferation Through Hydrogen Peroxide-Dependent and -Independent Pathways in Human T lymphocytic Leukemia Jurkat Cells. <i>Food Science and Technology Research</i> , 2014, 20, 1245-1249.	0.6	7
77	Extraction, structural characterization and antioxidant activity of polyhydroxylated 1,4-naphthoquinone pigments from spines of sea urchin <i>Glyptocidaris crenularis</i> and <i>Strongylocentrotus intermedius</i> . <i>European Food Research and Technology</i> , 2013, 237, 331-339.	3.3	21
78	Characterization of acetylcholinesterase from the gut of sea cucumber <i>Stichopus japonicus</i> . <i>Fisheries Science</i> , 2013, 79, 303-311.	1.6	6
79	Removal of heavy metals in aqueous solution using Antarctic krill chitosan/hydroxyapatite composite. <i>Fibers and Polymers</i> , 2013, 14, 1134-1140.	2.1	6
80	Effects of krill oil intake on plasma cholesterol and glucose levels in rats fed a high-cholesterol diet. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 2669-2675.	3.5	23
81	Negative Regulation of Methyl Jasmonate-Induced Stomatal Closure by Glutathione in <i>Arabidopsis</i> . <i>Journal of Plant Growth Regulation</i> , 2013, 32, 208-215.	5.1	26
82	Endogenous abscisic acid is involved in methyl jasmonate-induced reactive oxygen species and nitric oxide production but not in cytosolic alkalization in <i>Arabidopsis</i> guard cells. <i>Journal of Plant Physiology</i> , 2013, 170, 1212-1215.	3.5	24
83	<i>SIZ1</i> deficiency causes reduced stomatal aperture and enhanced drought tolerance via controlling salicylic acid-induced accumulation of reactive oxygen species in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2013, 73, 91-104.	5.7	238
84	Effect of matrix metalloproteinase on autolysis of sea cucumber <i>Stichopus japonicus</i> . <i>Food Science and Biotechnology</i> , 2013, 22, 1-3.	2.6	13
85	Lower Photostability of Capsanthin Dispersed in an Aqueous Solution. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 1313-1316.	1.3	5
86	Difference in Abscisic Acid Perception Mechanisms between Closure Induction and Opening Inhibition of Stomata. <i>Plant Physiology</i> , 2013, 163, 600-610.	4.8	58
87	Calcium-Dependent Protein Kinase CPK6 Positively Functions in Induction by Yeast Elicitor of Stomatal Closure and Inhibition by Yeast Elicitor of Light-Induced Stomatal Opening in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2013, 163, 591-599.	4.8	57
88	Regulation of reactive oxygen species-mediated abscisic acid signaling in guard cells and drought tolerance by glutathione. <i>Frontiers in Plant Science</i> , 2013, 4, 472.	3.6	60
89	Glucosinolate Degradation Products, Isothiocyanates, Nitriles, and Thiocyanates, Induce Stomatal Closure Accompanied by Peroxidase-Mediated Reactive Oxygen Species Production in <i>Arabidopsis thaliana</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 977-983.	1.3	73
90	Disarming the Jasmonate-Dependent Plant Defense Makes Nonhost <i>Arabidopsis</i> Plants Accessible to the American Serpentine Leafminer. <i>Plant Physiology</i> , 2013, 163, 1242-1253.	4.8	15

#	ARTICLE	IF	CITATIONS
91	bHLH Transcription Factors That Facilitate K ⁺ Uptake During Stomatal Opening Are Repressed by Abscisic Acid Through Phosphorylation. <i>Science Signaling</i> , 2013, 6, ra48.	3.6	97
92	Catalases CAT1 and CAT3 Are not Key Enzymes in Alleviating Gamma Irradiation-Induced DNA Damage, H ₂ O ₂ Accumulation, or Lipid Peroxidation in <i>Arabidopsis thaliana</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 1984-1987.	1.3	4
93	Neither Endogenous Abscisic Acid nor Endogenous Jasmonate Is Involved in Salicylic Acid-, Yeast Elicitor-, or Chitosan-Induced Stomatal Closure in <i>Arabidopsis thaliana</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 1111-1113.	1.3	25
94	Effects of Emulsifiers on the Photostability of Lycopene. <i>Food Science and Technology Research</i> , 2013, 19, 983-987.	0.6	3
95	FIA functions as an early signal component of abscisic acid signal cascade in <i>Vicia faba</i> guard cells. <i>Journal of Experimental Botany</i> , 2012, 63, 1357-1365.	4.8	20
96	Inhibitory Effects of Methylglyoxal on Light-Induced Stomatal Opening and Inward K ⁺ Channel Activity in <i>Arabidopsis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 617-619.	1.3	37
97	Effects of Exogenous Proline and Glycinebetaine on the Salt Tolerance of Rice Cultivars. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 1568-1570.	1.3	32
98	Î±-Tocopherol Sensitizes Human Leukemia HL-60 Cells to Apoptosis Induced by Benzyl Isothiocyanate. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 381-383.	1.3	5
99	Effect of Î³ Irradiation on the Fatty Acid Composition of Soybean and Soybean Oil. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 900-905.	1.3	12
100	MAP Kinases, MPK9 and MPK12, Regulate Chitosan-Induced Stomatal Closure. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 1785-1787.	1.3	34
101	Mechanisms of the Selenium Tolerance of the <i>Arabidopsis thaliana</i> Knockout Mutant of Sulfate Transporter SULTR1;2. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 993-998.	1.3	8
102	Cooperative Function of PLDÎ± and PLDÎ±1 in Abscisic Acid-Induced Stomatal Closure in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2012, 159, 450-460.	4.8	135
103	Isolation and Characterization of Pepsin-Soluble Collagen from Abalone (<i>Haliotis discus hannai</i>) Gastropod Muscle Part II. <i>Food Science and Technology Research</i> , 2012, 18, 271-278.	0.6	4
104	Cytotoxicity of Benzyl Isothiocyanate in Normal Renal Proximal Tubular Cells and Its Modulation by Glutathione. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 1887-1892.	5.2	6
105	Effects of Depletion of Glutathione on Abscisic Acid- and Methyl Jasmonate-Induced Stomatal Closure in <i>Arabidopsis thaliana</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 2032-2037.	1.3	24
106	Methylglyoxal-induced stomatal closure accompanied by peroxidase-mediated ROS production in <i>Arabidopsis</i> . <i>Journal of Plant Physiology</i> , 2012, 169, 979-986.	3.5	79
107	Catalases negatively regulate methyl jasmonate signaling in guard cells. <i>Journal of Plant Physiology</i> , 2012, 169, 1012-1016.	3.5	18
108	Involvement of intracellular oxidative stress-sensitive pathway in phloxine B-induced photocytotoxicity in human T lymphocytic leukemia cells. <i>Food and Chemical Toxicology</i> , 2012, 50, 1841-1847.	3.6	15

#	ARTICLE	IF	CITATIONS
109	Regulation of a Proteinaceous Elicitor-induced Ca ²⁺ Influx and Production of Phytoalexins by a Putative Voltage-gated Cation Channel, OsTPC1, in Cultured Rice Cells. <i>Journal of Biological Chemistry</i> , 2012, 287, 9931-9939.	3.4	39
110	Optimisation of hydrolysis of purple sea urchin (<i>Strongylocentrotus nudus</i>) gonad by response surface methodology and evaluation of <i>in vitro</i> antioxidant activity of the hydrolysate. <i>Journal of the Science of Food and Agriculture</i> , 2012, 92, 1694-1701.	3.5	24
111	Methylglyoxal inhibition of cytosolic ascorbate peroxidase from <i>Nicotiana tabacum</i> . <i>Journal of Biochemical and Molecular Toxicology</i> , 2012, 26, 315-321.	3.0	43
112	EXTRACTION OF LIPID FROM ABALONE (HALIOTIS DISCUS HANNAI INO) GONAD BY SUPERCRITICAL CARBON DIOXIDE AND ENZYME-ASSISTED ORGANIC SOLVENT METHODS. <i>Journal of Food Processing and Preservation</i> , 2012, 36, 126-132.	2.0	18
113	<i>In vitro</i> antioxidant activity of enzymatic hydrolysates prepared from abalone (<i>Haliotis discus hannai</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	3.6	82
114	Antioxidant activity of hydrolysates obtained from scallop (<i>Patinopecten yessoensis</i>) and abalone (<i>Haliotis discus hannai</i> Ino) muscle. <i>Food Chemistry</i> , 2012, 132, 815-822.	8.2	56
115	Stability of polyhydroxylated 1,4-naphthoquinone pigment recovered from spines of sea urchin <i>Strongylocentrotus nudus</i> . <i>International Journal of Food Science and Technology</i> , 2012, 47, 1479-1486.	2.7	12
116	The Roles of CATALASE2 in Abscisic Acid Signaling in Arabidopsis Guard Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2011, 75, 2034-2036.	1.3	21
117	Photostability of Lycopene Dispersed in an Aqueous Solution. <i>Bioscience, Biotechnology and Biochemistry</i> , 2011, 75, 1389-1391.	1.3	8
118	Hydrogen peroxide-dependent photocytotoxicity by phloxine B, a xanthene-type food colorant. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2011, 1810, 704-712.	2.4	16
119	Preparation and antioxidant activity of enzymatic hydrolysates from purple sea urchin (<i>Strongylocentrotus nudus</i>) gonad. <i>LWT - Food Science and Technology</i> , 2011, 44, 1113-1118.	5.2	70
120	K252a-sensitive protein kinases but not okadaic acid-sensitive protein phosphatases regulate methyl jasmonate-induced cytosolic Ca ²⁺ oscillation in guard cells of <i>Arabidopsis thaliana</i> . <i>Journal of Plant Physiology</i> , 2011, 168, 1901-1908.	3.5	7
121	Roles of intracellular hydrogen peroxide accumulation in abscisic acid signaling in Arabidopsis guard cells. <i>Journal of Plant Physiology</i> , 2011, 168, 1919-1926.	3.5	71
122	Negative regulation of abscisic acid-induced stomatal closure by glutathione in Arabidopsis. <i>Journal of Plant Physiology</i> , 2011, 168, 2048-2055.	3.5	68
123	Involvement of extracellular oxidative burst in salicylic acid-induced stomatal closure in <i>Arabidopsis</i> . <i>Plant, Cell and Environment</i> , 2011, 34, 434-443.	5.7	292
124	Allyl isothiocyanate (AITC) induces stomatal closure in <i>Arabidopsis</i> . <i>Plant, Cell and Environment</i> , 2011, 34, 1900-1906.	5.7	93
125	Purification and characterization of cathepsin B from the gut of the sea cucumber (<i>Stichopus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10	2.6	31
126	Changes of collagen in sea cucumber (<i>Stichopus japonicas</i>) during cooking. <i>Food Science and Biotechnology</i> , 2011, 20, 1137-1141.	2.6	21

#	ARTICLE	IF	CITATIONS
127	Effect of thermal treatment on the texture and microstructure of abalone muscle (<i>Haliotis discus</i>). <i>Food Science and Biotechnology</i> , 2011, 20, 1467-1473.	2.6	36
128	Mg-chelatase H subunit affects ABA signaling in stomatal guard cells, but is not an ABA receptor in <i>Arabidopsis thaliana</i> . <i>Journal of Plant Research</i> , 2011, 124, 527-538.	2.4	73
129	ABA signaling in stomatal guard cells: lessons from <i>Commelina</i> and <i>Vicia</i> . <i>Journal of Plant Research</i> , 2011, 124, 477-487.	2.4	15
130	Extraction and antioxidant property of polyhydroxylated naphthoquinone pigments from spines of purple sea urchin <i>Strongylocentrotus nudus</i> . <i>Food Chemistry</i> , 2011, 129, 1591-1597.	8.2	62
131	Involvement of Endogenous Abscisic Acid in Methyl Jasmonate-Induced Stomatal Closure in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2011, 156, 430-438.	4.8	189
132	The <i>Arabidopsis</i> Calcium-Dependent Protein Kinase, CPK6, Functions as a Positive Regulator of Methyl Jasmonate Signaling in Guard Cells. <i>Plant Physiology</i> , 2011, 155, 553-561.	4.8	144
133	Methyl jasmonate signaling and signal crosstalk between methyl jasmonate and abscisic acid in guard cells. <i>Plant Signaling and Behavior</i> , 2011, 6, 939-941.	2.4	67
134	Title is missing!. <i>ScienceAsia</i> , 2011, 37, 281.	0.5	3
135	Extraction of lipid from sea urchin (<i>Strongylocentrotus nudus</i>) gonad by enzyme-assisted aqueous and supercritical carbon dioxide methods. <i>European Food Research and Technology</i> , 2010, 230, 737-743.	3.3	28
136	Chemical composition and free radical scavenging activities of a sulphated polysaccharide extracted from abalone gonad (<i>Haliotis Discus Hannai Ino</i>). <i>Food Chemistry</i> , 2010, 121, 712-718.	8.2	57
137	Preparation and <i>in vitro</i> antioxidant activity of enzymatic hydrolysates from oyster (<i>Crassostrea talienwhannensis</i>) meat. <i>International Journal of Food Science and Technology</i> , 2010, 45, 978-984.	2.7	34
138	Original article: Extraction of lipid from scallop (<i>Patinopecten yessoensis</i>) viscera by enzyme-assisted solvent and supercritical carbon dioxide methods. <i>International Journal of Food Science and Technology</i> , 2010, 45, 1787-1793.	2.7	14
139	Closing Plant Stomata Requires a Homolog of an Aluminum-Activated Malate Transporter. <i>Plant and Cell Physiology</i> , 2010, 51, 354-365.	3.1	159
140	Roles of AtTPC1, Vacuolar Two Pore Channel 1, in <i>Arabidopsis</i> Stomatal Closure. <i>Plant and Cell Physiology</i> , 2010, 51, 302-311.	3.1	86
141	Chitosan-Induced Stomatal Closure Accompanied by Peroxidase-Mediated Reactive Oxygen Species Production in <i>Arabidopsis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 2313-2315.	1.3	65
142	Proline and Glycinebetaine Ameliorated NaCl Stress <i>via</i> Scavenging of Hydrogen Peroxide and Methylglyoxal but Not Superoxide or Nitric Oxide in Tobacco Cultured Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 2043-2049.	1.3	89
143	Purification and bioactivity of a sulphated polysaccharide conjugate from viscera of abalone <i>Haliotis discus hannai</i> Ino. <i>Food and Agricultural Immunology</i> , 2010, 21, 15-26.	1.4	37
144	Yeast Elicitor-Induced Stomatal Closure and Peroxidase-Mediated ROS Production in <i>Arabidopsis</i> . <i>Plant and Cell Physiology</i> , 2010, 51, 1915-1921.	3.1	75

#	ARTICLE	IF	CITATIONS
145	Cytosolic Alkalization and Cytosolic Calcium Oscillation in Arabidopsis Guard Cells Response to ABA and MeJA. <i>Plant and Cell Physiology</i> , 2010, 51, 1721-1730.	3.1	72
146	The Involvement of Intracellular Glutathione in Methyl Jasmonate Signaling in Arabidopsis Guard Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 2504-2506.	1.3	25
147	The Effects of Methylglyoxal on Glutathione <i>S</i> -Transferase from <i>Nicotiana tabacum</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 2124-2126.	1.3	55
148	Artificial Food Colorants Inhibit Superoxide Production in Differentiated HL-60 Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2010, 74, 1725-1728.	1.3	6
149	Quantitative Analysis of the Effects of Diffusates from Plant Roots on the Hatching of <i>Meloidogyne chitwoodi</i> from Young and Senescing Host Plants. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 2345-2347.	1.3	7
150	Induction of Apoptosis by β -Carotene and Dimethyl Tetrasulfide Assisted by UVA Irradiation in HL-60 Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 1014-1020.	1.3	4
151	Myrosinases, TGG1 and TGG2, Redundantly Function in ABA and MeJA Signaling in Arabidopsis Guard Cells. <i>Plant and Cell Physiology</i> , 2009, 50, 1171-1175.	3.1	87
152	Nitric oxide functions in both methyl jasmonate signaling and abscisic acid signaling in Arabidopsis guard cells. <i>Plant Signaling and Behavior</i> , 2009, 4, 119-120.	2.4	42
153	JNK-dependent NFATc1 pathway positively regulates IL-13 gene expression induced by (β)-epigallocatechin-3-gallate in human basophilic KU812 cells. <i>Free Radical Biology and Medicine</i> , 2009, 47, 1028-1038.	2.9	14
154	Structural analysis of a polysaccharide from <i>Patinopecten yessoensis</i> viscera. <i>European Food Research and Technology</i> , 2009, 229, 971-974.	3.3	8
155	De-regulated expression of the plant glutamate receptor homolog <i>AtGLR3.1</i> impairs long-term Ca^{2+} -programmed stomatal closure. <i>Plant Journal</i> , 2009, 58, 437-449.	5.7	98
156	Calcium elevation-dependent and attenuated resting calcium-dependent abscisic acid induction of stomatal closure and abscisic acid-induced enhancement of calcium sensitivities of S_{α} -type anion and inward-rectifying K^{+} channels in Arabidopsis guard cells. <i>Plant Journal</i> , 2009, 59, 207-220.	5.7	142
157	Purification and partial characterization of an acid phosphatase from the body wall of sea cucumber <i>Stichopus japonicus</i> . <i>Process Biochemistry</i> , 2009, 44, 875-879.	3.7	22
158	Proline and Glycinebetaine Confer Cadmium Tolerance on Tobacco Bright Yellow-2 Cells by Increasing Ascorbate-Glutathione Cycle Enzyme Activities. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 2320-2323.	1.3	48
159	Docosahexaenoic acid induces ERK1/2 activation and neuritogenesis via intracellular reactive oxygen species production in human neuroblastoma SH-SY5Y cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2009, 1791, 8-16.	2.4	44
160	Proline and glycinebetaine induce antioxidant defense gene expression and suppress cell death in cultured tobacco cells under salt stress. <i>Journal of Plant Physiology</i> , 2009, 166, 146-156.	3.5	226
161	Exogenous proline and glycinebetaine increase antioxidant enzyme activities and confer tolerance to cadmium stress in cultured tobacco cells. <i>Journal of Plant Physiology</i> , 2009, 166, 1587-1597.	3.5	266
162	(β)-Epigallocatechin-3-gallate induces up-regulation of Th1 and Th2 cytokine genes in Jurkat T cells. <i>Archives of Biochemistry and Biophysics</i> , 2009, 483, 99-105.	3.0	20

#	ARTICLE	IF	CITATIONS
163	Integration of ROS and Hormone Signaling. <i>Signaling and Communication in Plants</i> , 2009, , 25-42.	0.7	11
164	MAP kinases <i>MPK9</i> and <i>MPK12</i> are preferentially expressed in guard cells and positively regulate ROS-mediated ABA signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 20520-20525.	7.1	368
165	Exogenous Proline and Glycinebetaine Suppress Apoplastic Flow to Reduce Na ⁺ Uptake in Rice Seedlings. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 2037-2042.	1.3	40
166	Proline and glycinebetaine enhance antioxidant defense and methylglyoxal detoxification systems and reduce NaCl-induced damage in cultured tobacco cells. <i>Journal of Plant Physiology</i> , 2008, 165, 813-824.	3.5	244
167	ATP depletion alters the mode of cell death induced by benzyl isothiocyanate. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2008, 1782, 566-573.	3.8	47
168	Purification of the functional plant membrane channel KAT1. <i>Biochemical and Biophysical Research Communications</i> , 2008, 374, 465-469.	2.1	7
169	Deficient Glutathione in Guard Cells Facilitates Abscisic Acid-Induced Stomatal Closure but Does Not Affect Light-Induced Stomatal Opening. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 2795-2798.	1.3	47
170	Purification and Characterization of a Cathepsin L-Like Enzyme from the Body Wall of the Sea Cucumber <i>Stichopus japonicus</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 1430-1437.	1.3	42
171	Structure-Dependent Photodegradation of Carotenoids Accelerated by Dimethyl Tetrasulfide under UVA Irradiation. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 2176-2183.	1.3	16
172	Effect of Dimethyl Sulfides on the Induction of Apoptosis in Human Leukemia Jurkat Cells and HL-60 Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 2966-2972.	1.3	17
173	Roles of RCN1, Regulatory A Subunit of Protein Phosphatase 2A, in Methyl Jasmonate Signaling and Signal Crosstalk between Methyl Jasmonate and Abscisic Acid. <i>Plant and Cell Physiology</i> , 2008, 49, 1396-1401.	3.1	84
174	(âˆ“)Epigallocatechin-3-gallate Potentiates the Cytotoxicity Induced by Benzyl Isothiocyanate and Hydrogen Peroxide in Human Jurkat T Lymphocytes. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 3034-3037.	1.3	9
175	The coronatine-insensitive 1 Mutation Reveals the Hormonal Signaling Interaction between Abscisic Acid and Methyl Jasmonate in Arabidopsis Guard Cells. Specific Impairment of Ion Channel Activation and Second Messenger Production. <i>Plant Physiology</i> , 2007, 143, 1398-1407.	4.8	319
176	Exogenous proline mitigates the detrimental effects of salt stress more than exogenous betaine by increasing antioxidant enzyme activities. <i>Journal of Plant Physiology</i> , 2007, 164, 553-561.	3.5	256
177	Exogenous proline and glycinebetaine increase NaCl-induced ascorbateâ€“glutathione cycle enzyme activities, and proline improves salt tolerance more than glycinebetaine in tobacco Bright Yellow-2 suspension-cultured cells. <i>Journal of Plant Physiology</i> , 2007, 164, 1457-1468.	3.5	267
178	Papaya Seed Represents a Rich Source of Biologically Active Isothiocyanate. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 4407-4413.	5.2	99
179	Apoptosis induction by dohevanil, a DHA substitutive analog of capsaicin, in MCF-7 cells. <i>Life Sciences</i> , 2006, 78, 1515-1519.	4.3	29
180	CDPKs CPK6 and CPK3 Function in ABA Regulation of Guard Cell S-Type Anion- and Ca ²⁺ - Permeable Channels and Stomatal Closure. <i>PLoS Biology</i> , 2006, 4, e327.	5.6	523

#	ARTICLE	IF	CITATIONS
181	Phosphorus starvation induced root-mediated pH changes in solubilization and acquisition of sparingly soluble P sources and organic acids exudation by Brassica cultivars. <i>Soil Science and Plant Nutrition</i> , 2006, 52, 623-633.	1.9	36
182	Expression and Ca ²⁺ Dependency of Plasma Membrane K ⁺ Channels of Tobacco Suspension Cells Adapted to Salt Stress. <i>Plant and Cell Physiology</i> , 2006, 47, 1674-1677.	3.1	6
183	The Inhibitory Effect of Dibutyryl Cyclic AMP on Docosahexaenoic Acid-Induced Apoptosis in HL-60 Cells through Activation of the Phosphatidylinositol-3 Kinase Pathway. <i>Environmental Health and Preventive Medicine</i> , 2005, 10, 184-189.	3.4	1
184	The inhibitory effect of dibutyryl cyclic AMP on docosahexaenoic acid-induced apoptosis in HL-60 cells through activation of the phosphatidylinositol-3 kinase pathway. <i>Environmental Health and Preventive Medicine</i> , 2005, 10, 184-189.	3.4	0
185	Acceleration Effect of Sulfides on Photodegradation of Carotenoids by UVA Irradiation. <i>Bioscience, Biotechnology and Biochemistry</i> , 2005, 69, 1786-1789.	1.3	12
186	Docosahexaenoic Acid Induces Apoptosis via the Bax-Independent Pathway in HL-60 Cells. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004, 68, 2415-2417.	1.3	18
187	Simple Determination of Trace Amounts of Anionic Surfactants in River Water by Spectrophotometry Combined with Solid-phase Extraction. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004, 68, 920-923.	1.3	6
188	Degradation of Ethyl Docosahexaenoate by ¹³⁷ I-Ray Irradiation and Suppression of This Degradation by Antioxidants. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004, 68, 743-745.	1.3	8
189	Effects of the fermentation product of herbs by lactic acid bacteria against phytopathogenic filamentous fungi and on the growth of host plants. <i>Journal of Bioscience and Bioengineering</i> , 2004, 98, 187-192.	2.2	5
190	Reduction in Photostability by the Esterification of ¹² C-Cryptoxanthin. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004, 68, 451-453.	1.3	6
191	Resistance Imparted by Traditional Chinese Medicines to the Acute Change of Glutamic Pyruvic Transaminase, Alkaline Phosphatase and Creatine Kinase Activities in Rat Blood Caused by Noise. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004, 68, 1160-1163.	1.3	6
192	Effects of exogenous application of proline and betaine on the growth of tobacco cultured cells under saline conditions. <i>Soil Science and Plant Nutrition</i> , 2004, 50, 1301-1305.	1.9	90
193	Inhibitory Effects of Esculetin on Melanin Biosynthesis. <i>Biological and Pharmaceutical Bulletin</i> , 2004, 27, 422-425.	1.4	53
194	Plant Ion Channels as Potential Targets of Agro-Chemicals. <i>Journal of Pesticide Sciences</i> , 2004, 29, 304-307.	1.4	1
195	Reduction of Noise-stress-induced Physiological Damage by Radices of Astragalus and Rhodiola: Glycogen, Lactic Acid and Cholesterol Contents in Liver of the Rat. <i>Bioscience, Biotechnology and Biochemistry</i> , 2003, 67, 1930-1936.	1.3	18
196	Mushroom Tyrosinase Inhibitory Activity of Esculetin Isolated from Seeds of <i>Euphorbia lathyris</i> L.. <i>Bioscience, Biotechnology and Biochemistry</i> , 2003, 67, 631-634.	1.3	196
197	Simple spectrophotometric determination of nonionic surfactants with a cationic azo dye. <i>Bunseki Kagaku</i> , 2003, 52, 899-902.	0.2	0
198	Quantitative Analysis of Allantoin in Fresh Tubers of <i>Dioscorea opposita</i> 'Tsukuneimo'. <i>Journal of the Japanese Society for Horticultural Science</i> , 2003, 72, 321-323.	0.5	5

#	ARTICLE	IF	CITATIONS
199	Negative correlation between the ratio of K ⁺ to Na ⁺ and proline accumulation in tobacco suspension cells. <i>Soil Science and Plant Nutrition</i> , 2002, 48, 753-757.	1.9	22
200	Localization, Ion Channel Regulation, and Genetic Interactions during Abscisic Acid Signaling of the Nuclear mRNA Cap-Binding Protein, ABH1. <i>Plant Physiology</i> , 2002, 130, 1276-1287.	4.8	82
201	Disruption of a Guard Cell-Expressed Protein Phosphatase 2A Regulatory Subunit, RCN1, Confers Abscisic Acid Insensitivity in Arabidopsis. <i>Plant Cell</i> , 2002, 14, 2849-2861.	6.6	192
202	Convergence of Calcium Signaling Pathways of Pathogenic Elicitors and Abscisic Acid in Arabidopsis Guard Cells. <i>Plant Physiology</i> , 2002, 130, 2152-2163.	4.8	222
203	Hypersensitivity of Abscisic Acid-Induced Cytosolic Calcium Increases in the Arabidopsis Farnesyltransferase Mutant era1-2. <i>Plant Cell</i> , 2002, 14, 1649-1662.	6.6	105
204	Antifungal activity of the fermentation product of herbs by lactic acid bacteria against tinea. <i>Journal of Bioscience and Bioengineering</i> , 2002, 94, 401-405.	2.2	19
205	Abscisic Acid Activation of Plasma Membrane Ca ²⁺ Channels in Guard Cells Requires Cytosolic NAD(P)H and Is Differentially Disrupted Upstream and Downstream of Reactive Oxygen Species Production in <i>abi1-1</i> and <i>abi2-1</i> Protein Phosphatase 2C Mutants. <i>Plant Cell</i> , 2001, 13, 2513-2523.	6.6	530
206	Dominant Negative Guard Cell K ⁺ Channel Mutants Reduce Inward-Rectifying K ⁺ Currents and Light-Induced Stomatal Opening in Arabidopsis. <i>Plant Physiology</i> , 2001, 127, 473-485.	4.8	173
207	Abscisic Acid Activation of Plasma Membrane Ca ²⁺ Channels in Guard Cells Requires Cytosolic NAD(P)H and Is Differentially Disrupted Upstream and Downstream of Reactive Oxygen Species Production in <i>abi1-1</i> and <i>abi2-1</i> Protein Phosphatase 2C Mutants. <i>Plant Cell</i> , 2001, 13, 2513.	6.6	13
208	Dominant Negative Guard Cell K ⁺ Channel Mutants Reduce Inward-Rectifying K ⁺ Currents and Light-Induced Stomatal Opening in Arabidopsis. <i>Plant Physiology</i> , 2001, 127, 473-485.	4.8	30
209	Calcium channels activated by hydrogen peroxide mediate abscisic acid signalling in guard cells. <i>Nature</i> , 2000, 406, 731-734.	27.8	1,938
210	Alterations in Ca ²⁺ -Binding on Plasma Membrane after Adaptation to Salt Stress of Tobacco Cells in Suspension. <i>Plant and Cell Physiology</i> , 2000, 41, 1286-1292.	3.1	11
211	Exogenous proline mitigates the inhibition of growth of <i>Nicotiana tabacum</i> cultured cells under saline conditions. <i>Soil Science and Plant Nutrition</i> , 2000, 46, 257-263.	1.9	61
212	Arabidopsis <i>abi1-1</i> and <i>abi2-1</i> Phosphatase Mutations Reduce Abscisic Acid-Induced Cytoplasmic Calcium Rises in Guard Cells. <i>Plant Cell</i> , 1999, 11, 1785-1798.	6.6	286
213	Salt Adaptation of K ⁺ Channels in the Plasma Membrane of Tobacco Cells in Suspension Culture. <i>Plant and Cell Physiology</i> , 1994, 35, 637-644.	3.1	37
214	Octanol/Water Partition Coefficient of Ortho-Substituted Aromatic Solutes. <i>Journal of Pharmaceutical Sciences</i> , 1993, 82, 776-781.	3.3	21
215	Correlation Analysis of the pKa Values of Mono- and Di-ortho-Substituted Benzoic Acids. <i>Bulletin of the Chemical Society of Japan</i> , 1992, 65, 3157-3162.	3.2	8
216	The fluorescent probe method using cyanine dye to determine the membrane potential in cells. <i>Bioelectrochemistry</i> , 1992, 28, 221-233.	1.0	2

#	ARTICLE	IF	CITATIONS
217	Theoretical calculation of the steric effects of ortho substituents by the AM1 method. Journal of Computational Chemistry, 1991, 12, 135-138.	3.3	3
218	Correlation analysis of substituent effects on the acidity of benzoic acids by the AM1 method. Journal of Computational Chemistry, 1989, 10, 94-98.	3.3	58