

Nicholas D Spencer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6163493/publications.pdf>

Version: 2024-02-01

354
papers

22,084
citations

7672

79
h-index

15253

130
g-index

367
all docs

367
docs citations

367
times ranked

21707
citing authors

#	ARTICLE	IF	CITATIONS
1	Poly(L-lysine)-g-Poly(ethylene glycol) Layers on Metal Oxide Surfaces: Attachment Mechanism and Effects of Polymer Architecture on Resistance to Protein Adsorption. Journal of Physical Chemistry B, 2000, 104, 3298-3309.	1.2	620
2	A comparative study of protein adsorption on titanium oxide surfaces using in situ ellipsometry, optical waveguide lightmode spectroscopy, and quartz crystal microbalance/dissipation. Colloids and Surfaces B: Biointerfaces, 2002, 24, 155-170.	2.5	608
3	Poly(L-lysine)-g-poly(ethylene glycol) Layers on Metal Oxide Surfaces: Surface-Analytical Characterization and Resistance to Serum and Fibrinogen Adsorption. Langmuir, 2001, 17, 489-498.	1.6	490
4	Systematic study of osteoblast and fibroblast response to roughness by means of surface-morphology gradients. Biomaterials, 2007, 28, 2175-2182.	5.7	442
5	Nanoparticle printing with single-particle resolution. Nature Nanotechnology, 2007, 2, 570-576.	15.6	410
6	Poly(L-lysine)-graft-poly(ethylene glycol) Assembled Monolayers on Niobium Oxide Surfaces: A Quantitative Study of the Influence of Polymer Interfacial Architecture on Resistance to Protein Adsorption by ToF-SIMS and in Situ OWLS. Langmuir, 2003, 19, 9216-9225.	1.6	382
7	Optical grating coupler biosensors. Biomaterials, 2002, 23, 3699-3710.	5.7	375
8	Covalent Attachment of Cell-Adhesive, (Arg-Gly-Asp)-Containing Peptides to Titanium Surfaces. Langmuir, 1998, 14, 5507-5516.	1.6	291
9	Effects of Ionic Strength and Surface Charge on Protein Adsorption at PEGylated Surfaces. Journal of Physical Chemistry B, 2005, 109, 17545-17552.	1.2	289
10	Surface characterization of implant materials c.p. Ti, Ti-6Al-7Nb and Ti-6Al-4V with different pretreatments. Journal of Materials Science: Materials in Medicine, 1999, 10, 35-46.	1.7	286
11	Probing Resistance to Protein Adsorption of Oligo(ethylene glycol)-Terminated Self-Assembled Monolayers by Scanning Force Microscopy. Journal of the American Chemical Society, 1999, 121, 10134-10141.	6.6	262
12	Biotin-Derivatized Poly(L-lysine)-g-poly(ethylene glycol): A Novel Polymeric Interface for Bioaffinity Sensing. Langmuir, 2002, 18, 220-230.	1.6	261
13	Influence of epidermal hydration on the friction of human skin against textiles. Journal of the Royal Society Interface, 2008, 5, 1317-1328.	1.5	261
14	Structural Chemistry of Self-Assembled Monolayers of Octadecylphosphoric Acid on Tantalum Oxide Surfaces. Langmuir, 2000, 16, 3257-3271.	1.6	256
15	Alkyl Phosphate Monolayers, Self-Assembled from Aqueous Solution onto Metal Oxide Surfaces. Langmuir, 2001, 17, 4014-4020.	1.6	248
16	Differential regulation of osteogenic differentiation of stem cells on surface roughness gradients. Biomaterials, 2014, 35, 9023-9032.	5.7	226
17	Surface-chemical and -morphological gradients. Soft Matter, 2008, 4, 419.	1.2	222
18	Sweet, Hairy, Soft, and Slippery. Science, 2008, 319, 575-576.	6.0	221

#	ARTICLE	IF	CITATIONS
19	The relationship between skin function, barrier properties, and body-dependent factors. <i>Skin Research and Technology</i> , 2018, 24, 165-174.	0.8	212
20	Microscopic Mechanism for Shear Thickening of Non-Brownian Suspensions. <i>Physical Review Letters</i> , 2013, 111, 108301.	2.9	207
21	Self-Assembled Monolayers of Dodecyl and Hydroxy-dodecyl Phosphates on Both Smooth and Rough Titanium and Titanium Oxide Surfaces. <i>Langmuir</i> , 2002, 18, 3537-3548.	1.6	197
22	Influence of Alkyl Chain Length on Phosphate Self-Assembled Monolayers. <i>Langmuir</i> , 2007, 23, 8053-8060.	1.6	195
23	Immobilization of the cell-adhesive peptide Arg-Gly-Asp-Cys (RGDC) on titanium surfaces by covalent chemical attachment. <i>Journal of Materials Science: Materials in Medicine</i> , 1997, 8, 867-872.	1.7	193
24	Partial oxidation of methane to formaldehyde by means of molecular oxygen. <i>Journal of Catalysis</i> , 1988, 109, 187-197.	3.1	177
25	PEG-Stabilized Core-Shell Nanoparticles: Impact of Linear versus Dendritic Polymer Shell Architecture on Colloidal Properties and the Reversibility of Temperature-Induced Aggregation. <i>ACS Nano</i> , 2013, 7, 316-329.	7.3	176
26	Beyond the Lotus Effect: Roughness Influences on Wetting over a Wide Surface-Energy Range. <i>Langmuir</i> , 2008, 24, 5411-5417.	1.6	175
27	Comparative investigation of the surface properties of commercial titanium dental implants. Part I: chemical composition. <i>Journal of Materials Science: Materials in Medicine</i> , 2002, 13, 535-548.	1.7	170
28	Density Fluctuations Under Confinement: When Is a Fluid Not a Fluid?. <i>Science</i> , 2001, 292, 905-908.	6.0	165
29	Protein-mediated boundary lubrication in arthroplasty. <i>Biomaterials</i> , 2005, 26, 1165-1173.	5.7	158
30	Systematic study of osteoblast response to nanotopography by means of nanoparticle-density gradients. <i>Biomaterials</i> , 2007, 28, 5000-5006.	5.7	158
31	Porcine Gastric Mucin (PGM) at the Water/Poly(Dimethylsiloxane) (PDMS) Interface: Influence of pH and Ionic Strength on Its Conformation, Adsorption, and Aqueous Lubrication Properties. <i>Langmuir</i> , 2005, 21, 8344-8353.	1.6	157
32	Selective Molecular Assembly Patterning: A New Approach to Micro- and Nanochemical Patterning of Surfaces for Biological Applications. <i>Langmuir</i> , 2002, 18, 3281-3287.	1.6	151
33	A simple, controllable source for dosing molecular halogens in UHV. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 1983, 1, 1554-1555.	0.9	150
34	Characterization of anodic spark-converted titanium surfaces for biomedical applications. <i>Journal of Materials Science: Materials in Medicine</i> , 1999, 10, 453-457.	1.7	150
35	A Simple, Reproducible Approach to the Preparation of Surface-Chemical Gradients. <i>Langmuir</i> , 2003, 19, 10459-10462.	1.6	148
36	A Biomimetic Alternative to Poly(ethylene glycol) as an Antifouling Coating: Resistance to Nonspecific Protein Adsorption of Poly(L-lysine)-graft-dextran. <i>Langmuir</i> , 2008, 24, 8850-8856.	1.6	147

#	ARTICLE	IF	CITATIONS
37	Interaction Forces and Morphology of a Protein-Resistant Poly(ethylene glycol) Layer. <i>Biophysical Journal</i> , 2005, 88, 495-504.	0.2	143
38	Oriented Assembly of Gold Nanorods on the Single-Particle Level. <i>Advanced Functional Materials</i> , 2012, 22, 702-708.	7.8	140
39	The Influence of Molecular Architecture on the Macroscopic Lubrication Properties of the Brush-Like Co-polyelectrolyte Poly(L-lysine)-g-poly(ethylene glycol) (PLL-g-PEG) Adsorbed on Oxide Surfaces. <i>Tribology Letters</i> , 2003, 15, 395-405.	1.2	139
40	V ₂ O ₅ /SiO ₂ -catalyzed methane partial oxidation with molecular oxygen. <i>Journal of Catalysis</i> , 1989, 116, 399-406.	3.1	137
41	Title is missing!. <i>Tribology Letters</i> , 2003, 15, 231-239.	1.2	136
42	Lubrication Properties of a Brushlike Copolymer as a Function of the Amount of Solvent Absorbed within the Brush. <i>Macromolecules</i> , 2005, 38, 5706-5713.	2.2	134
43	Tribofilm formation from ZnDTP on diamond-like carbon. <i>Wear</i> , 2008, 264, 316-321.	1.5	131
44	Relationship between Interfacial Forces Measured by Colloid-Probe Atomic Force Microscopy and Protein Resistance of Poly(ethylene glycol)-Grafted Poly(L-lysine) Adlayers on Niobia Surfaces. <i>Langmuir</i> , 2005, 21, 6508-6520.	1.6	125
45	A Novel Approach To Produce Biologically Relevant Chemical Patterns at the Nanometer Scale: A Selective Molecular Assembly Patterning Combined with Colloidal Lithography. <i>Langmuir</i> , 2002, 18, 8580-8586.	1.6	124
46	Osteogenic differentiation of human mesenchymal stem cells in the absence of osteogenic supplements: A surface-roughness gradient study. <i>Acta Biomaterialia</i> , 2015, 28, 64-75.	4.1	124
47	Sensitivity of Frictional Forces to pH on a Nanometer Scale: A Lateral Force Microscopy Study. <i>Langmuir</i> , 1995, 11, 4632-4635.	1.6	123
48	Proliferation, behavior, and differentiation of osteoblasts on surfaces of different microroughness. <i>Dental Materials</i> , 2016, 32, 1374-1384.	1.6	119
49	Nitrilotriacetic Acid Functionalized Graft Copolymers: A Polymeric Interface for Selective and Reversible Binding of Histidine-Tagged Proteins. <i>Advanced Functional Materials</i> , 2006, 16, 243-251.	7.8	116
50	Roughness-dependent tribology effects on discontinuous shear thickening. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 5117-5122.	3.3	116
51	The role of nanostructures and hydrophilicity in osseointegration: <i>in vitro</i> protein adsorption and blood-interaction studies. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 2661-2672.	2.1	112
52	Surface activation of polyetheretherketone (PEEK) and formation of calcium phosphate coatings by precipitation. <i>Journal of Materials Science: Materials in Medicine</i> , 1997, 8, 683-690.	1.7	111
53	Chemical Design of Non-ionic Polymer Brushes as Biointerfaces: Poly(2-oxazine)s Outperform Both Poly(2-oxazoline)s and PEG. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 11667-11672.	7.2	110
54	Nanotribology of Surface-Grafted PEG Layers in an Aqueous Environment. <i>Langmuir</i> , 2008, 24, 1484-1488.	1.6	109

#	ARTICLE	IF	CITATIONS
55	Microslips to "Avalanches" in Confined, Molecular Layers of Ionic Liquids. <i>Journal of Physical Chemistry Letters</i> , 2014, 5, 179-184.	2.1	107
56	Title is missing!. <i>Tribology Letters</i> , 2001, 10, 111-116.	1.2	106
57	Chain-length-identification strategy in zinc polyphosphate glasses by means of XPS and ToF-SIMS. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 403, 1415-1432.	1.9	102
58	Highly Oriented, Self-Assembled Alkanephosphate Monolayers on Tantalum(V) Oxide Surfaces. <i>Langmuir</i> , 1999, 15, 4324-4327.	1.6	101
59	Skin "textile friction and skin elasticity in young and aged persons. <i>Skin Research and Technology</i> , 2009, 15, 288-298.	0.8	98
60	Ionic Liquids Confined in Hydrophilic Nanocontacts: Structure and Lubricity in the Presence of Water. <i>Journal of Physical Chemistry C</i> , 2014, 118, 6491-6503.	1.5	98
61	XPS study of the influence of temperature on ZnDTP tribofilm composition. <i>Tribology Letters</i> , 2007, 25, 185-196.	1.2	97
62	Surface-Grafted, Covalently Cross-Linked Hydrogel Brushes with Tunable Interfacial and Bulk Properties. <i>Macromolecules</i> , 2011, 44, 5344-5351.	2.2	94
63	Microcontact Printing of Macromolecules with Submicrometer Resolution by Means of Polyolefin Stamps. <i>Langmuir</i> , 2003, 19, 6104-6109.	1.6	93
64	Orientation and electronic structure of methylene blue on mica: A near edge X-ray absorption fine structure spectroscopy study. <i>Journal of Chemical Physics</i> , 1996, 104, 7749-7757.	1.2	91
65	A single crystal study of the initial stages of silver sulphidation: The chemisorption and reactivity of molecular sulphur (S ₂) on Ag(111). <i>Surface Science</i> , 1979, 81, 273-284.	0.8	90
66	Toward a Force Spectroscopy of Polymer Surfaces. <i>Langmuir</i> , 1998, 14, 372-378.	1.6	89
67	Aqueous lubrication of polymers: Influence of surface modification. <i>Tribology International</i> , 2005, 38, 922-930.	3.0	89
68	Friction Measurements on Contact Lenses in Their Operating Environment. <i>Tribology Letters</i> , 2011, 44, 387-397.	1.2	89
69	Reduction of Friction at Oxide Interfaces upon Polymer Adsorption from Aqueous Solutions. <i>Langmuir</i> , 2004, 20, 423-428.	1.6	88
70	Combined in situ (ATR FT-IR) and ex situ (XPS) Study of the ZnDTP-Iron Surface Interaction. <i>Tribology Letters</i> , 2003, 15, 181-191.	1.2	87
71	Structure sensitivity in the iron single-crystal catalysed synthesis of ammonia. <i>Nature</i> , 1981, 294, 643-644.	13.7	86
72	Printing Chemical Gradients. <i>Langmuir</i> , 2005, 21, 7796-7804.	1.6	85

#	ARTICLE	IF	CITATIONS
73	Preferential Solvation and Its Effect on the Lubrication Properties of a Surface-Bound, Brushlike Copolymer. <i>Macromolecules</i> , 2005, 38, 3861-3866.	2.2	84
74	Fabricating Chemical Gradients on Oxide Surfaces by Means of Fluorinated, Catechol-Based, Self-Assembled Monolayers. <i>Langmuir</i> , 2010, 26, 16211-16220.	1.6	84
75	Controlling Adhesion Force by Means of Nanoscale Surface Roughness. <i>Langmuir</i> , 2011, 27, 9972-9978.	1.6	84
76	Spontaneous Blinking from a Tribological Viewpoint. <i>Ocular Surface</i> , 2015, 13, 236-249.	2.2	84
77	Superconducting and magnetic phase boundaries in $\text{Bi}_2\text{Sr}_2\text{Ca}_{1-x}\text{M}_x\text{Cu}_2\text{O}_8$, with $\text{M}=\text{Y}$, Gd , and Pr . <i>Physical Review B</i> , 1992, 45, 7436-7443.	1.1	82
78	Tribological Properties of Poly(L-lysine)-graft-poly(ethylene glycol) Films: Influence of Polymer Architecture and Adsorbed Conformation. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1224-1230.	4.0	82
79	A novel low-friction surface for biomedical applications: Modification of poly(dimethylsiloxane) (PDMS) with poly(ethylene glycol) (PEG)-DOPA-lysine. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 90A, 742-749.	2.1	81
80	Anisotropic Wetting of Microstructured Surfaces as a Function of Surface Chemistry. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 123-130.	4.0	81
81	Instrumental improvements in optical waveguide light mode spectroscopy for the study of biomolecule adsorption. <i>Review of Scientific Instruments</i> , 1997, 68, 2172-2176.	0.6	79
82	Influence of Molecular Architecture on the Adsorption of Poly(ethylene oxide)-Poly(propylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 38 Macromolecules, 2004, 37, 8349-8356.	2.2	78
83	Compressing PEG Brushes. <i>Macromolecules</i> , 2005, 38, 5254-5259.	2.2	78
84	The Effect of Surface Ions on Water Adsorption to Mica. <i>Langmuir</i> , 2008, 24, 1566-1569.	1.6	78
85	Critical currents and magnetization in c -axis textured $\text{Bi}_2\text{Pb}_{1-x}\text{Sr}_x\text{CaCu}_2\text{O}_8$ superconductors. <i>Applied Physics Letters</i> , 1991, 58, 868-870.	1.5	77
86	Sliding friction of polyethylene on ice: tribometer measurements. <i>Tribology Letters</i> , 2006, 24, 77-84.	1.2	76
87	Room-Temperature, Aqueous-Phase Fabrication of Poly(methacrylic acid) Brushes by UV-LED-Induced, Controlled Radical Polymerization with High Selectivity for Surface-Bound Species. <i>Macromolecules</i> , 2009, 42, 9124-9132.	2.2	76
88	Molecular-Weight Determination of Polymer Brushes Generated by SI-ATRP on Flat Surfaces. <i>Macromolecules</i> , 2014, 47, 269-275.	2.2	76
89	Sliding friction of polyethylene on snow and ice: Contact area and modeling. <i>Cold Regions Science and Technology</i> , 2007, 47, 276-289.	1.6	75
90	Adsorption and surface chemistry in tribology. <i>Tribology International</i> , 1997, 30, 881-888.	3.0	74

#	ARTICLE	IF	CITATIONS
91	Closing the Gap Between Self-Assembly and Microsystems Using Self-Assembly, Transfer, and Integration of Particles. <i>Advanced Materials</i> , 2005, 17, 2438-2442.	11.1	73
92	The adsorption and lubrication behavior of synovial fluid proteins and glycoproteins on the bearing-surface materials of hip replacements. <i>Biomaterials</i> , 2009, 30, 2072-2078.	5.7	73
93	Directed Placement of Gold Nanorods Using a Removable Template for Guided Assembly. <i>Nano Letters</i> , 2011, 11, 3957-3962.	4.5	72
94	Wavelength-dependent measurement and evaluation of surface topographies: application of a new concept of window roughness and surface transfer function. <i>Wear</i> , 2000, 237, 231-252.	1.5	70
95	Title is missing!. <i>Tribology Letters</i> , 2003, 15, 199-209.	1.2	70
96	Surface modification of PLGA microspheres. <i>Journal of Biomedical Materials Research - Part A</i> , 2003, 66A, 55-61.	2.1	70
97	Plasma protein adsorption on titanium: comparative in situ studies using optical waveguide lightmode spectroscopy and ellipsometry. <i>Colloids and Surfaces B: Biointerfaces</i> , 1998, 11, 187-201.	2.5	69
98	The role of plasma proteins in cell adhesion to PEG surface-density-gradient-modified titanium oxide. <i>Biomaterials</i> , 2011, 32, 8968-8978.	5.7	69
99	XPS, AES and ToF-SIMS investigation of surface films and the role of inclusions on pitting corrosion in austenitic stainless steels. <i>Surface and Interface Analysis</i> , 2000, 29, 460-467.	0.8	67
100	Surface chemistry in tribology. <i>Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology</i> , 2002, 216, 443-461.	1.0	67
101	Block Copolymer Thermoplastic Elastomers for Microcontact Printing. <i>Langmuir</i> , 2003, 19, 10957-10961.	1.6	67
102	Study of skin-fabric interactions of relevance to decubitus: friction and contact pressure measurements. <i>Skin Research and Technology</i> , 2008, 14, 77-88.	0.8	66
103	Tribochemistry of Bulk Zinc Metaphosphate Glasses. <i>Tribology Letters</i> , 2010, 39, 121-134.	1.2	66
104	Nonfouling Response of Hydrophilic Uncharged Polymers. <i>Advanced Functional Materials</i> , 2013, 23, 5706-5718.	7.8	65
105	Irreversibility temperatures in axis-oriented powders of YBa ₂ Cu ₃ O ₇ , Bi ₂ Sr ₂ CaCu ₂ O ₈ , and Bi ₂ Sr ₂ Ca ₂ Cu ₃ O ₁₀ . <i>Physical Review B</i> , 1990, 42, 8756-8759.	1.1	64
106	A Tribological Model for Chocolate in the Mouth: General Implications for Slurry-Lubricated Hard/Soft Sliding Counterfaces. <i>Tribology Letters</i> , 2004, 16, 239-249.	1.2	64
107	Lubrication with Oil-Compatible Polymer Brushes. <i>Tribology Letters</i> , 2012, 45, 477-487.	1.2	64
108	Adsorption Properties of Poly(L-lysine)-graft-poly(ethylene glycol) (PLL-g-PEG) at a Hydrophobic Interface: Influence of Tribological Stress, pH, Salt Concentration, and Polymer Molecular Weight. <i>Langmuir</i> , 2008, 24, 9479-9488.	1.6	63

#	ARTICLE	IF	CITATIONS
109	The effect of sodium on the MoO ₃ /SiO ₂ -catalyzed partial oxidation of methane. <i>Journal of Catalysis</i> , 1990, 126, 546-554.	3.1	62
110	Growth of Tribological Films: In Situ Characterization Based on Attenuated Total Reflection Infrared Spectroscopy. <i>Langmuir</i> , 2002, 18, 6606-6613.	1.6	62
111	Irreversible structural change of a dry ionic liquid under nanoconfinement. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 13613-13624.	1.3	62
112	Partial oxidation of CH ₄ to HCHO over a MoO ₃ -SiO ₂ catalyst: A kinetic study. <i>AIChE Journal</i> , 1987, 33, 1808-1812.	1.8	61
113	Resonant inverse photoemission of Bi ₂ Ca _{1+x} Sr ₂ ^x Cu ₂ O _{8+y} and YBa ₂ Cu ₃ O ₇ ^x , unoccupied oxygen states, and plasmons. <i>Physical Review B</i> , 1989, 39, 2928-2931.	1.1	61
114	Effect of alkali metal cations on the structure of Mo(VI)/SiO ₂ catalysts and its relevance to the selective oxidation of methane and methanol. <i>Journal of Catalysis</i> , 1994, 146, 204-210.	3.1	61
115	Diffusion of Alkanethiols in PDMS and Its Implications on Microcontact Printing (μCP). <i>Langmuir</i> , 2005, 21, 622-632.	1.6	61
116	Fabrication and Interfacial Properties of Polymer Brush Gradients by Surface-Initiated Cu(0)-Mediated Controlled Radical Polymerization. <i>Macromolecules</i> , 2017, 50, 2436-2446.	2.2	61
117	Macrotribological Studies of Poly(L-lysine)-graft-Poly(ethylene glycol) in Aqueous Glycerol Mixtures. <i>Tribology Letters</i> , 2010, 37, 541-552.	1.2	60
118	The implant material, Ti ₆ Al ₇ Nb: surface microstructure, composition and properties. <i>Journal of Materials Science: Materials in Medicine</i> , 1999, 10, 191-198.	1.7	59
119	Oxygen Tolerant and Cytocompatible Iron(0)-Mediated ATRP Enables the Controlled Growth of Polymer Brushes from Mammalian Cell Cultures. <i>Journal of the American Chemical Society</i> , 2020, 142, 3158-3164.	6.6	59
120	Chlorine chemisorption and surface chloride formation on Au(111). <i>Surface Science</i> , 1981, 107, 237-248.	0.8	58
121	Improved instrumentation to carry out surface analysis and to monitor chemical surface reactions in situ on small area catalysts over a wide pressure range (10 ⁻⁸ –10 ⁵ Torr). <i>Review of Scientific Instruments</i> , 1982, 53, 1888-1893.	0.6	58
122	Fabrication of Multiscale Surface-Chemical Gradients by Means of Photocatalytic Lithography. <i>Langmuir</i> , 2007, 23, 3489-3494.	1.6	58
123	Chemical Reactivity of Triphenyl Phosphorothionate (TPPT) with Iron: An ATR/FT-IR and XPS Investigation. <i>Journal of Physical Chemistry C</i> , 2011, 115, 1339-1354.	1.5	57
124	Chemically patterned, metal oxide based surfaces produced by photolithographic techniques for studying protein and cell surface interactions I: Microfabrication and surface characterization. <i>Biomaterials</i> , 2003, 24, 1133-1145.	5.7	56
125	Polymer-Brush Lubrication in Oil: Sliding Beyond the Stribeck Curve. <i>Tribology Letters</i> , 2013, 49, 263-272.	1.2	56
126	Design and characterization of ultrastable, biopassive and lubricious cyclic poly(2-alkyl-2-oxazoline) brushes. <i>Polymer Chemistry</i> , 2018, 9, 2580-2589.	1.9	56

#	ARTICLE	IF	CITATIONS
127	Functionalizable Nanomorphology Gradients via Colloidal Self-Assembly. <i>Langmuir</i> , 2007, 23, 5929-5935.	1.6	55
128	Pressure Dependence of ZnDTP Tribochemical Film Formation: A Combinatorial Approach. <i>Tribology Letters</i> , 2007, 28, 209-222.	1.2	55
129	Precise Placement of Gold Nanorods by Capillary Assembly. <i>Langmuir</i> , 2011, 27, 6305-6310.	1.6	54
130	Self-healing behavior of a polyelectrolyte-based lubricant additive for aqueous lubrication of oxide materials. <i>Tribology Letters</i> , 2006, 24, 217-223.	1.2	53
131	Capabilities of Femtosecond Laser Ablation Inductively Coupled Plasma Mass Spectrometry for Depth Profiling of Thin Metal Coatings. <i>Analytical Chemistry</i> , 2007, 79, 2325-2333.	3.2	53
132	Polymer Brushes under Shear: Molecular Dynamics Simulations Compared to Experiments. <i>Langmuir</i> , 2015, 31, 4798-4805.	1.6	53
133	Surface-Initiated Photoinduced ATRP: Mechanism, Oxygen Tolerance, and Temporal Control during the Synthesis of Polymer Brushes. <i>Macromolecules</i> , 2020, 53, 2801-2810.	2.2	53
134	Feasibility study of an online toxicological sensor based on the optical waveguide technique. <i>Biosensors and Bioelectronics</i> , 2000, 15, 423-429.	5.3	52
135	A comparison of osteoclast resorption pits on bone with titanium and Zirconia surfaces. <i>Biomaterials</i> , 2010, 31, 7321-7331.	5.7	52
136	Simulation of methane partial oxidation over silica-supported MoO ₃ and V ₂ O ₅ . <i>AIChE Journal</i> , 1991, 37, 87-97.	1.8	51
137	Surface reactivity of tributyl thiophosphate: effects of temperature and mechanical stress. <i>Tribology Letters</i> , 2006, 23, 197-208.	1.2	51
138	Spatial Tuning of the Metal Work Function by Means of Alkanethiol and Fluorinated Alkanethiol Gradients. <i>Journal of Physical Chemistry C</i> , 2009, 113, 5620-5628.	1.5	51
139	Multiple Transmission-Reflection IR Spectroscopy Shows that Surface Hydroxyls Play Only a Minor Role in Alkylsilane Monolayer Formation on Silica. <i>Journal of Physical Chemistry Letters</i> , 2013, 4, 2745-2751.	2.1	51
140	Crosslinking Polymer Brushes with Ethylene Glycol-Containing Segments: Influence on Physicochemical and Antifouling Properties. <i>Langmuir</i> , 2016, 32, 10317-10327.	1.6	51
141	Effect of the environmental humidity on the bulk, interfacial and nanoconfined properties of an ionic liquid. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 22719-22730.	1.3	51
142	Growing Polymer Brushes from a Variety of Substrates under Ambient Conditions by Cu ⁰ -Mediated Surface-Initiated ATRP. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 27470-27477.	4.0	50
143	Translating Surface-Initiated Atom Transfer Radical Polymerization into Technology: The Mechanism of Cu ⁰ -Mediated SI-ATRP under Environmental Conditions. <i>ACS Macro Letters</i> , 2019, 8, 865-870.	2.3	50
144	Linking Friction and Surface Properties of Hydrogels Molded Against Materials of Different Surface Energies. <i>Langmuir</i> , 2019, 35, 15805-15812.	1.6	49

#	ARTICLE	IF	CITATIONS
145	Orthogonal nanometer-micrometer roughness gradients probe morphological influences on cell behavior. <i>Biomaterials</i> , 2012, 33, 8055-8061.	5.7	48
146	Layering of ionic liquids on rough surfaces. <i>Nanoscale</i> , 2016, 8, 4094-4106.	2.8	48
147	Fabrication of material-independent morphology gradients for high-throughput applications. <i>Applied Surface Science</i> , 2006, 253, 2148-2153.	3.1	47
148	Cassie-State Wetting Investigated by Means of a Hole-to-Pillar Density Gradient. <i>Langmuir</i> , 2010, 26, 9465-9473.	1.6	47
149	Reactions of zinc-free anti-wear additives in DLC/DLC and steel/steel contacts. <i>Tribology International</i> , 2008, 41, 1090-1096.	3.0	46
150	Impact of Hydrophilic/Hydrophobic Surface Chemistry on Hydration Forces in the Absence of Confinement. <i>Langmuir</i> , 2012, 28, 6589-6594.	1.6	46
151	<i>In vivo</i> confirmation of hydration-induced changes in human-skin thickness, roughness and interaction with the environment. <i>Biointerphases</i> , 2016, 11, 031015.	0.6	46
152	The influence of surface grafting on the growth rate of polymer chains. <i>Polymer Chemistry</i> , 2016, 7, 302-309.	1.9	46
153	Covalent Attachment of Novel Poly(ethylene glycol)- <i>b</i> -Poly(dl-lactic acid) Copolymeric Micelles to TiO ₂ Surfaces. <i>Langmuir</i> , 2002, 18, 252-258.	1.6	45
154	Submicrometer Structure of Surface-Chemical Gradients Prepared by a Two-Step Immersion Method. <i>Langmuir</i> , 2006, 22, 2706-2711.	1.6	45
155	Aqueous Lubrication of SiC and Si ₃ N ₄ Ceramics Aided by a Brush-like Copolymer Additive, Poly(l-lysine)-graft-poly(ethylene glycol). <i>Tribology Letters</i> , 2009, 34, 201-210.	1.2	45
156	Reducing Friction in the Eye: A Comparative Study of Lubrication by Surface-Anchored Synthetic and Natural Ocular Mucin Analogues. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 20150-20160.	4.0	45
157	Controlled Crosslinking Is a Tool To Precisely Modulate the Nanomechanical and Nanotribological Properties of Polymer Brushes. <i>Macromolecules</i> , 2017, 50, 2932-2941.	2.2	45
158	Influence of Salt on the Aqueous Lubrication Properties of End-Grafted, Ethylene Glycol-Based Self-Assembled Monolayers. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1105-1112.	4.0	44
159	Response of Osteoclasts to Titanium Surfaces with Increasing Surface Roughness: An In Vitro Study. <i>Biointerphases</i> , 2012, 7, 34.	0.6	44
160	Stratified Polymer Grafts: Synthesis and Characterization of Layered <i>b</i> -Brush™ and <i>b</i> -Gel™ Structures. <i>Advanced Materials Interfaces</i> , 2014, 1, 1300007.	1.9	44
161	The Role of Cu ⁰ in Surface-Initiated Atom Transfer Radical Polymerization: Tuning Catalyst Dissolution for Tailoring Polymer Interfaces. <i>Macromolecules</i> , 2018, 51, 6825-6835.	2.2	44
162	Topological Polymer Chemistry Enters Materials Science: Expanding the Applicability of Cyclic Polymers. <i>ACS Macro Letters</i> , 2020, 9, 1024-1033.	2.3	44

#	ARTICLE	IF	CITATIONS
163	Exploring the roles of roughness, friction and adhesion in discontinuous shear thickening by means of thermo-responsive particles. <i>Nature Communications</i> , 2021, 12, 1477.	5.8	44
164	Poly(acrylamide) films at the solvent-induced glass transition: adhesion, tribology, and the influence of crosslinking. <i>Soft Matter</i> , 2012, 8, 9092.	1.2	43
165	High critical current densities in ultrathin YBa ₂ Cu ₃ O _{7-x} films sandwiched between (Pr _x Y _{1-x})Ba ₂ Cu ₃ O ₇ layers. <i>Applied Physics Letters</i> , 1993, 62, 1289-1291.	1.5	42
166	Poly(L-lysine)-grafted-poly(ethylene glycol)-based surface-chemical gradients. Preparation, characterization, and first applications. <i>Biointerphases</i> , 2006, 1, 156-165.	0.6	42
167	Study of Adhesion and Friction Properties on a Nanoparticle Gradient Surface: Transition from JKR to DMT Contact Mechanics. <i>Langmuir</i> , 2013, 29, 175-182.	1.6	42
168	Structuring Hydrogel Surfaces for Tribology. <i>Advanced Materials Interfaces</i> , 2019, 6, 1901320.	1.9	42
169	Load-Induced Transitions in the Lubricity of Adsorbed Poly(L-lysine)-dextran as a Function of Polysaccharide Chain Density. <i>ACS Applied Materials & Interfaces</i> , 2011, 3, 3020-3025.	4.0	41
170	Surface analytical studies of surface-additive interactions, by means of in situ and combinatorial approaches. <i>Wear</i> , 2004, 256, 578-584.	1.5	40
171	Self-Assembled Hexasaccharides: A Surface Characterization of Thiol-Terminated Sugars Adsorbed on a Gold Surface. <i>Langmuir</i> , 1996, 12, 6074-6082.	1.6	39
172	Adsorption and Lubricating Properties of Poly(L-lysine)-graft-poly(ethylene glycol) on Human-Hair Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2009, 1, 1938-1945.	4.0	39
173	Effects of surface microtopography on the assembly of the osteoclast resorption apparatus. <i>Journal of the Royal Society Interface</i> , 2012, 9, 1599-1608.	1.5	39
174	Ultrathin, freestanding, stimuli-responsive, porous membranes from polymer hydrogel-brushes. <i>Nanoscale</i> , 2015, 7, 13017-13025.	2.8	39
175	Surface Density Variation within Cyclic Polymer Brushes Reveals Topology Effects on Their Nanotribological and Biopassive Properties. <i>ACS Macro Letters</i> , 2018, 7, 1455-1460.	2.3	39
176	Fabrication, Characterisation and Tribological Investigation of Artificial Skin Surface Lipid Films. <i>Tribology Letters</i> , 2009, 34, 81-93.	1.2	38
177	Adhesion and Friction Properties of Polymer Brushes on Rough Surfaces: A Gradient Approach. <i>Langmuir</i> , 2013, 29, 15251-15259.	1.6	38
178	Effect of Leaving Group on the Structures of Alkylsilane SAMs. <i>Langmuir</i> , 2014, 30, 14824-14831.	1.6	38
179	Versatile Surface Modification of Hydrogels by Surface-Initiated, Cu ⁰ -Mediated Controlled Radical Polymerization. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 6761-6767.	4.0	38
180	Exploring Lubrication Regimes at the Nanoscale: Nanotribological Characterization of Silica and Polymer Brushes in Viscous Solvents. <i>Langmuir</i> , 2013, 29, 10149-10158.	1.6	37

#	ARTICLE	IF	CITATIONS
181	Regulation of Human Mesenchymal Stem Cell Osteogenesis by Specific Surface Density of Fibronectin: a Gradient Study. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 2367-2375.	4.0	37
182	End-grafted Sugar Chains as Aqueous Lubricant Additives: Synthesis and Macrotribological Tests of Poly(L-lysine)-graft-Dextran (PLL-g-dex) Copolymers. <i>Tribology Letters</i> , 2009, 33, 83-96.	1.2	36
183	Understanding the role of viscous solvent confinement in the tribological behavior of polymer brushes: a bioinspired approach. <i>Soft Matter</i> , 2013, 9, 10572.	1.2	35
184	Friction Measurements on Contact Lenses in a Physiologically Relevant Environment: Effect of Testing Conditions on Friction. , 2016, 57, 5383.		35
185	Oxygen inhibition of free-radical polymerization is the dominant mechanism behind the "mold effect" on hydrogels. <i>Soft Matter</i> , 2021, 17, 6394-6403.	1.2	34
186	Light-Responsive Polymer Surfaces via Postpolymerization Modification of Grafted Polymer-Brush Structures. <i>Langmuir</i> , 2014, 30, 14971-14981.	1.6	33
187	Understanding the effect of hydrophobic protecting blocks on the stability and biopassivity of polymer brushes in aqueous environments: A Tiramis ¹ for cell-culture applications. <i>Polymer</i> , 2016, 98, 470-480.	1.8	33
188	Effect of patterns and inhomogeneities on the surface of waveguides used for optical waveguide lightmode spectroscopy applications. <i>Applied Physics B: Lasers and Optics</i> , 2001, 72, 441-447.	1.1	32
189	Tribological Classification of Contact Lenses: From Coefficient of Friction to Sliding Work. <i>Tribology Letters</i> , 2016, 63, 1.	1.2	32
190	Ammonia synthesis catalyzed by rhenium. <i>Journal of Catalysis</i> , 1982, 78, 142-146.	3.1	31
191	The Influence of Anchoring-Group Structure on the Lubricating Properties of Brush-Forming Graft Copolymers in an Aqueous Medium. <i>Tribology Letters</i> , 2008, 31, 119-128.	1.2	31
192	Friction, lubrication, and polymer transfer between UHMWPE and CoCrMo hip implant materials: A fluorescence microscopy study. <i>Journal of Biomedical Materials Research - Part A</i> , 2009, 89A, 1011-1018.	2.1	31
193	Influence of Environmental Humidity on the Wear and Friction of a Silica/Silicon Tribopair Lubricated with a Hydrophilic Ionic Liquid. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 2961-2973.	4.0	31
194	Order and Composition of Methyl-Carboxyl and Methyl-Hydroxyl Surface-Chemical Gradients. <i>Langmuir</i> , 2006, 22, 4184-4189.	1.6	30
195	Reactivity of Triphenyl Phosphorothionate in Lubricant Oil Solution. <i>Tribology Letters</i> , 2009, 35, 31-43.	1.2	30
196	Influence of metallic and oxidized iron/steel on the reactivity of triphenyl phosphorothionate in oil solution. <i>Tribology International</i> , 2011, 44, 670-683.	3.0	30
197	Effect of Chain-Length and Countersurface on the Tribochemistry of Bulk Zinc Polyphosphate Glasses. <i>Tribology Letters</i> , 2012, 48, 393-406.	1.2	30
198	Impact of solvation on equilibrium conformation of polymer brushes in solvent mixtures. <i>Soft Matter</i> , 2013, 9, 4045.	1.2	30

#	ARTICLE	IF	CITATIONS
199	Environmental Influence on the Surface Chemistry of Ionic-Liquid-Mediated Lubrication in a Silica/Silicon Tribopair. <i>Journal of Physical Chemistry C</i> , 2014, 118, 29389-29400.	1.5	30
200	Cascaded Assembly of Complex Multiparticulate Patterns. <i>Langmuir</i> , 2014, 30, 90-95.	1.6	30
201	A water-responsive, gelatine-based human skin model. <i>Tribology International</i> , 2017, 113, 316-322.	3.0	30
202	Title is missing!. <i>Tribology Letters</i> , 1997, 3, 359-365.	1.2	29
203	Surface forces, surface chemistry and tribology. <i>Tribology International</i> , 1998, 31, 99-105.	3.0	29
204	Composition and Microstructure of Zirconia Films Obtained by MOCVD with a New, Liquid, Mixed Acetylacetonato-Alcoholato Precursor. <i>Chemical Vapor Deposition</i> , 1999, 5, 151-158.	1.4	29
205	Chocolate at a Sliding Interface. <i>Journal of Food Science</i> , 2002, 67, 2712-2717.	1.5	29
206	Structural Evolution of Self-Assembled Alkanephosphate Monolayers on TiO ₂ . <i>ChemPhysChem</i> , 2008, 9, 1979-1981.	1.0	29
207	Tribochemistry of Triphenyl Phosphorothionate (TPPT) by In Situ Attenuated Total Reflection (ATR/FT-IR) Tribometry. <i>Journal of Physical Chemistry C</i> , 2012, 116, 5614-5627.	1.5	29
208	The hierarchical bulk molecular structure of poly(acrylamide) hydrogels: beyond the fishing net. <i>Soft Matter</i> , 2020, 16, 9789-9798.	1.2	29
209	New Single-Source Precursors for the MOCVD of High- $\hat{\epsilon}$ Dielectric Zirconium Silicates to Replace SiO ₂ in Semiconducting Devices. <i>Chemical Vapor Deposition</i> , 2002, 8, 171.	1.4	28
210	Poly(L-lysine)-graft-poly(ethylene glycol): a versatile aqueous lubricant additive for tribosystems involving thermoplastics. <i>Lubrication Science</i> , 2008, 20, 21-34.	0.9	28
211	Reversible Light-Switching of Enzymatic Activity on Orthogonally Functionalized Polymer Brushes. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 9245-9249.	4.0	28
212	Using Polymers to Impart Lubricity and Biopassivity to Surfaces: Are These Properties Linked?. <i>Helvetica Chimica Acta</i> , 2019, 102, e1900071.	1.0	28
213	Tuning Interparticle Hydrogen Bonding in Shear-Jamming Suspensions: Kinetic Effects and Consequences for Tribology and Rheology. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 1663-1668.	2.1	28
214	Importance of Hydration and Surface Structure for Friction of Acrylamide Hydrogels. <i>Tribology Letters</i> , 2020, 68, 1.	1.2	28
215	Rubbing and Scrubbing. <i>Physics Today</i> , 1998, 51, 22-27.	0.3	27
216	Reactivity of alkylated phosphorothionates with steel: a tribological and surface-analytical study. <i>Lubrication Science</i> , 2008, 20, 79-102.	0.9	27

#	ARTICLE	IF	CITATIONS
217	Solution-Phase Preparation and Characterization of Bi _{1.6} Pb _{0.3} Sb _{0.1} Ca ₂ Sr ₂ Cu ₃ O ₁₀ . Japanese Journal of Applied Physics, 1989, 28, L1564-L1567.	0.8	26
218	Load and Velocity Dependence of Friction Mediated by Dynamics of Interfacial Contacts. Physical Review Letters, 2019, 123, 116102.	2.9	26
219	Grain size dependence of microwave absorption in Y ₁ Ba ₂ Cu ₃ O ₇ powders near T _c . Physica C: Superconductivity and Its Applications, 1988, 156, 555-558.	0.6	25
220	Photocatalytic Nanolithography of Self-Assembled Monolayers and Proteins. ACS Nano, 2013, 7, 7610-7618.	7.3	25
221	Two-Fluid Model for the Interpretation of Quartz Crystal Microbalance Response: Tuning Properties of Polymer Brushes with Solvent Mixtures. Journal of Physical Chemistry C, 2013, 117, 4533-4543.	1.5	25
222	Fabrication of Thiol-ene Clickable Copolymer-Brush Nanostructures on Polymeric Substrates via Extreme Ultraviolet Interference Lithography. ACS Applied Materials & Interfaces, 2015, 7, 11337-11345.	4.0	25
223	Direct, Robust Technique for the Measurement of Friction between Microspheres. Langmuir, 2015, 31, 8809-8817.	1.6	25
224	Imparting Nonfouling Properties to Chemically Distinct Surfaces with a Single Adsorbing Polymer: A Multimodal Binding Approach. Macromolecular Rapid Communications, 2016, 37, 622-629.	2.0	25
225	Ink-Free Reversible Optical Writing in Monolayers by Polymerization of a Trifunctional Monomer: Toward Rewritable Molecular Paper. Advanced Materials, 2017, 29, 1701220.	11.1	25
226	Creating an Interface: Rendering a Double-Network Hydrogel Lubricious via Spontaneous Delamination. ACS Applied Materials & Interfaces, 2019, 11, 25427-25435.	4.0	25
227	Influence of Chain Stiffness, Grafting Density and Normal Load on the Tribological and Structural Behavior of Polymer Brushes: A Nonequilibrium-Molecular-Dynamics Study. Polymers, 2016, 8, 254.	2.0	24
228	Lubrication of Si-Based Tribopairs with a Hydrophobic Ionic Liquid: The Multiscale Influence of Water. Journal of Physical Chemistry C, 2018, 122, 7331-7343.	1.5	23
229	Brushes, Graft Copolymers, or Bottlebrushes? The Effect of Polymer Architecture on the Nanotribological Properties of Grafted-from Assemblies. Langmuir, 2019, 35, 11255-11264.	1.6	23
230	Functional Nanoassemblies of Cyclic Polymers Show Amplified Responsiveness and Enhanced Protein-Binding Ability. ACS Nano, 2020, 14, 10054-10067.	7.3	23
231	Stepwise collapse of highly overlapping electrical double layers. Physical Chemistry Chemical Physics, 2016, 18, 24417-24427.	1.3	22
232	Effect of Crosslinking on the Microtribological Behavior of Model Polymer Brushes. Tribology Letters, 2016, 63, 1.	1.2	22
233	A two-step method for rate-dependent nano-indentation of hydrogels. Polymer, 2018, 137, 276-282.	1.8	22
234	Understanding Complex Tribofilms by Means of H ₃ BO ₃ -B ₂ O ₃ Model Glasses. Langmuir, 2018, 34, 2219-2234.	1.6	22

#	ARTICLE	IF	CITATIONS
235	In Situ Attenuated Total Reflection (ATR/FT-IR) Tribometry: A Powerful Tool for Investigating Tribochemistry at the Lubricant-Substrate Interface. <i>Tribology Letters</i> , 2012, 45, 207-218.	1.2	21
236	Ultrathin, Oil-Compatible, Lubricious Polymer Coatings: A Comparison of Grafting-To and Grafting-From Strategies. <i>Tribology Letters</i> , 2013, 49, 273-280.	1.2	21
237	Modulation of Surface-Initiated ATRP by Confinement: Mechanism and Applications. <i>Macromolecules</i> , 2017, 50, 5711-5718.	2.2	21
238	Mechanism and application of surface-initiated ATRP in the presence of a Zn plate. <i>Polymer Chemistry</i> , 2020, 11, 7009-7014.	1.9	21
239	Dispersity within Brushes Plays a Major Role in Determining Their Interfacial Properties: The Case of Oligoxazoline-Based Graft Polymers. <i>Journal of the American Chemical Society</i> , 2021, 143, 19067-19077.	6.6	21
240	Glycosylidene Carbenes. Part 27. Glucosidation of titanium dioxide with 1-aziglucoses: Preparation and characterization of modified titanium-dioxide surfaces. <i>Helvetica Chimica Acta</i> , 1998, 81, 1359-1372.	1.0	20
241	Sugars Communicate through Water: Oriented Glycans Induce Water Structuring. <i>Biophysical Journal</i> , 2013, 104, 2686-2694.	0.2	20
242	Scanning Probe Microscopy in Materials Science. <i>MRS Bulletin</i> , 2004, 29, 443-448.	1.7	19
243	Gradients of topographical structure in thin polymer films. <i>Applied Surface Science</i> , 2008, 254, 6820-6825.	3.1	19
244	Protein and Nanoparticle Adsorption on Orthogonal, Charge-Density-Versus-Net-Charge Surface-Chemical Gradients. <i>Langmuir</i> , 2012, 28, 3159-3166.	1.6	19
245	From pH- to Light-Response: Postpolymerization Modification of Polymer Brushes Grafted onto Microporous Polymeric Membranes. <i>ACS Omega</i> , 2017, 2, 455-461.	1.6	19
246	Combined Experimental and Simulation Studies of Cross-Linked Polymer Brushes under Shear. <i>Macromolecules</i> , 2018, 51, 10174-10183.	2.2	19
247	Reduced frictional resistance of polyurethane catheter by means of a surface coating procedure. <i>Journal of Applied Polymer Science</i> , 1996, 61, 1939-1948.	1.3	18
248	Probing the outermost layer of thin gold films by XPS and density functional theory. <i>Applied Surface Science</i> , 2020, 507, 145084.	3.1	18
249	Synthesis of Polymers Containing Potassium Acyltrifluoroborates (KATs) and Postpolymerization Ligation and Conjugation. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 14656-14663.	7.2	18
250	Self-Assembled Layers of Substituted Poly(p-phenylene)s on Gold and Copper Investigated by Soft X-ray Spectroscopy. <i>Langmuir</i> , 1996, 12, 719-725.	1.6	17
251	Nanochemical surface analyzer in CMOS technology. <i>Ultramicroscopy</i> , 2002, 91, 21-27.	0.8	17
252	Functionalization of fluoropolymer surfaces with nanopatterned polyelectrolyte brushes. <i>Polymer</i> , 2010, 51, 4037-4043.	1.8	17

#	ARTICLE	IF	CITATIONS
253	Orthogonal, Three-Component, Alkanethiol-Based Surface-Chemical Gradients on Gold. <i>Langmuir</i> , 2010, 26, 8392-8399.	1.6	17
254	Fabrication and Microscopic and Spectroscopic Characterization of Planar, Bimetallic, Micro- and Nanopatterned Surfaces. <i>Langmuir</i> , 2017, 33, 5657-5665.	1.6	17
255	Modeling soft, permeable matter with the proper generalized decomposition (PGD) approach, and verification by means of nanoindentation. <i>Soft Matter</i> , 2017, 13, 4482-4493.	1.2	17
256	Rhenium: an ammonia synthesis catalyst. <i>The Journal of Physical Chemistry</i> , 1982, 86, 3493-3494.	2.9	16
257	Microstructured bioreactive surfaces: covalent immobilization of proteins on Au(1 1 1)/silicon via aminoreactive alkanethiolate self-assembled monolayers. <i>Journal of Materials Science: Materials in Medicine</i> , 1999, 10, 255-263.	1.7	16
258	Macroscopic Tribological Testing of Alkanethiol Self-assembled Monolayers (SAMs): Pin-on-disk Tribometry with Elastomeric Sliding Contacts. <i>Tribology Letters</i> , 2007, 28, 229-239.	1.2	16
259	Selective Assembly of Sub-µm Micrometer Polymer Particles. <i>Advanced Materials</i> , 2010, 22, 2804-2808.	11.1	16
260	Versatile Wettability Gradients Prepared by Chemical Modification of Polymer Brushes on Polymer Foils. <i>Langmuir</i> , 2011, 27, 6855-6861.	1.6	16
261	Impact of chain morphology on the lubricity of surface-grafted polysaccharides. <i>RSC Advances</i> , 2014, 4, 21497-21503.	1.7	16
262	Aqueous Lubrication with Poly(Ethylene Glycol) Brushes. <i>Tribology Online</i> , 2014, 9, 143-153.	0.2	16
263	Identification of atomic and molecular oxygen surface species on rubidium-dosed Ag(111). <i>Chemical Physics Letters</i> , 1981, 83, 388-390.	1.2	15
264	A Combinatorial Approach to Elucidating Tribochemical Mechanisms. <i>Tribology Letters</i> , 2003, 15, 193-198.	1.2	15
265	Effects of athletic conditioning on horses with degenerative suspensory ligament desmitis: A preliminary report. <i>Veterinary Journal</i> , 2011, 189, 49-57.	0.6	15
266	Functionalization of Fluoropolymers and Polyolefins via Grafting of Polyelectrolyte Brushes From Atmospheric-Pressure Plasma Activated Surfaces. <i>Plasma Processes and Polymers</i> , 2011, 8, 512-522.	1.6	14
267	Friction of Rubber with Surfaces Patterned with Rigid Spherical Asperities. <i>Tribology Letters</i> , 2013, 49, 135-144.	1.2	14
268	Tailoring SU-8 Surfaces: Covalent Attachment of Polymers by Means of Nitrene Insertion. <i>Langmuir</i> , 2014, 30, 10107-10111.	1.6	14
269	Physical Networks of Metal-Ion-Containing Polymer Brushes Show Fully Tunable Swelling, Nanomechanical and Nanotribological Properties. <i>Macromolecules</i> , 2017, 50, 2495-2503.	2.2	14
270	Specific heat and magnetic susceptibility of the high-T _c superconductor (Bi, Pb, Sb) ₂ Sr ₂ Ca ₂ Cu ₃ O ₁₀ . <i>Physica C: Superconductivity and Its Applications</i> , 1990, 165, 340-346.	0.6	13

#	ARTICLE	IF	CITATIONS
271	Characterization of nanoscale metal structures obtained by template synthesis. <i>Fresenius' Journal of Analytical Chemistry</i> , 1998, 361, 684-686.	1.5	13
272	Sources and control of instrumental drift in the surface forces apparatus. <i>Review of Scientific Instruments</i> , 2000, 71, 4502.	0.6	13
273	Imaging of Surface Heterogeneity by the Microdroplet Condensation Technique. <i>Langmuir</i> , 2001, 17, 4123-4125.	1.6	13
274	Achieving Ultralow Friction by Aqueous, Brush-Assisted Lubrication. , 2007, , 365-396.		13
275	Effect of contact geometry on the friction of acrylamide hydrogels with different surface structures. <i>Friction</i> , 2022, 10, 360-373.	3.4	13
276	Multifilament BPSCCO superconductor: fabrication and heat treatment study. <i>IEEE Transactions on Applied Superconductivity</i> , 1993, 3, 942-945.	1.1	12
277	Tuning Surface Mechanical Properties by Amplified Polyelectrolyte Self-Assembly: Where "Grafting-from" Meets "Grafting-to". <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 4913-4920.	4.0	12
278	Adsorption and Tribochemical Factors Affecting the Lubrication of Silicon-Based Materials by (Fluorinated) Ionic Liquids. <i>Journal of Physical Chemistry C</i> , 2017, 121, 7259-7275.	1.5	12
279	Tuning the surface chemistry of lubricant-derived phosphate thermal films: The effect of boron. <i>Applied Surface Science</i> , 2017, 396, 1251-1263.	3.1	12
280	Magnetic propulsion of colloidal microrollers controlled by electrically modulated friction. <i>Soft Matter</i> , 2021, 17, 1037-1047.	1.2	12
281	Controlling the Friction of Gels by Regulating Interfacial Oxygen During Polymerization. <i>Tribology Letters</i> , 2021, 69, 86.	1.2	12
282	Towards a Polymer-Brush-Based Friction Modifier for Oil. <i>Tribology Letters</i> , 2021, 69, 1.	1.2	12
283	Silicon interfaces with high temperature superconductors. <i>Surface Science</i> , 1990, 236, 377-384.	0.8	11
284	Characterization of titania surface area in titania/silica SCR catalysts by temperature-programmed reaction of 2-propanol. <i>Applied Catalysis A: General</i> , 1996, 139, 175-187.	2.2	11
285	Effects of Tailored Surface Chemistry on Desorption Electrospray Ionization Mass Spectrometry: a Surface-Analytical Study by XPS and AFM. <i>Journal of the American Society for Mass Spectrometry</i> , 2015, 26, 1311-1319.	1.2	11
286	ATR-IR Investigation of Solvent Interactions with Surface-Bound Polymers. <i>Langmuir</i> , 2016, 32, 7588-7595.	1.6	11
287	Imparting ultralow lubricity to double-network hydrogels by surface-initiated controlled radical polymerization under ambient conditions. <i>Biotribology</i> , 2021, 26, 100161.	0.9	11
288	Molecular beam reactive scattering of Br ₂ from Pd(111) using an electrochemical effusive source. <i>Surface Science</i> , 1982, 120, 413-426.	0.8	10

#	ARTICLE	IF	CITATIONS
289	Preparation and Characterization of Ultrathin Layers of Substituted Oligo- and Poly(p-phenylene)s and Mixed Layers with Octadecanethiol on Gold and Copper. <i>Langmuir</i> , 1999, 15, 6333-6342.	1.6	10
290	Photochemically Prepared, Two-Component Polymer-Concentration Gradients. <i>Langmuir</i> , 2013, 29, 13031-13041.	1.6	10
291	General In Vitro Method to Analyze the Interactions of Synthetic Polymers with Human Antibody Repertoires. <i>Biomacromolecules</i> , 2014, 15, 113-121.	2.6	10
292	Impact of Dispersity and Hydrogen Bonding on the Lubricity of Poly(acrylamide) Brushes. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900321.	1.9	10
293	Introduction to lateral resolution and analysis area measurements in XPS. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2020, 38, .	0.9	10
294	Single-Molecule AFM Study of DNA Damage by O_2 Generated from Photoexcited C_{60} . <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 7819-7826.	2.1	10
295	Cyanide chemistry of rubidium-dosed silver and the use of cyanogen as a titrant for surface alkali. <i>Surface Science</i> , 1981, 104, 63-73.	0.8	9
296	Fabrication of thin-film superconductors by bulk processing. <i>Applied Physics Letters</i> , 1991, 58, 1917-1919.	1.5	9
297	Coupling plowing of cartilage explants with gene expression in models for synovial joints. <i>Journal of Biomechanics</i> , 2011, 44, 2472-2476.	0.9	9
298	Capillary assembly of cross-gradient particle arrays using a microfluidic chip. <i>Microelectronic Engineering</i> , 2015, 141, 12-16.	1.1	9
299	Versatile method for AFM-tip functionalization with biomolecules: fishing a ligand by means of an in situ click reaction. <i>Nanoscale</i> , 2015, 7, 6599-6606.	2.8	9
300	Collective dehydration of ions in nano-pores. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 13462-13468.	1.3	9
301	<i>In situ</i> monitoring of SI-ATRP throughout multiple reinitiations under flow by means of a quartz crystal microbalance. <i>RSC Advances</i> , 2018, 8, 20048-20055.	1.7	9
302	Influence of Water on Tribolayer Growth When Lubricating Steel with a Fluorinated Phosphonium Dicyanamide Ionic Liquid. <i>Lubricants</i> , 2019, 7, 27.	1.2	9
303	Microswimmers from Toposelective Nanoparticle Attachment. <i>Advanced Functional Materials</i> , 2022, 32, 2109175.	7.8	9
304	Gallium enrichment and film detachment during anodizing of an Al-Ga alloy. <i>Corrosion Science</i> , 2000, 42, 405-419.	3.0	8
305	Substituent Effect on the Reactivity of Alkylated Triphenyl Phosphorothionates in Oil Solution in the Presence of Iron Particles. <i>Tribology Letters</i> , 2010, 40, 375-394.	1.2	8
306	Adsorption and Friction Behavior of Amphiphilic Polymers on Hydrophobic Surfaces. <i>Langmuir</i> , 2013, 29, 4760-4771.	1.6	8

#	ARTICLE	IF	CITATIONS
307	Indenting polymer brushes of varying grafting density in a viscous fluid: A gradient approach to understanding fluid confinement. <i>Polymer</i> , 2019, 169, 115-123.	1.8	8
308	Topology and Molecular Architecture of Polyelectrolytes Determine Their pH-Responsiveness When Assembled on Surfaces. <i>ACS Macro Letters</i> , 2021, 10, 90-97.	2.3	8
309	High temperature superconducting powders. <i>Physica C: Superconductivity and Its Applications</i> , 1990, 169, 257-264.	0.6	7
310	Alkali-metal-free carbonate coprecipitation: an effective synthetic route to bismuth-based oxide superconductors. <i>Chemistry of Materials</i> , 1990, 2, 708-712.	3.2	7
311	Low detectability of excess yttrium or barium by X-ray diffraction in YBa ₂ Cu ₃ O ₇ prepared by coprecipitation. <i>Materials Letters</i> , 1990, 9, 537-541.	1.3	7
312	Latex on Glass: an Appropriate Model for Cartilage-Lubrication Studies?. <i>Tribology Letters</i> , 2010, 38, 267-273.	1.2	7
313	Elucidating the resistance to failure under tribological tests of various boron-based films by XPS and ToF-SIMS. <i>Applied Surface Science</i> , 2017, 425, 948-964.	3.1	7
314	Tuning and in situ monitoring of surface-initiated, atom-transfer radical polymerization of acrylamide derivatives in water-based solvents. <i>Polymer Chemistry</i> , 2019, 10, 3933-3942.	1.9	7
315	Processing tetramethylammonium-carbonate-coprecipitated slurries to obtain small-particle-size YBa ₂ Cu ₃ O ₇ . <i>Journal of Materials Research</i> , 1991, 6, 220-226.	1.2	6
316	Bacterially induced degradation of aqueous solutions of poly(L-lysine)-graft-poly(ethylene glycol) and poly(L-lysine)-graft-dextran: consequences for their lubrication properties. <i>Lubrication Science</i> , 2009, 21, 415-425.	0.9	6
317	Chemical Design of Non-ionic Polymer Brushes as Biointerfaces: Poly(2-oxazine)s Outperform Both Poly(2-oxazoline)s and PEG. <i>Angewandte Chemie</i> , 2018, 130, 11841-11846.	1.6	6
318	Zinc Diisopropyl Dithiophosphate by XPS. <i>Surface Science Spectra</i> , 2001, 8, 97-104.	0.3	5
319	Biotribological approaches to the lubrication of engineering systems. <i>Tribology Series</i> , 2003, , 411-416.	0.1	5
320	ToF-SIMS of polyphosphate glasses. <i>Surface and Interface Analysis</i> , 2013, 45, 579-582.	0.8	5
321	Aqueous Lubrication with Polymer Brushes. , 2014, , 183-218.		5
322	Delineating Fibronectin Bioadhesive Micropatterns by Photochemical Immobilization of Polystyrene and Poly(vinylpyrrolidone). <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 18683-18692.	4.0	5
323	Orthogonal Morphological Feature Size and Density Gradients for Exploring Synergistic Effects in Biology. <i>Langmuir</i> , 2015, 31, 8446-8452.	1.6	5
324	Mechanical and tribological properties of boron oxide and zinc borate glasses. <i>Journal of Commonwealth Law and Legal Education</i> , 2016, 57, 233-244.	0.2	5

#	ARTICLE	IF	CITATIONS
325	Engineering Lubricious, Biopassive Polymer Brushes by Surface-Initiated, Controlled Radical Polymerization. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 4600-4606.	1.8	5
326	Synthesis of Polymers Containing Potassium Acyltrifluoroborates (KATs) and Post-polymerization Ligation and Conjugation. <i>Angewandte Chemie</i> , 2020, 132, 14764-14771.	1.6	5
327	Synthesis of acrylamide-based block-copolymer brushes under flow: monitoring real-time growth and surface restructuring upon drying. <i>Polymer Chemistry</i> , 2020, 11, 3209-3216.	1.9	5
328	KAT Ligation for Rapid and Facile Covalent Attachment of Biomolecules to Surfaces. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 29113-29121.	4.0	5
329	Synthesis and Properties of Superconducting Mixed Rare Earth LnBa ₂ Cu ₃ O _{7-x} Compounds. <i>Japanese Journal of Applied Physics</i> , 1989, 28, L757-L758.	0.8	4
330	Matrix effects on the surface plasmon resonance of dry supported gold nanocrystals. <i>Optics Letters</i> , 2008, 33, 806.	1.7	4
331	Role of Boron in the Tribochemistry of Thermal Films Formed in the Presence of ZnDTP and Dispersant Additives. <i>Tribology Letters</i> , 2017, 65, 1.	1.2	4
332	Applying an Oleophobic/Hydrophobic Fluorinated Polymer Monolayer Coating from Aqueous Solutions. <i>Langmuir</i> , 2021, 37, 4387-4394.	1.6	4
333	Summary of ISO/TC 201 International Standard ISO 18516:2019 Surface chemical analysis—Determination of lateral resolution and sharpness in beam-based methods with a range from nanometres to micrometres and its implementation for imaging laboratory X-ray photoelectron spectrometers (XPS). <i>Surface and Interface Analysis</i> . 0, ...	0.8	4
334	In situ attenuated total reflection (ATR) spectroscopic analysis of tribological phenomena. <i>Tribology Series</i> , 2002, 40, 199-206.	0.1	3
335	Additive-surface interaction in boundary lubrication: A combinatorial approach. <i>Tribology Series</i> , 2002, 40, 49-57.	0.1	3
336	Boundary lubrication and friction of polyethylene and polyamides under protein-containing solutions. <i>Tribology Series</i> , 2002, 40, 361-366.	0.1	3
337	Influence of Solutes on Hydration and Lubricity of Dextran Brushes. <i>Chimia</i> , 2012, 66, 192-195.	0.3	3
338	Ion Depletion Near a Solution Surface: Is Image-Charge Repulsion Sufficient?. <i>Physical Review Letters</i> , 2013, 111, 266102.	2.9	2
339	Template-Stripped, Ultraflat Gold Surfaces with Coplanar, Embedded Titanium Micropatterns. <i>Langmuir</i> , 2013, 29, 9935-9943.	1.6	2
340	Aqueous Lubrication: Impact of Dispersity and Hydrogen Bonding on the Lubricity of Poly(acrylamide) Brushes (<i>Adv. Mater. Interfaces</i> 14/2019). <i>Advanced Materials Interfaces</i> , 2019, 6, 1970094.	1.9	2
341	Publishing Science in Tribology: The Past, Present and Future of Tribology Letters. <i>Tribology Letters</i> , 2021, 69, 1.	1.2	2
342	Physical Properties and Phase Identification in Yttrium-Alkaline Earth-Bismuth-Copper Oxide Systems. <i>ACS Symposium Series</i> , 1988, , 145-154.	0.5	1

#	ARTICLE	IF	CITATIONS
343	A controllable vibratory calciner for processing high-temperature superconductors and other ceramic powders. Review of Scientific Instruments, 1990, 61, 1525-1527.	0.6	1
344	Surface Nanochemical Studies of Polymers and Other Organic Surfaces by Scanning Force Microscopy. ACS Symposium Series, 1999, , 272-283.	0.5	1
345	Boundary lubrication: from simple fatty acids to synovial fluid. Tribology Series, 2002, , 61-66.	0.1	1
346	Density fluctuations in confined cyclohexane both in the absence and the presence of shear. Tribology Series, 2002, 40, 75-81.	0.1	1
347	Patterning Gradients. Methods in Cell Biology, 2014, 119, 91-121.	0.5	1
348	Polymeric Thin Films: Stratified Polymer Grafts: Synthesis and Characterization of Layered "Brush" and "Gel" Structures (Adv. Mater. Interfaces 1/2014). Advanced Materials Interfaces, 2014, 1, n/a-n/a.	1.9	1
349	XPS, AES and ToF-SIMS investigation of surface films and the role of inclusions on pitting corrosion in austenitic stainless steels. , 2000, 29, 460.		1
350	Influence of Surface Modification on Aqueous Lubrication of Elastomers. , 2005, , 457.		0
351	Nanoparticle Arrays: Selective Assembly of Sub-Micrometer Polymer Particles (Adv. Mater. 25/2010). Advanced Materials, 2010, 22, n/a-n/a.	11.1	0
352	Self-Assembly: Oriented Assembly of Gold Nanorods on the Single-Particle Level (Adv. Funct. Mater.) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	7.8	0
353	Reactive-Oxygen-Species-Mediated Surface Oxidation of Single-Molecule DNA Origami by an Atomic Force Microscope Tip-Mounted C60 Photocatalyst. ACS Nano, 2021, , .	7.3	0
354	(Invited) DNA Kirigami with Tripod-C ₆₀ Scalpel. ECS Meeting Abstracts, 2022, MA2022-01, 814-814.	0.0	0