Eibhlin A Conneally

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6164023/publications.pdf

Version: 2024-02-01

93 papers 3,308 citations

186265
28
h-index

56 g-index

94 all docs 94 docs citations

94 times ranked 3143 citing authors

#	Article	IF	CITATIONS
1	Can absolute basophilia distinguish e1a2 BCR-ABL1 chronic myeloid leukemia from chronic myelomonocytic leukemia?. Blood Cells, Molecules, and Diseases, 2021, 87, 102521.	1.4	2
2	Treatment-free remission following frontline nilotinib in patients with chronic phase chronic myeloid leukemia: 5-year update of the ENESTfreedom trial. Leukemia, 2021, 35, 1344-1355.	7.2	43
3	Molecular responses in e19a2 BCR-ABL1 chronic myeloid leukemia. Leukemia Research Reports, 2020, 13, 100195.	0.4	0
4	Efficacy and Safety of Front-Line Nilotinib Treatment and Discontinuation in Older Patients (≥65 years) with Chronic Myeloid Leukemia in Chronic Phase Who Have Achieved MR4.5: Results from ENESTfreedom. Blood, 2020, 136, 7-8.	1.4	3
5	Myeloid sarcoma: deciphering a rare cause of cardiac compromise. British Journal of Haematology, 2019, 186, 203.	2.5	1
6	FIP1L1â€PDGFRα p.T674lâ€D842L: A Novel and Ponatinib Resistant Compound Mutation in FIP1L1â€PDGFRα Po Leukemia. HemaSphere, 2019, 3, e182.	ositiye	1
7	Treatment-free remission (TFR) following frontline (1L) nilotinib (NIL) in patients (pts) with chronic myeloid leukemia in chronic phase (CML-CP): 192-week data from the ENESTfreedom study Journal of Clinical Oncology, 2019, 37, 7013-7013.	1.6	4
8	Durable treatment-free remission in patients with chronic myeloid leukemia in chronic phase following frontline nilotinib: 96-week update of the ENESTfreedom study. Journal of Cancer Research and Clinical Oncology, 2018, 144, 945-954.	2.5	124
9	Development of a Targeted Next-Generation Sequencing Assay to Detect Diagnostically Relevant Mutations of JAK2, CALR, and MPL in Myeloproliferative Neoplasms. Genetic Testing and Molecular Biomarkers, 2018, 22, 98-103.	0.7	6
10	An acquired <i>NRAS</i> mutation contributes to neutrophilic progression in a patient with primary myelofibrosis. British Journal of Haematology, 2018, 183, 308-310.	2.5	3
11	Ex-vivo sensitivity profiling to guide clinical decision making in acute myeloid leukemia: A pilot study. Leukemia Research, 2018, 64, 34-41.	0.8	41
12	Targeted next-generation sequencing identifies clinically relevant mutations in patients with chronic neutrophilic leukemia at diagnosis and blast crisis. Clinical and Translational Oncology, 2018, 20, 420-423.	2.4	12
13	Myelodysplastic Syndrome/Acute Myeloid Leukemia Arising in Idiopathic Erythrocytosis. Case Reports in Hematology, 2018, 2018, 1-4.	0.4	0
14	Long-term treatment-free remission (TFR) following frontline (1L) nilotinib in patients (pts) with chronic myeloid leukemia in chronic phase (CML-CP): ENESTfreedom 144-wk results Journal of Clinical Oncology, 2018, 36, 7063-7063.	1.6	1
15	Treatment-free remission following frontline nilotinib in patients with chronic myeloid leukemia in chronic phase: results from the ENESTfreedom study. Leukemia, 2017, 31, 1525-1531.	7.2	232
16	Transformed follicular lymphoma (tFL): consolidation therapy may improve survival. Irish Journal of Medical Science, 2017, 186, 589-595.	1.5	1
17	Characterization of a novel variant BCR–ABL1 fusion transcript in a patient with chronic myeloid leukemia: Implications for molecular monitoring. Hematology/ Oncology and Stem Cell Therapy, 2017, 10, 85-88.	0.9	3
18	Chronic Myeloid Leukemia with an e6a2BCR-ABL1Fusion Transcript: Cooperating Mutations at Blast Crisis and Molecular Monitoring. Case Reports in Hematology, 2017, 2017, 1-5.	0.4	2

#	Article	IF	CITATIONS
19	CALR mutation profile in Irish patients with myeloproliferative neoplasms. Hematology/ Oncology and Stem Cell Therapy, 2016, 9, 112-115.	0.9	0
20	Targeted nextâ€generation sequencing of familial platelet disorder with predisposition to acute myeloid leukaemia. British Journal of Haematology, 2016, 175, 161-163.	2.5	18
21	A single-centre analysis of 30 patients with relapsed germ cell tumours treated with the TI-CE regimen. Bone Marrow Transplantation, 2016, 51, 856-859.	2.4	0
22	Proteomic Profiling of Serological Responses to <i>Aspergillus fumigatus</i> Antigens in Patients with Invasive Aspergillosis. Journal of Proteome Research, 2016, 15, 1580-1591.	3.7	13
23	Capricious CALR mutated clones in myeloproliferative neoplasms. Blood Cells, Molecules, and Diseases, 2016, 57, 110-111.	1.4	1
24	Burkitt leukaemia/lymphoma: R-CODOX-M/R-IVAC remains gold standard treatment in BL. Irish Journal of Medical Science, 2016, 185, 773-777.	1.5	3
25	Patient-Reported Quality of Life before and after Stopping Treatment in the ENESTfreedom Trial of Treatment-Free Remission for Patients with Chronic Myeloid Leukemia in Chronic Phase. Blood, 2016, 128, 3066-3066.	1.4	4
26	Treatment-free remission (TFR) in patients (pts) with chronic myeloid leukemia in chronic phase (CML-CP) treated with frontline nilotinib: Results from the ENESTFreedom study Journal of Clinical Oncology, 2016, 34, 7001-7001.	1.6	5
27	Evading Capture by Residual Disease Monitoring: Extramedullary Manifestation of JAK2V617F-Positive Primary Myelofibrosis After Allogeneic Stem Cell Transplantation. Case Reports in Hematology, 2015, 2015, 1-4.	0.4	1
28	Efficacy, Safety, and Confirmation of the Recommended Phase 2 Starting Dose of the Combination of Ruxolitinib (RUX) and Panobinostat (PAN) in Patients (Pts) with Myelofibrosis (MF). Blood, 2015, 126, 4060-4060.	1.4	32
29	Assessment of <i>CALR </i> mutations in myelofibrosis patients, post-allogeneic stem cell transplantation. British Journal of Haematology, 2014, 166, 800-802.	2.5	30
30	Use of <scp>JAK</scp> inhibitors in the management of myelofibrosis: a revision of the <scp>B</scp> ritish <scp>C</scp> ommittee for <scp>S</scp> tandards in <scp>H</scp> aematology <scp>G</scp> uidelines for <scp>I</scp> nvestigation and <scp>M</scp> anagement of <scp>yelofibrosis 2012. British Journal of Haematology, 2014, 167, 418-420.</scp>	2.5	37
31	Monitoring Residual Disease in the Ph-Negative Myeloproliferative Neoplasms Post-Allogeneic Stem Cell Transplantation: More Mutations and More Methodologies. Frontiers in Oncology, 2014, 4, 212.	2.8	4
32	Evaluation of a JAK2 V617F quantitative PCR to monitor residual disease post-allogeneic hematopoietic stem cell transplantation for myeloproliferative neoplasms. Clinical Chemistry and Laboratory Medicine, 2014, 52, e29-31.	2.3	7
33	Molecular heterogeneity of familial myeloproliferative neoplasms revealed by analysis of the commonly acquired JAK2, CALR and MPL mutations. Familial Cancer, 2014, 13, 659-663.	1.9	4
34	The CSF3R T618I mutation as a disease-specific marker of atypical CML post allo-SCT. Bone Marrow Transplantation, 2014, 49, 843-844.	2.4	20
35	Nilotinib 300 mg BID as frontline treatment of CML: Prospective analysis of the Xpert BCR-ABL Monitor system and significance of 3-month molecular response. Leukemia Research, 2014, 38, 310-315.	0.8	12
36	Modification of British Committee for Standards in Haematology diagnostic criteria for essential thrombocythaemia. British Journal of Haematology, 2014, 167, 421-423.	2.5	40

#	Article	IF	Citations
37	Efficacy, Safety, and Confirmation of the Recommended Phase 2 Dose of Ruxolitinib Plus Panobinostat in Patients with Intermediate or High-Risk Myelofibrosis. Blood, 2014, 124, 711-711.	1.4	6
38	A phase 1b, dose-finding study of ruxolitinib plus panobinostat in patients with myelofibrosis Journal of Clinical Oncology, 2014, 32, 7022-7022.	1.6	3
39	BCR-ABL1 Kinase Domain Mutation Analysis in an Irish Cohort of Chronic Myeloid Leukemia Patients. Genetic Testing and Molecular Biomarkers, 2013, 17, 170-173.	0.7	3
40	Combined realâ€time <scp>PCR</scp> and galactomannan surveillance improves diagnosis of invasive aspergillosis in high risk patients with haematological malignancies. British Journal of Haematology, 2013, 161, 517-524.	2.5	61
41	Risk Factors for BK Virus–Associated Hemorrhagic Cystitis in Allogeneic Stem Cell Transplant Recipients. Infectious Diseases in Clinical Practice, 2013, 21, 168-171.	0.3	1
42	Diagnostic pathway for the investigation of thrombocytosis. British Journal of Haematology, 2013, 161, 604-606.	2.5	6
43	Chronic myeloid leukaemia presenting postâ€radiotherapy for prostate cancer: further evidence for an immunosurveillance effect. British Journal of Haematology, 2013, 162, 708-710.	2.5	2
44	<scp>BK</scp> virus (<scp>BKV</scp>) plasma dynamics in patients with <scp>BKV</scp> â€associated hemorrhagic cystitis following allogeneic stem cell transplantation. Transplant Infectious Disease, 2013, 15, 276-282.	1.7	14
45	Correlation of the <i>BRAF</i> V600E mutation in hairy cell leukaemia with morphology, cytochemistry and immunophenotype. International Journal of Laboratory Hematology, 2012, 34, 417-421.	1.3	20
46	Guideline for the diagnosis and management of myelofibrosis. British Journal of Haematology, 2012, 158, 453-471.	2.5	89
47	Molecular response to first line nilotinib in a patient with e19a2 BCR–ABL1 chronic myeloid leukemia. Leukemia Research, 2011, 35, e169-e170.	0.8	12
48	Incidence and significance of FLT3-ITD and NPM1 mutations in patients with normal karyotype acute myeloid leukaemia. Irish Journal of Medical Science, 2010, 179, 507-510.	1.5	2
49	Nilotinib and allogeneic stem cell transplantation in a chronic myeloid leukemia patient with e6a2 and e1a2 BCR-ABL transcripts. Leukemia Research, 2010, 34, e204-e205.	0.8	11
50	Guideline for investigation and management of adults and children presenting with a thrombocytosis. British Journal of Haematology, 2010, 149, 352-375.	2.5	253
51	Novel pyrrolo-1,5-benzoxazepine compounds display significant activity against resistant chronic myeloid leukaemia cells in vitro, in ex vivo patient samples and in vivo. British Journal of Cancer, 2010, 102, 1474-1482.	6.4	22
52	Large granular lymphocyte leukemia: natural history and response to treatment. Leukemia and Lymphoma, 2010, 51, 839-845.	1.3	31
53	The Vascular Targeting Agent Combretastatin-A4 and a Novel <i>cis</i> Restricted β-Lactam Analogue, CA-432, Induce Apoptosis in Human Chronic Myeloid Leukemia Cells and Ex Vivo Patient Samples Including Those Displaying Multidrug Resistance. Journal of Pharmacology and Experimental Therapeutics. 2010. 335, 302-313.	2.5	26
54	T-lymphoblastic leukemia/lymphoma: a single center retrospective study of outcome. Leukemia and Lymphoma, 2010, 51, 1035-1039.	1.3	8

#	Article	IF	CITATIONS
55	Nilotinib 300 Mg Twice Daily as First Line Treatment of Ph-Positive Chronic Myeloid Leukemia In Chronic Phase: Updated Results of the ICORG 0802 Phase 2 Study with Analysis of the GeneXpert System Versus IS BCR-ABL RQ PCR Blood, 2010, 116, 3427-3427.	1.4	6
56	Effective use of imatinib-mesylate in the treatment of relapsed chronic myeloid leukemia after allogeneic transplantation. Haematologica, 2009, 94, 296-298.	3.5	6
57	Fludarabine, Cyclophosphamide and Rituximab: an effective chemoimmunotherapy combination with high remission rates for chronic lymphocytic leukaemia. Irish Journal of Medical Science, 2009, 178, 441-446.	1.5	3
58	Changes in the cytokine regulation of stem cell self-renewal during ontogeny. Stem Cells, 2009, 16, 177-184.	3.2	0
59	Identification of <i>MPL</i> W515L/K Mutations in Patients with Primary Myelofibrosis and Essential Thrombocythaemia by Allele-Specific Polymerase Chain Reaction. Acta Haematologica, 2009, 121, 221-222.	1.4	7
60	Nilotinib 300 Mg Twice Daily Is Effective and Well Tolerated as First Line Treatment of Ph-Positive Chronic Myeloid Leukemia in Chronic Phase: Preliminary Results of the ICORG 0802 Phase 2 Study Blood, 2009, 114, 3294-3294.	1.4	5
61	Restoration of donor chimerism by nilotinib in a chronic myeloid leukaemia patient post mutation-associated imatinib mesylate resistance and allogeneic stem cell transplant failure. Bone Marrow Transplantation, 2008, 42, 833-835.	2.4	4
62	Autoimmune Hemolytic Anemia Associated With Ovarian Cancer. Journal of Clinical Oncology, 2008, 26, 4993-4995.	1.6	15
63	Amendment to the guideline for diagnosis and investigation of polycythaemia/erythrocytosis. British Journal of Haematology, 2007, 138, 821-822.	2.5	99
64	Incidence and significance of the JAK2 V617F mutation in patients with chronic myeloproliferative disorders. Irish Journal of Medical Science, 2007, 176, 105-109.	1.5	6
65	CD38 expression level and pattern of expression remains a reliable and robust marker of progressive disease in chronic lymphocytic leukemia. Leukemia and Lymphoma, 2006, 47, 2371-2379.	1.3	28
66	Adenomatoid tumor of the testis in a patient on imatinib therapy for chronic myeloid leukemia. Leukemia and Lymphoma, 2006, 47, 1394-1396.	1.3	14
67	Marrow aplasia developing 13 years after HLA-identical sibling allogeneic transplantation for chronic myeloid leukaemia: successful treatment with antithymocyte globulin and peripheral blood stem cell infusion from the original donor. European Journal of Haematology, 2006, 76, 258-260.	2.2	1
68	Use of DLI to achieve complete donor chimerism in a patient receiving systemic immunosuppression for refractory AIHA post-NST. Bone Marrow Transplantation, 2005, 36, 735-736.	2.4	6
69	Myeloablative allografting for chronic lymphocytic leukemia: evidence for a potent graft-versus-leukemia effect associated with graft-versus-host disease. Bone Marrow Transplantation, 2005, 36, 825-830.	2.4	76
70	Retinal and cerebral toxoplasmosis following nonmyeloablative stem cell transplant for chronic lymphocytic leukaemia. Bone Marrow Transplantation, 2005, 36, 1019-1020.	2.4	5
71	3′ CBFβ deletion associated with inv(16) in acute myeloid leukemia. Cancer Genetics and Cytogenetics, 2005, 162, 122-126.	1.0	15
72	Autologous stem cell transplantation in myeloma: the St James's Hospital experience, 1997–2003. Irish Journal of Medical Science, 2005, 174, 26-32.	1.5	2

#	Article	IF	CITATIONS
73	Clonal karyotypic abnormalities in Philadelphia negative cells of CML patients treated with imatinib: is it under-reported and does it have any clinical significance?. British Journal of Haematology, 2004, 127, 367-369.	2.5	12
74	Acute Myelogenous Leukemia with t(8;21)—Identification of a Specific Immunophenotype. Leukemia and Lymphoma, 2003, 44, 1713-1718.	1.3	46
75	Treatment of Lymphoid Malignancies with Non-myeloablative Stem Cell Transplantation. Hematology, 2002, 7, 151-155.	1.5	1
76	Modulation of p210BCR-ABL activity in transduced primary human hematopoietic cells controls lineage programming. Blood, 2002, 99, 3197-3204.	1.4	44
77	Influence of cytogenetic abnormalities on outcome after allogeneic bone marrow transplantation for acute myeloid leukemia in first complete remission. Biology of Blood and Marrow Transplantation, 2002, 8, 435-443.	2.0	30
78	Allografting for indolent lymphoid neoplasms. Annals of Oncology, 2000, 11, S59-S61.	1.2	5
79	Treatment of Steroid-Resistant Acute Graft-Versus-Host Disease with Rabbit Antithymocyte Globulin. Journal of Hematotherapy and Stem Cell Research, 2000, 9, 367-374.	1.8	60
80	Optimization of retroviral-mediated gene transfer to human NOD/SCID mouse repopulating cord blood cells through a systematic analysis of protocol variables. Experimental Hematology, 1999, 27, 817-825.	0.4	101
81	Ontogenyâ€associated changes in the cytokine responses of primitive human haemopoietic cells. British Journal of Haematology, 1998, 101, 770-778.	2.5	95
82	Bone marrow transplantation for adults with acute leukaemia and 11q23 chromosomal abnormalities. British Journal of Haematology, 1998, 103, 630-638.	2.5	15
83	Efficient Retroviral-Mediated Gene Transfer to Human Cord Blood Stem Cells With In Vivo Repopulating Potential. Blood, 1998, 91, 3487-3493.	1.4	156
84	Expansion <i>in vitro</i> of transplantable human cord blood stem cells demonstrated using a quantitative assay of their lympho-myeloid repopulating activity in nonobese diabetic– <i>scid/scid</i> mice. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 9836-9841.	7.1	449
85	Cytokine manipulation of primitive human hematopoietic cell self-renewal. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 4698-4703.	7.1	278
86	Isolation and analysis of different subpopulations of normal human breast epithelial cells early after their infection with a retroviral vector encoding a cell surface marker. Breast Cancer Research and Treatment, 1997, 44, 153-165.	2.5	3
87	Hematopoietic stem cells: Inferences from in vivo assays. Stem Cells, 1997, 15, 1-5.	3.2	183
88	Rapid and efficient selection of human hematopoietic cells expressing murine heat-stable antigen as an indicator of retroviral-mediated gene transfer. Blood, 1996, 87, 456-464.	1.4	78
89	Quantitation of the quiescent fraction of long-term culture-initiating cells in normal human blood and marrow and the kinetics of their growth factor-stimulated entry into S-phase in vitro. Blood, 1995, 86, 3314-3321.	1.4	92
90	A new human plasma cell line, Karpas 620, with translocations involving chromosomes 1, 11 and 14. British Journal of Haematology, 1990, 74, 70-76.	2.5	20

EIBHLIN A CONNEALLY

#	Article	IF	CITATIONS
91	5q - syndrome: complete response to chemotherapy. International Journal of Laboratory Hematology, 1990, 12, 101-103.	0.2	4
92	Royal academy of medicine in ireland section of pathology. Irish Journal of Medical Science, 1989, 158, 310-313.	1.5	0
93	Chimaerism following allogeneic bone marrow transplantation: detection of residual host cells using the polymerase chain reaction. British Journal of Haematology, 1989, 73, 205-210.	2.5	58