

# Atsuo Yamada

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6166677/publications.pdf>

Version: 2024-02-01

274  
papers

27,303  
citations

5558

82  
h-index

5965

160  
g-index

295  
all docs

295  
docs citations

295  
times ranked

16987  
citing authors

#	ARTICLE	IF	CITATIONS
1	Square-Scheme Electrochemistry in Battery Electrodes. <i>Accounts of Materials Research</i> , 2022, 3, 33-41.	5.9	6
2	Oxygen Redox Versus Oxygen Evolution in Aqueous Electrolytes: Critical Influence of Transition Metals. <i>Advanced Science</i> , 2022, 9, e2104907.	5.6	5
3	Relationship between Electric Double-Layer Structure of MXene Electrode and Its Surface Functional Groups. <i>Chemistry of Materials</i> , 2022, 34, 2069-2075.	3.2	28
4	Lithium-Rich O <sub>2</sub> -Type Li <sub>0.66</sub> [Li <sub>0.22</sub> Ru <sub>0.78</sub> ]O <sub>2</sub> Positive Electrode Material. <i>Journal of the Electrochemical Society</i> , 2022, 169, 040536.	1.3	2
5	Kinetic square scheme in oxygen-redox battery electrodes. <i>Energy and Environmental Science</i> , 2022, 15, 2591-2600.	15.6	21
6	Anhydrous Fast Proton Transport Boosted by the Hydrogen Bond Network in a Dense Oxide Ion Array of $\text{LaMoO}_3$ . <i>Advanced Materials</i> , 2022, 34, .	11.1	23
7	Optimal water concentration for aqueous Li <sup>+</sup> intercalation in vanadyl phosphate. <i>Chemical Science</i> , 2021, 12, 4450-4454.	3.7	5
8	Designing positive electrodes with high energy density for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2021, 9, 7407-7421.	5.2	34
9	4.7 V Operation of the Cr <sup>4+</sup> /Cr <sup>3+</sup> Redox Couple in Na <sub>3</sub> Cr <sub>2</sub> (PO <sub>4</sub> ) <sub>2</sub> F <sub>3</sub> . <i>Chemistry of Materials</i> , 2021, 33, 1373-1379.	3.2	9
10	An overlooked issue for high-voltage Li-ion batteries: Suppressing the intercalation of anions into conductive carbon. <i>Joule</i> , 2021, 5, 998-1009.	11.7	44
11	Rational Electrolyte Design to Form Inorganic-Polymeric Interphase on Silicon-Based Anodes. <i>ACS Energy Letters</i> , 2021, 6, 1811-1820.	8.8	39
12	Concentrated Electrolytes Widen the Operating Temperature Range of Lithium Ion Batteries. <i>Advanced Science</i> , 2021, 8, e2101646.	5.6	54
13	Frontiers in Theoretical Analysis of Solid Electrolyte Interphase Formation Mechanism. <i>Advanced Materials</i> , 2021, 33, e2100574.	11.1	65
14	Nonpolarizing oxygen-redox capacity without O-O dimerization in Na <sub>2</sub> Mn <sub>3</sub> O <sub>7</sub> . <i>Nature Communications</i> , 2021, 12, 631.	5.8	62
15	Soft X-ray Emission Studies on Hydrate-Melt Electrolytes. <i>Journal of Physical Chemistry B</i> , 2021, 125, 11534-11539.	1.2	3
16	High-Voltage Polyanion Positive Electrode Materials. <i>Molecules</i> , 2021, 26, .	1.7	1
17	(Invited) Non-Polarizing Oxygen Redox Chemistry in Layered Cathode Materials. <i>ECS Meeting Abstracts</i> , 2021, MA2021-02, 189-189.	0.0	0
18	High-Voltage Polyanion Positive Electrode Materials. <i>Molecules</i> , 2021, 26, 5143.	1.7	6

#	ARTICLE	IF	CITATIONS
19	Mechanism of Sodium Storage in Hard Carbon: An X-ray Scattering Analysis. <i>Advanced Energy Materials</i> , 2020, 10, 1903176.	10.2	131
20	Stability of conductive carbon additives in 5ÅV-class Li-ion batteries. <i>Carbon</i> , 2020, 158, 766-771.	5.4	15
21	Pseudocapacitors: Capacitive versus Pseudocapacitive Storage in MXene ( <i>Adv. Funct. Mater.</i> 47/2020). <i>Advanced Functional Materials</i> , 2020, 30, 2070312.	7.8	2
22	First-Principles Study on the Cation-Dependent Electrochemical Stabilities in Li/Na/K Hydrate-Melt Electrolytes. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 42734-42738.	4.0	15
23	Capacitive versus Pseudocapacitive Storage in MXene. <i>Advanced Functional Materials</i> , 2020, 30, 2000820.	7.8	74
24	A 4.8ÅV Reversible Li <sub>2</sub> CoPO <sub>4</sub> /Graphite Battery Enabled by Concentrated Electrolytes and Optimized Cell Design. <i>Batteries and Supercaps</i> , 2020, 3, 910-916.	2.4	20
25	Impact of Anion Asymmetry on Local Structure and Supercooling Behavior of Water-in-Salt Electrolytes. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 4720-4725.	2.1	20
26	A 62Åm K-ion aqueous electrolyte. <i>Electrochemistry Communications</i> , 2020, 116, 106764.	2.3	36
27	Does Spinel Serve as a Rigid Framework for Oxygen Redox?. <i>Chemistry of Materials</i> , 2020, 32, 7181-7187.	3.2	5
28	Multiorbital bond formation for stable oxygen-redox reaction in battery electrodes. <i>Energy and Environmental Science</i> , 2020, 13, 1492-1500.	15.6	60
29	Theoretical analysis of electrode-dependent interfacial structures on hydrate-melt electrolytes. <i>Journal of Chemical Physics</i> , 2020, 152, 124706.	1.2	11
30	Reversible and High-rate Hard Carbon Negative Electrodes in a Fluorine-free Sodium-salt Electrolyte. <i>Electrochemistry</i> , 2020, 88, 151-156.	0.6	17
31	A cyclic phosphate-based battery electrolyte for high voltage and safe operation. <i>Nature Energy</i> , 2020, 5, 291-298.	19.8	250
32	Alluaudite Battery Cathodes. <i>Small Methods</i> , 2020, 4, 2000051.	4.6	22
33	Possible high-potential ilmenite-type $\text{Na}_x\text{M}_y\text{O}_3$ cathodes for sodium-ion batteries. <a href="http://www.w3.org/1998/Math/MathML">http://www.w3.org/1998/Math/MathML</a> <math>\text{N}_x\text{M}_y\text{O}_3</math>	0.9	2
34	Does Spinel Serve As a Rigid Framework for Oxygen Redox?. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 322-322.	0.0	0
35	(Invited) Probing Redox Centers in Oxygen-Redox Electrodes Using Soft X-Ray Spectroscopy. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 165-165.	0.0	0
36	(Invited) Electrolyte Design Strategies to High-Voltage and Safe Batteries. <i>ECS Meeting Abstracts</i> , 2020, MA2020-02, 792-792.	0.0	0

#	ARTICLE	IF	CITATIONS
37	(Invited) Coulombic Self-Ordering upon Charging a Large-Capacity Layered Cathode Material. ECS Meeting Abstracts, 2020, MA2020-02, 20-20.	0.0	0
38	(Invited) Capacitive and Pseudocapacitive Intercalation of Aqueous Ions in Layered Materials (MXenes). ECS Meeting Abstracts, 2020, MA2020-02, 600-600.	0.0	0
39	Cyclic Phosphate-Based Nonflammable Electrolytes for High Energy and Safe Lithium-Ion Batteries. ECS Meeting Abstracts, 2020, MA2020-02, 691-691.	0.0	0
40	Sodium <sup>+</sup> and Potassium <sup>+</sup> Hydrate Melts Containing Asymmetric Imide Anions for High Voltage Aqueous Batteries. Angewandte Chemie - International Edition, 2019, 58, 14202-14207.	7.2	81
41	Sodium <sup>+</sup> and Potassium <sup>+</sup> Hydrate Melts Containing Asymmetric Imide Anions for High Voltage Aqueous Batteries. Angewandte Chemie, 2019, 131, 14340-14345.	1.6	18
42	Formation of a Solid Electrolyte Interphase in Hydrate-Melt Electrolytes. ACS Applied Materials & Interfaces, 2019, 11, 45554-45560.	4.0	42
43	Stabilization of a 4.5 V Cr <sup>4+</sup> /Cr <sup>3+</sup> redox reaction in NASICON-type Na <sub>3</sub> Cr <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> by Ti substitution. Chemical Communications, 2019, 55, 13717-13720.	2.2	22
44	Optimized Nonflammable Concentrated Electrolytes by Introducing a Low-Dielectric Diluent. ACS Applied Materials & Interfaces, 2019, 11, 35770-35776.	4.0	64
45	First-Principles Study on the Peculiar Water Environment in a Hydrate-Melt Electrolyte. Journal of Physical Chemistry Letters, 2019, 10, 6301-6305.	2.1	45
46	Oxygen Redox Promoted by Na Excess and Covalency in Hexagonal and Monoclinic Na <sub>2-x</sub> RuO <sub>3</sub> Polymorphs. Journal of the Electrochemical Society, 2019, 166, A5343-A5348.	1.3	8
47	Combined Theoretical and Experimental Studies of Sodium Battery Materials. Chemical Record, 2019, 19, 792-798.	2.9	13
48	Topochemical synthesis of phase-pure Mo <sub>2</sub> AlB <sub>2</sub> through staging mechanism. Chemical Communications, 2019, 55, 9295-9298.	2.2	34
49	Lithium-salt monohydrate melt: A stable electrolyte for aqueous lithium-ion batteries. Electrochemistry Communications, 2019, 104, 106488.	2.3	127
50	Synthesis, crystal structure and possible proton conduction of Fe(H <sub>2</sub> PO <sub>4</sub> ) <sub>2</sub> F. Solid State Ionics, 2019, 338, 134-137.	1.3	1
51	Dense Charge Accumulation in MXene with a Hydrate-Melt Electrolyte. Chemistry of Materials, 2019, 31, 5190-5196.	3.2	39
52	Coulombic self-ordering upon charging a large-capacity layered cathode material for rechargeable batteries. Nature Communications, 2019, 10, 2185.	5.8	62
53	The Reduction in Gastric Atrophy after Helicobacter pylori Eradication Is Reduced by Treatment with Inhibitors of Gastric Acid Secretion. International Journal of Molecular Sciences, 2019, 20, 1913.	1.8	12
54	Redox-Driven Spin Transition in a Layered Battery Cathode Material. Chemistry of Materials, 2019, 31, 2358-2365.	3.2	19

#	ARTICLE	IF	CITATIONS
55	Advances and issues in developing salt-concentrated battery electrolytes. Nature Energy, 2019, 4, 269-280.	19.8	1,026
56	Reversible Sodium Metal Electrodes: Is Fluorine an Essential Interphasial Component?. Angewandte Chemie, 2019, 131, 8108-8112.	1.6	14
57	Impact of cis- versus trans-Configuration of Butylene Carbonate Electrolyte on Microscopic Solid Electrolyte Interphase Formation Processes in Lithium-Ion Batteries. ACS Applied Materials & Interfaces, 2019, 11, 15623-15629.	4.0	17
58	Reversible Sodium Metal Electrodes: Is Fluorine an Essential Interphasial Component?. Angewandte Chemie - International Edition, 2019, 58, 8024-8028.	7.2	76
59	Negative dielectric constant of water confined in nanosheets. Nature Communications, 2019, 10, 850.	5.8	116
60	Interfacial Dissociation of Contact-Ion-Pair on MXene Electrodes in Concentrated Aqueous Electrolytes. Journal of the Electrochemical Society, 2019, 166, A3739-A3744.	1.3	20
61	$\text{HPO}_3^{2-}$ as a building unit for sodium-ion battery cathodes: 3.1 V operation of $\text{Na}_{2-x}\text{Fe}(\text{HPO}_3)_2$ (0 <math>x</math> <math>\leq 1</math>). Chemical Communications, 2019, 55, 14155-14157.	2.2	2
62	A Theoretical study on the charge and discharge states of Na-ion battery cathode material, $\text{Na}_{1+x}\text{FePO}_4\text{F}$ . Journal of Computational Chemistry, 2019, 40, 237-246.	1.5	4
63	(Invited) Defect Induced Oxygen Redox Chemistry. ECS Meeting Abstracts, 2019, , .	0.0	0
64	Computational Study on Possible High Potential Ilmenite Type $\text{NaTMO}_3$ (TM=3d, 4d Transition Metals) Cathodes Based on Oxygen Redox Reaction. ECS Meeting Abstracts, 2019, , .	0.0	0
65	A Highly Reversible 5V-Class $\text{Li}_2\text{CoPO}_4\text{f}/\text{Graphite}$ Battery. ECS Meeting Abstracts, 2019, , .	0.0	0
66	Unraveling the SEI Mystery of Cis/Trans-Butylene Carbonate. ECS Meeting Abstracts, 2019, , .	0.0	0
67	Addition of Low-Polar Diluent to Fire-Extinguishing Superconcentrated Electrolytes. ECS Meeting Abstracts, 2019, , .	0.0	0
68	Diffraction Signal from Sodium Cluster in Hard Carbon: A Combined Experimental and Computational Study. ECS Meeting Abstracts, 2019, , .	0.0	0
69	(Invited) Advances and Issues in Developing Salt-Concentrated Battery Electrolytes. ECS Meeting Abstracts, 2019, , .	0.0	0
70	MXenes for Batteries. , 2019, , 367-379.		0
71	MXene as a Charge Storage Host. Accounts of Chemical Research, 2018, 51, 591-599.	7.6	309
72	High-Voltage $\text{Cr}^{4+}/\text{Cr}^{3+}$ Redox Couple in Polyanion Compounds. ACS Applied Energy Materials, 2018, 1, 928-931.	2.5	57

#	ARTICLE	IF	CITATIONS
73	Highly Reversible Oxygen Redox Chemistry at 4.1 V in Na <sub>4/7</sub> Mn <sub>6/7</sub> O <sub>2</sub> (Mn Tj EIQ <sub>1</sub> 1 0.784314)	11.7	6
74	A [Fe <sup>III</sup> (Tp)(CN) <sub>3</sub> ] <sup>+</sup> scorpionate-based complex as a building block for designing ion storage hosts (Tp: hydrotrispyrazolylborate). Chemical Communications, 2018, 54, 5189-5192.	2.2	14
75	Rhombohedral NASICON-type Na <sub>x</sub> Fe <sub>2</sub> (SO <sub>4</sub> ) <sub>3</sub> for sodium ion batteries: comparison with phosphate and alluaudite phases. Journal of Materials Chemistry A, 2018, 6, 3919-3925.	5.2	38
76	Oxygen redox in hexagonal layered Na <sub>x</sub> TMO <sub>3</sub> (TM = 4d elements) for high capacity Na ion batteries. Journal of Materials Chemistry A, 2018, 6, 3747-3753.	5.2	24
77	Microscopic Formation Mechanism of Solid Electrolyte Interphase Film in Lithium-Ion Batteries with Highly Concentrated Electrolyte. Journal of Physical Chemistry C, 2018, 122, 2564-2571.	1.5	39
78	Enriching Battery Chemistry. Joule, 2018, 2, 371-372.	11.7	6
79	Cobalt-Free O <sub>2</sub> -Type Lithium-Rich Layered Oxides. Journal of the Electrochemical Society, 2018, 165, A3630-A3633.	1.3	32
80	Sulfate-Based Cathode Materials for Li and Na Ion Batteries. Chemical Record, 2018, 18, 1394-1408.	2.9	37
81	Polyanionic Insertion Materials for Sodium Ion Batteries. Advanced Energy Materials, 2018, 8, 1703055.	10.2	267
82	Fire-extinguishing organic electrolytes for safe batteries. Nature Energy, 2018, 3, 22-29.	19.8	642
83	Enhanced Li Ion Accessibility in MXene Titanium Carbide by Steric Chloride Termination. Advanced Energy Materials, 2017, 7, 1601873.	10.2	212
84	A Fe-rich sodium iron orthophosphate as cathode material for rechargeable batteries. Electrochemistry Communications, 2017, 79, 51-54.	2.3	8
85	Superconcentrated Electrolytes to Create New Interfacial Chemistry in Non-aqueous and Aqueous Rechargeable Batteries. Chemistry Letters, 2017, 46, 1056-1064.	0.7	101
86	Pseudocapacitors: Enhanced Li-Ion Accessibility in MXene Titanium Carbide by Steric Chloride Termination (Adv. Energy Mater. 9/2017). Advanced Energy Materials, 2017, 7, .	10.2	0
87	Sodium Iron(II) Pyrosilicate Na <sub>2</sub> Fe <sub>2</sub> Si <sub>2</sub> O <sub>7</sub> : A Potential Cathode Material in the Na <sub>2</sub> O-FeO-SiO <sub>2</sub> System. Chemistry of Materials, 2017, 29, 4361-4366.	3.2	19
88	Charge Storage Mechanism of RuO <sub>2</sub> /Water Interfaces. Journal of Physical Chemistry C, 2017, 121, 18975-18981.	1.5	15
89	Polyanionic Solid-Solution Cathodes for Rechargeable Batteries. Chemistry of Materials, 2017, 29, 3597-3602.	3.2	42
90	Theoretical Analysis of Interactions between Potassium Ions and Organic Electrolyte Solvents: A Comparison with Lithium, Sodium, and Magnesium Ions. Journal of the Electrochemical Society, 2017, 164, A54-A60.	1.3	276

#	ARTICLE	IF	CITATIONS
91	Molecular Orbital Principles of Oxygen-Redox Battery Electrodes. ACS Applied Materials & Interfaces, 2017, 9, 36463-36472.	4.0	146
92	Unusual Passivation Ability of Superconcentrated Electrolytes toward Hard Carbon Negative Electrodes in Sodium-Ion Batteries. ACS Applied Materials & Interfaces, 2017, 9, 33802-33809.	4.0	77
93	The crystal structure and sodium disorder of high-temperature polymorph $\beta$ - $\text{Na}_3\text{PS}_4$ . Journal of Materials Chemistry A, 2017, 5, 25025-25030.	5.2	46
94	In Vivo Redox-Responsive Sol-Gel/Sol Transition of Star Block Copolymer Solution Based on Ionic Cross-Linking. Macromolecules, 2017, 50, 5539-5548.	2.2	15
95	Sodium Intercalation Mechanism of 3.8 V Class Alluaudite Sodium Iron Sulfate. Chemistry of Materials, 2016, 28, 5321-5328.	3.2	81
96	Synthesis and Electrochemistry of $\text{Na}_{2.5}(\text{Fe}^{1+}\text{Mn}^{1.75})(\text{SO}_4)_3$ Solid Solutions for Na-Ion Batteries. ChemElectroChem, 2016, 3, 209-213.	3.3	33
97	Ionic and Electronic Transport in Alluaudite $\text{Na}_{2+x}\text{Fe}_{2-x}(\text{SO}_4)_3$ . ChemElectroChem, 2016, 3, 902-905.	1.7	29
98	Potentiometric Study to Reveal Reaction Entropy Behavior of Biphasic $\text{Na}_{1+2x}\text{V}_2(\text{PO}_4)_3$ Electrodes. Electrochemistry, 2016, 84, 234-237.	0.6	7
99	Systematic Studies on "Abundant" Battery Materials: Identification and Reaction Mechanisms. Electrochemistry, 2016, 84, 654-661.	0.6	4
100	Alkaline Excess Strategy to NASICON-Type Compounds towards Higher-Capacity Battery Electrodes. Journal of the Electrochemical Society, 2016, 163, A1469-A1473.	1.3	34
101	Combined Experimental and Computational Analyses on the Electronic Structure of Alluaudite-Type Sodium Iron Sulfate. Journal of Physical Chemistry C, 2016, 120, 23323-23328.	1.5	11
102	Electrochemical Li-Ion Intercalation in Octacyanotungstate-Bridged Coordination Polymer with Evidence of Three Magnetic Regimes. Inorganic Chemistry, 2016, 55, 7637-7646.	1.9	19
103	Hydrate-melt electrolytes for high-energy-density aqueous batteries. Nature Energy, 2016, 1, .	19.8	712
104	Intermediate honeycomb ordering to trigger oxygen redox chemistry in layered battery electrode. Nature Communications, 2016, 7, 11397.	5.8	232
105	Superconcentrated electrolytes for a high-voltage lithium-ion battery. Nature Communications, 2016, 7, 12032.	5.8	730
106	High-Temperature Neutron and X-ray Diffraction Study of Fast Sodium Transport in Alluaudite-type Sodium Iron Sulfate. Chemistry of Materials, 2016, 28, 2393-2399.	3.2	32
107	Sodium-Ion Intercalation Mechanism in MXene Nanosheets. ACS Nano, 2016, 10, 3334-3341.	7.3	448
108	Temperature Dependent Local Structure of $\text{Na}_x\text{CoO}_2$ Cathode Material for Rechargeable Sodium-Ion Batteries. Journal of Physical Chemistry C, 2016, 120, 4227-4232.	1.5	26

#	ARTICLE	IF	CITATIONS
109	Redox Potential Paradox in $\text{NaMO}_2$ for Sodium-Ion Battery Cathodes. Chemistry of Materials, 2016, 28, 1058-1065.	3.2	93
110	Increased Conductivity in the Metastable Intermediate in $\text{LiFePO}_4$ Electrode. Chemistry of Materials, 2016, 28, 1101-1106.	3.2	18
111	Corrosion Prevention Mechanism of Aluminum Metal in Superconcentrated Electrolytes. ChemElectroChem, 2015, 2, 1627-1627.	1.7	3
112	Superstructure in the Metastable Intermediate Phase $\text{Li}_{2/3}\text{FePO}_4$ Accelerating the Lithium Battery Cathode Reaction. Angewandte Chemie - International Edition, 2015, 54, 8939-8942.	7.2	23
113	Corrosion Prevention Mechanism of Aluminum Metal in Superconcentrated Electrolytes. ChemElectroChem, 2015, 2, 1687-1694.	1.7	204
114	Important factors for effective use of carbon nanotube matrices in electrochemical capacitor hybrid electrodes without binding additives. RSC Advances, 2015, 5, 16101-16111.	1.7	12
115	The water catalysis at oxygen cathodes of lithium-oxygen cells. Nature Communications, 2015, 6, 7843.	5.8	206
116	Off-stoichiometry in Alluaudite-Type Sodium Iron Sulfate $\text{Na}_{2+2x}\text{Fe}_{2x}(\text{SO}_4)_3$ as an Advanced Sodium Battery Cathode Material. ChemElectroChem, 2015, 2, 1019-1023.	1.7	102
117	Superior Performance of a $\text{LiO}_2$ Battery with Metallic $\text{RuO}_2$ Hollow Spheres as the Carbon-Free Cathode. Advanced Energy Materials, 2015, 5, 1500294.	10.2	139
118	Ab initio study of sodium intercalation into disordered carbon. Journal of Materials Chemistry A, 2015, 3, 9763-9768.	5.2	193
119	Pseudocapacitance of MXene nanosheets for high-power sodium-ion hybrid capacitors. Nature Communications, 2015, 6, 6544.	5.8	873
120	Review: Superconcentrated Electrolytes for Lithium Batteries. Journal of the Electrochemical Society, 2015, 162, A2406-A2423.	1.3	607
121	An alluaudite $\text{Na}_{2+2x}\text{Fe}_{2x}(\text{SO}_4)_3$ ( $x=0.2$ ) derivative phase as insertion host for lithium battery. Electrochemistry Communications, 2015, 51, 19-22.	2.3	52
122	Iron-Oxalato Framework with One-Dimensional Open Channels for Electrochemical Sodium-Ion Intercalation. Chemistry - A European Journal, 2015, 21, 1096-1101.	1.7	22
123	$\text{Na}_2(\text{VO})\text{P}_2\text{O}_7$ : A 3.8 V Pyrophosphate Insertion Material for Sodium-Ion Batteries. ChemElectroChem, 2014, 1, 1488-1491.	1.7	55
124	Iron-based materials strategies. MRS Bulletin, 2014, 39, 423-428.	1.7	36
125	Spectromicroscopic analysis of lithium intercalation in spinel $\text{LiMn}_2\text{O}_4$ for lithium-ion battery by 3D nano-ESCA. Journal of Physics: Conference Series, 2014, 502, 012013.	0.3	2
126	Structural, magnetic and electrochemical investigation of novel binary $\text{Na}_{2-x}(\text{Fe}_{1-y}\text{Mn}_y)\text{P}_2\text{O}_7$ ( $0 \leq x, y \leq 1$ ). Journal of Physics: Conference Series, 2014, 502, 012013.	1.3	37





#	ARTICLE	IF	CITATIONS
145	Li <sub>1/4</sub> Fe <sub>3/4</sub> PO <sub>4</sub> . Electrochemistry, 2014, 82, 169-174.	0.6	1
146	Electronic structure of Li <sub>2</sub> Fe <sub>1-x</sub> Mn <sub>x</sub> P <sub>2</sub> O <sub>7</sub> for lithium-ion battery studied by resonant photoemission spectroscopy. Journal of Physics: Conference Series, 2014, 502, 012004.	0.3	1
147	A New Sealed Lithium-Peroxide Battery with a Co-Doped Li <sub>2</sub> O Cathode in a Superconcentrated Lithium Bis(fluorosulfonyl)amide Electrolyte. Scientific Reports, 2014, 4, 5684.	1.6	78
148	Magnetic Structures of NaFePO <sub>4</sub> Maricite and Triphylite Polymorphs for Sodium-Ion Batteries. Inorganic Chemistry, 2013, 52, 8685-8693.	1.9	121
149	Electrode Properties of P <sub>2</sub> Na <sub>2/3</sub> Mn <sub>y</sub> Co <sub>1-x</sub> O <sub>2</sub> as Cathode Materials for Sodium-Ion Batteries. Journal of Physical Chemistry C, 2013, 117, 15545-15551.	1.5	174
150	Na <sub>2</sub> FeP <sub>2</sub> O <sub>7</sub> : A Safe Cathode for Rechargeable Sodium-ion Batteries. Chemistry of Materials, 2013, 25, 3480-3487.	3.2	291
151	General Observation of Fe <sup>3+</sup> /Fe <sup>2+</sup> Redox Couple Close to 4 V in Partially Substituted Li <sub>2</sub> FeP <sub>2</sub> O <sub>7</sub> Pyrophosphate Solid-Solution Cathodes. Chemistry of Materials, 2013, 25, 3623-3629.	3.2	42
152	A new polymorph of Na <sub>2</sub> MnP <sub>2</sub> O <sub>7</sub> as a 3.6 V cathode material for sodium-ion batteries. Journal of Materials Chemistry A, 2013, 1, 4194.	5.2	175
153	A superconcentrated ether electrolyte for fast-charging Li-ion batteries. Chemical Communications, 2013, 49, 11194.	2.2	340
154	Phase Diagram of Olivine Na <sub>x</sub> FePO <sub>4</sub> (0 < x < 1). Chemistry of Materials, 2013, 25, 4557-4565.	3.2	102
155	Olivine Phosphate Cathode Materials, Reactivity and Reaction Mechanisms. , 2013, , 445-470.		0
156	Sodium manganese fluorosulfate with a triplite structure. Acta Crystallographica Section B: Structural Science, Crystal Engineering and Materials, 2013, 69, 584-588.	0.5	9
157	Carbon supported TiN nanoparticles: an efficient bifunctional catalyst for non-aqueous Li-O <sub>2</sub> batteries. Chemical Communications, 2013, 49, 1175.	2.2	154
158	Multi-walled carbon nanotube papers as binder-free cathodes for large capacity and reversible non-aqueous Li-O <sub>2</sub> batteries. Journal of Materials Chemistry A, 2013, 1, 13076.	5.2	101
159	Ru/ITO: A Carbon-Free Cathode for Nonaqueous Li-O <sub>2</sub> Battery. Nano Letters, 2013, 13, 4702-4707.	4.5	241
160	A new "zero-strain" material for electrochemical lithium insertion. Journal of Materials Chemistry A, 2013, 1, 6550.	5.2	19
161	Electrochemical Mg <sup>2+</sup> intercalation into a bimetallic CuFe Prussian blue analog in aqueous electrolytes. Journal of Materials Chemistry A, 2013, 1, 13055.	5.2	151
162	Magnetic Structure and Properties of the Na <sub>2</sub> CoP <sub>2</sub> O <sub>7</sub> Pyrophosphate Cathode for Sodium-Ion Batteries: A Supersuperexchange-Driven Non-Collinear Antiferromagnet. Inorganic Chemistry, 2013, 52, 395-401.	1.9	51

#	ARTICLE	IF	CITATIONS
163	Resonant photoemission spectroscopy of the cathode material $\text{Li}_x\text{Mn}_{0.5}\text{Fe}_{0.5}\text{PO}_4$ for lithium-ion battery. <i>Journal of Power Sources</i> , 2013, 226, 42-46.	4.0	13
164	Corrigendum to "Layered $\text{Na}_2\text{RuO}_3$ as a cathode material for Na-ion batteries" [ <i>Electrochemistry Communications</i> 33 (2013) 23-26]. <i>Electrochemistry Communications</i> , 2013, 34, 360.	2.3	2
165	Layered $\text{Na}_2\text{RuO}_3$ as a cathode material for Na-ion batteries. <i>Electrochemistry Communications</i> , 2013, 33, 23-26.	2.3	92
166	Reversible Solid State Redox of an Octacyanometallate-Bridged Coordination Polymer by Electrochemical Ion Insertion/Extraction. <i>Inorganic Chemistry</i> , 2013, 52, 3772-3779.	1.9	32
167	A layer-structured $\text{Na}_2\text{CoP}_2\text{O}_7$ pyrophosphate cathode for sodium-ion batteries. <i>RSC Advances</i> , 2013, 3, 3857.	1.7	104
168	Neutron Diffraction Study of the Li-Ion Battery Cathode $\text{Li}_2\text{FeP}_2\text{O}_7$ . <i>Inorganic Chemistry</i> , 2013, 52, 3334-3341.	1.9	31
169	Enhanced Cycling Performance of $\text{Li}_2\text{O}$ Batteries by the Optimized Electrolyte Concentration of LiTFSI in Glymes. <i>Advanced Energy Materials</i> , 2013, 3, 532-538.	10.2	108
170	Pyrophosphate Chemistry toward Safe Rechargeable Batteries. <i>Chemistry of Materials</i> , 2013, 25, 2538-2543.	3.2	50
171	Unveiling the Origin of Unusual Pseudocapacitance of $\text{RuO}_2 \cdot n\text{H}_2\text{O}$ from Its Hierarchical Nanostructure by Small-Angle X-ray Scattering. <i>Journal of Physical Chemistry C</i> , 2013, 117, 12003-12009.	1.5	60
172	High-Throughput Solution Combustion Synthesis of High-Capacity $\text{LiFeBO}_3$ Cathode. <i>Journal of the Electrochemical Society</i> , 2013, 160, A3095-A3099.	1.3	32
173	Demonstration of $\text{Co}^{3+}/\text{Co}^{2+}$ Electrochemical Activity in $\text{LiCoBO}_3$ Cathode at 4.0 V. <i>ECS Electrochemistry Letters</i> , 2013, 2, A75-A77.	1.9	24
174	Theoretical Analysis on De-Solvation of Lithium, Sodium, and Magnesium Cations to Organic Electrolyte Solvents. <i>Journal of the Electrochemical Society</i> , 2013, 160, A2160-A2165.	1.3	227
175	Pyrophosphate Chemistry Towards High-Voltage, High Power, and Safe Rechargeable Batteries. <i>Hyomen Kagaku</i> , 2013, 34, 296-302.	0.0	0
176	$\text{Li}_{1/4}\text{Zn}_{1/4}\text{Fe}_{1/4}\text{PO}_4$ . <i>Electrochemistry</i> , 2012, 80, 34-38.	0.6	0
177	Observation of the highest $\text{Mn}^{3+}/\text{Mn}^{2+}$ redox potential of 4.45 V in a $\text{Li}_2\text{MnP}_2\text{O}_7$ pyrophosphate cathode. <i>Journal of Materials Chemistry</i> , 2012, 22, 24526.	6.7	60
178	High-Voltage Pyrophosphate Cathode: Insights into Local Structure and Lithium Diffusion Pathways. <i>Angewandte Chemie - International Edition</i> , 2012, 51, 13149-13153.	7.2	74
179	Electrochromism of $\text{Li}_x\text{FePO}_4$ Induced by Intervalence Charge Transfer Transition. <i>Journal of Physical Chemistry C</i> , 2012, 116, 15259-15264.	1.5	31
180	Challenges toward higher temperature operation of $\text{LiFePO}_4$ . <i>Journal of Power Sources</i> , 2012, 214, 166-170.	4.0	20

#	ARTICLE	IF	CITATIONS
181	Polymorphs of LiFeSO <sub>4</sub> F as cathode materials for lithium ion batteries – a first principle computational study. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 8678.	1.3	57
182	Kinetics of Nucleation and Growth in Two-Phase Electrochemical Reaction of Li <sub>x</sub> FePO <sub>4</sub> . <i>Journal of Physical Chemistry C</i> , 2012, 116, 7306-7311.	1.5	88
183	Fe <sup>3+</sup> /Fe <sup>2+</sup> Redox Couple Approaching 4 V in Li <sub>2</sub> (Fe <sup>1+</sup> Mn <sup>y</sup> )P <sub>2</sub> O <sub>7</sub> 3.2 Pyrophosphate Cathodes. <i>Chemistry of Materials</i> , 2012, 24, 1055-1061.		76
184	Self-standing positive electrodes of oxidized few-walled carbon nanotubes for light-weight and high-power lithium batteries. <i>Energy and Environmental Science</i> , 2012, 5, 5437-5444.	15.6	130
185	Eco-efficient splash combustion synthesis of nanoscale pyrophosphate (Li <sub>2</sub> FeP <sub>2</sub> O <sub>7</sub> ) positive-electrode using Fe(III) precursors. <i>Journal of Materials Chemistry</i> , 2012, 22, 13455.	6.7	54
186	Sodium iron pyrophosphate: A novel 3.0 V iron-based cathode for sodium-ion batteries. <i>Electrochemistry Communications</i> , 2012, 24, 116-119.	2.3	313
187	The Nature of Lithium Battery Materials under Oxygen Evolution Reaction Conditions. <i>Journal of the American Chemical Society</i> , 2012, 134, 16959-16962.	6.6	287
188	Revisiting the Lithium Metal Borate (LiMBO <sub>3</sub> ; M= Fe, Mn, Co) Cathode Systems: Synthetic and Electrochemical Findings. <i>ECS Meeting Abstracts</i> , 2012, , .	0.0	0
189	Electrochemical Redox Mechanism in 3.5 V Li <sub>2</sub> FeP <sub>2</sub> O <sub>7</sub> (0 at%) Tj EQq1 1 0.784314 3.2 41	3.2	41
190	High-voltage Pyrophosphate Cathodes. <i>Advanced Energy Materials</i> , 2012, 2, 841-859.	10.2	208
191	Enabling the Li-ion conductivity of Li-metal fluorosulphates by ionic liquid grafting. <i>Journal of Solid State Electrochemistry</i> , 2012, 16, 1743-1751.	1.2	17
192	Direct solid-state synthesis and large-capacity anode operation of Li <sub>3-x</sub> Fe <sub>x</sub> N. <i>Journal of Materials Chemistry</i> , 2011, 21, 10021.	6.7	17
193	Resonant Photoemission Spectroscopy of the Cathode Material Li <sub>x</sub> FePO <sub>4</sub> for Lithium Ion Battery. <i>Journal of Physical Chemistry C</i> , 2011, 115, 25519-25522.	1.5	15
194	Relationship between surface chemistry and electrochemical behavior of LiNi <sub>1/2</sub> Mn <sub>1/2</sub> O <sub>2</sub> positive electrode in a lithium-ion battery. <i>Journal of Power Sources</i> , 2011, 196, 4791-4800.	4.0	42
195	More on the reactivity of olivine LiFePO <sub>4</sub> nano-particles with atmosphere at moderate temperature. <i>Journal of Power Sources</i> , 2011, 196, 2155-2163.	4.0	39
196	New three-dimensional electrode structure for the lithium battery: Nano-sized $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> in a mesoporous carbon matrix. <i>Journal of Power Sources</i> , 2011, 196, 4741-4746.	4.0	40
197	Synthesis and electrochemistry of monoclinic Li(M <sub>x</sub> Fe <sub>1-x</sub> )BO <sub>3</sub> : a combined experimental and computational study. <i>Journal of Materials Chemistry</i> , 2011, 21, 10690.	6.7	49
198	New Lithium Iron Pyrophosphate as 3.5 V Class Cathode Material for Lithium Ion Battery. <i>Journal of the American Chemical Society</i> , 2010, 132, 13596-13597.	6.6	257

#	ARTICLE	IF	CITATIONS
199	Synthesis of $\text{Li}_x\text{MnO}_2$ by chemical lithiation in an aqueous media. <i>Journal of Power Sources</i> , 2010, 195, 3328-3332.	4.0	9
200	Special issue to "ICMAT 2009, Symposium F: nanostructured materials for electrochemical energy systems: lithium batteries, supercapacitors and fuel cells, June 28-July 3, 2009, Singapore". <i>Journal of Solid State Electrochemistry</i> , 2010, 14, 1741-1742.	1.2	0
201	Lithium Iron Borates as High-Capacity Battery Electrodes. <i>Advanced Materials</i> , 2010, 22, 3583-3587.	11.1	218
202	Anisotropic catalytic activity of the orientation controlled $\text{Nd}_2\text{NiO}_4/\text{YSZ}$ hetero-epitaxial system for SOFC cathode. <i>Electrochemistry Communications</i> , 2010, 12, 1690-1693.	2.3	9
203	Moisture driven aging mechanism of $\text{LiFePO}_4$ subjected to air exposure. <i>Electrochemistry Communications</i> , 2010, 12, 238-241.	2.3	50
204	Tailoring the electrochemical properties of composite electrodes by introducing surface redox-active oxide film: $\text{VO}_x$ -impregnated $\text{LiFePO}_4$ electrode. <i>Chemical Communications</i> , 2010, 46, 2572.	2.2	21
205	Isolation of Solid Solution Phases in Size-Controlled $\text{Li}_x\text{FePO}_4$ at Room Temperature. <i>Advanced Functional Materials</i> , 2009, 19, 395-403.	7.8	254
206	Shift of redox potential and kinetics in $\text{Li}_x(\text{Mn}_y\text{Fe}_{1-y})\text{PO}_4$ . <i>Journal of Power Sources</i> , 2009, 189, 397-401.	4.0	98
207	Characterization of interphases appearing on $\text{LiNi}_0.5\text{Mn}_0.5\text{O}_2$ using $^7\text{Li}$ MAS NMR. <i>Journal of Power Sources</i> , 2009, 189, 557-560.	4.0	26
208	Structural and magnetic properties of $\text{Li}_x(\text{Mn}_y\text{Fe}_{1-y})\text{PO}_4$ electrode materials for Li-ion batteries. <i>Journal of Power Sources</i> , 2009, 189, 1154-1163.	4.0	73
209	All solid-state sheet battery using lithium inorganic solid electrolyte, thio-LISICON. <i>Journal of Power Sources</i> , 2009, 194, 1085-1088.	4.0	83
210	Structural investigation of $\text{Eu}^{2+}$ emissions from alkaline earth zirconium phosphate. <i>Journal of Solid State Chemistry</i> , 2009, 182, 730-735.	1.4	52
211	Surface Structure of $\text{LiNi}_{0.8}\text{Co}_{0.2}\text{O}_2$ : a New Experimental Technique Using in Situ X-ray Diffraction and Two-Dimensional Epitaxial Film Electrodes. <i>Chemistry of Materials</i> , 2009, 21, 2632-2640.	3.2	49
212	Chemically oxidized $\hat{\delta}$ - $\text{MnO}_2$ for lithium secondary batteries: structure and intercalation/deintercalation properties. <i>Journal of Materials Chemistry</i> , 2009, , .	6.7	5
213	Aging of the $\text{LiNi}_{1-x}\text{Mn}_x\text{O}_2$ Positive Electrode Interface in Electrolyte. <i>Journal of the Electrochemical Society</i> , 2009, 156, C180.	1.3	49
214	New anti-fluorite solid-solution phases in Li-Ti-N ternary system. <i>Journal of the Ceramic Society of Japan</i> , 2009, 117, 52-55.	0.5	6
215	All solid-state battery with sulfur electrode and thio-LISICON electrolyte. <i>Journal of Power Sources</i> , 2008, 182, 621-625.	4.0	229
216	Ruddlesden-Popper Type Epitaxial Film as Oxygen Electrode for Solid Oxide Fuel Cells. <i>Advanced Materials</i> , 2008, 20, 4124-4128.	11.1	55

#	ARTICLE	IF	CITATIONS
217	Electrochemical luminescence of $Mg_{1-x}Ca_xIn_2O_4:Er^{3+}$ electrodes. Journal of Luminescence, 2008, 128, 1679-1683.	1.5	4
218	Relationship between structural characteristics and photoluminescent properties of $(La_{1-x}Eu_x)_2M_2O_7$ (M=Zr, Hf, Sn) pyrochlores. Journal of Luminescence, 2008, 128, 1819-1825.	1.5	41
219	Unique control of bulk reactivity by surface phenomena in a positive electrode of lithium battery. Electrochemistry Communications, 2008, 10, 1897-1900.	2.3	12
220	Interfacial reactions at electrode/electrolyte boundary in all solid-state lithium battery using inorganic solid electrolyte, thio-LISICON. Electrochimica Acta, 2008, 53, 5045-5050.	2.6	90
221	Experimental visualization of lithium diffusion in $Li_xFePO_4$ . Nature Materials, 2008, 7, 707-711.	13.3	647
222	Detection of surface layers using $^7Li$ MAS NMR. Journal of Materials Chemistry, 2008, 18, 4266.	6.7	45
223	Structure of $Li_2FeSiO_4$ . Journal of the American Chemical Society, 2008, 130, 13212-13213.	6.6	254
224	Air Exposure Effect on $LiFePO_4$ . Electrochemical and Solid-State Letters, 2008, 11, A12.	2.2	98
225	Characterization of Electrode/Electrolyte Interface with X-Ray Reflectometry and Epitaxial-Film $LiMn_2O_4$ Electrode. Journal of the Electrochemical Society, 2007, 154, A1065.	1.3	104
226	Synthesis, Structure and Electrochemical Properties of Epitaxial Perovskite Films Deposited on YSZ Substrate. ECS Transactions, 2007, 7, 749-756.	0.3	0
227	Characterization of electrode/electrolyte interface using in situ X-ray reflectometry and $LiNi_{0.8}Co_{0.2}O_2$ epitaxial film electrode synthesized by pulsed laser deposition method. Electrochimica Acta, 2007, 53, 871-881.	2.6	54
228	Characterization of electrode/electrolyte interface for lithium batteries using in situ synchrotron X-ray reflectometry—A new experimental technique for $LiCoO_2$ model electrode. Journal of Power Sources, 2007, 168, 493-500.	4.0	102
229	Effect of chemical oxidation for nano-size $\hat{I}^3-Fe_2O_3$ as lithium battery cathode. Journal of Power Sources, 2007, 165, 403-407.	4.0	29
230	Chemically oxidized manganese dioxides for lithium secondary batteries. Journal of Power Sources, 2007, 174, 1137-1141.	4.0	8
231	Mechanistic study on lithium intercalation using a restricted reaction field in $LiNi_{0.5}Mn_{0.5}O_2$ . Journal of Power Sources, 2007, 174, 678-682.	4.0	25
232	Electrochemical Luminescence of Rare Earth Metal Ion Doped $MgIn_2O_4$ Electrodes. Journal of the Electrochemical Society, 2006, 153, H45.	1.3	24
233	Electrochemical, Magnetic, and Structural Investigation of the $Li_x(Mn_yFe_{1-y})PO_4$ Olivine Phases. Chemistry of Materials, 2006, 18, 804-813.	3.2	162
234	Room-temperature miscibility gap in $Li_xFePO_4$ . Nature Materials, 2006, 5, 357-360.	13.3	507

#	ARTICLE	IF	CITATIONS
235	Single-crystal growth of $Tl_2Ru_2O_7$ pyrochlore using high-pressure and flux method. <i>Journal of Solid State Chemistry</i> , 2006, 179, 935-940.	1.4	9
236	Synthesis, structure, and electrochemical properties of epitaxial perovskite $La_{0.8}Sr_{0.2}CoO_3$ film on YSZ substrate. <i>Solid State Ionics</i> , 2006, 177, 535-540.	1.3	44
237	Intermediate Phases in $Li_xFePO_4$ . <i>Materials Research Society Symposia Proceedings</i> , 2006, 972, 1.	0.1	2
238	Nano-sized $\delta$ - $Fe_2O_3$ as lithium battery cathode. <i>Journal of Power Sources</i> , 2005, 146, 323-326.	4.0	56
239	Fast Charging $LiFePO_4$ . <i>Electrochemical and Solid-State Letters</i> , 2005, 8, A55.	2.2	56
240	Magnetic properties of $Li(Mn_{1-y}Fe_y)PO_4$ and its delithiated phases. <i>Applied Physics Letters</i> , 2005, 87, 252503.	1.5	10
241	Phase Change in $Li_xFePO_4$ . <i>Electrochemical and Solid-State Letters</i> , 2005, 8, A409.	2.2	212
242	Exploring Novel Nano-composite Strong Ionic Compounds for Lithium Storage. <i>Hosokawa Powder Technology Foundation ANNUAL REPORT</i> , 2005, 13, 89-92.	0.0	0
243	All Solid-State Batteries Using Super Ionic Conductor, Thio-Lisicon Electrode/Electrolyte interfacial Design. <i>Materials Research Society Symposia Proceedings</i> , 2004, 835, K11.1.1.	0.1	4
244	Comparative Kinetic Study of Olivine $Li_xMPO_4$ (M=Fe, Mn). <i>Journal of the Electrochemical Society</i> , 2004, 151, A1352.	1.3	363
245	Synthesis, structure, and phase relationship in lithium manganese oxide spinel Electronic supplementary information (ESI) available: neutron and X-ray Rietveld refinement results of $LiMn_2O_4$ . See <a href="http://www.rsc.org/suppdata/jm/b3/b314810f/">http://www.rsc.org/suppdata/jm/b3/b314810f/</a> . <i>Journal of Materials Chemistry</i> , 2004, 14, 1948.	6.7	64
246	A Self-Assembled Breathing Interface for All-Solid-State Ceramic Lithium Batteries. <i>Electrochemical and Solid-State Letters</i> , 2004, 7, A455.	2.2	87
247	Reversible Hydrogen Decomposition of $KAlH_4$ . <i>ChemInform</i> , 2003, 34, no.	0.1	0
248	Olivine-type cathodes. <i>Journal of Power Sources</i> , 2003, 119-121, 232-238.	4.0	381
249	Reversible hydrogen decomposition of $KAlH_4$ . <i>Journal of Alloys and Compounds</i> , 2003, 353, 310-314.	2.8	139
250	Electrochemical synthesis of $LiMn_2O_4$ from $LiMnO_2$ and $H_2O$ . <i>Electrochemistry</i> , 2003, 70, 717-722.		
251	Defect Structure of $LiMn_2O_4$ after High-Temperature Storage. <i>Electrochemistry</i> , 2003, 71, 1160-1161.	0.6	7
252	Electrolysis of Water Vapor Using a Fullerene-Based Electrolyte. <i>Electrochemical and Solid-State Letters</i> , 2002, 5, A74.	2.2	5

#	ARTICLE	IF	CITATIONS
253	Purification and alignment of arc-synthesis single-walled carbon nanotube bundles. <i>Chemical Physics Letters</i> , 2002, 356, 567-572.	1.2	38
254	Hydrogen storage in single-walled carbon nanotube bundles and peapods. <i>Chemical Physics Letters</i> , 2002, 358, 213-218.	1.2	97
255	Crystal Chemistry of the Olivine-Type $\text{Li}(\text{Mn}_{\text{sub } y}\text{Fe}_{\text{sub } 1-\hat{y}})\text{PO}_{\text{sub } 4}$ and $(\text{Mn}_{\text{sub } y}\text{Fe}_{\text{sub } 1-y})\text{PO}_4$ . <i>Journal of Solid State Chemistry</i> , 2001, 148, A960.	1.3	375
256	Reaction Mechanism of the Olivine-Type $\text{Li}_{\text{sub } x}(\text{Mn}_{\text{sub } 0.6}\text{Fe}_{\text{sub } 0.4})\text{PO}_{\text{sub } 4}$ ( $0 < x < 1$ ). <i>Journal of the Electrochemical Society</i> , 2001, 148, A747.	1.3	237
257	Large-scale rooted growth of aligned super bundles of single-walled carbon nanotubes using a directed arc plasma method. <i>Chemical Physics Letters</i> , 2001, 343, 7-14.	1.2	40
258	Production of single-walled carbon nanotube ropes under controlled gas flow conditions. <i>Chemical Physics Letters</i> , 2001, 346, 356-360.	1.2	14
259	Phase Diagram of $\text{Li}_{\text{sub } x}(\text{Mn}_{\text{sub } y}\text{Fe}_{\text{sub } 1-\hat{y}})\text{PO}_{\text{sub } 4}$ ( $0 < x, y < 1$ ). <i>Journal of the Electrochemical Society</i> , 2001, 148, A1153.	1.3	265
260	Optimized $\text{LiFePO}_4$ for Lithium Battery Cathodes. <i>Journal of the Electrochemical Society</i> , 2001, 148, A224.	1.3	1,703
261	Phase segregation of $\text{Li}_x\text{Mn}_2\text{O}_4$ ( $0.6 < x < 1$ ) in non-equilibrium reduction processes. <i>Solid State Ionics</i> , 2000, 130, 221-228.	1.3	32
262	Jahn-Teller instability in spinel $\text{LiMn}_2\text{O}_4$ . <i>Journal of Power Sources</i> , 1999, 81-82, 73-78.	4.0	116
263	Keggin-Type Heteropolyacids as Electrode Materials for Electrochemical Supercapacitors. <i>Journal of the Electrochemical Society</i> , 1998, 145, 737-743.	1.3	78
264	Jahn-Teller transition of $\text{LiMn}_2\text{O}_4$ studied by x-ray-absorption spectroscopy. <i>Physical Review B</i> , 1998, 58, 8-11.	1.1	101
265	Electric states of spinel $\text{Li}_x\text{Mn}_2\text{O}_4$ as a cathode of the rechargeable battery. <i>Electrochimica Acta</i> , 1996, 41, 249-256.	2.6	81
266	Lattice Instability in $\text{Li}(\text{Li}_x\text{Mn}_{2-x})\text{O}_4$ . <i>Journal of Solid State Chemistry</i> , 1996, 122, 160-165.	1.4	197
267	Jahn-Teller structural phase transition around 280K in $\text{LiMn}_2\text{O}_4$ . <i>Materials Research Bulletin</i> , 1995, 30, 715-721.	2.7	282
268	Synthesis and Structural Aspects of $\text{LiMn}_2\text{O}_4$ as a Cathode for Rechargeable Lithium Batteries. <i>Journal of the Electrochemical Society</i> , 1995, 142, 2149-2156.	1.3	205
269	Photorefractive damage in $\text{LiNbO}_3$ thin film optical waveguides grown by liquid phase epitaxy. <i>Journal of Applied Physics</i> , 1994, 76, 1776-1783.	1.1	15
270	Liquid phase epitaxial growth of $\text{LiNbO}_3$ thin film using $\text{Li}_2\text{O}-\text{B}_2\text{O}_3$ flux system. <i>Journal of Crystal Growth</i> , 1993, 132, 48-60.	0.7	42



#	ARTICLE	IF	CITATIONS
271	LiNbO <sub>3</sub> thin-film optical waveguide grown by liquid phase epitaxy using Li <sub>2</sub> O-B <sub>2</sub> O <sub>3</sub> flux. Applied Physics Letters, 1992, 61, 2848-2850.	1.5	45
272	LiNbO <sub>3</sub> thin-film optical waveguide grown by liquid phase epitaxy and its application to second-harmonic generation. Journal of Applied Physics, 1991, 70, 2536-2541.	1.1	74
273	Effect of uniaxial pressure on the 222-K structural phase transition of hexagonal BaTiO <sub>3</sub> . Physical Review B, 1991, 43, 4473-4480.	1.1	15
274	Uniaxial-pressure effect on the 222K phase transition in hexagonal-batio <sub>3</sub> . Ferroelectrics, 1989, 96, 237-240.	0.3	1