

Paolo S D'aquila

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6169267/publications.pdf>

Version: 2024-02-01

54
papers

2,531
citations

331670

21
h-index

189892

50
g-index

54
all docs

54
docs citations

54
times ranked

2724
citing authors

#	ARTICLE	IF	CITATIONS
1	Anti-inflammatory activity of linalool and linalyl acetate constituents of essential oils. <i>Phytomedicine</i> , 2002, 9, 721-726.	5.3	398
2	Effects of chronic mild stress on performance in behavioural tests relevant to anxiety and depression. <i>Physiology and Behavior</i> , 1994, 56, 861-867.	2.1	293
3	The role of dopamine in the mechanism of action of antidepressant drugs. <i>European Journal of Pharmacology</i> , 2000, 405, 365-373.	3.5	247
4	Attenuation of sucrose consumption in mice by chronic mild stress and its restoration by imipramine. <i>Psychopharmacology</i> , 1995, 117, 453-457.	3.1	207
5	(α)-Linalool produces antinociception in two experimental models of pain. <i>European Journal of Pharmacology</i> , 2003, 460, 37-41.	3.5	164
6	Exploratory behaviour and grooming after repeated restraint and chronic mild stress: effect of desipramine. <i>European Journal of Pharmacology</i> , 2000, 399, 43-47.	3.5	116
7	Diurnal Variation in the Effect of Chronic Mild Stress on Sucrose Intake and Preference. <i>Physiology and Behavior</i> , 1997, 62, 421-426.	2.1	95
8	Possible role of dopamine D1 receptor in the behavioural supersensitivity to dopamine agonists induced by chronic treatment with antidepressants. <i>Brain Research</i> , 1990, 527, 234-243.	2.2	92
9	Profile of spinal and supra-spinal antinociception of (α)-linalool. <i>European Journal of Pharmacology</i> , 2004, 485, 165-174.	3.5	80
10	Apomorphine stimulation of male copulatory behavior is prevented by the oxytocin antagonist d(CH ₂) ₅ Tyr(Me)-Orn ⁸ -vasotocin in rats. <i>Pharmacology Biochemistry and Behavior</i> , 1989, 33, 81-83.	2.9	62
11	Anti-anhedonic actions of the novel serotonergic agent flibanserin, a potential rapidly-acting antidepressant. <i>European Journal of Pharmacology</i> , 1997, 340, 121-132.	3.5	61
12	Loss of social status: preliminary evaluation of a novel animal model of depression. <i>Journal of Psychopharmacology</i> , 1995, 9, 207-213.	4.0	58
13	Antidepressant-like effect of selective dopamine D1 receptor agonists in the behavioural despair animal model of depression. <i>European Journal of Pharmacology</i> , 1994, 262, 107-111.	3.5	57
14	Effects of (α)-linalool in the acute hyperalgesia induced by carrageenan, l-glutamate and prostaglandin E ₂ . <i>European Journal of Pharmacology</i> , 2004, 497, 279-284.	3.5	56
15	ROLE OF THE MESOLIMBIC DOPAMINE SYSTEM IN THE MECHANISM OF ACTION OF ANTIDEPRESSANTS. <i>Basic and Clinical Pharmacology and Toxicology</i> , 1992, 71, 72-85.	0.0	50
16	Dopamine on D ₂ -like receptors \leftrightarrow boosts dopamine D ₁ -like receptor-mediated behavioural activation in rats licking for sucrose. <i>Neuropharmacology</i> , 2010, 58, 1085-1096.	4.1	49
17	Repeated treatment with imipramine potentiates cocaine-induced dopamine release and motor stimulation. <i>European Journal of Pharmacology</i> , 1991, 201, 243-245.	3.5	31
18	Reversal of antidepressant-induced dopaminergic behavioural supersensitivity after long-term chronic imipramine withdrawal. <i>European Journal of Pharmacology</i> , 2003, 458, 129-134.	3.5	28

#	ARTICLE	IF	CITATIONS
19	Long-term imipramine withdrawal induces a depressive-like behaviour in the forced swimming test. <i>European Journal of Pharmacology</i> , 2004, 492, 61-63.	3.5	28
20	Dopamine is involved in the antidepressant-like effect of allopregnanolone in the forced swimming test in female rats. <i>Behavioural Pharmacology</i> , 2010, 21, 21-28.	1.7	27
21	Different effect of desipramine on locomotor activity in quinpirole-treated rats after repeated restraint and chronic mild stress. <i>Journal of Psychopharmacology</i> , 2000, 14, 347-352.	4.0	26
22	Carbamazepine prevents imipramine-induced behavioural sensitization to the dopamine D2-like receptor agonist quinpirole. <i>European Journal of Pharmacology</i> , 2001, 416, 107-111.	3.5	21
23	Possible role of dopamine D1-like and D2-like receptors in behavioural activation and reward evaluation in sodium-replete and sodium-depleted rats licking for NaCl solutions. <i>Pharmacology Biochemistry and Behavior</i> , 2012, 101, 99-106.	2.9	20
24	The NMDA receptor antagonist MK-801 prevents imipramine-induced supersensitivity to quinpirole. <i>European Journal of Pharmacology</i> , 1992, 224, 199-202.	3.5	19
25	Chronic lithium chloride fails to prevent imipramine-induced sensitization to the dopamine D2-like receptor agonist quinpirole. <i>European Journal of Pharmacology</i> , 2000, 395, 157-160.	3.5	19
26	Clozapine increases reward evaluation but not overall ingestive behaviour in rats licking for sucrose. <i>Psychopharmacology</i> , 2011, 216, 411-420.	3.1	19
27	Possible role of dopamine D1-like and D2-like receptors in behavioural activation and evaluation of response efficacy in the forced swimming test. <i>Neuropharmacology</i> , 2012, 62, 1717-1729.	4.1	19
28	Synthesis and D2-like binding affinity of new derivatives of N-(1-ethyl-2-pyrrolidinylmethyl)-4,5-dihydro-1H-benzo[g]indole-3-carboxamide and related 4H-[1]benzothiopyrano[4,3-b]pyrrole and 5,6-dihydro-4H-benzo[6,7]cyclohepta[b]pyrrole-3-carboxamide analogues. <i>Bioorganic and Medicinal Chemistry</i> , 2002, 10, 2485-2496.	3.0	17
29	Effect of the dopamine D1-like receptor antagonist SCH 23390 on the microstructure of ingestive behaviour in water-deprived rats licking for water and NaCl solutions. <i>Physiology and Behavior</i> , 2012, 105, 230-233.	2.1	17
30	Dopamine on D2-like receptors boosts dopamine D1-like receptor-mediated behavioural activation in rats licking for a isotonic NaCl solution. <i>Psychopharmacology</i> , 2013, 229, 357-366.	3.1	17
31	Dopamine D1 receptor agonists induce penile erections in rats. <i>European Journal of Pharmacology</i> , 2003, 460, 71-74.	3.5	15
32	Dizocilpine prevents the enhanced locomotor response to quinpirole induced by repeated electroconvulsive shock. <i>European Journal of Pharmacology</i> , 1997, 330, 11-14.	3.5	13
33	Role of D1 and α_1 receptors in the enhanced locomotor response to dopamine D2-like receptor stimulation induced by repeated electroconvulsive shock. <i>Journal of Psychopharmacology</i> , 1997, 11, 41-44.	4.0	12
34	Dopamine on D2-like receptors is involved in reward evaluation in water-deprived rats licking for NaCl and water. MEC, DC and EM are equal contributors to this article. <i>Pharmacology Biochemistry and Behavior</i> , 2010, 96, 194-197.	2.9	12
35	Role of dopamine D1-like and D2-like receptors in the activation of ingestive behaviour in thirsty rats licking for water. <i>Psychopharmacology</i> , 2019, 236, 3497-3512.	3.1	11
36	Are D1 dopamine receptor agonists potential antidepressants?. <i>Pharmacological Research Communications</i> , 1988, 20, 1121-1122.	0.2	10

#	ARTICLE	IF	CITATIONS
37	Chronic imipramine ?reverses? B-HT 920-induced hypomotility in rats. Journal of Neural Transmission, 1991, 84, 237-240.	2.8	10
38	Chronic valproate fails to prevent imipramine-induced behavioural sensitization to the dopamine D2-like receptor agonist quinpirole. European Journal of Pharmacology, 2006, 535, 208-211.	3.5	10
39	Within-session decrement of the emission of licking bursts following reward devaluation in rats licking for sucrose. PLoS ONE, 2017, 12, e0177705.	2.5	10
40	Role of alpha receptors in the behavioural supersensitivity to D agonists induced by chronic treatment with imipramine. Pharmacological Research, 1992, 25, 95-101.	7.1	7
41	Different sensitivity to the motor-stimulating effect of amphetamine in Sardinian alcohol-preferring and non-preferring rats. European Journal of Pharmacology, 2002, 435, 67-71.	3.5	7
42	SKF 38393, a selective D1 DA agonist, induces penile erection in rats. Pharmacological Research Communications, 1988, 20, 247-248.	0.2	4
43	Dopamine D3 receptor antisense oligodeoxynucleotide potentiates imipramine-induced dopaminergic behavioural supersensitivity. Behavioural Pharmacology, 2006, 17, 101-106.	1.7	4
44	Daily memantine treatment blunts hedonic response to sucrose in rats. Psychopharmacology, 2020, 237, 103-114.	3.1	3
45	Does chronic imipramine facilitate neurotransmission at dopamine-D1 receptor level?. Pharmacological Research, 1989, 21, 55-56.	7.1	2
46	Imipramine administered before the first of two forced swim sessions results in reduced immobility in the second session 24h later. Behavioural Brain Research, 2019, 373, 112088.	2.2	2
47	Microstructure analysis of sucrose ingestion in the course of chronic treatment with imipramine. Physiology and Behavior, 2020, 224, 113032.	2.1	2
48	Further characterization of the effect of the prototypical antidepressant imipramine on the microstructure of licking for sucrose. PLoS ONE, 2021, 16, e0245559.	2.5	2
49	Memantine effects on ingestion microstructure and the effect of administration time: A within-subject study. PLoS ONE, 2020, 15, e0239270.	2.5	1
50	Microstructure analysis of the effects of the cannabinoid agents HU-210 and rimonabant in rats licking for sucrose. European Journal of Pharmacology, 2020, 887, 173468.	3.5	1
51	Title is missing!. , 2020, 15, e0239270.		0
52	Title is missing!. , 2020, 15, e0239270.		0
53	Title is missing!. , 2020, 15, e0239270.		0
54	Title is missing!. , 2020, 15, e0239270.		0