

# Yuping Wu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6172278/publications.pdf>

Version: 2024-02-01

54  
papers

17,666  
citations

147801

31  
h-index

175258

52  
g-index

54  
all docs

54  
docs citations

54  
times ranked

15946  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exercise Ventricular Rates, Cardiopulmonary Exercise Performance, and Mortality in Patients With Heart Failure With Atrial Fibrillation. <i>Circulation: Heart Failure</i> , 2021, 14, e007451.	3.9	3
2	Plasma trimethylamine N-oxide (TMAO) levels predict future risk of coronary artery disease in apparently healthy individuals in the EPIC-Norfolk prospective population study. <i>American Heart Journal</i> , 2021, 236, 80-86.	2.7	35
3	Interleukin-6 and Outcomes in Acute Heart Failure: An ASCEND-HF Substudy. <i>Journal of Cardiac Failure</i> , 2021, 27, 670-676.	1.7	16
4	Prognostic value of subclinical myocardial necrosis using high-sensitivity cardiac troponin T in patients with prediabetes. <i>Cardiovascular Diabetology</i> , 2021, 20, 171.	6.8	10
5	Associations between cardiorespiratory fitness, sex and long term mortality amongst adults undergoing exercise treadmill testing. <i>International Journal of Cardiology</i> , 2021, 342, 103-107.	1.7	1
6	Changes in Carotid Duplex Ultrasound Velocities After Aortic Valve Replacement for Severe Aortic Stenosis. <i>Journal of Ultrasound in Medicine</i> , 2020, 39, 139-145.	1.7	2
7	A Cardiovascular Disease-Linked Gut Microbial Metabolite Acts via Adrenergic Receptors. <i>Cell</i> , 2020, 180, 862-877.e22.	28.9	397
8	Trimethyllysine, a trimethylamine N-oxide precursor, provides near- and long-term prognostic value in patients presenting with acute coronary syndromes. <i>European Heart Journal</i> , 2019, 40, 2700-2709.	2.2	79
9	Impact of chronic dietary red meat, white meat, or non-meat protein on trimethylamine N-oxide metabolism and renal excretion in healthy men and women. <i>European Heart Journal</i> , 2019, 40, 583-594.	2.2	297
10	Untargeted metabolomics identifies trimethyllysine, a TMAO-producing nutrient precursor, as a predictor of incident cardiovascular disease risk. <i>JCI Insight</i> , 2018, 3, .	5.0	122
11	Predictors of cardiorespiratory fitness improvement in phase II cardiac rehabilitation. <i>Clinical Cardiology</i> , 2018, 41, 1563-1569.	1.8	13
12	Sex Differences in the Etiology of Surgical Mitral Valve Disease. <i>Circulation</i> , 2018, 138, 1749-1751.	1.6	35
13	Maximizing Exploratory Predictive Models. <i>Journal of Cardiac Failure</i> , 2018, 24, 135-136.	1.7	0
14	Genetic, dietary, and sex-specific regulation of hepatic ceramides and the relationship between hepatic ceramides and IR [S]. <i>Journal of Lipid Research</i> , 2018, 59, 1164-1174.	4.2	26
15	Elevated levels of plasma symmetric dimethylarginine and increased arginase activity as potential indicators of cardiovascular comorbidity in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2018, 20, 123.	3.5	42
16	l-Carnitine in omnivorous diets induces an atherogenic gut microbial pathway in humans. <i>Journal of Clinical Investigation</i> , 2018, 129, 373-387.	8.2	216
17	Comparison Between the Kansas City Cardiomyopathy Questionnaire and New York Heart Association in Assessing Functional Capacity and Clinical Outcomes. <i>Journal of Cardiac Failure</i> , 2017, 23, 280-285.	1.7	22
18	Gut microbiota-dependent trimethylamine N-oxide in acute coronary syndromes: a prognostic marker for incident cardiovascular events beyond traditional risk factors. <i>European Heart Journal</i> , 2017, 38, ehw582.	2.2	317

#	ARTICLE	IF	CITATIONS
19	High-density lipoprotein-associated paraoxonase activity for prediction of adverse outcomes in outpatients with chronic heart failure. <i>European Journal of Heart Failure</i> , 2017, 19, 748-755.	7.1	27
20	Relation of Red Cell Distribution Width to Left Ventricular End-Diastolic Pressure and Mortality in Patients With and Without Heart Failure. <i>American Journal of Cardiology</i> , 2017, 119, 1421-1427.	1.6	13
21	Predicting long-term prognosis in stable peripheral artery disease with baseline functional capacity estimated by the Duke Activity Status Index. <i>American Heart Journal</i> , 2017, 184, 17-25.	2.7	8
22	Increased Trimethylamine N-Oxide Portends High Mortality Risk Independent of Glycemic Control in Patients with Type 2 Diabetes Mellitus. <i>Clinical Chemistry</i> , 2017, 63, 297-306.	3.2	181
23	Impact of Atrial Fibrillation on Exercise Capacity and Mortality in Heart Failure With Preserved Ejection Fraction: Insights From Cardiopulmonary Stress Testing. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	36
24	Use of Sex-Specific Clinical and Exercise Risk Scores to Identify Patients at Increased Risk for All-Cause Mortality. <i>JAMA Cardiology</i> , 2017, 2, 15.	6.1	8
25	Biomarkers of Cardiovascular Disease. <i>Disease Markers</i> , 2017, 2017, 1-2.	1.3	13
26	Trimethylamine N-Oxide and Mortality Risk in Patients With Peripheral Artery Disease. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	133
27	Plasma Trimethylamine N-Oxide, a Gut Microbe-Generated Phosphatidylcholine Metabolite, Is Associated With Atherosclerotic Burden. <i>Journal of the American College of Cardiology</i> , 2016, 67, 2620-2628.	2.8	186
28	Elevated Soluble Fms-Like Tyrosine Kinase-1 and Placental-Like Growth Factor Levels Are Associated With Development and Mortality Risk in Heart Failure. <i>Circulation: Heart Failure</i> , 2016, 9, e002115.	3.9	34
29	Increased mortality with elevated plasma endothelin-1 in acute heart failure: an ASCEND-HF biomarker substudy. <i>European Journal of Heart Failure</i> , 2016, 18, 290-297.	7.1	47
30	Intestinal Microbiota-Generated Metabolite Trimethylamine N-Oxide and 5-Year Mortality Risk in Stable Coronary Artery Disease: The Contributory Role of Intestinal Microbiota in a COURAGE-Like Patient Cohort. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	198
31	Prognostic Value of Baseline and Changes in Circulating Soluble ST2 Levels and the Effects of Nesiritide in Acute Decompensated Heart Failure. <i>JACC: Heart Failure</i> , 2016, 4, 68-77.	4.1	45
32	Usefulness of Relative Hypochromia in Risk Stratification for Nonanemic Patients With Chronic Heart Failure. <i>American Journal of Cardiology</i> , 2016, 117, 1299-1304.	1.6	10
33	Gut Microbial Metabolite TMAO Enhances Platelet Hyperreactivity and Thrombosis Risk. <i>Cell</i> , 2016, 165, 111-124.	28.9	1,358
34	Choline Diet and Its Gut Microbe-Derived Metabolite, Trimethylamine N-Oxide, Exacerbate Pressure Overload-Induced Heart Failure. <i>Circulation: Heart Failure</i> , 2016, 9, e002314.	3.9	265
35	Prognostic role of cardiac power index in ambulatory patients with advanced heart failure. <i>European Journal of Heart Failure</i> , 2015, 17, 689-696.	7.1	35
36	Intestinal Microbiota-Dependent Phosphatidylcholine Metabolites, Diastolic Dysfunction, and Adverse Clinical Outcomes in Chronic Systolic Heart Failure. <i>Journal of Cardiac Failure</i> , 2015, 21, 91-96.	1.7	271

#	ARTICLE	IF	CITATIONS
37	Prognostic Comparison of Different Sensitivity Cardiac Troponin Assays in Stable Heart Failure. American Journal of Medicine, 2015, 128, 276-282.	1.5	37
38	Prognostic Role of Serum Chloride Levels in Acute Decompensated Heart Failure. Journal of the American College of Cardiology, 2015, 66, 659-666.	2.8	123
39	Prevalence and Prediction of Obstructive Coronary Artery Disease in Patients Referred for Valvular Heart Surgery. American Journal of Cardiology, 2015, 116, 280-285.	1.6	9
40	Circulating Kidney Injury Molecule-1 Levels in Acute Heart Failure. JACC: Heart Failure, 2015, 3, 777-785.	4.1	19
41	Elevated Plasma Marinobufagenin, An Endogenous Cardiotoxic Steroid, Is Associated With Right Ventricular Dysfunction and Nitrate Stress in Heart Failure. Circulation: Heart Failure, 2015, 8, 1068-1076.	3.9	48
42	The Heart Failure Overweight/Obesity Survival Paradox. JACC: Heart Failure, 2015, 3, 917-926.	4.1	80
43	Gut Microbiota-Dependent Trimethylamine N-Oxide (TMAO) Pathway Contributes to Both Development of Renal Insufficiency and Mortality Risk in Chronic Kidney Disease. Circulation Research, 2015, 116, 448-455.	4.5	898
44	Abstract 19496: A New Exercise Testing Model Performs Better than the Duke Treadmill Score to Identify Patients at Increased Risk for All-cause Mortality. Circulation, 2015, 132, .	1.6	0
45	Prognostic Value of Elevated Serum Ceruloplasmin Levels in Patients With Heart Failure. Journal of Cardiac Failure, 2014, 20, 946-952.	1.7	38
46	Prognostic Value of Estimated Functional Capacity Incremental to Cardiac Biomarkers in Stable Cardiac Patients. Journal of the American Heart Association, 2014, 3, e000960.	3.7	29
47	An abundant dysfunctional apolipoprotein A1 in human atheroma. Nature Medicine, 2014, 20, 193-203.	30.7	316
48	Prognostic value of choline and betaine depends on intestinal microbiota-generated metabolite trimethylamine-N-oxide. European Heart Journal, 2014, 35, 904-910.	2.2	463
49	Prognostic Value of Elevated Levels of Intestinal Microbe-Generated Metabolite Trimethylamine-N-Oxide in Patients With Heart Failure. Journal of the American College of Cardiology, 2014, 64, 1908-1914.	2.8	533
50	β-Butyrobetaine Is a Proatherogenic Intermediate in Gut Microbial Metabolism of L-Carnitine to TMAO. Cell Metabolism, 2014, 20, 799-812.	16.2	416
51	Intestinal Microbial Metabolism of Phosphatidylcholine and Cardiovascular Risk. New England Journal of Medicine, 2013, 368, 1575-1584.	27.0	2,537
52	Intestinal microbiota metabolism of l-carnitine, a nutrient in red meat, promotes atherosclerosis. Nature Medicine, 2013, 19, 576-585.	30.7	3,355
53	Diminished Antioxidant Activity of High-Density Lipoprotein-Associated Proteins in Chronic Kidney Disease. Journal of the American Heart Association, 2013, 2, .	3.7	26
54	Gut flora metabolism of phosphatidylcholine promotes cardiovascular disease. Nature, 2011, 472, 57-63.	27.8	4,238