

Eun Ju Son

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6173631/publications.pdf>

Version: 2024-02-01

139
papers

5,951
citations

71102

41
h-index

82547

72
g-index

140
all docs

140
docs citations

140
times ranked

5232
citing authors

#	ARTICLE	IF	CITATIONS
1	Added value of abbreviated breast magnetic resonance imaging for assessing suspicious microcalcification on screening mammography—a prospective study. <i>European Radiology</i> , 2022, 32, 815-821.	4.5	3
2	Preoperative Nodal US Features for Predicting Recurrence in N1b Papillary Thyroid Carcinoma. <i>Cancers</i> , 2022, 14, 174.	3.7	3
3	Texture analysis using machine learning–based 3-T magnetic resonance imaging for predicting recurrence in breast cancer patients treated with neoadjuvant chemotherapy. <i>European Radiology</i> , 2021, 31, 6916-6928.	4.5	11
4	Diagnostic Accuracy of Nonmass Enhancement at Breast MRI in Predicting Tumor Involvement of the Nipple: A Prospective Study in a Single Institution. <i>Radiology</i> , 2021, 301, 47-56.	7.3	8
5	A convolutional deep learning model for improving mammographic breast-microcalcification diagnosis. <i>Scientific Reports</i> , 2021, 11, 23925.	3.3	12
6	A nomogram constructed using intraoperative ex vivo shear-wave elastography precisely predicts metastasis of sentinel lymph nodes in breast cancer. <i>European Radiology</i> , 2020, 30, 789-797.	4.5	14
7	Grayscale Ultrasound Radiomic Features and Shear-Wave Elastography Radiomic Features in Benign and Malignant Breast Masses. <i>Ultraschall in Der Medizin</i> , 2020, 41, 390-396.	1.5	21
8	Prediction of axillary response by monitoring with ultrasound and MRI during and after neoadjuvant chemotherapy in breast cancer patients. <i>European Radiology</i> , 2020, 30, 1460-1469.	4.5	20
9	Texture Analysis with 3.0-T MRI for Association of Response to Neoadjuvant Chemotherapy in Breast Cancer. <i>Radiology</i> , 2020, 294, 31-41.	7.3	75
10	Diagnosis of thyroid nodules on ultrasonography by a deep convolutional neural network. <i>Scientific Reports</i> , 2020, 10, 15245.	3.3	30
11	Fully automated measurements of volumetric breast density adapted for BIRADS 5th edition: a comparison with visual assessment. <i>Acta Radiologica</i> , 2020, 62, 028418512095630.	1.1	3
12	Comparison of resection margin status after single or double radiopaque marker insertion for tumor localization in breast cancer patients receiving neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2020, 184, 797-803.	2.5	2
13	Significance of Non-Mass Enhancement in the Subareolar Region on Preoperative Breast Magnetic Resonance Imaging for Nipple-Sparing Mastectomy. <i>Clinical Breast Cancer</i> , 2020, 20, e458-e468.	2.4	7
14	Measuring Tumor Extent Based on Subtypes Using Magnetic Resonance Imaging: Radiologic-Pathologic Discordance and High Positive Margin Rates in Breast Cancer. <i>Journal of Breast Cancer</i> , 2019, 22, 453.	1.9	8
15	Scoring System to Stratify Malignancy Risks for Mammographic Microcalcifications Based on Breast Imaging Reporting and Data System 5th Edition Descriptors. <i>Korean Journal of Radiology</i> , 2019, 20, 1646.	3.4	6
16	Clinical Imaging of Glycogen-rich Clear Cell Carcinoma of the Breast: A Case Series with Literature Review. <i>Magnetic Resonance in Medical Sciences</i> , 2019, 18, 238-242.	2.0	5
17	Accuracy of Ultrasound for Preoperative Assessment of Tumor Size in Patients With Newly Diagnosed Breast Cancer: Is It Affected by the Background Parenchymal Echotexture?. <i>Journal of Ultrasound in Medicine</i> , 2018, 37, 2621-2630.	1.7	7
18	Comparison of the diagnostic performances of ultrasonography, CT and fine needle aspiration cytology for the prediction of lymph node metastasis in patients with lymph node dissection of papillary thyroid carcinoma: A retrospective cohort study. <i>International Journal of Surgery</i> , 2018, 51, 145-150.	2.7	30

#	ARTICLE	IF	CITATIONS
19	Performance of shear-wave elastography for breast masses using different region-of-interest (ROI) settings. <i>Acta Radiologica</i> , 2018, 59, 789-797.	1.1	13
20	Incidental Breast Lesions on Chest CT: Clinical Significance and Differential Features Requiring Referral. <i>Journal of the Korean Society of Radiology</i> , 2018, 79, 303.	0.2	3
21	<i>Ex Vivo</i> Shear-Wave Elastography of Axillary Lymph Nodes to Predict Nodal Metastasis in Patients with Primary Breast Cancer. <i>Journal of Breast Cancer</i> , 2018, 21, 190.	1.9	19
22	Identification of Preoperative Magnetic Resonance Imaging Features Associated with Positive Resection Margins in Breast Cancer: A Retrospective Study. <i>Korean Journal of Radiology</i> , 2018, 19, 897.	3.4	21
23	Comparison of tumor-infiltrating lymphocytes of breast cancer in core needle biopsies and resected specimens: a retrospective analysis. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 295-302.	2.5	40
24	Predictive Factors for Active Surveillance of Subcentimeter Thyroid Nodules with Highly Suspicious US Features. <i>Annals of Surgical Oncology</i> , 2017, 24, 1540-1545.	1.5	13
25	Management for BI-RADS category 3 lesions detected in preoperative breast MR imaging of breast cancer patients. <i>European Radiology</i> , 2017, 27, 3211-3216.	4.5	7
26	Pre-Operative Evaluation of Axillary Lymph Node Status in Patients with Suspected Breast Cancer Using Shear Wave Elastography. <i>Ultrasound in Medicine and Biology</i> , 2017, 43, 1581-1586.	1.5	36
27	Evaluation of Screening USâ€“detected Breast Masses by Combined Use of Elastography and Color Doppler US with B-Mode US in Women with Dense Breasts: A Multicenter Prospective Study. <i>Radiology</i> , 2017, 285, 660-669.	7.3	52
28	Comparison of Visual Assessment of Breast Density in BI-RADS 4th and 5th Editions With Automated Volumetric Measurement. <i>American Journal of Roentgenology</i> , 2017, 209, 703-708.	2.2	24
29	Shear-wave elastography in breast ultrasonography: the state of the art. <i>Ultrasonography</i> , 2017, 36, 300-309.	2.3	121
30	The clinical significance of accompanying NME on preoperative MR imaging in breast cancer patients. <i>PLoS ONE</i> , 2017, 12, e0178445.	2.5	14
31	Subtypes of breast cancer show different spatial distributions of brain metastases. <i>PLoS ONE</i> , 2017, 12, e0188542.	2.5	42
32	Hyalinizing trabecular tumor of the thyroid: diagnosis of a rare tumor using ultrasonography, cytology, and intraoperative frozen sections. <i>Ultrasonography</i> , 2016, 35, 131-139.	2.3	19
33	Prognostic role of the Bethesda System for conventional papillary thyroid carcinoma. <i>Head and Neck</i> , 2016, 38, 1509-1514.	2.0	6
34	Automated Volumetric Breast Density Measurements in the Era of the BI-RADS Fifth Edition: A Comparison With Visual Assessment. <i>American Journal of Roentgenology</i> , 2016, 206, 1056-1062.	2.2	56
35	Shear-Wave Elastography for Papillary Thyroid Carcinoma can Improve Prediction of Cervical Lymph Node Metastasis. <i>Annals of Surgical Oncology</i> , 2016, 23, 722-729.	1.5	24
36	Can galectinâ€“3 be a useful marker for conventional papillary thyroid microcarcinoma?. <i>Diagnostic Cytopathology</i> , 2016, 44, 103-107.	1.0	9

#	ARTICLE	IF	CITATIONS
37	Thyroid nodules with nondiagnostic results on repeat fine-needle aspiration biopsy: which nodules should be considered for repeat biopsy or surgery rather than follow-up?. <i>Ultrasonography</i> , 2016, 35, 234-243.	2.3	17
38	Ultrasonographic Features of Medullary Thyroid Carcinoma: Do they Correlate with Pre and PostOperative Calcitonin Levels?. <i>Asian Pacific Journal of Cancer Prevention</i> , 2016, 17, 3357-62.	1.2	7
39	Repeat Diagnoses of Bethesda Category III Thyroid Nodules: What To Do Next?. <i>PLoS ONE</i> , 2015, 10, e0130138.	2.5	18
40	Quantitative Lesion-to-Fat Elasticity Ratio Measured by Shear-Wave Elastography for Breast Mass: Which Area Should Be Selected as the Fat Reference?. <i>PLoS ONE</i> , 2015, 10, e0138074.	2.5	13
41	Phyllodes Tumor Diagnosed after Ultrasound-Guided Vacuum-Assisted Excision: Should It Be Followed by Surgical Excision?. <i>Ultrasound in Medicine and Biology</i> , 2015, 41, 741-747.	1.5	17
42	Shear wave elastography of thyroid nodules for the prediction of malignancy in a large scale study. <i>European Journal of Radiology</i> , 2015, 84, 407-412.	2.6	105
43	Lesion stiffness measured by shear-wave elastography: Preoperative predictor of the histologic underestimation of US-guided core needle breast biopsy. <i>European Journal of Radiology</i> , 2015, 84, 2509-2514.	2.6	3
44	Shear Wave Elastography in Evaluation of Cervical Lymph Node Metastasis of Papillary Thyroid Carcinoma: Elasticity Index as a Prognostic Implication. <i>Annals of Surgical Oncology</i> , 2015, 22, 111-116.	1.5	46
45	Factors Influencing the Background Parenchymal Enhancement in Follow-Up Breast MRI after Adjuvant Endocrine Therapy. <i>Investigative Magnetic Resonance Imaging</i> , 2015, 19, 99.	0.4	0
46	[18F]-Fluorodeoxyglucose Positron Emission Tomography Can Contribute to Discriminate Patients with Poor Prognosis in Hormone Receptor-Positive Breast Cancer. <i>PLoS ONE</i> , 2014, 9, e105905.	2.5	18
47	Diagnostic Role of Conventional Ultrasonography and Shearwave Elastography in Asymptomatic Patients with Diffuse Thyroid Disease: Initial Experience with 57 Patients. <i>Yonsei Medical Journal</i> , 2014, 55, 247.	2.2	42
48	Shear-wave elastography for breast masses: local shear wave speed (m/s) versus Young modulus (kPa). <i>Ultrasonography</i> , 2014, 33, 34-39.	2.3	51
49	Thyroid Nodules with Macrocalcification: Sonographic Findings Predictive of Malignancy. <i>Yonsei Medical Journal</i> , 2014, 55, 339.	2.2	51
50	Practice guideline for the performance of breast ultrasound elastography. <i>Ultrasonography</i> , 2014, 33, 3-10.	2.3	79
51	Preoperative Assessment of Extrathyroidal Extension of Papillary Thyroid Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2014, 33, 819-825.	1.7	26
52	Incidence and Malignancy Rates of Diagnoses in the Bethesda System for Reporting Thyroid Aspiration Cytology: An Institutional Experience. <i>Korean Journal of Pathology</i> , 2014, 48, 133.	1.3	43
53	Standardized uptake value of 18F-fluorodeoxyglucose positron emission tomography for prediction of tumor recurrence in breast cancer beyond tumor burden. <i>Breast Cancer Research</i> , 2014, 16, 502.	5.0	33
54	Ductal carcinoma in situ diagnosed at US-guided 14-gauge core-needle biopsy for breast mass: Preoperative predictors of invasive breast cancer. <i>European Journal of Radiology</i> , 2014, 83, 654-659.	2.6	40

#	ARTICLE	IF	CITATIONS
55	Role of diffusion-weighted MRI: predicting axillary lymph node metastases in breast cancer. <i>Acta Radiologica</i> , 2014, 55, 909-916.	1.1	43
56	Optimal indication of thyroglobulin measurement in fine-needle aspiration for detecting lateral metastatic lymph nodes in patients with papillary thyroid carcinoma. <i>Head and Neck</i> , 2014, 36, 795-801.	2.0	35
57	Comparison of Strain and Shear Wave Elastography for the Differentiation of Benign From Malignant Breast Lesions, Combined With B-mode Ultrasonography: Qualitative and Quantitative Assessments. <i>Ultrasound in Medicine and Biology</i> , 2014, 40, 2336-2344.	1.5	85
58	Preoperative prediction of the extrathyroidal extension of papillary thyroid carcinoma with ultrasonography versus MRI: A retrospective cohort study. <i>International Journal of Surgery</i> , 2014, 12, 544-548.	2.7	37
59	Associations of the BRAFV600E Mutation with Sonographic Features and Clinicopathologic Characteristics in a Large Population with Conventional Papillary Thyroid Carcinoma. <i>PLoS ONE</i> , 2014, 9, e110868.	2.5	20
60	Comparison of hormonal receptor and HER2 status between ultrasound-guided 14-gauge core needle biopsy and surgery in breast cancer patients. <i>Ultrasonography</i> , 2014, 33, 206-215.	2.3	6
61	US-guided 14G Core Needle Biopsy: Comparison Between Underestimated and Correctly Diagnosed Breast Cancers. <i>Asian Pacific Journal of Cancer Prevention</i> , 2014, 15, 3179-3183.	1.2	3
62	Thyroid Nodules with Bethesda System III Cytology: Can Ultrasonography Guide the Next Step?. <i>Annals of Surgical Oncology</i> , 2013, 20, 3083-3088.	1.5	72
63	Diagnostic performance of qualitative shear-wave elastography according to different color map opacities for breast masses. <i>European Journal of Radiology</i> , 2013, 82, e326-e331.	2.6	14
64	Quantitative Shear Wave Elastography as a Prognostic Implication of Papillary Thyroid Carcinoma (PTC): Elasticity Index Can Predict Extrathyroidal Extension (ETE). <i>Annals of Surgical Oncology</i> , 2013, 20, 2765-2771.	1.5	24
65	Diagnostic value of commercially available shear-wave elastography for breast cancers: integration into BI-RADS classification with subcategories of category 4. <i>European Radiology</i> , 2013, 23, 2695-2704.	4.5	86
66	Quantitative assessment of shear-wave ultrasound elastography in thyroid nodules: diagnostic performance for predicting malignancy. <i>European Radiology</i> , 2013, 23, 2532-2537.	4.5	110
67	Three-dimensional shear-wave elastography for differentiating benign and malignant breast lesions: comparison with two-dimensional shear-wave elastography. <i>European Radiology</i> , 2013, 23, 1519-1527.	4.5	50
68	Visually assessed colour overlay features in shear-wave elastography for breast masses: quantification and diagnostic performance. <i>European Radiology</i> , 2013, 23, 658-663.	4.5	61
69	Radiologist Assessment of Breast Density by BI-RADS Categories Versus Fully Automated Volumetric Assessment. <i>American Journal of Roentgenology</i> , 2013, 201, 692-697.	2.2	74
70	Clinical application of qualitative assessment for breast masses in shear-wave elastography. <i>European Journal of Radiology</i> , 2013, 82, e680-e685.	2.6	36
71	Shear-wave elastography of invasive breast cancer: correlation between quantitative mean elasticity value and immunohistochemical profile. <i>Breast Cancer Research and Treatment</i> , 2013, 138, 119-126.	2.5	80
72	Sonographic Findings Predictive of Central Lymph Node Metastasis in Patients With Papillary Thyroid Carcinoma. <i>Journal of Ultrasound in Medicine</i> , 2013, 32, 2145-2151.	1.7	22

#	ARTICLE	IF	CITATIONS
73	Utility of Thyroglobulin Measurements in Fine-Needle Aspirates of Space Occupying Lesions in the Thyroid Bed After Thyroid Cancer Operations. <i>Thyroid</i> , 2013, 23, 280-288.	4.5	25
74	Clinical Image Evaluation of Film Mammograms in Korea: Comparison with the ACR Standard. <i>Korean Journal of Radiology</i> , 2013, 14, 701.	3.4	8
75	Image Reporting and Characterization System for Ultrasound Features of Thyroid Nodules: Multicentric Korean Retrospective Study. <i>Korean Journal of Radiology</i> , 2013, 14, 110.	3.4	130
76	Value of the US BI-RADS final assessment following mastectomy: BI-RADS 4 and 5 lesions. <i>Acta Radiologica</i> , 2012, 53, 255-260.	1.1	14
77	Familial Follicular Cell-Derived Thyroid Carcinoma. <i>Frontiers in Endocrinology</i> , 2012, 3, 61.	3.5	26
78	Initially non-diagnostic ultrasound-guided fine needle aspiration cytology of thyroid nodules: value and management. <i>Acta Radiologica</i> , 2012, 53, 168-173.	1.1	17
79	US-Guided Vacuum-Assisted Percutaneous Excision for Management of Benign Papilloma Without Atypia Diagnosed at US-Guided 14-Gauge Core Needle Biopsy. <i>Annals of Surgical Oncology</i> , 2012, 19, 922-928.	1.5	39
80	Triple-negative invasive breast cancer on dynamic contrast-enhanced and diffusion-weighted MR imaging: comparison with other breast cancer subtypes. <i>European Radiology</i> , 2012, 22, 1724-1734.	4.5	190
81	US follow-up protocol in concordant benign result after US-guided 14-gauge core needle breast biopsy. <i>Breast Cancer Research and Treatment</i> , 2012, 132, 1089-1097.	2.5	19
82	Scoring System Based on BI-RADS Lexicon to Predict Probability of Malignancy in Suspicious Microcalcifications. <i>Annals of Surgical Oncology</i> , 2012, 19, 1491-1498.	1.5	13
83	Thyroid Imaging Reporting and Data System for US Features of Nodules: A Step in Establishing Better Stratification of Cancer Risk. <i>Radiology</i> , 2011, 260, 892-899.	7.3	874
84	Imaging-Histologic Discordance After Sonographically Guided Percutaneous Breast Biopsy: A Prospective Observational Study. <i>Ultrasound in Medicine and Biology</i> , 2011, 37, 1771-1778.	1.5	17
85	Abdominal Wall Metastasis from an Invasive Lobular Carcinoma of the Breast: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2011, 64, 611.	0.2	0
86	Concordant or Discordant? Imaging-Pathology Correlation in a Sonography-Guided Core Needle Biopsy of a Breast Lesion. <i>Korean Journal of Radiology</i> , 2011, 12, 232.	3.4	28
87	Factors affecting inadequate sampling of ultrasound-guided fine-needle aspiration biopsy of thyroid nodules. <i>Clinical Endocrinology</i> , 2011, 74, 776-782.	2.4	76
88	Giant phyllodes tumors of the breast: imaging findings with clinicopathological correlation in 14 cases. <i>Clinical Imaging</i> , 2011, 35, 102-107.	1.5	12
89	Performance of hand-held whole-breast ultrasound based on BI-RADS in women with mammographically negative dense breast. <i>European Radiology</i> , 2011, 21, 667-675.	4.5	30
90	Contribution of Computed Tomography to Ultrasound in Predicting Lateral Lymph Node Metastasis in Patients with Papillary Thyroid Carcinoma. <i>Annals of Surgical Oncology</i> , 2011, 18, 1734-1741.	1.5	46

#	ARTICLE	IF	CITATIONS
91	Diffuse Microcalcifications Only of the Thyroid Gland Seen on Ultrasound: Clinical Implication and Diagnostic Approach. <i>Annals of Surgical Oncology</i> , 2011, 18, 2899-2906.	1.5	8
92	MRI Findings of Pure Ductal Carcinoma in Situ: Kinetic Characteristics Compared According to Lesion Type and Histopathologic Factors. <i>American Journal of Roentgenology</i> , 2011, 196, 1450-1456.	2.2	30
93	Benign Papilloma without Atypia Diagnosed at US-guided 14-gauge Core-Needle Biopsy: Clinical and US Features Predictive of Upgrade to Malignancy. <i>Radiology</i> , 2011, 258, 81-88.	7.3	88
94	Computed Tomography Is Useful for Preoperative Identification of Nonrecurrent Laryngeal Nerve in Thyroid Cancer Patients. <i>Otolaryngology - Head and Neck Surgery</i> , 2011, 145, 204-207.	1.9	20
95	How to Find an Isoechoic Lesion with Breast US. <i>Radiographics</i> , 2011, 31, 663-676.	3.3	16
96	Analysis of false-negative results after US-guided 14-gauge core needle breast biopsy. <i>European Radiology</i> , 2010, 20, 782-789.	4.5	52
97	Positive predictive values of sonographic features of solid thyroid nodule. <i>Clinical Imaging</i> , 2010, 34, 127-133.	1.5	60
98	Metastasis of Breast Carcinoma to Intercostal Muscle Detected by Breast MRI: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2010, 63, 391.	0.2	1
99	Local Recurrence of Secondary Hemangiosarcoma Following Breast Radiation Therapy: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2010, 63, 565.	0.2	0
100	Clear Cell Hidradenoma of the Axilla: a Case Report with Literature Review. <i>Korean Journal of Radiology</i> , 2010, 11, 490.	3.4	20
101	Can Vascularity at Power Doppler US Help Predict Thyroid Malignancy?. <i>Radiology</i> , 2010, 255, 260-269.	7.3	254
102	Extrathyroidal Implantation of Thyroid Tumor Cells After Needle Biopsy and Other Invasive Procedures. <i>Thyroid</i> , 2010, 20, 459-464.	4.5	6
103	Interobserver and Intraobserver Variations in Ultrasound Assessment of Thyroid Nodules. <i>Thyroid</i> , 2010, 20, 167-172.	4.5	194
104	The role of ultrasonography and FDG-PET in axillary lymph node staging of breast cancer. <i>Acta Radiologica</i> , 2010, 51, 859-865.	1.1	43
105	Value of US Correlation of a Thyroid Nodule with Initially Benign Cytologic Results. <i>Radiology</i> , 2010, 254, 292-300.	7.3	129
106	Atypical Papilloma Diagnosed by Sonographically Guided 14-Gauge Core Needle Biopsy of Breast Mass. <i>American Journal of Roentgenology</i> , 2010, 194, 1397-1402.	2.2	23
107	Localized Metastasis to Small and Large Bowel from Breast Cancer: A Case Report. <i>Journal of the Korean Society of Radiology</i> , 2010, 62, 551.	0.2	3
108	Diagnostic Value of 3D Fast Low-Angle Shot Dynamic MRI of Breast Papillomas. <i>Yonsei Medical Journal</i> , 2009, 50, 838.	2.2	16

#	ARTICLE	IF	CITATIONS
109	Complete Eradication of Metastatic Lymph Node After Percutaneous Ethanol Injection Therapy: Pathologic Correlation. <i>Thyroid</i> , 2009, 19, 317-319.	4.5	20
110	Interobserver Agreement in Assessing the Sonographic and Elastographic Features of Malignant Thyroid Nodules. <i>American Journal of Roentgenology</i> , 2009, 193, W416-W423.	2.2	171
111	Diffuse Sclerosing Variant of Papillary Carcinoma of the Thyroid Gland: Specimen Radiographic Features with Histopathological Correlation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009, 94, 1491-1492.	3.6	16
112	Significance of sonographic characterization for managing subcentimeter thyroid nodules. <i>Acta Radiologica</i> , 2009, 50, 917-923.	1.1	21
113	The Combined Role of Ultrasound and Frozen Section in Surgical Management of Thyroid Nodules Read as Suspicious for Papillary Thyroid Carcinoma on Fine Needle Aspiration Biopsy: A Retrospective Study. <i>World Journal of Surgery</i> , 2009, 33, 950-957.	1.6	32
114	Characterization of microcalcification: can digital monitor zooming replace magnification mammography in full-field digital mammography?. <i>European Radiology</i> , 2009, 19, 310-317.	4.5	16
115	How to combine ultrasound and cytological information in decision making about thyroid nodules. <i>European Radiology</i> , 2009, 19, 1923-1931.	4.5	83
116	Papillary Microcarcinoma of the Thyroid: Predicting Factors of Lateral Neck Node Metastasis. <i>Annals of Surgical Oncology</i> , 2009, 16, 1348-1355.	1.5	117
117	The Role of BRAFV600E Mutation and Ultrasonography for the Surgical Management of a Thyroid Nodule Suspicious for Papillary Thyroid Carcinoma on Cytology. <i>Annals of Surgical Oncology</i> , 2009, 16, 3125-3131.	1.5	46
118	Postexcisional Breast Magnetic Resonance Imaging in Patients With Breast Cancer. <i>Journal of Computer Assisted Tomography</i> , 2009, 33, 940-945.	0.9	7
119	Effect of Clinical Information on Diagnostic Performance in Breast Sonography. <i>Journal of Ultrasound in Medicine</i> , 2009, 28, 1349-1356.	1.7	16
120	Nonmalignant papillary lesions of the breast at US-guided directional vacuum-assisted removal: a preliminary report. <i>European Radiology</i> , 2008, 18, 1774-1783.	4.5	43
121	Treatment-planning CT scan for breast and chest-wall irradiation: how many unexpected abnormalities could we detect?. <i>Clinical Imaging</i> , 2008, 32, 443-446.	1.5	7
122	Extrathyroid Extension of Well-Differentiated Papillary Thyroid Microcarcinoma on US. <i>Thyroid</i> , 2008, 18, 609-614.	4.5	122
123	Anaplastic Thyroid Carcinoma Arising From a Calcified Thyroid Mass. <i>Journal of Clinical Oncology</i> , 2008, 26, 3800-3802.	1.6	3
124	Thyroid Incidentalomas Identified by ¹⁸ F-FDG PET: Sonographic Correlation. <i>American Journal of Roentgenology</i> , 2008, 191, 598-603.	2.2	50
125	The Role of Ultrasound in Thyroid Nodules with a Cytology Reading of "Suspicious for Papillary Thyroid Carcinoma". <i>Thyroid</i> , 2008, 18, 517-522.	4.5	43
126	Excitatory Actions of GABA in the Suprachiasmatic Nucleus. <i>Journal of Neuroscience</i> , 2008, 28, 5450-5459.	3.6	149

#	ARTICLE	IF	CITATIONS
127	US-Guided Vacuum-Assisted Biopsy of Microcalcifications in Breast Lesions and Long-Term Follow-Up Results. Korean Journal of Radiology, 2008, 9, 503.	3.4	27
128	The Safety and Efficiency of the Ultrasound-guided Large Needle Core Biopsy of Axilla Lymph Nodes. Yonsei Medical Journal, 2008, 49, 249.	2.2	11
129	Benign Intracystic Papilloma of the Male Breast. Journal of Ultrasound in Medicine, 2008, 27, 1397-1400.	1.7	9
130	Fine Needle Aspiration Cytology of Subacute Granulomatous Thyroiditis: A Clinico-Cytological Review of 10 Cases with Immunocytochemical Analysis. The Korean Journal of Cytopathology, 2008, 19, 27.	0.1	0
131	Lithium Toxicity Precipitated by Profound Hypothyroidism. Thyroid, 2008, 18, 651-654.	4.5	50
132	Papillary Thyroid Carcinoma Manifested Solely as Microcalcifications on Sonography. American Journal of Roentgenology, 2007, 189, 227-231.	2.2	33
133	Pregnancy-Associated Breast Disease: Radiologic Features and Diagnostic Dilemmas. Yonsei Medical Journal, 2006, 47, 34.	2.2	58
134	Peculiar Mammographic and Ultrasonographic Findings of a Retained Silastic Drain in the Breast. Yonsei Medical Journal, 2006, 47, 752.	2.2	4
135	Characteristic imaging features of breast fibroadenomas in women given cyclosporin A after renal transplantation. Journal of Clinical Ultrasound, 2004, 32, 69-77.	0.8	14
136	Analysis of 193 Mammographic Phantom Images. Journal of the Korean Radiological Society, 2003, 49, 421.	0.0	0
137	Sentinel lymph node biopsy using radioactive material in breast cancer patients. Journal of Korean Breast Cancer Society, 2000, 3, 104.	0.1	2
138	Findings Chest Radiograph and CT in Mediastinitis: Efficacy of CT in Patients with Delayed Diagnosis. Journal of the Korean Radiological Society, 1999, 40, 59.	0.0	0
139	Usefulness of Mammography of Mastectomy Site for Breast Cancer. Journal of the Korean Radiological Society, 1998, 39, 413.	0.0	0