

# Ulf Gunnar Bronas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6174124/publications.pdf>

Version: 2024-02-01

40  
papers

1,362  
citations

567281

15  
h-index

345221

36  
g-index

40  
all docs

40  
docs citations

40  
times ranked

1834  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perceived Social Support and Heart Rate Variability: An Integrative Review. <i>Western Journal of Nursing Research</i> , 2022, 44, 1057-1067.	1.4	9
2	Impact of worries associated with COVID-19 on diabetes-related psychological symptoms in older adults with Type 2 diabetes. <i>Geriatric Nursing</i> , 2022, 43, 58-63.	1.9	11
3	Independent associations between sleep duration, gamma gap, and cognitive function among older adults: Results from the NHANES 2013-2014. <i>Geriatric Nursing</i> , 2022, 44, 1-7.	1.9	7
4	Connecting the past to the present: A historical review of exercise training for peripheral artery disease. <i>Vascular Medicine</i> , 2022, 27, 174-185.	1.5	6
5	Allostatic Load in Cancer: A Systematic Review and Mini Meta-Analysis. <i>Biological Research for Nursing</i> , 2021, 23, 341-361.	1.9	42
6	Heart up! RCT protocol to increase physical activity in cardiac patients who report hopelessness: Amended for the COVID-19 pandemic. <i>Research in Nursing and Health</i> , 2021, 44, 279-294.	1.6	6
7	Sedentary Behavior in Older Adults With Preclinical Cognitive Impairment With and Without Chronic Kidney Disease. <i>Journal of Gerontological Nursing</i> , 2021, 47, 35-42.	0.6	2
8	Exercise Training and Cognitive Function in Kidney Disease. <i>Nursing Research</i> , 2021, Publish Ahead of Print, .	1.7	1
9	Individual Differences in Response to Supervised Exercise Therapy for Peripheral Artery Disease. <i>Western Journal of Nursing Research</i> , 2021, 43, 770-784.	1.4	5
10	The Influence of Sedentary Behavior on the Relationship Between Cognitive Function and Vascular Function in Older Adults with and without Chronic Kidney Disease.. <i>Nephrology Nursing Journal</i> , 2021, 48, 553-561.	0.2	0
11	Influence of Changes in Sedentary Time on Outcomes of Supervised Exercise Therapy in Individuals with Comorbid Peripheral Artery Disease and Type 2 Diabetes. <i>Annals of Vascular Surgery</i> , 2020, 68, 369-383.	0.9	10
12	Cognitive and vascular function in older adults with and without CKD. <i>Aging Clinical and Experimental Research</i> , 2020, 33, 1885-1894.	2.9	5
13	Relationships between objective sleep parameters and inflammatory biomarkers in pregnancy. <i>Annals of the New York Academy of Sciences</i> , 2020, 1473, 62-73.	3.8	6
14	Sleep disturbance and next-day physical activity in COPD patients. <i>Geriatric Nursing</i> , 2020, 41, 872-877.	1.9	5
15	Rhythmic auditory stimulation increases 6-Minute walk distance in individuals with COPD: A repeated measures study. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2020, 49, 324-328.	1.6	6
16	The assessment of cognitive function in older adult patients with chronic kidney disease: an integrative review. <i>Journal of Nephrology</i> , 2019, 32, 211-230.	2.0	9
17	A mixed methods study of perceived barriers to physical activity, geriatric syndromes, and physical activity levels among older adults with peripheral artery disease and diabetes. <i>Journal of Vascular Nursing</i> , 2019, 37, 91-105.	0.7	11
18	Sedentary Time and White Matter Hyperintensity Volume in Older Adults. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 1613-1618.	0.4	22

#	ARTICLE	IF	CITATIONS
19	Optimal Exercise Programs for Patients With Peripheral Artery Disease: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2019, 139, e10-e33.	1.6	172
20	Symptom Cluster Science in Chronic Kidney Disease: A Literature Review. <i>Western Journal of Nursing Research</i> , 2019, 41, 1056-1091.	1.4	19
21	Kidney Disease and Cognitive Impairment in Older Adults: The State of the Science. <i>Bioengineered</i> , 2019, 8, 74-81.	3.2	0
22	A Music-Guided Home-Based Claudication Rehabilitation Program. <i>Bioengineered</i> , 2019, 8, 102-107.	3.2	3
23	Measurement of peripheral blood flow in patients with peripheral artery disease: Methods and considerations. <i>Vascular Medicine</i> , 2018, 23, 163-171.	1.5	7
24	Sleep assessment in aging adults with type 2 diabetes: agreement between actigraphy and sleep diaries. <i>Sleep Medicine</i> , 2018, 46, 88-94.	1.6	17
25	Rhythmic Auditory Music Stimulation Enhances Walking Distance in Patients With Claudication. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 2018, 38, E1-E5.	2.1	4
26	Relationship between sleep disturbance and self-care in adults with type 2 diabetes. <i>Acta Diabetologica</i> , 2018, 55, 963-970.	2.5	31
27	Defeating Urinary Incontinence with Exercise Training: Results of a Pilot Study in Frail Older Women. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 1321-1327.	2.6	23
28	Managing knee osteoarthritis with yoga or aerobic/strengthening exercise programs in older adults: a pilot randomized controlled trial. <i>Rheumatology International</i> , 2017, 37, 389-398.	3.0	65
29	Determination of Aerobic Capacity via Cycle Ergometer Exercise Testing in Alzheimer's Disease. <i>American Journal of Alzheimer's Disease and Other Dementias</i> , 2017, 32, 500-508.	1.9	7
30	Barriers to exercise for patients with renal disease: an integrative review. <i>Journal of Nephrology</i> , 2017, 30, 729-741.	2.0	55
31	Cognitive Impairment in Chronic Kidney Disease: Vascular Milieu and the Potential Therapeutic Role of Exercise. <i>BioMed Research International</i> , 2017, 2017, 1-10.	1.9	59
32	Insights into Living with Kidney Disease. <i>BioMed Research International</i> , 2017, 2017, 1-2.	1.9	3
33	Reactive Oxygen and Nitrogen Species. <i>Nursing Research</i> , 2015, 64, 53-66.	1.7	99
34	Cochrane review: in adults with chronic kidney disease regular exercise improves physical fitness, walking capacity, heart rate and blood pressure and some nutritional parameters. <i>Evidence-based Nursing</i> , 2012, 15, 95-96.	0.2	2
35	Supervised Exercise Versus Primary Stenting for Claudication Resulting From Aortoiliac Peripheral Artery Disease. <i>Circulation</i> , 2012, 125, 130-139.	1.6	406
36	Comparison of the effect of upper body-ergometry aerobic training vs treadmill training on central cardiorespiratory improvement and walking distance in patients with claudication. <i>Journal of Vascular Surgery</i> , 2011, 53, 1557-1564.	1.1	51

#	ARTICLE	IF	CITATIONS
37	Peripheral Artery Disease in the Elderly: Prevalence, Clinical Implications, and Therapy. Current Cardiovascular Risk Reports, 2011, 5, 457-466.	2.0	0
38	Efficacy of arm-ergometry versus treadmill exercise training to improve walking distance in patients with claudication. Vascular Medicine, 2009, 14, 203-213.	1.5	109
39	Design of the multicenter standardized supervised exercise training intervention for the â€œClaudication: Exercise Vs Endoluminal Revascularization (CLEVER) studyâ€™. Vascular Medicine, 2009, 14, 313-321.	1.5	31
40	Exercise Training and Reduction of Cardiovascular Disease Risk Factors in Patients With Chronic Kidney Disease. Advances in Chronic Kidney Disease, 2009, 16, 449-458.	1.4	36