

Young Kee Shong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6181798/publications.pdf>

Version: 2024-02-01

281
papers

11,596
citations

28274

55
h-index

38395

95
g-index

284
all docs

284
docs citations

284
times ranked

8803
citing authors

#	ARTICLE	IF	CITATIONS
1	Limitations of fine-needle aspiration and core needle biopsies in the diagnosis of tall cell variant of papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2023, 98, 110-116.	2.4	1
2	Lenvatinib Compared with Sorafenib as a First-Line Treatment for Radioactive Iodine-Refractory, Progressive, Differentiated Thyroid Carcinoma: Real-World Outcomes in a Multicenter Retrospective Cohort Study. <i>Thyroid</i> , 2023, 33, 91-99.	4.5	17
3	Effect of TSH levels during active surveillance of PTMC according to age. <i>Endocrine-Related Cancer</i> , 2022, 29, 191-200.	3.1	7
4	Comparison of ^{99m} Tc Perchnetate Thyroid Uptake Rates by Gamma Probe and Gamma Camera Methods for Differentiating Graves' Disease and Thyroiditis. <i>Nuclear Medicine and Molecular Imaging</i> , 2022, 56, 42-51.	1.0	5
5	Effects of dabrafenib and erlotinib combination treatment on anaplastic thyroid carcinoma. <i>Endocrine-Related Cancer</i> , 2022, 29, 307-319.	3.1	7
6	Graves' disease diagnosed in remnant thyroid after lobectomy for thyroid cancer. <i>PLoS ONE</i> , 2022, 17, e0265332.	2.5	0
7	Immune Profiling of Advanced Thyroid Cancers Using Fluorescent Multiplex Immunohistochemistry. <i>Thyroid</i> , 2021, 31, 61-67.	4.5	17
8	Real-world experience of lenvatinib in patients with advanced anaplastic thyroid cancer. <i>Endocrine</i> , 2021, 71, 427-433.	2.3	14
9	Comparison Between Familial and Sporadic Non-medullary Thyroid Carcinoma: A Retrospective Individual Risk Factor-Matched Cohort Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 1722-1730.	1.5	4
10	Mitofusin-2 modulates the epithelial to mesenchymal transition in thyroid cancer progression. <i>Scientific Reports</i> , 2021, 11, 2054.	3.3	16
11	Genetic Profiles of Aggressive Variants of Papillary Thyroid Carcinomas. <i>Cancers</i> , 2021, 13, 892.	3.7	15
12	Five-year follow-up results of thermal ablation for low-risk papillary thyroid microcarcinomas: systematic review and meta-analysis. <i>European Radiology</i> , 2021, 31, 6446-6456.	4.5	30
13	Assessing the diagnostic performance of thyroid biopsy with recommendations for appropriate interpretation. <i>Ultrasonography</i> , 2021, 40, 228-236.	2.3	2
14	Gender-Dependent Reference Range of Serum Calcitonin Levels in Healthy Korean Adults. <i>Endocrinology and Metabolism</i> , 2021, 36, 365-373.	3.0	5
15	Tumor Volume Doubling Time in Active Surveillance of Papillary Thyroid Microcarcinoma: A Multicenter Cohort Study in Korea. <i>Thyroid</i> , 2021, 31, 1494-1501.	4.5	17
16	Clinical implications of age and excellent response to therapy in patients with high-risk differentiated thyroid carcinoma. <i>Clinical Endocrinology</i> , 2021, 95, 882-890.	2.4	4
17	Active Surveillance as an Effective Management Option for Low-Risk Papillary Thyroid Microcarcinoma. <i>Endocrinology and Metabolism</i> , 2021, 36, 717-724.	3.0	3
18	Clinicopathological Characteristics and Disease-Free Survival in Patients with Hürthle Cell Carcinoma: A Multicenter Cohort Study in South Korea. <i>Endocrinology and Metabolism</i> , 2021, 36, 1078-1085.	3.0	5

#	ARTICLE	IF	CITATIONS
19	Clinical Characteristics and Prognosis of Coexisting Thyroid Cancer in Patients with Gravesâ€™ Disease: A Retrospective Multicenter Study. <i>Endocrinology and Metabolism</i> , 2021, 36, 1268-1276.	3.0	12
20	Mutation in Genes Encoding Key Functional Groups Additively Increase Mortality in Patients with BRAFV600E-Mutant Advanced Papillary Thyroid Carcinoma. <i>Cancers</i> , 2021, 13, 5846.	3.7	7
21	Current Status and Future Perspective of the Treatment for Radioiodine Refractory Differentiated Thyroid Cancer. <i>International Journal of Thyroidology</i> , 2021, 14, 98-111.	0.1	0
22	Modified risk stratification based on cervical lymph node metastases following lobectomy for papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2020, 92, 358-365.	2.4	4
23	Prognostic role of the lymphocyteâ€œmonocyte ratio for clinical outcomes of patients with progressive radioiodineâ€œrefractory differentiated thyroid carcinoma treated by sorafenib. <i>Clinical Endocrinology</i> , 2020, 92, 71-76.	2.4	12
24	Estimating the Growth Rate of Lung Metastases in Differentiated Thyroid Carcinoma: Response Evaluation Criteria in Solid Tumors or Doubling Time?. <i>Thyroid</i> , 2020, 30, 418-424.	4.5	3
25	Lenvatinib for Radioactive Iodine-Refractory Differentiated Thyroid Carcinoma and Candidate Biomarkers Associated with Survival: A Multicenter Study in Korea. <i>Thyroid</i> , 2020, 30, 732-738.	4.5	28
26	Long-term clinical outcomes of papillary thyroid carcinoma patients with biochemical incomplete response. <i>Endocrine</i> , 2020, 67, 623-629.	2.3	14
27	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. <i>PLoS ONE</i> , 2020, 15, e0238207.	2.5	14
28	High Phosphoglycerate Dehydrogenase Expression Induces Stemness and Aggressiveness in Thyroid Cancer. <i>Thyroid</i> , 2020, 30, 1625-1638.	4.5	17
29	Genetic profile of advanced thyroid cancers in relation to distant metastasis. <i>Endocrine-Related Cancer</i> , 2020, 27, 285-293.	3.1	22
30	Quality of Life in Patients with Papillary Thyroid Microcarcinoma According to Treatment: Total Thyroidectomy with or without Radioactive Iodine Ablation. <i>Endocrinology and Metabolism</i> , 2020, 35, 115.	3.0	10
31	Unmet Clinical Needs in the Treatment of Patients with Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2020, 35, 14.	3.0	10
32	Modification of the Tumor-Node-Metastasis Staging System for Differentiated Thyroid Carcinoma by Considering Extra-Thyroidal Extension and Lateral Cervical Lymph Node Metastasis. <i>Endocrinology and Metabolism</i> , 2020, 35, 149.	3.0	5
33	Vandetanib for the Management of Advanced Medullary Thyroid Cancer: A Real-World Multicenter Experience. <i>Endocrinology and Metabolism</i> , 2020, 35, 587-594.	3.0	13
34	Clinical Implication of World Health Organization Classification in Patients with Follicular Thyroid Carcinoma in South Korea: A Multicenter Cohort Study. <i>Endocrinology and Metabolism</i> , 2020, 35, 618-627.	3.0	10
35	Association between urinary sodium levels and iodine status in Korea. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 392-399.	1.7	11
36	Clinical Outcomes after Early and Delayed Radioiodine Remnant Ablation in Patients with Low-Risk Papillary Thyroid Carcinoma: Propensity Score Matching Analysis. <i>Endocrinology and Metabolism</i> , 2020, 35, 830-837.	3.0	7

#	ARTICLE	IF	CITATIONS
37	MON-494 Quality of Life in Patients with Papillary Thyroid Microcarcinoma According to the Treatment: Total Thyroidectomy Versus Total Thyroidectomy with Radioactive Iodine Remnant Ablation. <i>Journal of the Endocrine Society</i> , 2020, 4, .	0.2	0
38	Clinical Outcomes of N1b Papillary Thyroid Cancer Patients Treated with Two Different Doses of Radioiodine Ablation Therapy. <i>Endocrinology and Metabolism</i> , 2020, 35, 602-609.	3.0	0
39	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. , 2020, 15, e0238207.		0
40	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. , 2020, 15, e0238207.		0
41	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. , 2020, 15, e0238207.		0
42	Unusual metastases from differentiated thyroid cancers: A multicenter study in Korea. , 2020, 15, e0238207.		0
43	The value of preoperative antithyroidperoxidase antibody as a novel predictor of recurrence in papillary thyroid carcinoma. <i>International Journal of Cancer</i> , 2019, 144, 1414-1420.	5.1	15
44	Determining Whether Tumor Volume Doubling Time and Growth Rate Can Predict Malignancy After Delayed Diagnostic Surgery of Follicular Neoplasm. <i>Thyroid</i> , 2019, 29, 1418-1424.	4.5	10
45	Active Surveillance for Small Papillary Thyroid Cancer: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2019, 29, 1399-1408.	4.5	88
46	Comparison of Thyroid Hormones in Euthyroid Athyreotic Patients Treated with Levothyroxine and Euthyroid Healthy Subjects. <i>International Journal of Thyroidology</i> , 2019, 12, 28.	0.1	2
47	Extended Real-World Observation of Patients Treated with Sorafenib for Radioactive Iodine-Refractory Differentiated Thyroid Carcinoma and Impact of Lenvatinib Salvage Treatment: A Korean Multicenter Study. <i>Thyroid</i> , 2019, 29, 1804-1810.	4.5	17
48	Optimal Thyrotropin Suppression Therapy in Low-Risk Thyroid Cancer Patients after Lobectomy. <i>Journal of Clinical Medicine</i> , 2019, 8, 1279.	2.4	14
49	Clinical Significance of Gross Invasion of Strap Muscles in Patients With 1- to 4-cm-Sized Papillary Thyroid Carcinoma Undergoing Lobectomy. <i>Annals of Surgical Oncology</i> , 2019, 26, 4466-4471.	1.5	10
50	Sex-Dependent Association between Weight Change and Thyroid Dysfunction: Population-Level Analysis Using the Korean National Health and Nutrition Examination Survey. <i>European Thyroid Journal</i> , 2019, 8, 202-207.	2.4	3
51	Active Surveillance of Papillary Thyroid Microcarcinoma: Where Do We Stand?. <i>European Thyroid Journal</i> , 2019, 8, 298-306.	2.4	35
52	When should antithyroid drug therapy to reduce the relapse rate of hyperthyroidism in Gravesâ€™ disease be discontinued?. <i>Endocrine</i> , 2019, 65, 348-356.	2.3	14
53	Impact of delayed radioiodine therapy in intermediateâ€highâ€risk papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2019, 91, 449-455.	2.4	9
54	Risk of Malignancy According to the Sub-classification of Atypia of Undetermined Significance and Suspicious Follicular Neoplasm Categories in Thyroid Core Needle Biopsies. <i>Endocrine Pathology</i> , 2019, 30, 146-154.	9.0	13

#	ARTICLE	IF	CITATIONS
55	Quality of Life in Patients with Papillary Thyroid Microcarcinoma Managed by Active Surveillance or Lobectomy: A Cross-Sectional Study. <i>Thyroid</i> , 2019, 29, 956-962.	4.5	80
56	Tumor Volume Doubling Time in Active Surveillance of Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2019, 29, 642-649.	4.5	44
57	Low Lymphocyte-to-Monocyte Ratios Are Associated with Poor Overall Survival in Anaplastic Thyroid Carcinoma Patients. <i>Thyroid</i> , 2019, 29, 824-829.	4.5	33
58	Time trends of thyroglobulin antibody in ablated papillary thyroid carcinoma patients: Can we predict the rate of negative conversion?. <i>Oral Oncology</i> , 2019, 91, 29-34.	1.5	6
59	Refining the tumor-node-metastasis staging system for individualized treatment of differentiated thyroid carcinoma. <i>Oral Oncology</i> , 2019, 89, 8-13.	1.5	5
60	Tumor Growth Rate Does Not Predict Malignancy in Surgically Resected Thyroid Nodules Classified as Bethesda Category III with Architectural Atypia. <i>Thyroid</i> , 2019, 29, 216-221.	4.5	10
61	Mutational profile of papillary thyroid microcarcinoma with extensive lymph node metastasis. <i>Endocrine</i> , 2019, 64, 130-138.	2.3	15
62	The role of Slit2 as a tumor suppressor in thyroid cancer. <i>Molecular and Cellular Endocrinology</i> , 2019, 483, 87-96.	3.2	18
63	A Relook at the T Stage of Differentiated Thyroid Carcinoma with a Focus on Gross Extrathyroidal Extension. <i>Thyroid</i> , 2019, 29, 202-208.	4.5	37
64	Individualized Follow-Up Strategy for Patients with an Indeterminate Response to Initial Therapy for Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2019, 29, 209-215.	4.5	12
65	Lobectomy Is Feasible for 1â€“4â€“cm Papillary Thyroid Carcinomas: A 10-Year Propensity Score Matched-Pair Analysis on Recurrence. <i>Thyroid</i> , 2019, 29, 64-70.	4.5	45
66	Ethanol ablation as a treatment strategy for benign cystic thyroid nodules: a comparison of the ethanol retention and aspiration techniques. <i>Ultrasonography</i> , 2019, 38, 166-171.	2.3	30
67	Expression of <i>NF2</i> Modulates the Progression of <i>BRAF</i> ^{V600E} Mutated Thyroid Cancer Cells. <i>Endocrinology and Metabolism</i> , 2019, 34, 203.	3.0	6
68	Tumour growth rate of follicular thyroid carcinoma is not different from that of follicular adenoma. <i>Clinical Endocrinology</i> , 2018, 88, 936-942.	2.4	10
69	Prognostic Implication of N1b Classification in the Eighth Edition of the Tumor-Node-Metastasis Staging System of Differentiated Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 496-503.	4.5	28
70	Serum thyroid-stimulating hormone levels and smoking status: Data from the Korean National Health and Nutrition Examination Survey <sc>VI</sc>. <i>Clinical Endocrinology</i> , 2018, 88, 969-976.	2.4	26
71	<i>BRAF</i> and <i>RAS</i> Mutational Status in Noninvasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features and Invasive Subtype of Encapsulated Follicular Variant of Papillary Thyroid Carcinoma in Korea. <i>Thyroid</i> , 2018, 28, 504-510.	4.5	40
72	Tertiary Care Experience of Sorafenib in the Treatment of Progressive Radioiodine-Refractory Differentiated Thyroid Carcinoma: A Korean Multicenter Study. <i>Thyroid</i> , 2018, 28, 340-348.	4.5	42

#	ARTICLE	IF	CITATIONS
73	Preoperative Clinical and Sonographic Predictors for Lateral Cervical Lymph Node Metastases in Sporadic Medullary Thyroid Carcinoma. <i>Thyroid</i> , 2018, 28, 362-368.	4.5	29
74	Development of thyroid dysfunction is associated with clinical response to PD-1 blockade treatment in patients with advanced non-small cell lung cancer. <i>OncImmunity</i> , 2018, 7, e1375642.	4.6	83
75	Influence of coexistent Hashimoto's thyroiditis on the extent of cervical lymph node dissection and prognosis in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2018, 88, 123-128.	2.4	40
76	A Follow-Up Strategy for Patients with an Excellent Response to Initial Therapy for Differentiated Thyroid Carcinoma: Less Is Better. <i>Thyroid</i> , 2018, 28, 187-192.	4.5	17
77	Practical Initial Risk Stratification Based on Lymph Node Metastases in Pediatric and Adolescent Differentiated Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 193-200.	4.5	38
78	Clinical Outcomes of Differentiated Thyroid Cancer Patients with Local Recurrence or Distant Metastasis Detected in Old Age. <i>Endocrinology and Metabolism</i> , 2018, 33, 459.	3.0	4
79	Eighth edition of tumor-node-metastasis staging system improve survival predictability for papillary, but not follicular thyroid carcinoma: A multicenter cohort study. <i>Oral Oncology</i> , 2018, 87, 97-103.	1.5	12
80	Active Surveillance of Low-Risk Papillary Thyroid Microcarcinoma: A Multi-Center Cohort Study in Korea. <i>Thyroid</i> , 2018, 28, 1587-1594.	4.5	141
81	Modification of the eight-edition tumor-node-metastasis staging system with N1b for papillary thyroid carcinoma: A multi-institutional cohort study. <i>Oral Oncology</i> , 2018, 86, 48-52.	1.5	6
82	Comparison of Immunohistochemistry and Direct Sanger Sequencing for Detection of the <i>BRAF</i> ^{V600E} Mutation in Thyroid Neoplasm. <i>Endocrinology and Metabolism</i> , 2018, 33, 62.	3.0	20
83	Association Between Thyroid Dysfunction and Lipid Profiles Differs According to Age and Sex: Results from the Korean National Health and Nutrition Examination Survey. <i>Thyroid</i> , 2018, 28, 849-856.	4.5	20
84	Changes in Serum Thyroglobulin Levels After Lobectomy in Patients with Low-Risk Papillary Thyroid Cancer. <i>Thyroid</i> , 2018, 28, 997-1003.	4.5	63
85	Efficacy and Safety of Radiofrequency Ablation for Benign Thyroid Nodules: A Prospective Multicenter Study. <i>Korean Journal of Radiology</i> , 2018, 19, 167.	3.4	149
86	Do aggressive variants of papillary thyroid carcinoma have worse clinical outcome than classic papillary thyroid carcinoma?. <i>European Journal of Endocrinology</i> , 2018, 179, 135-142.	3.7	44
87	Decreasing Disease-Specific Mortality of Differentiated Thyroid Cancer in Korea: A Multicenter Cohort Study. <i>Thyroid</i> , 2018, 28, 1121-1127.	4.5	13
88	Association of KCNJ2 Genetic Variants with Susceptibility to Thyrotoxic Periodic Paralysis in Patients with Graves' Disease. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2017, 125, 75-78.	1.2	5
89	A Computer-Aided Diagnosis System Using Artificial Intelligence for the Diagnosis and Characterization of Thyroid Nodules on Ultrasound: Initial Clinical Assessment. <i>Thyroid</i> , 2017, 27, 546-552.	4.5	160
90	A comparison of lobectomy and total thyroidectomy in patients with papillary thyroid microcarcinoma: a retrospective individual risk factor-matched cohort study. <i>European Journal of Endocrinology</i> , 2017, 176, 371-378.	3.7	81

#	ARTICLE	IF	CITATIONS
91	Features of papillary thyroid microcarcinoma associated with lateral cervical lymph node metastasis. <i>Clinical Endocrinology</i> , 2017, 86, 845-851.	2.4	53
92	Excessive Iodine Intake and Thyrotropin Reference Interval: Data from the Korean National Health and Nutrition Examination Survey. <i>Thyroid</i> , 2017, 27, 967-972.	4.5	48
93	Active Surveillance for Patients With Papillary Thyroid Microcarcinoma: A Single Center's Experience in Korea. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1917-1925.	3.6	164
94	Clinical Features of Early and Late Postoperative Hypothyroidism After Lobectomy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, 1317-1324.	3.6	57
95	Serial Neck Ultrasonographic Evaluation of Changes in Papillary Thyroid Carcinoma During Pregnancy. <i>Thyroid</i> , 2017, 27, 773-777.	4.5	29
96	Clinical outcomes after delayed thyroid surgery in patients with papillary thyroid microcarcinoma. <i>European Journal of Endocrinology</i> , 2017, 177, 25-31.	3.7	40
97	Comparison of the Seventh and Eighth Editions of the American Joint Committee on Cancer/Union for International Cancer Control Tumor-Node-Metastasis Staging System for Differentiated Thyroid Cancer. <i>Thyroid</i> , 2017, 27, 1149-1155.	4.5	83
98	Preoperative clinicopathological characteristics of patients with solitary encapsulated follicular variants of papillary thyroid carcinomas. <i>Journal of Surgical Oncology</i> , 2017, 116, 746-755.	1.7	12
99	Lack of Efficacy of Radioiodine Remnant Ablation for Papillary Thyroid Microcarcinoma: Verification Using Inverse Probability of Treatment Weighting. <i>Annals of Surgical Oncology</i> , 2017, 24, 2596-2602.	1.5	17
100	Changes in standardized mortality rates from thyroid cancer in Korea between 1985 and 2015: Analysis of Korean national data. <i>Cancer</i> , 2017, 123, 4808-4814.	4.1	23
101	Vitamin D deficiency affects thyroid autoimmunity and dysfunction in iodine-replete area: Korea national health and nutrition examination survey. <i>Endocrine</i> , 2017, 58, 332-339.	2.3	20
102	Thyrotropin Suppressive Therapy for Low-Risk Small Thyroid Cancer: A Propensity Score-Matched Cohort Study. <i>Thyroid</i> , 2017, 27, 1164-1170.	4.5	46
103	Comparison of Core-Needle Biopsy and Fine-Needle Aspiration for Evaluating Thyroid Incidentalomas Detected by ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography: A Propensity Score Analysis. <i>Thyroid</i> , 2017, 27, 1258-1266.	4.5	4
104	Age-specific reference interval of serum TSH levels is high in adolescence in an iodine excess area: Korea national health and nutrition examination survey data. <i>Endocrine</i> , 2017, 57, 445-454.	2.3	13
105	Optimal cut-off age in the TNM Staging system of differentiated thyroid cancer: is 55 years better than 45 years?. <i>Clinical Endocrinology</i> , 2017, 86, 438-443.	2.4	43
106	Initial Size of Metastatic Lesions Is Best Prognostic Factor in Patients with Metastatic Differentiated Thyroid Carcinoma Confined to the Lung. <i>Thyroid</i> , 2017, 27, 49-58.	4.5	14
107	Ultrasonography features of medullary thyroid cancer as predictors of its biological behavior. <i>Acta Radiologica</i> , 2017, 58, 414-422.	1.1	17
108	Dynamic Risk Stratification for Predicting Recurrence in Patients with Differentiated Thyroid Cancer Treated Without Radioactive Iodine Remnant Ablation Therapy. <i>Thyroid</i> , 2017, 27, 524-530.	4.5	74

#	ARTICLE	IF	CITATIONS
109	Serum vitamin D3 levels are not associated with thyroid cancer prevalence in euthyroid subjects without autoimmune thyroid disease. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 102-108.	1.7	19
110	Clinical Guidelines for the Management of Adrenal Incidentaloma. <i>Endocrinology and Metabolism</i> , 2017, 32, 200.	3.0	92
111	Active Surveillance of Papillary Thyroid Microcarcinoma: A Mini-Review from Korea. <i>Endocrinology and Metabolism</i> , 2017, 32, 399.	3.0	36
112	Disease-Specific Mortality of Differentiated Thyroid Cancer Patients in Korea: A Multicenter Cohort Study. <i>Endocrinology and Metabolism</i> , 2017, 32, 434.	3.0	31
113	Myxoid and Sarcomatoid Variants of Adrenocortical Carcinoma: Analysis of Rare Variants in Single Tertiary Care Center. <i>Journal of Korean Medical Science</i> , 2017, 32, 764.	2.5	13
114	Growth Kinetics of Macronodular Lung Metastases and Survival in Differentiated Thyroid Carcinoma. <i>Thyroid</i> , 2017, 27, 915-922.	4.5	7
115	Young Age and Male Sex Are Predictors of Large-Volume Central Neck Lymph Node Metastasis in Clinical NO Papillary Thyroid Microcarcinomas. <i>Thyroid</i> , 2017, 27, 1285-1290.	4.5	73
116	Association between thyroid autoimmunity and Helicobacter pylori infection. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 309-313.	1.7	28
117	Low Prevalence of Somatic TERT Promoter Mutations in Classic Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2016, 31, 100.	3.0	16
118	Thyrotoxic Periodic Paralysis and Polymorphisms of the <i>ADRB2</i> , <i>AR</i> , and <i>GABRA3</i> Genes in Men with Graves Disease. <i>Endocrinology and Metabolism</i> , 2016, 31, 142.	3.0	4
119	Usefulness of Measuring Thyroid Stimulating Antibody at the Time of Antithyroid Drug Withdrawal for Predicting Relapse of Graves Disease. <i>Endocrinology and Metabolism</i> , 2016, 31, 300.	3.0	24
120	Molecular Diagnosis Using Residual Liquid-Based Cytology Materials for Patients with Nondiagnostic or Indeterminate Thyroid Nodules. <i>Endocrinology and Metabolism</i> , 2016, 31, 586.	3.0	15
121	Clinicopathological Implications of the BRAFV600E Mutation in PTC with Concurrent Hashimoto Thyroiditis. <i>International Journal of Thyroidology</i> , 2016, 9, 29.	0.1	0
122	Oncologic Safety of Robot Thyroid Surgery for Papillary Thyroid Carcinoma: A Comparative Study of Robot versus Open Thyroid Surgery Using Inverse Probability of Treatment Weighting. <i>PLoS ONE</i> , 2016, 11, e0157345.	2.5	11
123	Impact of Reclassification on Thyroid Nodules with Architectural Atypia: From Non-Invasive Encapsulated Follicular Variant Papillary Thyroid Carcinomas to Non-Invasive Follicular Thyroid Neoplasm with Papillary-Like Nuclear Features. <i>PLoS ONE</i> , 2016, 11, e0167756.	2.5	22
124	Comparison of Thyroglobulin Measurements Using Three Different Immunoassay Kits: A BRAMHS Tg-Plus RIA Kit, a BRAMHS hTg Sensitive Kryptor Kit, and a Beckman Coulter ACCESS Immunoassay Kit. <i>Endocrinology and Metabolism</i> , 2016, 31, 462.	3.0	9
125	Clinicopathological Features Associated With the Prognosis of Patients With Adrenal Cortical Carcinoma. <i>Medicine (United States)</i> , 2016, 95, e3736.	1.0	13
126	Initial clinical experience with BRAF ^{V600E} mutation analysis of coreâ€needle biopsy specimens from thyroid nodules. <i>Clinical Endocrinology</i> , 2016, 84, 607-613.	2.4	7

#	ARTICLE	IF	CITATIONS
127	Early prognostic factors at the time of diagnosis of bone metastasis in patients with bone metastases of differentiated thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2016, 175, 165-172.	3.7	33
128	The role of core-needle biopsy in the diagnosis of thyroid malignancy in 4580 patients with 4746 thyroid nodules: a systematic review and meta-analysis. <i>Endocrine</i> , 2016, 54, 315-328.	2.3	49
129	Changing trends in the clinicopathological features and clinical outcomes of medullary thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2016, 113, 152-158.	1.7	19
130	The Role of Core-Needle Biopsy as a First-Line Diagnostic Tool for Initially Detected Thyroid Nodules. <i>Thyroid</i> , 2016, 26, 395-403.	4.5	56
131	Dynamic risk stratification for medullary thyroid cancer according to the response to initial therapy. <i>Endocrine</i> , 2016, 53, 174-181.	2.3	23
132	Usefulness of NRAS codon 61 mutation analysis and core needle biopsy for the diagnosis of thyroid nodules previously diagnosed as atypia of undetermined significance. <i>Endocrine</i> , 2016, 52, 305-312.	2.3	14
133	Differential Clinicopathological Risk and Prognosis of Major Papillary Thyroid Cancer Variants. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 264-274.	3.6	179
134	Diminished Quality of Life and Increased Brain Functional Connectivity in Patients with Hypothyroidism After Total Thyroidectomy. <i>Thyroid</i> , 2016, 26, 641-649.	4.5	27
135	Genomic Alterations of Anaplastic Thyroid Carcinoma Detected by Targeted Massive Parallel Sequencing in a <i>BRAF</i> ^{V600E} Mutation-Prevalent Area. <i>Thyroid</i> , 2016, 26, 683-690.	4.5	66
136	Prognostic Value of the Number of Retrieved Lymph Nodes in Pathological Nx or NO Classical Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2016, 40, 2043-2050.	1.6	14
137	Features Predictive of Distant Metastasis in Papillary Thyroid Microcarcinomas. <i>Thyroid</i> , 2016, 26, 161-168.	4.5	91
138	Alpha lipoic acid inhibits proliferation and epithelial mesenchymal transition of thyroid cancer cells. <i>Molecular and Cellular Endocrinology</i> , 2016, 419, 113-123.	3.2	34
139	Malignant-looking thyroid nodules with size reduction: core needle biopsy results. <i>Ultrasonography</i> , 2016, 35, 327-334.	2.3	18
140	Metformin Is Associated with a Favorable Outcome in Diabetic Patients with Cervical Lymph Node Metastasis of Differentiated Thyroid Cancer. <i>European Thyroid Journal</i> , 2015, 4, 181-188.	2.4	25
141	Association between neck ultrasonographic findings and clinicopathological features in the follicular variant of papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 83, 968-976.	2.4	15
142	Clinical course and prognostic factors in patients with malignant pheochromocytoma and paraganglioma: A single institution experience. <i>Journal of Surgical Oncology</i> , 2015, 112, 815-821.	1.7	29
143	Radiofrequency versus Ethanol Ablation for Treating Predominantly Cystic Thyroid Nodules: A Randomized Clinical Trial. <i>Korean Journal of Radiology</i> , 2015, 16, 1332.	3.4	99
144	Characteristics of Korean Patients with Antithyroid Drug-Induced Agranulocytosis: A Multicenter Study in Korea. <i>Endocrinology and Metabolism</i> , 2015, 30, 475.	3.0	20

#	ARTICLE	IF	CITATIONS
145	Lack of Associations between Body Mass Index and Clinical Outcomes in Patients with Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2015, 30, 305.	3.0	15
146	The Value of Gross Visual Assessment of Specimen Adequacy for Liquid-Based Cytology During Ultrasound-Guided, Fine-Needle Aspiration of Thyroid Nodules. <i>Endocrine Practice</i> , 2015, 21, 1219-1226.	2.1	13
147	Association between Serum Gamma-Glutamyl Transferase and Thyroid Cancer in an Ultrasonographically Screened Population. <i>Journal of Korean Thyroid Association</i> , 2015, 8, 75.	0.2	0
148	Sub-Classification of Lateral Cervical Lymph Node Metastasis in Papillary Thyroid Carcinoma by Pathologic Criteria. <i>PLoS ONE</i> , 2015, 10, e0133625.	2.5	11
149	Evaluation of the Clinical Usefulness of <i>BRAF</i> ^{V600E} Mutation Analysis of Core-Needle Biopsy Specimens in Thyroid Nodules with Previous Atypia of Undetermined Significance or Follicular Lesions of Undetermined Significance Results. <i>Thyroid</i> , 2015, 25, 897-903.	4.5	16
150	Prediction of treatment response to 131I therapy by diffuse hepatic uptake intensity on post-therapy whole-body scan in patients with distant metastases of differentiated thyroid cancer. <i>Annals of Nuclear Medicine</i> , 2015, 29, 603-612.	2.2	4
151	Changes in the Pulmonary Function Test after Radioactive Iodine Treatment in Patients with Pulmonary Metastases of Differentiated Thyroid Cancer. <i>PLoS ONE</i> , 2015, 10, e0125114.	2.5	7
152	Differences in Physicians' and Patients' Perception of Acute Hypothyroid Symptoms Induced by Thyroid Hormone Withdrawal in Thyroid Cancer Patients: A Multicenter Survey in Korea. <i>European Thyroid Journal</i> , 2015, 4, 48-54.	2.4	5
153	Efficacy and safety of radiofrequency ablation for treating locoregional recurrence from papillary thyroid cancer. <i>European Radiology</i> , 2015, 25, 163-170.	4.5	101
154	Thyroglobulin Level in Fine-Needle Aspirates for Preoperative Diagnosis of Cervical Lymph Node Metastasis in Patients with Papillary Thyroid Carcinoma: Two Different Cutoff Values According to Serum Thyroglobulin Level. <i>Thyroid</i> , 2015, 25, 410-416.	4.5	39
155	Negative Expression of CPSF2 Predicts a Poorer Clinical Outcome in Patients with Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2015, 25, 1020-1025.	4.5	13
156	Recent Changes in the Clinical Outcome of Papillary Thyroid Carcinoma With Cervical Lymph Node Metastasis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3470-3477.	3.6	45
157	Dysregulation of Parkin-mediated mitophagy in thyroid H ₂ O ₂ cell tumors. <i>Carcinogenesis</i> , 2015, 36, 1407-1418.	2.8	25
158	Clinicopathological Significance of Minimal Extrathyroid Extension in Solitary Papillary Thyroid Carcinomas. <i>Annals of Surgical Oncology</i> , 2015, 22, 728-733.	1.5	89
159	A cutoff value of basal serum calcitonin for detecting macroscopic medullary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2015, 82, 598-603.	2.4	19
160	Safety and tolerability of sorafenib in patients with radioiodine-refractory thyroid cancer. <i>Endocrine-Related Cancer</i> , 2015, 22, 877-887.	3.1	58
161	Web-Based Malignancy Risk Estimation for Thyroid Nodules Using Ultrasonography Characteristics: Development and Validation of a Predictive Model. <i>Thyroid</i> , 2015, 25, 1306-1312.	4.5	36
162	A focal marked hypoechoogenicity within an isoechoic thyroid nodule: is it a focal malignancy or not?. <i>Acta Radiologica</i> , 2015, 56, 814-819.	1.1	8

#	ARTICLE	IF	CITATIONS
163	Radiofrequency Ablation Is a Thyroid Function-Preserving Treatment for Patients with Bilateral Benign Thyroid Nodules. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 55-61.	0.5	58
164	Association Between <i>BRAF</i> V600E Mutation and Recurrence of Papillary Thyroid Cancer. <i>Journal of Clinical Oncology</i> , 2015, 33, 42-50.	1.6	448
165	Reference interval for thyrotropin in a ultrasonography screened Korean population. <i>Korean Journal of Internal Medicine</i> , 2015, 30, 335.	1.7	22
166	Time Trends Analysis of Characteristics of Patients with Thyroid Cancer in a Single Medical Center. <i>Journal of Korean Thyroid Association</i> , 2014, 7, 159.	0.2	2
167	Current Status and Future Perspectives in Differentiated Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2014, 29, 217.	3.0	68
168	Solitary Skin Metastasis of Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2014, 29, 579.	3.0	9
169	Standardized Thyroid Cancer Mortality in Korea between 1985 and 2010. <i>Endocrinology and Metabolism</i> , 2014, 29, 530.	3.0	36
170	Association Between Expression of X-Linked Inhibitor of Apoptosis Protein and the Clinical Outcome in a <i>BRAF</i> ^{V600E} -Prevalent Papillary Thyroid Cancer Population. <i>Thyroid</i> , 2014, 24, 689-694.	4.5	23
171	Differentiating the location of cervical lymph node metastasis is very useful for estimating the risk of distant metastases in papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2014, 81, 593-599.	2.4	17
172	Modified dynamic risk stratification for predicting recurrence using the response to initial therapy in patients with differentiated thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2014, 170, 23-30.	3.7	69
173	Differences in Risk of Malignancy and Management Recommendations in Subcategories of Thyroid Nodules with Atypia of Undetermined Significance or Follicular Lesion of Undetermined Significance: The Role of Ultrasound-Guided Core-Needle Biopsy. <i>Thyroid</i> , 2014, 24, 494-501.	4.5	90
174	Sorafenib in radioactive iodine-refractory, locally advanced or metastatic differentiated thyroid cancer: a randomised, double-blind, phase 3 trial. <i>Lancet, The</i> , 2014, 384, 319-328.	13.7	1,295
175	Effects of Low-Dose and High-Dose Postoperative Radioiodine Therapy on the Clinical Outcome in Patients with Small Differentiated Thyroid Cancer Having Microscopic Extrathyroidal Extension. <i>Thyroid</i> , 2014, 24, 820-825.	4.5	56
176	Low Levels of Serum Vitamin D3 Are Associated with Autoimmune Thyroid Disease in Pre-Menopausal Women. <i>Thyroid</i> , 2014, 24, 655-661.	4.5	71
177	Core needle biopsy can minimise the non-diagnostic results and need for diagnostic surgery in patients with calcified thyroid nodules. <i>European Radiology</i> , 2014, 24, 1403-1409.	4.5	54
178	<i>NRAS</i> Codon 61 Mutation Is Associated with Distant Metastasis in Patients with Follicular Thyroid Carcinoma. <i>Thyroid</i> , 2014, 24, 1275-1281.	4.5	67
179	Follicular and Hurthle cell carcinoma of the thyroid in iodine-sufficient area: retrospective analysis of Korean multicenter data. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 325.	1.7	29
180	The effect of 5-aminoimidazole-4-carboxamide-ribonucleoside was mediated by p38 mitogen activated protein kinase signaling pathway in FRO thyroid cancer cells. <i>Korean Journal of Internal Medicine</i> , 2014, 29, 474.	1.7	4

#	ARTICLE	IF	CITATIONS
181	Technical and Oncologic Safety of Robotic Thyroid Surgery. <i>Annals of Surgical Oncology</i> , 2013, 20, 1927-1933.	1.5	46
182	Sonographically Suspicious Thyroid Nodules with Initially Benign Cytologic Results: The Role of a Core Needle Biopsy. <i>Thyroid</i> , 2013, 23, 703-708.	4.5	61
183	Radiofrequency Ablation of Benign Thyroid Nodules Does Not Affect Thyroid Function in Patients with Previous Lobectomy. <i>Thyroid</i> , 2013, 23, 289-293.	4.5	48
184	Long-Term Consequence of Elevated Thyroglobulin in Differentiated Thyroid Cancer. <i>Thyroid</i> , 2013, 23, 58-63.	4.5	23
185	Serum Antithyroglobulin Antibodies Interfere with Thyroglobulin Detection in Fine-Needle Aspirates of Metastatic Neck Nodes in Papillary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 153-160.	3.6	65
186	The prognostic value of the metastatic lymph node ratio and maximal metastatic tumor size in pathological N1a papillary thyroid carcinoma. <i>European Journal of Endocrinology</i> , 2013, 168, 219-225.	3.7	76
187	Positive Cytology Findings and a Negative Histological Diagnosis of Papillary Thyroid Carcinoma in the Thyroid: Is It a False-Positive Cytology or a Disappearing Tumor. <i>European Thyroid Journal</i> , 2013, 2, 203-10.	2.4	10
188	Obesity is a risk factor for thyroid cancer in a large, ultrasonographically screened population. <i>European Journal of Endocrinology</i> , 2013, 168, 879-886.	3.7	98
189	Papillary thyroid carcinoma arising from a thyroglossal duct cyst: a single institution experience. <i>Endocrine Journal</i> , 2013, 60, 665-670.	1.6	54
190	Long-Term Survival of a Patient with Pulmonary Artery Intimal Sarcoma after Sequential Metastasectomies of the Thyroid and Adrenal Glands. <i>Endocrinology and Metabolism</i> , 2013, 28, 46.	3.0	10
191	The Diagnosis and Management of Hyperthyroidism Consensus - Report of the Korean Thyroid Association. <i>Journal of Korean Thyroid Association</i> , 2013, 6, 1.	0.2	25
192	Sorafenib in locally advanced or metastatic patients with radioactive iodine-refractory differentiated thyroid cancer: The phase III DECISION trial.. <i>Journal of Clinical Oncology</i> , 2013, 31, 4-4.	1.6	23
193	Sorafenib in locally advanced or metastatic patients with radioactive iodine-refractory differentiated thyroid cancer: The phase III DECISION trial.. <i>Journal of Clinical Oncology</i> , 2013, 31, 4-4.	1.6	48
194	A Case Report of Papillary Thyroid Carcinoma Presenting as Elevated Serum CA 19-9. <i>Korean Journal of Medicine</i> , 2013, 84, 111.	0.3	0
195	Long-Term Clinical Outcome of Differentiated Thyroid Cancer Patients with Undetectable Stimulated Thyroglobulin Level One Year After Initial Treatment. <i>Thyroid</i> , 2012, 22, 784-790.	4.5	58
196	Characteristic Ultrasound Feature of Traumatic Neuromas After Neck Dissection: Direct Continuity with the Cervical Plexus. <i>Thyroid</i> , 2012, 22, 820-826.	4.5	18
197	Time trend in tumour size and characteristics of anaplastic thyroid carcinoma. <i>Clinical Endocrinology</i> , 2012, 77, 459-464.	2.4	30
198	Ultrasound Elastography for Thyroid Nodules: A Reliable Study?. <i>Ultrasound in Medicine and Biology</i> , 2012, 38, 1508-1513.	1.5	35

#	ARTICLE	IF	CITATIONS
199	Alpha-lipoic acid induces sodium iodide symporter expression in TPC-1 thyroid cancer cell line. <i>Nuclear Medicine and Biology</i> , 2012, 39, 1275-1280.	0.6	17
200	Regional approaches to the management of patients with advanced, radioactive iodine-refractory differentiated thyroid carcinoma. <i>Expert Review of Anticancer Therapy</i> , 2012, 12, 1137-1147.	2.4	54
201	Alpha-Lipoic Acid Decreases Iodine Uptake in the Rat Thyroid Cell Line FRTL-5. <i>Journal of Korean Thyroid Association</i> , 2012, 5, 39.	0.2	0
202	Papillary Thyroid Carcinoma Hidden behind the Hot Nodule. <i>Journal of Korean Thyroid Association</i> , 2012, 5, 78.	0.2	0
203	Association between STAT1 activity and BRAF mutations in papillary thyroid carcinomas. <i>Journal of Surgical Oncology</i> , 2012, 106, 719-723.	1.7	7
204	Cystic versus predominantly cystic thyroid nodules: efficacy of ethanol ablation and analysis of related factors. <i>European Radiology</i> , 2012, 22, 1573-1578.	4.5	100
205	Four Cases of Malignant Pleural Effusion in Patients with Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2011, 26, 330.	3.0	4
206	Expression of X-linked Inhibitor of Apoptosis Protein in Neoplastic Thyroid Disorder. <i>Journal of Korean Medical Science</i> , 2011, 26, 1191.	2.5	4
207	Effects of different doses of radioactive iodine for remnant ablation on successful ablation and on long-term recurrences in patients with differentiated thyroid carcinoma. <i>Nuclear Medicine Communications</i> , 2011, 32, 954-959.	1.1	33
208	Clinical significance of vagus nerve variation in radiofrequency ablation of thyroid nodules. <i>European Radiology</i> , 2011, 21, 2151-2157.	4.5	57
209	Rationale and design of DECISION: a double-blind, randomized, placebo-controlled phase III trial evaluating the efficacy and safety of sorafenib in patients with locally advanced or metastatic radioactive iodine (RAI)-refractory, differentiated thyroid cancer. <i>BMC Cancer</i> , 2011, 11, 349.	2.6	84
210	Adjuvant Radioactive Therapy after Reoperation for Locoregionally Recurrent Papillary Thyroid Cancer in Patients Who Initially Underwent Total Thyroidectomy and High-Dose Remnant Ablation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3695-3700.	3.6	33
211	The influence of the BRAF V600E mutation in thyroid cancer cell lines on the anticancer effects of 5-aminoimidazole-4-carboxamide-ribonucleoside. <i>Journal of Endocrinology</i> , 2011, 211, 79-85.	2.6	24
212	Intramedullary Spinal Cord Metastasis from Papillary Thyroid Carcinoma. <i>Thyroid</i> , 2011, 21, 1269-1271.	4.5	10
213	The Outcomes of First Reoperation for Locoregionally Recurrent/Persistent Papillary Thyroid Carcinoma in Patients Who Initially Underwent Total Thyroidectomy and Remnant Ablation. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 2049-2056.	3.6	105
214	The American Thyroid Association and American Association of Clinical Endocrinologists Hyperthyroidism and Other Causes of Thyrotoxicosis Guidelines: Viewpoints from Japan and Korea. <i>Thyroid</i> , 2011, 21, 577-580.	4.5	32
215	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Korean Journal of Otorhinolaryngology-Head and Neck Surgery</i> , 2011, 54, 8.	0.2	17
216	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Journal of the Korean Society of Radiology</i> , 2011, 64, 389.	0.2	8

#	ARTICLE	IF	CITATIONS
217	Comparison of Different Staging Systems for Predicting Recurrence of Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism</i> , 2011, 26, 53.	3.0	10
218	Diagnostic Accuracy of Ultrasound and 18-F-FDG PET or PET/CT for Patients with Suspected Recurrent Papillary Thyroid Carcinoma. <i>Ultrasound in Medicine and Biology</i> , 2010, 36, 1608-1615.	1.5	15
219	Concurrent occurrence of medullary thyroid carcinoma and papillary thyroid carcinoma in the same thyroid should be considered as coincidental. <i>Clinical Endocrinology</i> , 2010, 72, 256-263.	2.4	59
220	Clinical Outcomes of Persistent Radioiodine Uptake in the Neck Shown by Diagnostic Whole Body Scan in Patients with Differentiated Thyroid Carcinoma after Initial Surgery and Remnant Ablation. <i>Clinical Endocrinology</i> , 2010, 73, 257-63.	2.4	4
221	Revised Korean Thyroid Association Management Guidelines for Patients with Thyroid Nodules and Thyroid Cancer. <i>Endocrinology and Metabolism</i> , 2010, 25, 270.	3.0	37
222	Postoperative Findings of the Cytological Diagnosis of Follicular Neoplasm or H ¹ /4rthle Cell Neoplasm and the Risk of Malignancy. <i>Endocrinology and Metabolism</i> , 2010, 25, 316.	3.0	4
223	Detection of BRAF Mutations in Thyroid Nodules by Allele-Specific PCR Using a Dual Priming Oligonucleotide System. <i>American Journal of Clinical Pathology</i> , 2010, 133, 802-808.	0.7	45
224	Normal and Abnormal Sonographic Findings at the Thyroidectomy Sites in Postoperative Patients With Thyroid Malignancy. <i>American Journal of Roentgenology</i> , 2010, 194, 1596-1609.	2.2	29
225	Empiric High-Dose 131-Iodine Therapy Lacks Efficacy for Treated Papillary Thyroid Cancer Patients with Detectable Serum Thyroglobulin, but Negative Cervical Sonography and 18F-Fluorodeoxyglucose Positron Emission Tomography Scan. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010, 95, 1169-1173.	3.6	48
226	Effects of α -lipoic Acid on Differentiation of Thyroid Cancer Cells. <i>Journal of Korean Endocrine Society</i> , 2010, 25, 28.	0.1	0
227	Factors Influencing Peripheral Conversion of Thyroxine to Tri-Iodothyronine in Athyreotic Individuals during Levothyroxine Replacement. <i>Endocrinology and Metabolism</i> , 2010, 25, 119.	3.0	0
228	Relationship between serum free T4 (FT4) levels and metabolic syndrome (MS) and its components in healthy euthyroid subjects. <i>Clinical Endocrinology</i> , 2009, 70, 152-160.	2.4	86
229	Coexistence of chronic lymphocytic thyroiditis is associated with lower recurrence rates in patients with papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2009, 71, 581-586.	2.4	151
230	Ultrasound Features of Suture Granulomas in the Thyroid Bed After Thyroidectomy for Papillary Thyroid Carcinoma with an Emphasis on Their Differentiation from Locally Recurrent Thyroid Carcinomas. <i>Ultrasound in Medicine and Biology</i> , 2009, 35, 1452-1457.	1.5	28
231	Redifferentiation Therapy with 13-cis Retinoic Acids in Radioiodine-Resistant Thyroid Cancer. <i>Endocrine Journal</i> , 2009, 56, 105-112.	1.6	45
232	Clinical Characteristics of Primary Thyroid Lymphoma in Koreans. <i>Endocrine Journal</i> , 2009, 56, 399-405.	1.6	68
233	Effects of Peroxisome Proliferator-Activated Receptor (PPAR) Delta on the Growth and Invasion of a Thyroid Cancer Cell Line. <i>Journal of Korean Endocrine Society</i> , 2009, 24, 25.	0.1	0
234	Prognostic parameters for recurrence of papillary thyroid microcarcinoma. <i>BMC Cancer</i> , 2008, 8, 296.	2.6	93

#	ARTICLE	IF	CITATIONS
235	Change of Serum Antithyroglobulin Antibody Levels Is Useful for Prediction of Clinical Recurrence in Thyroglobulin-Negative Patients with Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008, 93, 4683-4689.	3.6	179
236	Is Routine Central Neck Dissection Necessary for the Treatment of Papillary Thyroid Microcarcinoma?. <i>Clinical and Experimental Otorhinolaryngology</i> , 2008, 1, 41.	2.1	40
237	Trends Analysis of Characteristics of Thyroid Cancer Patients in One Medical Center. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 35.	0.1	17
238	A Case of Diffuse Hemorrhage into the Thyroid Gland after Fine Needle Aspiration, and This was Treated by Arterial Embolization. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 199.	0.1	4
239	A Case of Carcinoma Showing Thymus-Like Differentiation (CASTLE) in the Thyroid. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 272.	0.1	2
240	Effects of Simvastatin on the Growth and Invasion of Anaplastic Thyroid Cancer Cells Lines. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 238.	0.1	1
241	Association between Cigarette Smoking and Thyroid Function in Adults without Previous History of Thyroid Disease. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 123.	0.1	3
242	CAG Repeats in the Androgen Receptor Polymorphism do not Correlate with Thyrotoxic Periodic Paralysis. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 117.	0.1	3
243	A Case of Painful Graves' Disease. <i>Journal of Korean Endocrine Society</i> , 2008, 23, 337.	0.1	0
244	¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography Does Not Predict Malignancy in Thyroid Nodules Cytologically Diagnosed as Follicular Neoplasm. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 1630-1634.	3.6	94
245	Clinical Features and Prognostic Factors for Survival in Patients with Poorly Differentiated Thyroid Carcinoma and Comparison to the Patients with the Aggressive Variants of Papillary Thyroid Carcinoma. <i>Endocrine Journal</i> , 2007, 54, 265-274.	1.6	84
246	Prognostic factors for Korean patients with anaplastic thyroid carcinoma. <i>Head and Neck</i> , 2007, 29, 765-772.	2.0	93
247	Ultrasonographic findings of a newly detected nodule on the thyroid bed in postoperative patients for thyroid carcinoma: correlation with the results of ultrasonography-guided fine-needle aspiration biopsy. <i>Clinical Imaging</i> , 2007, 31, 109-113.	1.5	33
248	Effects of Wnt-1 on the Growth and Apoptosis of FRTL-5 Cells. <i>Journal of Korean Endocrine Society</i> , 2007, 22, 35.	0.1	0
249	Diagnostic Utility of Galectin-3 in Aspirates of Thyroid Follicular Lesions. <i>Acta Cytologica</i> , 2006, 50, 28-34.	1.3	29
250	Low normal TSH levels are associated with low bone mineral density in healthy postmenopausal women. <i>Clinical Endocrinology</i> , 2006, 64, 86-90.	2.4	81
251	The BRAF mutation is useful for prediction of clinical recurrence in low-risk patients with conventional papillary thyroid carcinoma. <i>Clinical Endocrinology</i> , 2006, 65, 364-368.	2.4	225
252	Lymphovascular Invasion is Associated With Lateral Cervical Lymph Node Metastasis in Papillary Thyroid Carcinoma. <i>Laryngoscope</i> , 2006, 116, 2081-2085.	2.0	39

#	ARTICLE	IF	CITATIONS
253	Prevalence of Ultrasonographically-Detected Thyroid Nodules in Adults without Previous History of Thyroid Disease. <i>Journal of Korean Endocrine Society</i> , 2006, 21, 389.	0.1	13
254	Role of 5-aminoimidazole-4-carboxamide-1-beta-D-ribofuranoside in the Growth Regulation of Anaplastic Thyroid Cancer Cells Lines. <i>Journal of Korean Endocrine Society</i> , 2006, 21, 125.	0.1	1
255	Metastasis to the thyroid diagnosed by fine-needle aspiration biopsy. <i>Clinical Endocrinology</i> , 2005, 62, 236-241.	2.4	184
256	Arg16Gly polymorphism in beta2-adrenergic receptor gene is not associated with thyrotoxic periodic paralysis in Korean male patients with Graves' disease. <i>Clinical Endocrinology</i> , 2005, 62, 585-589.	2.4	14
257	The <i>BRAF</i> ^{V600E} mutation is not associated with poor prognostic factors in Korean patients with conventional papillary thyroid microcarcinoma. <i>Clinical Endocrinology</i> , 2005, 63, 588-593.	2.4	209
258	¹⁸ F-Fluorodeoxyglucose Uptake in Thyroid from Positron Emission Tomogram (PET) for Evaluation in Cancer Patients: High Prevalence of Malignancy in Thyroid PET Incidentaloma. <i>Laryngoscope</i> , 2005, 115, 1074-1078.	2.0	216
259	Diagnosis of Impalpable Thyroid Nodule Detected by High-resolution Ultrasonography. <i>Journal of Korean Endocrine Society</i> , 2005, 20, 200.	0.1	0
260	Serum Thyroglobulin Levels at the Time of ¹³¹ I Remnant Ablation Just after Thyroidectomy Are Useful for Early Prediction of Clinical Recurrence in Low-Risk Patients with Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 1440-1445.	3.6	218
261	Ultrasonographic screening for detection of thyroid cancer in patients with Graves' disease. <i>Clinical Endocrinology</i> , 2004, 60, 719-725.	2.4	89
262	Completion thyroidectomy in patients with thyroid cancer who initially underwent unilateral operation. <i>Clinical Endocrinology</i> , 2004, 61, 145-148.	2.4	92
263	Ultrasonography-guided fine-needle aspiration of thyroid incidentaloma: correlation with pathological findings. <i>Clinical Endocrinology</i> , 2004, 60, 21-28.	2.4	425
264	Effects of therapeutic doses of ¹³¹ I in thyroid papillary carcinoma patients with elevated thyroglobulin level and negative ¹³¹ I whole-body scan: comparative study. <i>Clinical Endocrinology</i> , 2003, 58, 421-427.	2.4	63
265	A Case of ACTH-Producing Pheochromocytoma Associated with Pregnancy. <i>Endocrine Journal</i> , 2003, 50, 739-744.	1.6	44
266	Postoperative Findings and Risk for Malignancy in Thyroid Nodules with Cytological Diagnosis of the so-called. <i>Korean Journal of Internal Medicine</i> , 2003, 18, 94-97.	1.7	48
267	Ultrasonography-guided Fine Needle Aspirations of Thyroid Incidentaloma: Correlation with Pathologic Findings. <i>The Korean Journal of Endocrine Surgery</i> , 2003, 3, 127.	0.1	0
268	Postoperative Findings and Risk for Malignancy in Thyroid Nodules with Cytological Diagnosis of the so-called "Follicular Neoplasm" TM . <i>The Korean Journal of Endocrine Surgery</i> , 2002, 2, 105.	0.1	0
269	Plasma Isocitrate Dehydrogenase as a Marker of Centrilobular Hepatic Necrosis in Patients With Hyperthyroidism. <i>Journal of Clinical Gastroenterology</i> , 2001, 33, 118-122.	2.2	15
270	Ultrasonic Measurement of the Extraocular Muscles: A Comparison with CT. <i>Journal of the Korean Radiological Society</i> , 2000, 42, 31.	0.0	0

#	ARTICLE	IF	CITATIONS
271	Nesidioblastosis in an Adult with Hyperinsulinemic Hypoglycemia.. Endocrine Journal, 1996, 43, 163-167.	1.6	16
272	High prevalence and little change in TSH receptor blocking antibody titres with thyroxine and antithyroid drug therapy in patients with non- α -goitrous autoimmune thyroiditis. Clinical Endocrinology, 1995, 43, 465-471.	2.4	23
273	Thyrotoxicosis Induced Sick Sinus Syndrome. Sunhwan'gi, 1992, 22, 173.	0.3	1
274	Changes in Thyrotropin Receptor Antibody after Subtotal Thyroidectomy in Graves' Disease: Comparison with the Degree of Lymphocytic Infiltration in the Thyroid. Autoimmunity, 1990, 8, 143-147.	2.6	10
275	Changes in the Properties of the Thyrotropin Receptor Antibody in Patients with Graves` Disease after Radioiodine Treatment. Korean Journal of Internal Medicine, 1990, 5, 51-58.	1.7	0
276	Role of Blocking TSH Receptor Antibodies on the Development of Hypothyroidism and Thyroid Atrophy in Primary Myxedema. Korean Journal of Internal Medicine, 1989, 4, 108-118.	1.7	5
277	Pathogenetic Role of Thyrotropin Receptor Antibody in the Development of Hyperthyroidism Following Primary Hypothyroidism. Korean Journal of Internal Medicine, 1989, 4, 118-125.	1.7	4
278	Transient Neonatal Hypothyroidism Due to Transplacental Transfer of Maternal Immunoglobulins that Inhibit TSH Binding, TSH-Induced cAMP Increase and Cell Growth.. Endocrinologia Japonica, 1988, 35, 819-826.	0.5	10
279	Characteristics of Anti-TSH antibody and Its Relationship with TSH Receptor Antibody. Korean Journal of Internal Medicine, 1988, 3, 1-9.	1.7	0
280	HLA-DR Antigen Expression on the Thyrocytes of Graves` Disease Patients. Korean Journal of Internal Medicine, 1988, 3, 15-24.	1.7	0
281	An imported case of Kala-azar in Korea. Korean Journal of Parasitology, 1983, 21, 87.	1.3	8