
## Pierre Chue

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6183855/publications.pdf Version: 2024-02-01



DIEDDE CHIIE

#	Article	lF	CITATIONS
1	Comparative efficacy and safety of long-acting risperidone and risperidone oral tablets. European Neuropsychopharmacology, 2005, 15, 111-117.	0.7	166
2	The relationship between patient satisfaction and treatment outcomes in schizophrenia. Journal of Psychopharmacology, 2006, 20, 38-56.	4.0	83
3	Addressing the unmet needs of patients with persistent negative symptoms of schizophrenia: emerging pharmacological treatment options. Neuropsychiatric Disease and Treatment, 2014, 10, 777.	2.2	68
4	Collaborative Care Versus Screening and Follow-up for Patients With Diabetes and Depressive Symptoms: Results of a Primary Care–Based Comparative Effectiveness Trial. Diabetes Care, 2014, 37, 3220-3226.	8.6	63
5	Prevalence Rates and Predictors of Generalized Anxiety Disorder Symptoms in Residents of Fort McMurray Six Months After a Wildfire. Frontiers in Psychiatry, 2018, 9, 345.	2.6	60
6	Long-Acting Formulations of Atypical Antipsychotics. CNS Drugs, 2007, 21, 441-448.	5.9	52
7	Randomized controlled pilot trial of supportive text messaging for alcohol use disorder patients. Journal of Substance Abuse Treatment, 2018, 94, 74-80.	2.8	52
8	A review of paliperidone palmitate. Expert Review of Neurotherapeutics, 2012, 12, 1383-1397.	2.8	51
9	Safety and tolerability of atypical antipsychotics in patients with bipolar disorder: prevalence, monitoring and management. Bipolar Disorders, 2003, 5, 62-79.	1.9	41
10	Mental Health Effects in Primary Care Patients 18 Months After a Major Wildfire in Fort McMurray: Risk Increased by Social Demographic Issues, Clinical Antecedents, and Degree of Fire Exposure. Frontiers in Psychiatry, 2019, 10, 683.	2.6	35
11	A review of olanzapine-associated toxicity and fatality in overdose. Journal of Psychiatry and Neuroscience, 2003, 28, 253-61.	2.4	34
12	Long-Term Mental Health Effects of a Devastating Wildfire Are Amplified by Socio-Demographic and Clinical Antecedents in Elementary and High School Staff. Frontiers in Psychiatry, 2020, 11, 448.	2.6	28
13	Glycine Reuptake Inhibition as a New Therapeutic Approach in Schizophrenia: Focus on the Glycine Transporter 1 (GlyT1). Current Pharmaceutical Design, 2012, 19, 1311-1320.	1.9	27
14	Prevalence Rates and Correlates of Probable Major Depressive Disorder in Residents of Fort McMurray 6ÂMonths After a Wildfire. International Journal of Mental Health and Addiction, 2019, 17, 120-136.	7.4	25
15	Risperidone long-acting injection. Expert Review of Neurotherapeutics, 2003, 3, 435-446.	2.8	23
16	Prevalence Rates and Correlates of Likely Post-Traumatic Stress Disorder in Residents of Fort McMurray 6ÂMonths After a Wildfire. International Journal of Mental Health and Addiction, 2021, 19, 632-650.	7.4	23
17	A review of olanzapine pamoate. Expert Opinion on Pharmacotherapy, 2012, 13, 1661-1670.	1.8	21
18	Impact of risperidone long-acting injectable on hospitalisation and medication use in Canadian patients with schizophrenia. Journal of Medical Economics, 2007, 10, 427-442.	2.1	15

PIERRE CHUE

#	Article	IF	CITATIONS
19	A critical appraisal of paliperidone long-acting injection in the treatment of schizoaffective disorder. Therapeutics and Clinical Risk Management, 2016, 12, 109.	2.0	13
20	Long-Term Mental Health Effects of a Devastating Wildfire Are Amplified by Sociodemographic and Clinical Antecedents in College Students. Disaster Medicine and Public Health Preparedness, 2021, 15, 707-717.	1.3	13
21	Switching atypical antipsychotics: a review. Acta Neuropsychiatrica, 2004, 16, 301-313.	2.1	12
22	The cost–effectiveness of risperidone long-acting injection in the treatment of schizophrenia. Expert Review of Pharmacoeconomics and Outcomes Research, 2012, 12, 259-269.	1.4	12
23	Hospital Outcome Measures following Assertive Community Treatment in Edmonton, Alberta. Canadian Journal of Psychiatry, 1999, 44, 276-279.	1.9	11
24	A review of ketamine's role in ECT and non-ECT settings. Neuropsychiatric Disease and Treatment, 2018, Volume 14, 1437-1450.	2.2	11
25	The impact of weight gain associated with atypical antipsychotic use in schizophrenia. Acta Neuropsychiatrica, 2004, 16, 113-123.	2.1	10
26	Global Assessment of Functioning following Assertive Community Treatment in Edmonton, Alberta: A Longitudinal Study. Canadian Journal of Psychiatry, 2001, 46, 144-148.	1.9	9
27	The Assessment and Management of Antipsychotic-Associated Metabolic Disturbances from a Psychiatric Perspective. Canadian Journal of Psychiatry, 2004, 49, 200-207.	1.9	9
28	Repetitive Transcranial Magnetic Stimulation for the Treatment of Resistant Depression: A Scoping Review. Behavioral Sciences (Basel, Switzerland), 2022, 12, 195.	2.1	9
29	Reducing readmission rates for individuals discharged from acute psychiatric care in Alberta using peer and text message support: Protocol for an innovative supportive program. BMC Health Services Research, 2022, 22, 332.	2.2	8
30	Client and Community Services Satisfaction with an Assertive Community Treatment Subprogram for Inner-City Clients in Edmonton, Alberta. Canadian Journal of Psychiatry, 2004, 49, 621-624.	1.9	7
31	Study of natural health product–drug adverse reactions (S.O.N.A.R.) in patients seeking mental health services. Current Medical Research and Opinion, 2016, 32, 1335-1343.	1.9	6
32	Compliance and convenience: do physicians and patients see depot medication differently?. Acta Neuropsychiatrica, 2004, 16, 314-318.	2.1	4
33	The use of repetitive transcranial magnetic stimulation for treatment of obsessive-compulsive disorder: a scoping review. Mental Illness, 2021, 13, 1-13.	0.8	4
34	Glycine Reuptake Inhibitors in the Treatment of Negative Symptoms of Schizophrenia. Journal of Microbiology and Biotechnology, 2014, 24, 195-200.	2.1	3
35	Self-reported sexual orientation among undergraduates of 10 universities in Guangzhou, China. PLoS ONE, 2018, 13, e0201817.	2.5	3
36	Study of Natural Products Adverse Reactions (SONAR) in Adults with Mental Health Conditions: A Cross-Sectional Study. Drug Safety, 2021, 44, 999-1006.	3.2	2

#	Article	IF	CITATIONS
37	Effectiveness of Group Cognitive Behavioral Therapy and Exercise in the Management of Major Depressive Disorder: Protocol for a Pilot Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e14309.	1.0	2
38	In adults with intellectual disability, discontinuation of antipsychotics is associated with reduction in weight, BMI, waist circumference and blood pressure. Evidence-based Nursing, 2014, 17, 89-89.	0.2	1
39	How can the new antipsychotic medications improve quality of life in patients with schizophrenia?. Expert Opinion on Pharmacotherapy, 2016, 17, 1709-1711.	1.8	1
40	Text Messaging Versus Email Messaging to Support Patients With Major Depressive Disorder: Protocol for a Randomized Hybrid Type II Effectiveness-Implementation Trial. JMIR Research Protocols, 2021, 10, e29495.	1.0	1