## Beatriz Magariños

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6188591/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Efficacy of Ciprofloxacin, Metronidazole and Minocycline in Ordered Mesoporous Silica against Enterococcus faecalis for Dental Pulp Revascularization: An In-Vitro Study. Materials, 2022, 15, 2266.	2.9	3
2	Supercritical CO2 technology for one-pot foaming and sterilization of polymeric scaffolds for bone regeneration. International Journal of Pharmaceutics, 2021, 605, 120801.	5.2	13
3	Biofilm development and cell viability: An undervalued mechanism in the persistence of the fish pathogen Tenacibaculum maritimum. Aquaculture, 2019, 511, 734267.	3.5	18
4	Radiation grafting of poly(methyl methacrylate) and poly(vinylimidazole) onto polytetrafluoroethylene films and silver immobilization for antimicrobial performance. Applied Surface Science, 2019, 473, 951-959.	6.1	23
5	Antimicrobial silver-loaded polypropylene sutures modified by radiation-grafting. European Polymer Journal, 2018, 100, 290-297.	5.4	36
6	Genetic studies to re-affiliate Edwardsiella tarda fish isolates to Edwardsiella piscicida and Edwardsiella anguillarum species. Systematic and Applied Microbiology, 2018, 41, 30-37.	2.8	58
7	Population genetic and evolution analysis of controversial genus Edwardsiella by multilocus sequence typing. Molecular Phylogenetics and Evolution, 2018, 127, 513-521.	2.7	11
8	Synthetic scaffolds with full pore interconnectivity for bone regeneration prepared by supercritical foaming using advanced biofunctional plasticizers. Biofabrication, 2017, 9, 035002.	7.1	29
9	Draft Genome Sequence of the Fish Strain Edwardsiella tarda NCIMB 2034. Genome Announcements, 2017, 5, .	0.8	1
10	Silicone rubber films functionalized with poly(acrylic acid) nanobrushes for immobilization of gold nanoparticles and photothermal therapy. Journal of Drug Delivery Science and Technology, 2017, 42, 245-254.	3.0	40
11	Draft Genome Sequence of <i>Edwardsiella piscicida</i> Strain ACC35.1 Isolated from Diseased Turbot (Scophthalmus maximus) in Europe. Genome Announcements, 2017, 5, .	0.8	4
12	Insights into the virulenceâ€related genes of <i>Edwardsiella tarda</i> isolated from turbot in Europe: genetic homogeneity and evidence for vibrioferrin production. Journal of Fish Diseases, 2016, 39, 565-576.	1.9	11
13	Comparative proteomic study of Edwardsiella tarda strains with different degrees of virulence. Journal of Proteomics, 2015, 127, 310-320.	2.4	18
14	Radiation-grafting of N-vinylimidazole onto silicone rubber for antimicrobial properties. Radiation Physics and Chemistry, 2015, 110, 59-66.	2.8	27
15	Singly and binary grafted poly(vinyl chloride) urinary catheters that elute ciprofloxacin and prevent bacteria adhesion. International Journal of Pharmaceutics, 2015, 488, 20-28.	5.2	28
16	First Isolation and Characterization of Tenacibaculum soleae from Sea Bass Dicentrarchus labrax. Fish Pathology, 2014, 49, 16-22.	0.7	5
17	Acrylic polymer-grafted polypropylene sutures for covalent immobilization or reversible adsorption of vancomycin. International Journal of Pharmaceutics, 2014, 461, 286-295.	5.2	44
18	Temperature―and pHâ€sensitive IPNs grafted onto polyurethane by gamma radiation for antimicrobial drugâ€eluting insertable devices. Journal of Applied Polymer Science, 2014, 131, .	2.6	12

#	Article	IF	CITATIONS
19	Comparative polyphasic characterization of Streptococcus phocae strains with different host origin and description of the subspecies Streptococcus phocae subsp. salmonis subsp. nov International Journal of Systematic and Evolutionary Microbiology, 2014, 64, 1775-1781.	1.7	19
20	In vitro quenching of fish pathogen Edwardsiella tarda AHL production using marine bacterium Tenacibaculum sp. strain 20J cell extracts. Diseases of Aquatic Organisms, 2014, 108, 217-225.	1.0	48
21	A multiplex PCR for the simultaneous detection of Tenacibaculum maritimum and Edwardsiella tarda in aquaculture. International Microbiology, 2014, 17, 111-7.	2.4	10
22	Hot melt poly-ε-caprolactone/poloxamine implantable matrices for sustained delivery of ciprofloxacin. Acta Biomaterialia, 2012, 8, 1507-1518.	8.3	57
23	First description of <i>Edwardsiella tarda</i> in Senegalese sole, <i>Solea senegalensis</i> (Kaup). Journal of Fish Diseases, 2012, 35, 79-82.	1.9	12
24	Bactericidal Core-Shell Paramagnetic Nanoparticles Functionalized with Poly(hexamethylene) Tj ETQq0 0 0 rgB	T /Oyerlock	10_Tf 50 542
25	Estimation of epidemiological cut-off values for disk diffusion susceptibility test data for Streptococcus phocae. Aquaculture, 2011, 314, 44-48.	3.5	13
26	Intraspecific genetic variability of Edwardsiella tarda strains from cultured turbot. Diseases of Aquatic Organisms, 2011, 95, 253-258.	1.0	19
27	Pathogenic Potential of Edwardsiella tarda Strains Isolated from Turbot. Fish Pathology, 2011, 46, 27-30.	0.7	5
28	Surface properties of Streptococcus phocae strains isolated from diseased Atlantic salmon, Salmo salar L Journal of Fish Diseases, 2011, 34, 203-215.	1.9	30
29	Evaluation of the selective and differential ET medium for detection of Edwardsiella tarda in aquaculture systems. Letters in Applied Microbiology, 2011, 53, 114-119.	2.2	7
30	Furunculosis in Senegalese sole ( <i>Solea senegalensis</i> ) cultured in a recirculation system. Veterinary Record, 2011, 168, 431-431.	0.3	18
31	Contact Lens Hydrophobicity and Roughness Effects on Bacterial Adhesion. Optometry and Vision Science, 2010, 87, E426-E431.	1.2	64
32	Hydrogels porosity and bacteria penetration: Where is the pore size threshold?. Journal of Membrane Science, 2010, 365, 248-255.	8.2	16
33	Acylhomoserine lactone production and degradation by the fish pathogenTenacibaculum maritimum, a member of theCytophaga-Flavobacterium-Bacteroides(CFB) group. FEMS Microbiology Letters, 2010, 304, 131-139.	1.8	101
34	Evaluation of four polymerase chain reaction primer pairs for the detection of Edwardsiella tarda in turbot. Diseases of Aquatic Organisms, 2010, 90, 55-61.	1.0	29
35	Binding of Functionalized Paramagnetic Nanoparticles to Bacterial Lipopolysaccharides And DNA. Langmuir, 2010, 26, 8829-8835.	3.5	48
36	Antioxidant power, bacteriostatic activity, and characterization of white grape pomace extracts by HPLC–ESI–MS. European Food Research and Technology, 2009, 230, 291-301.	3.3	17

BEATRIZ MAGARIñOS

#	Article	IF	CITATIONS
37	Genetic characterization of <i>Streptococcus phocae</i> strains isolated from Atlantic salmon, <i>Salmo salar</i> L., in Chile. Journal of Fish Diseases, 2009, 32, 351-358.	1.9	18
38	First isolation of <i>Tenacibaculum maritimum</i> from wedge sole, <i>Dicologoglossa cuneata</i> (Moreau). Journal of Fish Diseases, 2009, 32, 603-610.	1.9	15
39	Expressed sequence tags (ESTs) from immune tissues of turbot (Scophthalmus maximus) challenged with pathogens. BMC Veterinary Research, 2008, 4, 37.	1.9	61
40	First description of serotype O3 in <i>Vibrio anguillarum</i> strains isolated from salmonids in Chile. Journal of Fish Diseases, 2008, 31, 235-239.	1.9	30
41	Streptococcus phocae, an emerging pathogen for salmonid culture. Veterinary Microbiology, 2008, 130, 198-207.	1.9	56
42	Antigenic and molecular characterization of Vibrio ordalii strains isolated from Atlantic salmon Salmo salar in Chile. Diseases of Aquatic Organisms, 2008, 79, 27-35.	1.0	21
43	Development of an effective Edwardsiella tarda vaccine for cultured turbot (Scophthalmus maximus). Fish and Shellfish Immunology, 2008, 25, 208-212.	3.6	59
44	Evaluation of different DNA-based fingerprinting methods for typing Photobacterium damselae ssp. piscicida. Biological Research, 2007, 40, 85-92.	3.4	13
45	Use of adjuvanted vaccines to lengthen the protection against lactococcosis in rainbow trout (Oncorhynchus mykiss). Aquaculture, 2006, 251, 153-158.	3.5	37
46	Use of hydrogen peroxide against the fish pathogen Tenacibaculum maritimum and its effect on infected turbot (Scophthalmus maximus). Aquaculture, 2006, 257, 104-110.	3.5	60
47	Tenacibaculosis infection in marine fish caused by Tenacibaculum maritimum: a review. Diseases of Aquatic Organisms, 2006, 71, 255-266.	1.0	215
48	Use of microcosms to determine the survival of the fish pathogen Tenacibaculum maritimum in seawater. Environmental Microbiology, 2006, 8, 921-928.	3.8	26
49	A challenge model for Tenacibaculum maritimum infection in turbot, Scophthalmus maximus (L.). Journal of Fish Diseases, 2006, 29, 371-374.	1.9	43
50	Characterization of Edwardsiella tarda strains isolated from turbot, Psetta maxima (L.). Journal of Fish Diseases, 2006, 29, 541-547.	1.9	103
51	Effectiveness of a divalent vaccine for sole, Solea senegalensis (Kaup), against Vibrio harveyi and Photobacterium damselae subsp. piscicida. Journal of Fish Diseases, 2005, 28, 33-38.	1.9	60
52	Iron Uptake Mechanisms in the Fish Pathogen Tenacibaculum maritimum. Applied and Environmental Microbiology, 2005, 71, 6947-6953.	3.1	34
53	A review of the main bacterial fish diseases in mariculture systems. Aquaculture, 2005, 246, 37-61.	3.5	671
54	Development and Validation of a PCR-based Protocol for the Detection of Pseudomonas anguilliseptica. Fish Pathology, 2004, 39, 33-41.	0.7	13

BEATRIZ MAGARIñOS

#	Article	IF	CITATIONS
55	Intraspecific diversity of the marine fish pathogen Tenacibaculum maritimum as determined by randomly amplified polymorphic DNA-PCR. Journal of Applied Microbiology, 2004, 96, 871-877.	3.1	29
56	Species-specific polymerase chain reaction primer sets for the diagnosis of Tenacibaculum maritimum infection. Diseases of Aquatic Organisms, 2004, 62, 75-83.	1.0	45
57	Phenotypic characterization and description of two major O-serotypes in Tenacibaculum maritimum strains from marine fishes. Diseases of Aquatic Organisms, 2004, 58, 1-8.	1.0	39
58	Existence of two O-serotypes in the fish pathogen Pseudomonas anguilliseptica. Veterinary Microbiology, 2003, 94, 325-333.	1.9	16
59	Phenotypic and Genetic Characterization ofPseudomonas anguillisepticaStrains Isolated from Fish. Journal of Aquatic Animal Health, 2003, 15, 39-47.	1.4	26
60	Effect of oral administration of glucans on the resistance of gilthead seabream to pasteurellosis. Aquaculture, 2003, 219, 99-109.	3.5	92
61	Molecular Fingerprinting of Fish-Pathogenic Lactococcus garvieae Strains by Random Amplified Polymorphic DNA Analysis. Journal of Clinical Microbiology, 2003, 41, 751-756.	3.9	62
62	Dormancy as a survival strategy of the fish pathogen Streptococcus parauberis in the marine environment. Diseases of Aquatic Organisms, 2002, 52, 129-136.	1.0	28
63	Comparison of Ribotyping, Randomly Amplified Polymorphic DNA, and Pulsed-Field Gel Electrophoresis for Molecular Typing of Vibrio tapetis. Systematic and Applied Microbiology, 2002, 25, 544-550.	2.8	25
64	Binding of haemin by the fish pathogen Photobacterium damselae subsp. piscicida. Diseases of Aquatic Organisms, 2002, 48, 109-115.	1.0	23
65	Effect of temperature on the development of pasteurellosis in carrier gilthead seabream (Sparus) Tj ETQq1 1 0.7	84314 rgE	BT /Overlock
66	Molecular characterization of Portuguese strains of Yersinia ruckeri isolated from fish culture systems. Journal of Fish Diseases, 2001, 24, 151-159.	1.9	14
67	Existence of two geographically-linked clonal lineages in the bacterial fish pathogen Photobacterium damselae subsp. piscicida evidenced by random amplified polymorphic DNA analysis. Epidemiology and Infection, 2000, 125, 213-219.	2.1	35
68	Genetic analysis of turbot pathogenicStreptococcus parauberisstrains by ribotyping and random amplified polymorphic DNA. FEMS Microbiology Letters, 1999, 179, 297-304.	1.8	38
69	Assessment of a magnetic bead-EIA based kit for rapid diagnosis of fish pasteurellosis. Journal of Microbiological Methods, 1999, 38, 147-154.	1.6	12
70	Applicability of Ribotyping for Intraspecific Classification and Epidemiological Studies of Photobacterium damsela subsp. piscicida. Systematic and Applied Microbiology, 1997, 20, 634-639.	2.8	22
71	Viability of starved Pasteurella piscicida in seawater monitored by flow cytometry and the effect of antibiotics on its resuscitation. Letters in Applied Microbiology, 1997, 24, 122-126.	2.2	25
72	Influence of the capsular layer on the virulence ofPasteurella piscicidafor fish. Microbial Pathogenesis, 1996, 21, 289-297.	2.9	62

BEATRIZ MAGARIñOS

#	Article	IF	CITATIONS
73	Adherence and invasive capacities of the fish pathogenPasteurella piscicida. FEMS Microbiology Letters, 1996, 138, 29-34.	1.8	57
74	Phenotypic and pathobiological characteristics of Pasteurella piscicida. Annual Review of Fish Diseases, 1996, 6, 41-64.	1.0	66
75	Adherence and invasive capacities of the fish pathogen Pasteurella piscicida. FEMS Microbiology Letters, 1996, 138, 29-34.	1.8	3
76	Phenotypic and pathobiological characteristics of Pasteurella piscicida. Annual Review of Fish Diseases, 1996, 6, 41-64.	1.0	52
77	Interactions between peritoneal exudate cells (PECs) of gilthead seabream (Sparus aurata) and Pasteurella piscicida. A morphological study. Aquaculture, 1995, 131, 11-21.	3.5	36
78	Fatty acid profiles of ?Pasteurella? piscicida: comparison with other fish pathogenic gram-negative bacteria. Archives of Microbiology, 1995, 163, 211-216.	2.2	11
79	Response of Pasteurella piscicida and Flexibacter maritimus to skin mucus of marine fish. Diseases of Aquatic Organisms, 1995, 21, 103-108.	1.0	85
80	Fatty acid profiles of "Pasteurella" piscicida: comparison with other fish pathogenic gram-negative bacteria. Archives of Microbiology, 1995, 163, 211-216.	2.2	12
81	Evaluation of BIONOR Mono-kits for rapid detection of bacterial fish pathogens. Diseases of Aquatic Organisms, 1995, 21, 25-34.	1.0	31
82	Sequential pathology of experimental pasteurellosis in gilthead seabream Sparus aurata. A light- and electron-microscopic study. Diseases of Aquatic Organisms, 1995, 21, 177-186.	1.0	47
83	Incidence of Yersinia ruckeri in two farms in Galicia (NW Spain) during a one-year period. Journal of Fish Diseases, 1994, 17, 533-539.	1.9	7
84	Starvation-Survival Processes of the Bacterial Fish Pathogen Yersinia ruckeri. Systematic and Applied Microbiology, 1994, 17, 161-168.	2.8	29
85	Vaccination trials on gilthead seabream (Sparus aurata) against Pasteurella piscicida. Aquaculture, 1994, 120, 201-208.	3.5	50
86	Iron uptake by Pasteurella piscicida and its role in pathogenicity for fish. Applied and Environmental Microbiology, 1994, 60, 2990-2998.	3.1	84
87	Usefulness of the API-20E system for the identification of bacterial fish pathogens. Aquaculture, 1993, 116, 111-120.	3.5	52
88	Antigenic and Molecular Characterization of Yersinia ruckeri Proposal for a New Intraspecies Classification. Systematic and Applied Microbiology, 1993, 16, 411-419.	2.8	70
89	Phenotypic Characteristics and Virulence of <i>Vibrio anguillarum</i> -Related Organisms. Applied and Environmental Microbiology, 1993, 59, 2969-2976.	3.1	38
90	Vibrio mimicus and Vibrio cholerae non-01 Isolated from Wild and Hatchery-Reared Fish Fish Pathology, 1993, 28, 15-26.	0.7	4

#	Article	IF	CITATIONS
91	The detection of two antigenic groups among Renibacterium salmoninarum isolates. FEMS Microbiology Letters, 1992, 94, 105-110.	1.8	12
92	Phenotypic, antigenic, and molecular characterization of Pasteurella piscicida strains isolated from fish. Applied and Environmental Microbiology, 1992, 58, 3316-3322.	3.1	105
93	Pasteurellosis in cultured gilthead seabream (Sparus aurata): first report in Spain. Aquaculture, 1991, 99, 1-15.	3.5	143