## Lu Ping Tan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6192330/publications.pdf

Version: 2024-02-01

687363 752698 23 997 13 20 h-index citations g-index papers 25 25 25 2050 all docs docs citations times ranked citing authors

#	Article	IF	CITATIONS
1	Expression of miR-21 and its targets (PTEN, PDCD4, TM1) in flat epithelial atypia of the breast in relation to ductal carcinoma in situ and invasive carcinoma. BMC Cancer, 2009, 9, 163.	2.6	190
2	Hodgkin Lymphoma Cell Lines Are Characterized by a Specific miRNA Expression Profile. Neoplasia, 2009, 11, 167-IN9.	5.3	133
3	miRNA analysis in Bâ€cell chronic lymphocytic leukaemia: proliferation centres characterized by low miRâ€150 and high <i>BIC</i> /miRâ€155 expression. Journal of Pathology, 2008, 215, 13-20.	4.5	109
4	A high throughput experimental approach to identify miRNA targets in human cells. Nucleic Acids Research, 2009, 37, e137-e137.	14.5	105
5	miRNA profiling of B-cell subsets: specific miRNA profile for germinal center B cells with variation between centroblasts and centrocytes. Laboratory Investigation, 2009, 89, 708-716.	3.7	103
6	Evaluation of extraction kits and RT-qPCR systems adapted to high-throughput platform for circulating miRNAs. Scientific Reports, 2015, 5, 9430.	3.3	60
7	Systematic comparison of plasma EBV DNA, antiâ€EBV antibodies and miRNA levels for early detection and prognosis of nasopharyngeal carcinoma. International Journal of Cancer, 2020, 146, 2336-2347.	5.1	53
8	<i>HLAâ€A</i> SNPs and amino acid variants are associated with nasopharyngeal carcinoma in Malaysian Chinese. International Journal of Cancer, 2015, 136, 678-687.	5.1	48
9	A High Throughput Experimental Approach to Identify miRNA Target Genes in Hodgkin Lymphoma Blood, 2008, 112, 1461-1461.	1.4	42
10	The Microenvironment in Epstein–Barr Virus-Associated Malignancies. Pathogens, 2018, 7, 40.	2.8	40
11	Exome Sequencing Identifies Potentially Druggable Mutations in Nasopharyngeal Carcinoma. Scientific Reports, 2017, 7, 42980.	3.3	27
12	Evaluation of stem-like side population cells in a recurrent nasopharyngeal carcinoma cell line. Cancer Cell International, 2014, 14, 101.	4.1	15
13	CD24, CD44 and EpCAM enrich for tumour-initiating cells in a newly established patient-derived xenograft of nasopharyngeal carcinoma. Scientific Reports, 2017, 7, 12372.	3.3	15
14	A novel and nonâ€invasive approach utilising nasal washings for the detection of nasopharyngeal carcinoma. International Journal of Cancer, 2019, 145, 2260-2266.	5.1	12
15	No difference in the occurrence of mismatch repair defects and APC and CTNNB1 genes mutation in a multi-racial colorectal carcinoma patient cohort. Pathology, 2007, 39, 228-234.	0.6	10
16	Identification and characterization of a novel Epstein-Barr Virus-encoded circular RNA from LMP-2 Gene. Scientific Reports, 2021, 11, 14392.	3.3	10
17	Parallel genome-wide RNAi screens identify lymphocyte-specific protein tyrosine kinase (LCK) as a targetable vulnerability of cell proliferation and chemoresistance in nasopharyngeal carcinoma. Cancer Letters, 2021, 504, 81-90.	7.2	9
18	Integrated pathway analysis of nasopharyngeal carcinoma implicates the axonemal dynein complex in the Malaysian cohort. International Journal of Cancer, 2016, 139, 1731-1739.	5.1	8

#	Article	IF	CITATIONS
19	High-Throughput RT-qPCR for the Analysis of Circulating MicroRNAs. Methods in Molecular Biology, 2017, 1580, 7-19.	0.9	7
20	Specific Micro-RNA Expression Profile in Hodgkin Lymphoma Blood, 2007, 110, 381-381.	1.4	0
21	miRNA Profiling of B Cell Subsets: Specific miRNA Profile for Germinal Center B Cells with a Marked Variation Between Centroblast and Centrocytes Blood, 2008, 112, 1459-1459.	1.4	0
22	Repression of Mir-106b Family Members Does Not Alter Cell Cycle Progression in Hodgkin Lymphoma. Blood, 2008, 112, 4722-4722.	1.4	0
23	Nasopharyngeal carcinoma in adolescent patients: A case series. Clinical Otolaryngology, 2022, 47, 486-490.	1.2	0