
Sarah Steeg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6192767/publications.pdf Version: 2024-02-01



SADAH STEEC

#	Article	IF	CITATIONS
1	Primary care clinical management following self-harm during the first wave of COVID-19 in the UK: population-based cohort study. BMJ Open, 2022, 12, e052613.	1.9	4
2	A systematic review and meta-analysis of disease burden of healthcare-associated infections in China: an economic burden perspective from general hospitals. Journal of Hospital Infection, 2022, 123, 1-11.	2.9	11
3	The impact of the COVID-19 pandemic on presentations to health services following self-harm: systematic review. British Journal of Psychiatry, 2022, 221, 603-612.	2.8	17
4	Effects of the COVID-19 pandemic on self-harm. Lancet Psychiatry,the, 2021, 8, e4.	7.4	27
5	Evaluating the impact of patient and carer involvement in suicide and selfâ€harm research: A mixedâ€methods, longitudinal study protocol. Health Expectations, 2021, 24, 47-53.	2.6	11
6	Effects of the COVID-19 pandemic on primary care-recorded mental illness and self-harm episodes in the UK: a population-based cohort study. Lancet Public Health, The, 2021, 6, e124-e135.	10.0	201
7	Temporal trends in primary care-recorded self-harm during and beyond the first year of the COVID-19 pandemic: Time series analysis of electronic healthcare records for 2.8 million patients in the Greater Manchester Care Record. EClinicalMedicine, 2021, 41, 101175.	7.1	25
8	Accuracy of individual and combined risk-scale items in the prediction of repetition of self-harm: multicentre prospective cohort study. BJPsych Open, 2021, 7, e2.	0.7	5
9	Factors associated with psychiatric admission and subsequent self-harm repetition: a cohort study of high-risk hospital-presenting self-harm. Journal of Mental Health, 2021, 30, 751-759.	1.9	1
10	Association of SARS-CoV-2 Infection With Psychological Distress, Psychotropic Prescribing, Fatigue, and Sleep Problems Among UK Primary Care Patients. JAMA Network Open, 2021, 4, e2134803.	5.9	39
11	Temporal trends in incidence of hospital-treated self-harm among adolescents in Denmark: national register-based study. Social Psychiatry and Psychiatric Epidemiology, 2020, 55, 415-421.	3.1	20
12	Adverse Childhood Experiences and Risk of Subsequently Engaging in Self-Harm and Violence towards Other People—"Dual Harm― International Journal of Environmental Research and Public Health, 2020, 17, 9409.	2.6	11
13	Suicide rates and voting choice in the UK's 2016 national Brexit referendum on European Union membership: cross-sectional ecological investigation across England's local authority populations. BJPsych Open, 2020, 6, e57.	0.7	4
14	Substance misuse disorder linked to high risk of self-harm. Lancet Psychiatry,the, 2020, 7, 110-111.	7.4	1
15	Advance decisions to refuse treatment and suicidal behaviour in emergency care: â€`it's very much a step into the unknown'. BJPsych Open, 2019, 5, e50.	0.7	2
16	Risk of dying unnaturally among people aged 15–35 years who have harmed themselves and inflicted violence on others: a national nested case-control study. Lancet Public Health, The, 2019, 4, e220-e228.	10.0	17
17	Management of patients with an advance decision and suicidal behaviour: a systematic review. BMJ Open, 2019, 9, e023978.	1.9	10
18	Risk assessment scales to predict risk of hospital treated repeat self-harm: A cost-effectiveness modelling analysis. Journal of Affective Disorders, 2019, 249, 208-215.	4.1	8

SARAH STEEG

#	Article	IF	CITATIONS
19	Routine hospital management of self-harm and risk of further self-harm: propensity score analysis using record-based cohort data. Psychological Medicine, 2018, 48, 315-326.	4.5	33
20	Suicide and all-cause mortality following routine hospital management of self-harm: Propensity score analysis using multicentre cohort data. PLoS ONE, 2018, 13, e0204670.	2.5	15
21	Accuracy of risk scales for predicting repeat self-harm and suicide: a multicentre, population-level cohort study using routine clinical data. BMC Psychiatry, 2018, 18, 113.	2.6	59
22	Authors' reply. British Journal of Psychiatry, 2017, 211, 183-184.	2.8	1
23	Self-harm in adolescence: a marker for psychosocial problems in early adulthood. The Lancet Child and Adolescent Health, 2017, 1, 163-164.	5.6	1
24	Psychosocial Assessment of Self-Harm Patients and Risk of Repeat Presentation: An Instrumental Variable Analysis Using Time of Hospital Presentation. PLoS ONE, 2016, 11, e0149713.	2.5	43
25	The exacerbating influence of hopelessness on other known risk factors for repeat self-harm and suicide. Journal of Affective Disorders, 2016, 190, 522-528.	4.1	34
26	High-Volume Repeaters of Self-Harm. Crisis, 2016, 37, 427-437.	1.2	9
27	Psychosocial therapy after self-harm associated with reduced repetition, suicide, and all-cause mortality in Denmark. Evidence-Based Mental Health, 2015, 18, 91-91.	4.5	0
28	Self-harm amongst people of Chinese origin versus White people living in England: a cohort study. BMC Psychiatry, 2015, 15, 79.	2.6	2
29	Alcohol use and misuse, self-harm and subsequent mortality: an epidemiological and longitudinal study from the multicentre study of self-harm in England. Emergency Medicine Journal, 2015, 32, 793-799.	1.0	48
30	Hospital management of suicidal behaviour and subsequent mortality: a prospective cohort study. Lancet Psychiatry,the, 2015, 2, 809-816.	7.4	55
31	Variations in the hospital management of self-harm and patient outcome: A multi-site observational study in England. Journal of Affective Disorders, 2015, 174, 101-105.	4.1	22
32	Alcohol-related mortality following self-harm: a multicentre cohort study. JRSM Open, 2014, 5, 205427041453332.	0.5	8
33	Scales for predicting risk following self-harm: an observational study in 32 hospitals in England. BMJ Open, 2014, 4, e004732.	1.9	53
34	Risk factors associated with repetition of self-harm in black and minority ethnic (BME) groups: A multi-centre cohort study. Journal of Affective Disorders, 2013, 148, 435-439.	4.1	14
35	Time trends in coroners' use of different verdicts for possible suicides and their impact on officially reported incidence of suicide in England: 1990–2005. Psychological Medicine, 2013, 43, 1415-1422.	4.5	88
36	Are hospital services for self-harm getting better? An observational study examining management, service provision and temporal trends in England. BMJ Open, 2013, 3, e003444.	1.9	102

SARAH STEEG

#	Article	IF	CITATIONS
37	Does Clinical Management Improve Outcomes following Self-Harm? Results from the Multicentre Study of Self-Harm in England. PLoS ONE, 2013, 8, e70434.	2.5	101
38	Shared characteristics of suicides and other unnatural deaths following non-fatal self-harm? A multicentre study of risk factors. Psychological Medicine, 2012, 42, 727-741.	4.5	51
39	The development of a population-level clinical screening tool for self-harm repetition and suicide: the ReACT Self-Harm Rule. Psychological Medicine, 2012, 42, 2383-2394.	4.5	63
40	Screening for suicide - Reply. Psychological Medicine, 2012, 42, 2012-2013.	4.5	1
41	Premature death after self-harm: a multicentre cohort study. Lancet, The, 2012, 380, 1568-1574.	13.7	246
42	Repetition of selfâ€harm and suicide following selfâ€harm in children and adolescents: findings from the Multicentre Study of Selfâ€harm in England. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 1212-1219.	5.2	226
43	Epidemiology and nature of self-harm in children and adolescents: findings from the multicentre study of self-harm in England. European Child and Adolescent Psychiatry, 2012, 21, 369-377.	4.7	89
44	How do methods of non-fatal self-harm relate to eventual suicide?. Journal of Affective Disorders, 2012, 136, 526-533.	4.1	100
45	First Episode of Self-Harm in Older Age. Journal of Clinical Psychiatry, 2011, 72, 737-743.	2.2	12
46	Assessment Rates and Compliance With Assertive Follow-up After Self-Harm: Cohort Study. Archives of Suicide Research, 2010, 14, 120-134.	2.3	12