

Giancarlo Lopez-Martinez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6193923/publications.pdf>

Version: 2024-02-01

31
papers

1,711
citations

331670

21
h-index

434195

31
g-index

31
all docs

31
docs citations

31
times ranked

1727
citing authors

#	ARTICLE	IF	CITATIONS
1	Anoxia hormesis following overwintering diapause boosts bee survivorship and adult performance. <i>Science of the Total Environment</i> , 2022, 802, 149934.	8.0	7
2	Anoxia elicits the strongest stimulatory protective response in insect low-oxygen hormesis. <i>Current Opinion in Toxicology</i> , 2022, 29, 51-56.	5.0	7
3	Low-oxygen hormetic conditioning improves field performance of sterile insects by inducing beneficial plasticity. <i>Evolutionary Applications</i> , 2021, 14, 566-576.	3.1	8
4	Resistance and survival to extreme heat shows circadian and sex-specific patterns in a cavity nesting bee. <i>Current Research in Insect Science</i> , 2021, 1, 100020.	1.7	2
5	Commentary: Ultraviolet radiation triggers a preparation for oxidative stress-antioxidant response in animals: Similarities and interplay with other stressors. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2020, 239, 110585.	1.8	12
6	A dose of experimental hormesis: When mild stress protects and improves animal performance. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2020, 242, 110658.	1.8	93
7	Hormetic benefits of prior anoxia exposure in buffering anoxia stress in a soil-pupating insect. <i>Journal of Experimental Biology</i> , 2018, 221, .	1.7	17
8	Hawkmoths use nectar sugar to reduce oxidative damage from flight. <i>Science</i> , 2017, 355, 733-735.	12.6	66
9	Anoxia-Conditioning Hormesis Alters the Relationship Between Irradiation Doses for Survival and Sterility in the Cactus Moth, <i>Cactoblastis cactorum</i> (Lepidoptera: Pyralidae). <i>Florida Entomologist</i> , 2016, 99, 95-104.	0.5	14
10	Low-Oxygen Atmospheric Treatment Improves the Performance of Irradiation-Sterilized Male Cactus Moths Used in SIT. <i>Journal of Economic Entomology</i> , 2014, 107, 185-197.	1.8	31
11	Early Life Hormetic Treatments Decrease Irradiation-Induced Oxidative Damage, Increase Longevity, and Enhance Sexual Performance during Old Age in the Caribbean Fruit Fly. <i>PLoS ONE</i> , 2014, 9, e88128.	2.5	41
12	Rehydration Driven RNAi: A Novel Approach for Effectively Delivering dsRNA to Mosquito Larvae. <i>Journal of Medical Entomology</i> , 2012, 49, 215-218.	1.8	19
13	Short-term anoxic conditioning hormesis boosts antioxidant defenses, lowers oxidative damage following irradiation and enhances male sexual performance in the Caribbean fruit fly, <i>Anastrepha suspensa</i> . <i>Journal of Experimental Biology</i> , 2012, 215, 2150-2161.	1.7	91
14	Drinking a hot blood meal elicits a protective heat shock response in mosquitoes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 8026-8029.	7.1	137
15	Heat shock proteins contribute to mosquito dehydration tolerance. <i>Journal of Insect Physiology</i> , 2010, 56, 151-156.	2.0	132
16	Osmoregulation and salinity tolerance in the Antarctic midge, <i>Belgica antarctica</i> : seawater exposure confers enhanced tolerance to freezing and dehydration. <i>Journal of Experimental Biology</i> , 2009, 212, 2864-2871.	1.7	40
17	Dehydration-induced cross tolerance of <i>Belgica antarctica</i> larvae to cold and heat is facilitated by trehalose accumulation. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2009, 152, 518-523.	1.8	124
18	Dehydration, rehydration, and overhydration alter patterns of gene expression in the Antarctic midge, <i>Belgica antarctica</i> . <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2009, 179, 481-491.	1.5	101

#	ARTICLE	IF	CITATIONS
19	Distinct contractile and cytoskeletal protein patterns in the Antarctic midge are elicited by desiccation and rehydration. <i>Proteomics</i> , 2009, 9, 2788-2798.	2.2	29
20	Responses of the bed bug, <i>Cimex lectularius</i> , to temperature extremes and dehydration: levels of tolerance, rapid cold hardening and expression of heat shock proteins. <i>Medical and Veterinary Entomology</i> , 2009, 23, 418-425.	1.5	73
21	Short Note: Increase in feeding by the tick, <i>Ixodes uriae</i> , on Adelie penguins during a prolonged summer. <i>Antarctic Science</i> , 2009, 21, 151-152.	0.9	23
22	Adaptations for the maintenance of water balance by three species of Antarctic mites. <i>Polar Biology</i> , 2008, 31, 539-547.	1.2	26
23	The seabird tick, <i>Ixodes uriae</i> , uses uric acid in penguin guano as a kairomone and guanine in tick feces as an assembly pheromone on the Antarctic Peninsula. <i>Polar Biology</i> , 2008, 31, 1445.	1.2	22
24	Metabolomics reveals unique and shared metabolic changes in response to heat shock, freezing and desiccation in the Antarctic midge, <i>Belgica antarctica</i> . <i>Journal of Insect Physiology</i> , 2008, 54, 645-655.	2.0	152
25	High resistance to oxidative damage in the Antarctic midge <i>Belgica antarctica</i> , and developmentally linked expression of genes encoding superoxide dismutase, catalase and heat shock proteins. <i>Insect Biochemistry and Molecular Biology</i> , 2008, 38, 796-804.	2.7	151
26	Rapid cold-hardening in larvae of the Antarctic midge <i>Belgica antarctica</i> : cellular cold-sensing and a role for calcium. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 294, R1938-R1946.	1.8	46
27	Regulation of heat shock proteins in the apple maggot <i>Rhagoletis pomonella</i> during hot summer days and overwintering diapause. <i>Physiological Entomology</i> , 2008, 33, 346-352.	1.5	35
28	Phylogeography illuminates maternal origins of exotic <i>Coptotermes gestroi</i> (Isoptera: Termitidae). <i>Journal of Biogeography</i> , 2008, 35, 382-390.	2.7	40
29	Mechanisms to reduce dehydration stress in larvae of the Antarctic midge, <i>Belgica antarctica</i> . <i>Journal of Insect Physiology</i> , 2007, 53, 656-667.	2.0	101
30	Habitat requirements of the seabird tick, <i>Ixodes uriae</i> (Acari: Ixodidae), from the Antarctic Peninsula in relation to water balance characteristics of eggs, nonfed and engorged stages. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2007, 177, 205-215.	1.5	54
31	Moist habitats are essential for adults of the Antarctic midge, <i>Belgica antarctica</i> (Diptera: Chironomidae). <i>Journal of Insect Physiology</i> , 2007, 53, 17-21.	1.2	17