

Azmeraw T Amare

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6195121/publications.pdf>

Version: 2024-02-01

92
papers

86,682
citations

28274

55
h-index

40979

93
g-index

104
all docs

104
docs citations

104
times ranked

120540
citing authors

#	ARTICLE	IF	CITATIONS
1	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1789-1858.	13.7	8,569
2	Global, regional, and national ageâ€“sex specific all-cause and cause-specific mortality for 240 causes of death, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 385, 117-171.	13.7	5,847
3	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1211-1259.	13.7	5,578
4	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1545-1602.	13.7	5,298
5	Health Effects of Overweight and Obesity in 195 Countries over 25 Years. <i>New England Journal of Medicine</i> , 2017, 377, 13-27.	27.0	5,014
6	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1736-1788.	13.7	4,989
7	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1459-1544.	13.7	4,934
8	Global, Regional, and National Cancer Incidence, Mortality, Years of Life Lost, Years Lived With Disability, and Disability-Adjusted Life-years for 32 Cancer Groups, 1990 to 2015. <i>JAMA Oncology</i> , 2017, 3, 524.	7.1	4,254
9	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1659-1724.	13.7	4,203
10	Global, regional, and national age-sex specific mortality for 264 causes of death, 1980â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1151-1210.	13.7	3,565
11	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1923-1994.	13.7	3,269
12	The Global Burden of Cancer 2013. <i>JAMA Oncology</i> , 2015, 1, 505.	7.1	2,269
13	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet, The</i> , 2015, 386, 2287-2323.	13.7	2,184
14	Alcohol use and burden for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2018, 392, 1015-1035.	13.7	2,005
15	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1345-1422.	13.7	1,879
16	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990â€“2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1603-1658.	13.7	1,612
17	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990â€“2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1260-1344.	13.7	1,589
18	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990â€“2013: quantifying the epidemiological transition. <i>Lancet, The</i> , 2015, 386, 2145-2191.	13.7	1,544

#	ARTICLE	IF	CITATIONS
19	Global, regional, and national burden of neurological disorders during 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Neurology</i> , The, 2017, 16, 877-897.	10.2	1,521
20	Smoking prevalence and attributable disease burden in 195 countries and territories, 1990–2015: a systematic analysis from the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2017, 389, 1885-1906.	13.7	1,281
21	Global, regional, and national levels and causes of maternal mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2014, 384, 980-1004.	13.7	1,230
22	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory infections in 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 1191-1210.	9.1	1,084
23	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of diarrhoea in 195 countries: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 1211-1228.	9.1	862
24	Estimates of global, regional, and national morbidity, mortality, and aetiologies of diarrhoeal diseases: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 909-948.	9.1	837
25	Global, regional, and national incidence and mortality for HIV, tuberculosis, and malaria during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2014, 384, 1005-1070.	13.7	786
26	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1775-1812.	13.7	740
27	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet</i> , The, 2018, 392, 1684-1735.	13.7	716
28	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2018, 391, 2236-2271.	13.7	638
29	Global, regional, and national levels of neonatal, infant, and under-5 mortality during 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>Lancet</i> , The, 2014, 384, 957-979.	13.7	609
30	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. <i>Lancet</i> , The, 2017, 390, 1084-1150.	13.7	573
31	Global, regional, national, and selected subnational levels of stillbirths, neonatal, infant, and under-5 mortality, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2016, 388, 1725-1774.	13.7	571
32	Estimates of the global, regional, and national morbidity, mortality, and aetiologies of lower respiratory tract infections in 195 countries: a systematic analysis for the Global Burden of Disease Study 2015. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 1133-1161.	9.1	529
33	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. <i>Lancet</i> , The, 2017, 390, 231-266.	13.7	480
34	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. <i>JAMA Pediatrics</i> , 2016, 170, 267.	6.2	479
35	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. <i>Lancet HIV</i> , the, 2016, 3, e361-e387.	4.7	461
36	The global burden of typhoid and paratyphoid fevers: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet Infectious Diseases</i> , The, 2019, 19, 369-381.	9.1	461

#	ARTICLE	IF	CITATIONS
37	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. <i>Lancet, The</i> , 2016, 388, 1813-1850.	13.7	413
38	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 2091-2138.	13.7	335
39	Five insights from the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2020, 396, 1135-1159.	13.7	335
40	Child and Adolescent Health From 1990 to 2015. <i>JAMA Pediatrics</i> , 2017, 171, 573.	6.2	306
41	Population and fertility by age and sex for 195 countries and territories, 1950â€“2017: a systematic analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2018, 392, 1995-2051.	13.7	294
42	Measuring progress and projecting attainment on the basis of past trends of the health-related Sustainable Development Goals in 188 countries: an analysis from the Global Burden of Disease Study 2016. <i>Lancet, The</i> , 2017, 390, 1423-1459.	13.7	284
43	The genetic overlap between mood disorders and cardiometabolic diseases: a systematic review of genome wide and candidate gene studies. <i>Translational Psychiatry</i> , 2017, 7, e1007-e1007.	4.8	259
44	Health in times of uncertainty in the eastern Mediterranean region, 1990â€“2013: a systematic analysis for the Global Burden of Disease Study 2013. <i>The Lancet Global Health</i> , 2016, 4, e704-e713.	6.3	147
45	Trends and causes of maternal mortality in Ethiopia during 1990â€“2013: findings from the Global Burden of Diseases study 2013. <i>BMC Public Health</i> , 2017, 17, 160.	2.9	129
46	National mortality burden due to communicable, non-communicable, and other diseases in Ethiopia, 1990â€“2015: findings from the Global Burden of Disease Study 2015. <i>Population Health Metrics</i> , 2017, 15, 29.	2.7	122
47	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	11.0	102
48	Review and Consensus on Pharmacogenomic Testing in Psychiatry. <i>Pharmacopsychiatry</i> , 2021, 54, 5-17.	3.3	96
49	Genetic loci associated with heart rate variability and their effects on cardiac disease risk. <i>Nature Communications</i> , 2017, 8, 15805.	12.8	95
50	Global, regional, and national mortality among young people aged 10â€“24 years, 1950â€“2019: a systematic analysis for the Global Burden of Disease Study 2019. <i>Lancet, The</i> , 2021, 398, 1593-1618.	13.7	92
51	Mothers' satisfaction with referral hospital delivery service in Amhara Region, Ethiopia. <i>BMC Pregnancy and Childbirth</i> , 2011, 11, 78.	2.4	85
52	An Analysis of Two Genome-wide Association Meta-analyses Identifies a New Locus for Broad Depression Phenotype. <i>Biological Psychiatry</i> , 2017, 82, 322-329.	1.3	84
53	Pharmacogenomics in the treatment of mood disorders: Strategies and Opportunities for personalized psychiatry. <i>EPMA Journal</i> , 2017, 8, 211-227.	6.1	81
54	Mapping geographical inequalities in childhood diarrhoeal morbidity and mortality in low-income and middle-income countries, 2000â€“17: analysis for the Global Burden of Disease Study 2017. <i>Lancet, The</i> , 2020, 395, 1779-1801.	13.7	72

#	ARTICLE	IF	CITATIONS
55	Bivariate genome-wide association analyses of the broad depression phenotype combined with major depressive disorder, bipolar disorder or schizophrenia reveal eight novel genetic loci for depression. <i>Molecular Psychiatry</i> , 2020, 25, 1420-1429.	7.9	68
56	Trends, causes, and risk factors of mortality among children under 5 in Ethiopia, 1990–2013: findings from the Global Burden of Disease Study 2013. <i>Population Health Metrics</i> , 2016, 14, 42.	2.7	65
57	Incidence, prevalence and mortality rates of malaria in Ethiopia from 1990 to 2015: analysis of the global burden of diseases 2015. <i>Malaria Journal</i> , 2017, 16, 271.	2.3	58
58	Mapping local patterns of childhood overweight and wasting in low- and middle-income countries between 2000 and 2017. <i>Nature Medicine</i> , 2020, 26, 750-759.	30.7	47
59	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	7.9	44
60	Global, Regional, and National Levels of Maternal Mortality, 1990–2015: A Systematic Analysis for the Global Burden of Disease Study 2015. <i>Obstetrical and Gynecological Survey</i> , 2017, 72, 11-13.	0.4	41
61	The prevalence and burden of mental and substance use disorders in Australia: Findings from the Global Burden of Disease Study 2015. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 483-490.	2.3	39
62	Association of the Polygenic Scores for Personality Traits and Response to Selective Serotonin Reuptake Inhibitors in Patients with Major Depressive Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 65.	2.6	38
63	National disability-adjusted life years (DALYs) for 257 diseases and injuries in Ethiopia, 1990–2015: findings from the global burden of disease study 2015. <i>Population Health Metrics</i> , 2017, 15, 28.	2.7	37
64	The impact of dietary risk factors on the burden of non-communicable diseases in Ethiopia: findings from the Global Burden of Disease study 2013. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2016, 13, 122.	4.6	34
65	Bivariate Genome-Wide Association Study of Depressive Symptoms With Type 2 Diabetes and Quantitative Glycemic Traits. <i>Psychosomatic Medicine</i> , 2018, 80, 242-251.	2.0	31
66	The Burden of HIV/AIDS in Ethiopia from 1990 to 2016: Evidence from the Global Burden of Diseases 2016 Study. <i>Ethiopian Journal of Health Sciences</i> , 2019, 29, 859-868.	0.4	31
67	The prevalence, trends and determinants of mental health disorders in older Australians living in permanent residential aged care: Implications for policy and quality of aged care services. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 54, 1200-1211.	2.3	30
68	Prolonged Wait Time Prior to Entry to Home Care Packages Increases the Risk of Mortality and Transition to Permanent Residential Aged Care Services: Findings from the Registry of Older South Australians (ROSA). <i>Journal of Nutrition, Health and Aging</i> , 2019, 23, 271-280.	3.3	29
69	The association of obesity and coronary artery disease genes with response to SSRIs treatment in major depression. <i>Journal of Neural Transmission</i> , 2019, 126, 35-45.	2.8	27
70	Tuberculosis Burden in Ethiopia from 1990 to 2016: Evidence from the Global Burden of Diseases 2016 Study. <i>Ethiopian Journal of Health Sciences</i> , 2019, 28, 519-528.	0.4	25
71	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	4.8	25
72	An examination of the quality and performance of the Alda scale for classifying lithium response phenotypes. <i>Bipolar Disorders</i> , 2020, 22, 255-265.	1.9	24

#	ARTICLE	IF	CITATIONS
73	Development and validation of a frailty index based on Australian Aged Care Assessment Program data. <i>Medical Journal of Australia</i> , 2020, 213, 321-326.	1.7	22
74	A gene co-expression module implicating the mitochondrial electron transport chain is associated with long-term response to lithium treatment in bipolar affective disorder. <i>Translational Psychiatry</i> , 2018, 8, 183.	4.8	21
75	Cortical surface area alterations shaped by genetic load for neuroticism. <i>Molecular Psychiatry</i> , 2020, 25, 3422-3431.	7.9	20
76	The genetic relationship between female reproductive traits and six psychiatric disorders. <i>Scientific Reports</i> , 2019, 9, 12041.	3.3	18
77	High burden of birthweight-lowering genetic variants in Africans and Asians. <i>BMC Medicine</i> , 2018, 16, 70.	5.5	12
78	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	2.8	11
79	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	3.3	10
80	Burden of disease attributable to suboptimal diet, metabolic risks and low physical activity in Ethiopia and comparison with Eastern sub-Saharan African countries, 1990â€“2015: findings from the Global Burden of Disease Study 2015. <i>BMC Public Health</i> , 2018, 18, 552.	2.9	9
81	Factors associated with accessing aged care services in Australia after approval for services: Findings from the historical cohort of the Registry of Senior Australians. <i>Australasian Journal on Ageing</i> , 2020, 39, e382-e392.	0.9	8
82	Utilisation of general practice health assessments around an aged care assessment is associated with lower mortality risk in older Australians. <i>Age and Ageing</i> , 2021, 50, 120-126.	1.6	8
83	General practitioner conduct of clinical services representing comprehensive geriatric assessment is associated with lower risk of mortality in older Australians receiving home care packages. <i>Age and Ageing</i> , 2021, 50, 1243-1251.	1.6	6
84	Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> , 2021, 7, 80-89.	0.9	6
85	Genetic overlap between birthweight and adult cardiometabolic diseases has implications for genomic medicine. <i>Scientific Reports</i> , 2019, 9, 4076.	3.3	5
86	A vulnerable residential environment is associated with higher risk of mortality and early transition to permanent residential aged care for community dwelling older South Australians. <i>Age and Ageing</i> , 2022, 51, .	1.6	5
87	Association Between Genetic Risk for Type 2 Diabetes and Structural Brain Connectivity in Major Depressive Disorder. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2022, 7, 333-340.	1.5	4
88	Evidence for a sex-specific contribution of polygenic load for anorexia nervosa to body weight and prefrontal brain structure in nonclinical individuals. <i>Neuropsychopharmacology</i> , 2019, 44, 2212-2219.	5.4	3
89	Pain in Older Australians Seeking Aged Care Services: Findings From the Registry of Older South Australians (ROSA). <i>Journal of the American Medical Directors Association</i> , 2020, 21, 132-133.	2.5	2
90	ISDN2014_0385: REMOVED: A bivariate Genome Wide Association Study (GWAS) of depressive symptoms and lipid levels has identified pleiotropic gene loci. <i>International Journal of Developmental Neuroscience</i> , 2015, 47, 113-114.	1.6	0

#	ARTICLE	IF	CITATIONS
91	Genetic Overlap Between Depression and Cardiometabolic Disorders. , 2016, , 235-255.		0
92	Polygenic Score for Cardiometabolic and Psychiatric Phenotypes Predict Response to Treatment with Selective Serotonin Reuptake Inhibitors in Major Depressive Disorder. European Neuropsychopharmacology, 2017, 27, S512-S513.	0.7	0