

# C U Blank

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6197793/publications.pdf>

Version: 2024-02-01

163  
papers

28,670  
citations

18436

62  
h-index

6979

154  
g-index

168  
all docs

168  
docs citations

168  
times ranked

31547  
citing authors

#	ARTICLE	IF	CITATIONS
1	Pembrolizumab versus Ipilimumab in Advanced Melanoma. <i>New England Journal of Medicine</i> , 2015, 372, 2521-2532.	13.9	4,838
2	Dabrafenib in BRAF-mutated metastatic melanoma: a multicentre, open-label, phase 3 randomised controlled trial. <i>Lancet</i> , The, 2012, 380, 358-365.	6.3	2,691
3	Adjuvant Pembrolizumab versus Placebo in Resected Stage III Melanoma. <i>New England Journal of Medicine</i> , 2018, 378, 1789-1801.	13.9	1,441
4	B cells and tertiary lymphoid structures promote immunotherapy response. <i>Nature</i> , 2020, 577, 549-555.	13.7	1,421
5	Pembrolizumab versus investigator-choice chemotherapy for ipilimumab-refractory melanoma (KEYNOTE-002): a randomised, controlled, phase 2 trial. <i>Lancet Oncology</i> , The, 2015, 16, 908-918.	5.1	1,419
6	The human tumor microbiome is composed of tumor type-specific intracellular bacteria. <i>Science</i> , 2020, 368, 973-980.	6.0	1,077
7	Defining T cell exhaustion™. <i>Nature Reviews Immunology</i> , 2019, 19, 665-674.	10.6	879
8	Pembrolizumab versus ipilimumab in advanced melanoma (KEYNOTE-006): post-hoc 5-year results from an open-label, multicentre, randomised, controlled, phase 3 study. <i>Lancet Oncology</i> , The, 2019, 20, 1239-1251.	5.1	812
9	Dysfunctional CD8 T Cells Form a Proliferative, Dynamically Regulated Compartment within Human Melanoma. <i>Cell</i> , 2019, 176, 775-789.e18.	13.5	760
10	The cancer immunogram. <i>Science</i> , 2016, 352, 658-660.	6.0	655
11	Neoadjuvant versus adjuvant ipilimumab plus nivolumab in macroscopic stage III melanoma. <i>Nature Medicine</i> , 2018, 24, 1655-1661.	15.2	599
12	Immune induction strategies in metastatic triple-negative breast cancer to enhance the sensitivity to PD-1 blockade: the TONIC trial. <i>Nature Medicine</i> , 2019, 25, 920-928.	15.2	589
13	MEK162 for patients with advanced melanoma harbouring NRAS or Val600 BRAF mutations: a non-randomised, open-label phase 2 study. <i>Lancet Oncology</i> , The, 2013, 14, 249-256.	5.1	587
14	Integrative molecular and clinical modeling of clinical outcomes to PD1 blockade in patients with metastatic melanoma. <i>Nature Medicine</i> , 2019, 25, 1916-1927.	15.2	541
15	Identification of CMTM6 and CMTM4 as PD-L1 protein regulators. <i>Nature</i> , 2017, 549, 106-110.	13.7	501
16	Predicting response to cancer immunotherapy using noninvasive radiomic biomarkers. <i>Annals of Oncology</i> , 2019, 30, 998-1004.	0.6	361
17	Identification of the optimal combination dosing schedule of neoadjuvant ipilimumab plus nivolumab in macroscopic stage III melanoma (OpACIN-neo): a multicentre, phase 2, randomised, controlled trial. <i>Lancet Oncology</i> , The, 2019, 20, 948-960.	5.1	346
18	Comparison of Immediate vs Deferred Cytoreductive Nephrectomy in Patients With Synchronous Metastatic Renal Cell Carcinoma Receiving Sunitinib. <i>JAMA Oncology</i> , 2019, 5, 164.	3.4	329

#	ARTICLE	IF	CITATIONS
19	Association Between Immune-Related Adverse Events and Recurrence-Free Survival Among Patients With Stage III Melanoma Randomized to Receive Pembrolizumab or Placebo. <i>JAMA Oncology</i> , 2020, 6, 519.	3.4	287
20	Lactate dehydrogenase as a selection criterion for ipilimumab treatment in metastatic melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2014, 63, 449-58.	2.0	253
21	Preoperative ipilimumab plus nivolumab in locoregionally advanced urothelial cancer: the NABUCCO trial. <i>Nature Medicine</i> , 2020, 26, 1839-1844.	15.2	245
22	Vemurafenib in patients with BRAFV600 mutated metastatic melanoma: an open-label, multicentre, safety study. <i>Lancet Oncology, The</i> , 2014, 15, 436-444.	5.1	242
23	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): distant metastasis-free survival results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2021, 22, 643-654.	5.1	224
24	Pathological response and survival with neoadjuvant therapy in melanoma: a pooled analysis from the International Neoadjuvant Melanoma Consortium (INMC). <i>Nature Medicine</i> , 2021, 27, 301-309.	15.2	218
25	Effective Clinical Responses in Metastatic Melanoma Patients after Vaccination with Primary Myeloid Dendritic Cells. <i>Clinical Cancer Research</i> , 2016, 22, 2155-2166.	3.2	211
26	Overall survival and PD-1 expression in metastasized malignant melanoma. <i>Cancer</i> , 2011, 117, 2192-2201.	2.0	204
27	Immune checkpoint inhibition-related colitis: symptoms, endoscopic features, histology and response to management. <i>ESMO Open</i> , 2018, 3, e000278.	2.0	197
28	Longer Follow-Up Confirms Recurrence-Free Survival Benefit of Adjuvant Pembrolizumab in High-Risk Stage III Melanoma: Updated Results From the EORTC 1325-MG/KEYNOTE-054 Trial. <i>Journal of Clinical Oncology</i> , 2020, 38, 3925-3936.	0.8	192
29	Survival and biomarker analyses from the OpACIN-neo and OpACIN neoadjuvant immunotherapy trials in stage III melanoma. <i>Nature Medicine</i> , 2021, 27, 256-263.	15.2	190
30	Restricting Glycolysis Preserves T Cell Effector Functions and Augments Checkpoint Therapy. <i>Cell Reports</i> , 2019, 29, 135-150.e9.	2.9	189
31	Cooperative targeting of melanoma heterogeneity with an AXL antibody-drug conjugate and BRAF/MEK inhibitors. <i>Nature Medicine</i> , 2018, 24, 203-212.	15.2	178
32	Discontinuation of anti-PD-1 antibody therapy in the absence of disease progression or treatment limiting toxicity: clinical outcomes in advanced melanoma. <i>Annals of Oncology</i> , 2019, 30, 1154-1161.	0.6	170
33	High-throughput identification of antigen-specific TCRs by TCR gene capture. <i>Nature Medicine</i> , 2013, 19, 1534-1541.	15.2	166
34	Augmenting Immunotherapy Impact by Lowering Tumor TNF Cytotoxicity Threshold. <i>Cell</i> , 2019, 178, 585-599.e15.	13.5	162
35	An ex vivo tumor fragment platform to dissect response to PD-1 blockade in cancer. <i>Nature Medicine</i> , 2021, 27, 1250-1261.	15.2	159
36	Neoadjuvant systemic therapy in melanoma: recommendations of the International Neoadjuvant Melanoma Consortium. <i>Lancet Oncology, The</i> , 2019, 20, e378-e389.	5.1	155

#	ARTICLE	IF	CITATIONS
37	Cancer drug addiction is relayed by an ERK2-dependent phenotype switch. <i>Nature</i> , 2017, 550, 270-274.	13.7	138
38	Pathological assessment of resection specimens after neoadjuvant therapy for metastatic melanoma. <i>Annals of Oncology</i> , 2018, 29, 1861-1868.	0.6	135
39	ESMO consensus conference recommendations on the management of metastatic melanoma: under the auspices of the ESMO Guidelines Committee. <i>Annals of Oncology</i> , 2020, 31, 1435-1448.	0.6	132
40	Intra- and inter-tumor heterogeneity in a vemurafenib-resistant melanoma patient and derived xenografts. <i>EMBO Molecular Medicine</i> , 2015, 7, 1104-1118.	3.3	129
41	The Promise of Neoadjuvant Immunotherapy and Surgery for Cancer Treatment. <i>Clinical Cancer Research</i> , 2019, 25, 5743-5751.	3.2	129
42	Personalized response-directed surgery and adjuvant therapy after neoadjuvant ipilimumab and nivolumab in high-risk stage III melanoma: the PRADO trial. <i>Nature Medicine</i> , 2022, 28, 1178-1188.	15.2	121
43	Neurological immune-related adverse events of ipilimumab. <i>Practical Neurology</i> , 2013, 13, 278-280.	0.5	120
44	Ipilimumab-Induced Sarcoidosis in a Patient With Metastatic Melanoma Undergoing Complete Remission. <i>Journal of Clinical Oncology</i> , 2012, 30, e7-e10.	0.8	119
45	mRNA-1273 COVID-19 vaccination in patients receiving chemotherapy, immunotherapy, or chemoimmunotherapy for solid tumours: a prospective, multicentre, non-inferiority trial. <i>Lancet Oncology</i> , 2021, 22, 1681-1691.	5.1	118
46	Targeting the MAPK and PI3K pathways in combination with PD1 blockade in melanoma. <i>Oncotarget</i> , 2016, 5, e1238557.	2.1	113
47	Association of Anti-TNF with Decreased Survival in Steroid Refractory Ipilimumab and Anti-PD1-Treated Patients in the Dutch Melanoma Treatment Registry. <i>Clinical Cancer Research</i> , 2020, 26, 2268-2274.	3.2	112
48	Learning from clinical trials of neoadjuvant checkpoint blockade. <i>Nature Medicine</i> , 2020, 26, 475-484.	15.2	107
49	Ipilimumab alone or ipilimumab plus anti-PD-1 therapy in patients with metastatic melanoma resistant to anti-PD-(L)1 monotherapy: a multicentre, retrospective, cohort study. <i>Lancet Oncology</i> , 2021, 22, 836-847.	5.1	104
50	Sunitinib pretreatment improves tumor-infiltrating lymphocyte expansion by reduction in intratumoral content of myeloid-derived suppressor cells in human renal cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2015, 64, 1241-1250.	2.0	98
51	The Cancer Immunogram as a Framework for Personalized Immunotherapy in Urothelial Cancer. <i>European Urology</i> , 2019, 75, 435-444.	0.9	97
52	Therapeutic use of anti-CTLA-4 antibodies. <i>International Immunology</i> , 2015, 27, 3-10.	1.8	96
53	Neoadjuvant immunotherapy with nivolumab and ipilimumab induces major pathological responses in patients with head and neck squamous cell carcinoma. <i>Nature Communications</i> , 2021, 12, 7348.	5.8	96
54	Case Report of a Fatal Serious Adverse Event Upon Administration of T Cells Transduced With a MART-1-specific T-cell Receptor. <i>Molecular Therapy</i> , 2015, 23, 1541-1550.	3.7	93

#	ARTICLE	IF	CITATIONS
55	Interferon- $\alpha$ -induced programmed death-1 ligand 1 (<sc>PD</sc>-<sc>L</sc>1/<sc>B</sc>-<sc>H</sc>1) expression increases on human acute myeloid leukemia blast cells during treatment. <i>European Journal of Haematology</i> , 2014, 92, 195-203.	1.1	92
56	Tumor infiltrating lymphocytes (TIL) therapy in metastatic melanoma: boosting of neoantigen-specific T cell reactivity and long-term follow-up. , 2020, 8, e000848.		79
57	Advanced Melanoma: Current Treatment Options, Biomarkers, and Future Perspectives. <i>American Journal of Clinical Dermatology</i> , 2018, 19, 303-317.	3.3	78
58	Delayed immune-related adverse events with anti-PD-1-based immunotherapy in melanoma. <i>Annals of Oncology</i> , 2021, 32, 917-925.	0.6	76
59	Reversal of pre-existing NGFR-driven tumor and immune therapy resistance. <i>Nature Communications</i> , 2020, 11, 3946.	5.8	71
60	4-year survival and outcomes after cessation of pembrolizumab (pembro) after 2-years in patients (pts) with ipilimumab (ipi)-naive advanced melanoma in KEYNOTE-006.. <i>Journal of Clinical Oncology</i> , 2018, 36, 9503-9503.	0.8	71
61	ESMO consensus conference recommendations on the management of locoregional melanoma: under the auspices of the ESMO Guidelines Committee. <i>Annals of Oncology</i> , 2020, 31, 1449-1461.	0.6	69
62	Targeted treatment and immunotherapy in leptomeningeal metastases from melanoma. <i>Annals of Oncology</i> , 2016, 27, 1138-1142.	0.6	68
63	Selective BRAF inhibition decreases tumor-resident lymphocyte frequencies in a mouse model of human melanoma. <i>Onc Immunology</i> , 2012, 1, 609-617.	2.1	67
64	Ipilimumab in pretreated metastatic uveal melanoma patients. Results of the Dutch Working group on Immunotherapy of Oncology (WIN-O). <i>Acta Oncologica</i> , 2013, 52, 1786-1788.	0.8	67
65	The perspective of immunotherapy. <i>Current Opinion in Oncology</i> , 2014, 26, 204-214.	1.1	64
66	Prognostic and predictive value of AJCC-8 staging in the phase III EORTC1325/KEYNOTE-054 trial of pembrolizumab vs placebo in resected high-risk stage III melanoma. <i>European Journal of Cancer</i> , 2019, 116, 148-157.	1.3	64
67	Multiomic profiling of checkpoint inhibitor-treated melanoma: Identifying predictors of response and resistance, and markers of biological discordance. <i>Cancer Cell</i> , 2022, 40, 88-102.e7.	7.7	64
68	Management of early melanoma recurrence despite adjuvant anti-PD-1 antibody therapy. <i>Annals of Oncology</i> , 2020, 31, 1075-1082.	0.6	62
69	Nodal as a biomarker for melanoma progression and a new therapeutic target for clinical intervention. <i>Expert Review of Dermatology</i> , 2009, 4, 67-78.	0.3	61
70	BRAF V600E Kinase Domain Duplication Identified in Therapy-Refractory Melanoma Patient-Derived Xenografts. <i>Cell Reports</i> , 2016, 16, 263-277.	2.9	61
71	Clinical and radiological response of leptomeningeal melanoma after whole brain radiotherapy and ipilimumab. <i>Journal of Neurology</i> , 2012, 259, 1976-1978.	1.8	59
72	Targeting BRAF in an Inducible Murine Model of Melanoma. <i>American Journal of Pathology</i> , 2012, 181, 785-794.	1.9	58

#	ARTICLE	IF	CITATIONS
73	First safety and efficacy results of PRADO: A phase II study of personalized response-driven surgery and adjuvant therapy after neoadjuvant ipilimumab (IPI) and nivolumab (NIVO) in resectable stage III melanoma.. Journal of Clinical Oncology, 2020, 38, 10002-10002.	0.8	57
74	Toxicity Patterns With Immunomodulating Antibodies and Their Combinations. Seminars in Oncology, 2015, 42, 423-428.	0.8	55
75	Targeting tumor-associated acidity in cancer immunotherapy. Cancer Immunology, Immunotherapy, 2018, 67, 1331-1348.	2.0	55
76	Long-Term Survival, Quality of Life, and Psychosocial Outcomes in Advanced Melanoma Patients Treated with Immune Checkpoint Inhibitors. Journal of Oncology, 2019, 2019, 1-17.	0.6	55
77	Proportions of blood-borne V $\beta$ 1+ and V $\beta$ 2+ T-cells are associated with overall survival of melanoma patients treated with ipilimumab. European Journal of Cancer, 2016, 64, 116-126.	1.3	54
78	COVID-19 vaccination: the VOICE for patients with cancer. Nature Medicine, 2021, 27, 568-569.	15.2	53
79	Long-term outcomes in patients (pts) with ipilimumab (ipi)-naive advanced melanoma in the phase 3 KEYNOTE-006 study who completed pembrolizumab (pembro) treatment.. Journal of Clinical Oncology, 2017, 35, 9504-9504.	0.8	53
80	Systematic review of the use of granulocyte-macrophage colony-stimulating factor in patients with advanced melanoma. Cancer Immunology, Immunotherapy, 2016, 65, 1015-1034.	2.0	49
81	RNA interference targeting programmed death receptor-1 improves immune functions of tumor-specific T cells. Cancer Immunology, Immunotherapy, 2010, 59, 1173-1183.	2.0	47
82	Safety and Efficacy of Checkpoint Inhibition in Patients With Melanoma and Preexisting Autoimmune Disease. Annals of Internal Medicine, 2021, 174, 641-648.	2.0	46
83	Clinical Models to Define Response and Survival With Anti-PD-1 Antibodies Alone or Combined With Ipilimumab in Metastatic Melanoma. Journal of Clinical Oncology, 2022, 40, 1068-1080.	0.8	43
84	Batf3 <sup>+</sup> DCs and type I IFN are critical for the efficacy of neoadjuvant cancer immunotherapy. Oncoimmunology, 2019, 8, e1546068.	2.1	42
85	Combination of targeted therapy and immunotherapy in melanoma. Cancer Immunology, Immunotherapy, 2011, 60, 1359-1371.	2.0	40
86	Comprehensive analysis of cutaneous and uveal melanoma liver metastases. , 2020, 8, e001501.		40
87	Anti-PD1 treatment in metastatic uveal melanoma in the Netherlands. Acta Oncologica, 2017, 56, 101-103.	0.8	39
88	Detection of Early Onset of Hypophysitis by 18F-FDG PET-CT in a Patient With Advanced Stage Melanoma Treated With Ipilimumab. Clinical Nuclear Medicine, 2013, 38, e182-e184.	0.7	38
89	A user's perspective on GeoMx <sup>TM</sup> digital spatial profiling. Immuno-Oncology Technology, 2019, 1, 11-18.	0.2	38
90	Phase Ib/II trial testing combined radiofrequency ablation and ipilimumab in uveal melanoma (SECIRA-UM). Melanoma Research, 2020, 30, 252-260.	0.6	37

#	ARTICLE	IF	CITATIONS
91	Adjuvant pembrolizumab versus placebo in resected stage III melanoma (EORTC 1325-MG/KEYNOTE-054): health-related quality-of-life results from a double-blind, randomised, controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 655-664.	5.1	37
92	Surgical removal of the index node marked using magnetic seed localization to assess response to neoadjuvant immunotherapy in patients with stage III melanoma. <i>British Journal of Surgery</i> , 2019, 106, 519-522.	0.1	35
93	Pathological response and survival with neoadjuvant therapy in melanoma: A pooled analysis from the International Neoadjuvant Melanoma Consortium (INMC).. <i>Journal of Clinical Oncology</i> , 2019, 37, 9503-9503.	0.8	34
94	Determination of Sunitinib and Its Active Metabolite N-Desethylsunitinib in Sweat of a Patient. <i>Journal of Analytical Toxicology</i> , 2011, 35, 558-565.	1.7	33
95	Concomitant targeting of programmed death-1 (PD-1) and CD137 improves the efficacy of radiotherapy in a mouse model of human BRAFV600-mutant melanoma. <i>Cancer Immunology, Immunotherapy</i> , 2016, 65, 753-763.	2.0	32
96	Open-label, multicentre safety study of vemurafenib in 3219 patients with BRAF V600 mutation-positive metastatic melanoma: 2-year follow-up data and long-term responders' analysis. <i>European Journal of Cancer</i> , 2017, 79, 176-184.	1.3	31
97	Clinical and radiological response of BRAF inhibition and MEK inhibition in patients with brain metastases from BRAF-mutated melanoma. <i>Melanoma Research</i> , 2018, 28, 126-133.	0.6	31
98	Vemurafenib for BRAF V600 mutated advanced melanoma: Results of treatment beyond progression. <i>European Journal of Cancer</i> , 2015, 51, 642-652.	1.3	30
99	Surgical Safety of Cytoreductive Nephrectomy Following Sunitinib: Results from the Multicentre, Randomised Controlled Trial of Immediate Versus Deferred Nephrectomy (SURTIME). <i>European Urology</i> , 2019, 76, 437-440.	0.9	29
100	Neoadjuvant Cytoreductive Treatment With BRAF/MEK Inhibition of Prior Unresectable Regionally Advanced Melanoma to Allow Complete Surgical Resection, REDUCTOR. <i>Annals of Surgery</i> , 2021, 274, 383-389.	2.1	28
101	Melanoma recurrence patterns and management after adjuvant targeted therapy: a multicentre analysis. <i>British Journal of Cancer</i> , 2021, 124, 574-580.	2.9	27
102	Susceptible loci associated with autoimmune disease as potential biomarkers for checkpoint inhibitor-induced immune-related adverse events. <i>ESMO Open</i> , 2019, 4, e000472.	2.0	26
103	Ipilimumab (IPI) alone or in combination with anti-PD-1 (IPI+PD1) in patients (pts) with metastatic melanoma (MM) resistant to PD1 monotherapy.. <i>Journal of Clinical Oncology</i> , 2020, 38, 10005-10005.	0.8	26
104	Neoadjuvant ipilimumab + nivolumab (IPI+NIVO) in palpable stage III melanoma: Updated data from the OpACIN trial and first immunological analyses.. <i>Journal of Clinical Oncology</i> , 2017, 35, 9586-9586.	0.8	23
105	Metastatic Uveal Melanoma: Treatment Strategies and Survival—Results from the Dutch Melanoma Treatment Registry. <i>Cancers</i> , 2019, 11, 1007.	1.7	22
106	Pathological response and tumour bed histopathological features correlate with survival following neoadjuvant immunotherapy in stage III melanoma. <i>Annals of Oncology</i> , 2021, 32, 766-777.	0.6	22
107	Pembrolizumab versus placebo after complete resection of high-risk stage III melanoma: New recurrence-free survival results from the EORTC 1325-MG/Keynote 054 double-blinded phase III trial at three-year median follow-up.. <i>Journal of Clinical Oncology</i> , 2020, 38, 10000-10000.	0.8	21
108	Neoadjuvant Systemic Therapy (NAST) in Patients with Melanoma: Surgical Considerations by the International Neoadjuvant Melanoma Consortium (INMC). <i>Annals of Surgical Oncology</i> , 2022, 29, 3694-3708.	0.7	21

#	ARTICLE	IF	CITATIONS
109	Representativeness of the Index Lymph Node for Total Nodal Basin in Pathologic Response Assessment After Neoadjuvant Checkpoint Inhibitor Therapy in Patients With Stage III Melanoma. <i>JAMA Surgery</i> , 2022, 157, 335.	2.2	20
110	Health-related quality of life of long-term advanced melanoma survivors treated with anti-CTLA-4 immune checkpoint inhibition compared to matched controls. <i>Acta Oncol</i> <sup>3</sup> <i>gica</i> , 2021, 60, 69-77.	0.8	19
111	Response to immune checkpoint inhibitors in acral melanoma: A nationwide cohort study. <i>European Journal of Cancer</i> , 2022, 167, 70-80.	1.3	19
112	Twenty-four months RFS and updated toxicity data from OpACIN-neo: A study to identify the optimal dosing schedule of neoadjuvant ipilimumab (IPI) and nivolumab (NIVO) in stage III melanoma.. <i>Journal of Clinical Oncology</i> , 2020, 38, 10015-10015.	0.8	18
113	The unfavorable effects of COVID-19 on Dutch advanced melanoma care. <i>International Journal of Cancer</i> , 2022, 150, 816-824.	2.3	18
114	Addition of interleukin-2 overcomes resistance to neoadjuvant CTLA4 and PD1 blockade in ex vivo patient tumors. <i>Science Translational Medicine</i> , 2022, 14, eabj9779.	5.8	18
115	Reduced tumor antigen density leads to PD-1/PD-L1-mediated impairment of partially exhausted CD8 <sup>+</sup> T cells. <i>European Journal of Immunology</i> , 2012, 42, 662-671.	1.6	17
116	Homeostatic proliferation of naïve CD8 <sup>+</sup> T cells depends on CD62L/L-selectin-mediated homing to peripheral LN. <i>European Journal of Immunology</i> , 2009, 39, 2981-2990.	1.6	16
117	Biomarker results from a phase II study of MEK1/2 inhibitor binimetinib (MEK162) in patients with advanced NRAS- or BRAF-mutated melanoma. <i>Oncotarget</i> , 2019, 10, 1850-1859.	0.8	16
118	First-line BRAF/MEK inhibitors versus anti-PD-1 monotherapy in BRAFV600-mutant advanced melanoma patients: a propensity-matched survival analysis. <i>British Journal of Cancer</i> , 2021, 124, 1222-1230.	2.9	16
119	Neoadjuvant ipilimumab plus nivolumab in synchronous clinical stage III melanoma. <i>European Journal of Cancer</i> , 2021, 148, 51-57.	1.3	16
120	Personalized response-driven adjuvant therapy after combination ipilimumab and nivolumab in high-risk resectable stage III melanoma: PRADO trial.. <i>Journal of Clinical Oncology</i> , 2019, 37, TPS9605-TPS9605.	0.8	16
121	Combining checkpoint inhibition and targeted therapy in melanoma. <i>Nature Medicine</i> , 2019, 25, 879-882.	15.2	15
122	Primary Renal Tumour Response in Patients Treated with Nivolumab and Ipilimumab for Metastatic Renal Cell Carcinoma: Real-world Data Assessment. <i>European Urology Open Science</i> , 2022, 35, 54-58.	0.2	15
123	Non-Clear Cell Renal Cell Carcinoma: How New Biological Insight May Lead to New Therapeutic Modalities. <i>Current Oncology Reports</i> , 2011, 13, 240-248.	1.8	14
124	Lower risk of severe checkpoint inhibitor toxicity in more advanced disease. <i>ESMO Open</i> , 2020, 5, e000945.	2.0	14
125	Short-term CTLA-4 blockade directly followed by PD-1 blockade in advanced melanoma patients: a single-center experience. <i>Annals of Oncology</i> , 2017, 28, 862-867.	0.6	13
126	Modulating the wayward T cell: New horizons with immune checkpoint inhibitor treatments in autoimmunity, transplant, and cancer. <i>Journal of Autoimmunity</i> , 2020, 115, 102546.	3.0	13



#	ARTICLE	IF	CITATIONS
127	Rationalizing the pathway to personalized neoadjuvant immunotherapy: the Lombard Street Approach. , 2020, 8, e001352.		12
128	Metabolic profiles of regulatory T cells in the tumour microenvironment. Cancer Immunology, Immunotherapy, 2021, 70, 2417-2427.	2.0	12
129	The role of local therapy in the treatment of solitary melanoma progression on immune checkpoint inhibition: A multicentre retrospective analysis. European Journal of Cancer, 2021, 151, 72-83.	1.3	12
130	Adjuvant treatment for melanoma in clinical practice “ Trial versus reality. European Journal of Cancer, 2021, 158, 234-245.	1.3	12
131	Immunological Heterogeneity of the RCC Microenvironment: Do Targeted Therapies Influence Immune Response?. Current Oncology Reports, 2012, 14, 230-239.	1.8	11
132	Synchronous BRAFV600E and MEK inhibition leads to superior control of murine melanoma by limiting MEK inhibitor induced skin toxicity. OncoTargets and Therapy, 2013, 6, 1649.	1.0	11
133	Switch to checkpoint inhibition after targeted therapy at time of progression or during ongoing response: A retrospective single-centre experience in patients with BRAF-mutated melanoma. Pigment Cell and Melanoma Research, 2020, 33, 498-506.	1.5	11
134	Toxicity, Response and Survival in Older Patients with Metastatic Melanoma Treated with Checkpoint Inhibitors. Cancers, 2021, 13, 2826.	1.7	11
135	Mimicking homeostatic proliferation in vitro generates T cells with high anti-tumor function in non-lymphopenic hosts. Cancer Immunology, Immunotherapy, 2013, 62, 503-515.	2.0	10
136	Combining Hepatic Percutaneous Perfusion with Ipilimumab plus Nivolumab in advanced uveal melanoma (CHOPIN): study protocol for a phase Ib/randomized phase II trial. Trials, 2022, 23, 137.	0.7	10
137	Personalized combination of neoadjuvant domatinostat, nivolumab and ipilimumab in macroscopic stage III melanoma patients stratified according to the interferon-gamma signature: The DONIMI study.. Journal of Clinical Oncology, 2020, 38, TPS10087-TPS10087.	0.8	9
138	Observation After Cytoreductive Nephrectomy in Patients With Synchronous Not Completely Resected Metastases of Renal Cell Carcinoma. Urology, 2017, 109, 127-133.	0.5	8
139	The effect of seasonal variation and secretion of sunitinib in sweat on the development of hand-foot syndrome. European Journal of Clinical Pharmacology, 2013, 69, 2065-2072.	0.8	7
140	Neoadjuvant Therapy for Melanoma: A U.S. Food and Drug Administration-Melanoma Research Alliance Public Workshop. Clinical Cancer Research, 2021, 27, 394-401.	3.2	5
141	The prognostic value of the interferon-gamma (IFN $\gamma$ ) signature in patients with macroscopic stage III melanoma treated with and without adjuvant systemic therapy.. Journal of Clinical Oncology, 2021, 39, 9579-9579.	0.8	5
142	Real life outcome of advanced melanoma patients who discontinue pembrolizumab (PEMBRO) in the absence of disease progression.. Journal of Clinical Oncology, 2017, 35, 9539-9539.	0.8	4
143	Diagnostic performance of early increase in S100B or LDH as outcome predictor for non-responsiveness to anti-PD-1 monotherapy in advanced melanoma. Clinica Chimica Acta, 2022, 533, 71-78.	0.5	4
144	Predictive Immune-Checkpoint Blockade Classifiers Identify Tumors Responding to Inhibition of PD-1 and/or CTLA-4. Clinical Cancer Research, 2021, 27, 5389-5400.	3.2	3

#	ARTICLE	IF	CITATIONS
145	Prognostic and predictive role of the tumor immune landscape. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2020, 64, 143-151.	0.4	3
146	Dermal Delivery of Constructs Encoding Cre Recombinase to Induce Skin Tumors in PtenLoxP/LoxP;BrafCA/+ Mice. International Journal of Molecular Sciences, 2016, 17, 2149.	1.8	2
147	Nationwide Outcomes of Advanced Melanoma According to BRAFV600 Status. American Journal of Clinical Oncology: Cancer Clinical Trials, 2021, 44, 82-89.	0.6	2
148	Acrocyanosis after neoadjuvant ipilimumab plus nivolumab: a case report. Clinical and Experimental Rheumatology, 2020, 38, 1031-1032.	0.4	2
149	Phase Ib Study of Atezolizumab Plus Interferon-Î± with or without Bevacizumab in Patients with Metastatic Renal Cell Carcinoma and Other Solid Tumors. Current Oncology, 2021, 28, 5466-5479.	0.9	2
150	Reply to E. Hindi. Journal of Clinical Oncology, 2021, 39, 944-946.	0.8	1
151	Patterns and management of progression on first-line ipilimumab combined with anti-PD-1 (IPI+PD1) in metastatic melanoma (MM) patients.. Journal of Clinical Oncology, 2021, 39, 9533-9533.	0.8	1
152	Dynamic changes of the immune infiltrate after neoadjuvant avelumab/axitinib in patients (pts) with localized renal cell carcinoma (RCC) who are at high risk of relapse after nephrectomy (NeoAvAx).. Journal of Clinical Oncology, 2021, 39, 4573-4573.	0.8	1
153	Dutch advanced melanoma care in times of COVID-19.. Journal of Clinical Oncology, 2021, 39, e21502-e21502.	0.8	1
154	Survival of stage IV melanoma in Belgium and the Netherlands. Journal of the European Academy of Dermatology and Venereology, 2022, 36, .	1.3	1
155	Hospital Variation in Cancer Treatments and Survival Outcomes of Advanced Melanoma Patients: Nationwide Quality Assurance in The Netherlands. Cancers, 2021, 13, 5077.	1.7	1
156	Biomarkers for outcome upon MAPK inhibition in melanoma. Lancet Oncology, The, 2016, 17, 1634-1636.	5.1	0
157	A large pooled analysis refines gene expression-based molecular subclasses in cutaneous melanoma. Oncoimmunology, 2019, 8, 1558664.	2.1	0
158	Is adjuvant treatment for melanoma in clinical practice comparable to trials? The first population-based results.. Journal of Clinical Oncology, 2021, 39, e21523-e21523.	0.8	0
159	Hospital variation in cancer treatments and survival outcomes of advanced melanoma patients: Nationwide quality assurance in the Netherlands.. Journal of Clinical Oncology, 2021, 39, e18641-e18641.	0.8	0
160	<i>BRAF</i> and <i>NRAS</i> mutation status and response to checkpoint inhibition in advanced melanoma.. Journal of Clinical Oncology, 2021, 39, 9558-9558.	0.8	0
161	Toxicity, response, and survival in older adults with metastatic melanoma treated with checkpoint inhibitors.. Journal of Clinical Oncology, 2021, 39, 9544-9544.	0.8	0
162	Efficacy of checkpoint inhibition in advanced acral melanoma.. Journal of Clinical Oncology, 2021, 39, e21527-e21527.	0.8	0

#	ARTICLE	IF	CITATIONS
163	Human papillomavirus-negative epithelial proliferations resembling condylomata acuminata in a patient receiving vemurafenib for Stage IV melanoma. <i>Journal of Cancer Research and Therapeutics</i> , 2020, 16, 170.	0.3	0