

# Matthew J Ridd

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6202221/publications.pdf>

Version: 2024-02-01

107  
papers

2,769  
citations

201674

27  
h-index

206112

48  
g-index

108  
all docs

108  
docs citations

108  
times ranked

3487  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Validation of the RECap of AtoPic eczema measure of eczema control for use in dermatology clinics. <i>Clinical and Experimental Dermatology</i> , 2022, 47, 440-442.   | 1.3 | 5         |
| 2  | Dietary management of patients with eczema: Cross-sectional survey of dietitians in the United Kingdom. <i>Clinical and Experimental Allergy</i> , 2022, 52, 352-354.  | 2.9 | 0         |
| 3  | Qualitative Assessment of the Conservative Management of Nocturia with Standardised Written Materials for Lower Urinary Tract Symptoms in Men Treated in Primary Care. <i>European Urology Focus</i> , 2022, , .     | 3.1 | 2         |
| 4  | Supporting families managing childhood eczema: developing and optimising eczema care online using qualitative research. <i>British Journal of General Practice</i> , 2022, 72, e378-e389.                            | 1.4 | 7         |
| 5  | Test-guided dietary exclusions for treating established atopic dermatitis in children: A systematic review. <i>Clinical and Experimental Allergy</i> , 2022, 52, 442-446.  | 2.9 | 2         |
| 6  | Burns with emollients. <i>BMJ, The</i> , 2022, 376, e066102.   | 6.0 | 2         |
| 7  | Emollient satisfaction questionnaire: validation study in children with eczema. <i>Clinical and Experimental Dermatology</i> , 2022, 47, 1337-1345.  | 1.3 | 4         |
| 8  | Strategies for using topical corticosteroids in children and adults with eczema. <i>The Cochrane Library</i> , 2022, 2022, CD013356.   | 2.8 | 18        |
| 9  | Reply to correspondence of Martin et al. <i>Clinical and Experimental Allergy</i> , 2022, 52, 583-584.   | 2.9 | 1         |
| 10 | Emollient prescribing formularies and guidelines in England, 2021: cross sectional study. <i>Clinical and Experimental Dermatology</i> , 2022, , .   | 1.3 | 1         |
| 11 | Frequency of guideline-defined cow's milk allergy symptoms in infants: Secondary analysis of EAT trial data. <i>Clinical and Experimental Allergy</i> , 2022, 52, 82-93.   | 2.9 | 28        |
| 12 | Eczema Care Online: development and qualitative optimisation of an online behavioural intervention to support self-management in young people with eczema. <i>BMJ Open</i> , 2022, 12, e056867.                      | 1.9 | 6         |
| 13 | How parents and children evaluate emollients for childhood eczema: a qualitative study. <i>British Journal of General Practice</i> , 2022, 72, e390-e397.  | 1.4 | 8         |
| 14 | Detection and management of milk allergy: Delphi consensus study. <i>Clinical and Experimental Allergy</i> , 2022, 52, 848-858.  | 2.9 | 10        |
| 15 | Effectiveness and safety of lotion, cream, gel, and ointment emollients for childhood eczema: a pragmatic, randomised, phase 4, superiority trial. <i>The Lancet Child and Adolescent Health</i> , 2022, 6, 522-532. | 5.6 | 20        |
| 16 | Views and experiences of managing eczema: systematic review and thematic synthesis of qualitative studies*. <i>British Journal of Dermatology</i> , 2021, 184, 627-637.  | 1.5 | 39        |
| 17 | Assessing the validity, responsiveness and reliability of the Recap measure of eczema control. <i>British Journal of Dermatology</i> , 2021, 184, 955-957.   | 1.5 | 9         |
| 18 | Test-guided dietary management of eczema in children: A randomized controlled feasibility trial (TEST). <i>Clinical and Experimental Allergy</i> , 2021, 51, 452-462.  | 2.9 | 9         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Incidence, healthcare-seeking behaviours, antibiotic use and natural history of common infection syndromes in England: results from the Bug Watch community cohort study. <i>BMC Infectious Diseases</i> , 2021, 21, 105.                       | 2.9  | 8         |
| 20 | Supporting self-care for eczema: protocol for two randomised controlled trials of ECO (Eczema Care) Tj ETQq0 0 0 rrgBT /Overlock 10 Tf  | 1.9  | 12        |
| 21 | Healthcare professionalsâ€™ beliefs and practices regarding food allergy testing for children with eczema. <i>Clinical and Experimental Allergy</i> , 2021, 51, 735-739.  | 2.9  | 1         |
| 22 | Do patient characteristics matter when calculating sample size for eczema clinical trials?. <i>Skin Health and Disease</i> , 2021, 1, e42.  | 1.5  | 3         |
| 23 | Factors affecting the documentation of spoken safety-netting advice in routine GP consultations: a cross-sectional study. <i>British Journal of General Practice</i> , 2021, 71, e869-e876.   | 1.4  | 14        |
| 24 | Safety of topical corticosteroids in atopic eczema: an umbrella review. <i>BMJ Open</i> , 2021, 11, e046476.  | 1.9  | 32        |
| 25 | Identifying key priorities for research to protect the consumer with food hypersensitivity: A UK Food Standards Agency Priority Setting Exercise. <i>Clinical and Experimental Allergy</i> , 2021, 51, 1322-1330.                               | 2.9  | 11        |
| 26 | Effective management of male lower urinary tract symptoms in primary care. <i>British Journal of General Practice</i> , 2021, 71, 388-389.  | 1.4  | 1         |
| 27 | Spironolactone for adult female acne (SAFA): protocol for a double-blind, placebo-controlled, phase III randomised study of spironolactone as systemic therapy for acne in adult women. <i>BMJ Open</i> , 2021, 11, e053876.                    | 1.9  | 10        |
| 28 | Engaging with diverse audiences to raise awareness about childhood eczema: reflections from two community events. <i>Research Involvement and Engagement</i> , 2021, 7, 6.  | 2.9  | 3         |
| 29 | Development and initial testing of a new instrument to measure the experience of eczema control in adults and children: Recap of atopic eczema ( <scp>RECAP</scp> ). <i>British Journal of Dermatology</i> , 2020, 183, 524-536.                | 1.5  | 52        |
| 30 | Parents and GPsâ€™ understandings and beliefs about food allergy testing in children with eczema: qualitative interview study within the Trial of Eczema allergy Screening Tests (TEST) feasibility trial. <i>BMJ Open</i> , 2020, 10, e041229. | 1.9  | 5         |
| 31 | The content and conduct of GP consultations for dermatology problems: a cross-sectional study. <i>British Journal of General Practice</i> , 2020, 70, e723-e730.  | 1.4  | 17        |
| 32 | Would primary care paediatricians improve UK child health outcomes? No. <i>British Journal of General Practice</i> , 2020, 70, 196-197.   | 1.4  | 2         |
| 33 | Assessing uptake of the Harmonising Outcome Measures for Eczema (HOME) Core Outcome Set and recommended instruments. <i>British Journal of Dermatology</i> , 2020, 183, 566-568.  | 1.5  | 13        |
| 34 | Barriers and enablers to collaborative working between GPs and pharmacists: a qualitative interview study. <i>British Journal of General Practice</i> , 2020, 70, e155-e163.  | 1.4  | 26        |
| 35 | Daily emollient during infancy for prevention of eczema: the BEEP randomised controlled trial. <i>Lancet, The</i> , 2020, 395, 962-972.   | 13.7 | 178       |
| 36 | Comparing the quantity and quality of randomised placebo-controlled trials of antibiotics for acute respiratory, urinary, and skin and soft tissue infections: a scoping review. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101082.                 | 1.8  | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | TreatIng Urinary symptoms in Men in Primary Healthcare using non-pharmacological and non-surgical interventions (TRIUMPH) compared with usual care: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2019, 20, 546.           | 1.6 | 8         |
| 38 | Which emollients are effective and acceptable for eczema in children?. <i>BMJ: British Medical Journal</i> , 2019, 367, l5882.   | 2.3 | 14        |
| 39 | Associations between physical activity and asthma, eczema and obesity in children aged 12â€“16: an observational cohort study. <i>BMJ Open</i> , 2019, 9, e024858.   | 1.9 | 12        |
| 40 | TEST (Trial of Eczema allergy Screening Tests): protocol for feasibility randomised controlled trial of allergy tests in children with eczema, including economic scoping and nested qualitative study. <i>BMJ Open</i> , 2019, 9, e028428.            | 1.9 | 6         |
| 41 | Beliefs and practices among adults with eczema and carers of children with eczema regarding the role of food allergy. <i>Clinical and Experimental Dermatology</i> , 2019, 44, e235-e237.  | 1.3 | 11        |
| 42 | Adverse Events from Emollient Use in Eczema: A Restricted Review of Published Data. <i>Dermatology and Therapy</i> , 2019, 9, 193-208.   | 3.0 | 8         |
| 43 | Efficiency versus thoroughness in medication review: a qualitative interview study in UK primary care. <i>British Journal of General Practice</i> , 2019, 69, e190-e198.   | 1.4 | 33        |
| 44 | Safety netting in routine primary care consultations: an observational study using video-recorded UK consultations. <i>British Journal of General Practice</i> , 2019, 69, e878-e886.  | 1.4 | 22        |
| 45 | Symptom reporting, healthcare-seeking behaviour and antibiotic use for common infections: protocol for Bug Watch, a prospective community cohort study. <i>BMJ Open</i> , 2019, 9, e028676.  | 1.9 | 8         |
| 46 | Diagnosis and treatment of eczema in children. <i>The Prescriber</i> , 2019, 30, 28-31.  | 0.3 | 1         |
| 47 | Best emollients for eczema (BEE) â€“ comparing four types of emollients in children with eczema: protocol for randomised trial and nested qualitative study. <i>BMJ Open</i> , 2019, 9, e033387.   | 1.9 | 13        |
| 48 | Adaption and validation of the Working Alliance Inventory for General Practice: qualitative review and cross-sectional surveys. <i>Family Practice</i> , 2019, 36, 516-522.  | 1.9 | 20        |
| 49 | Development of a tool for coding safety-netting behaviours in primary care: a mixed-methods study using existing UK consultation recordings. <i>British Journal of General Practice</i> , 2019, 69, e869-e877.   | 1.4 | 10        |
| 50 | Comparison of patient (POEM), observer (EASI, SASSAD, TIS) and corneometry measures of emollient effectiveness in children with eczema: findings from the COMET feasibility trial. <i>British Journal of Dermatology</i> , 2018, 179, 362-370.         | 1.5 | 4         |
| 51 | GP and parent dissonance about the assessment and treatment of childhood eczema in primary care: a qualitative study. <i>BMJ Open</i> , 2018, 8, e019633.  | 1.9 | 22        |
| 52 | GPsâ€™ experiences of diagnosing and managing childhood eczema: a qualitative study in primary care. <i>British Journal of General Practice</i> , 2018, 68, e73-e80.   | 1.4 | 32        |
| 53 | Written action plans for children with long-term conditions: A systematic review and synthesis of qualitative data. <i>Health Expectations</i> , 2018, 21, 585-596.  | 2.6 | 14        |
| 54 | Feasibility of weekly participant-reported data collection in a pragmatic randomised controlled trial in primary care: experiences from the BATHE trial (Bath Additives for the Treatment of childhood) <i>Tj ETQq0 0 0 rgB1.0 Overlock 10 Tf 50 5</i> |     |           |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Books: The Itchy-saurus: the Dino with an Itch That Canâ€™t Be Scratched. British Journal of General Practice, 2018, 68, 434.2-434.  | 1.4 | 0         |
| 56 | Emollient prescribing formularies in England and Wales: a cross-sectional study. BMJ Open, 2018, 8, e022009.   | 1.9 | 9         |
| 57 | Author response. British Journal of General Practice, 2018, 68, 176.4-176.   | 1.4 | 0         |
| 58 | Emollient bath additives for the treatment of childhood eczema (BATHE): multicentre pragmatic parallel group randomised controlled trial of clinical and cost effectiveness. BMJ: British Medical Journal, 2018, 361, k1332.                               | 2.3 | 50        |
| 59 | Adding emollient bath additives to standard eczema management for children with eczema: the BATHE RCT. Health Technology Assessment, 2018, 22, 1-116.  | 2.8 | 14        |
| 60 | Developing a written action plan for children with eczema: a qualitative study. British Journal of General Practice, 2018, 68, e81-e89.  | 1.4 | 37        |
| 61 | The management of acne in primary care. British Journal of Dermatology, 2017, 176, 1-2.  | 1.5 | 2         |
| 62 | How do carers and children with eczema choose their emollient?. Clinical and Experimental Dermatology, 2017, 42, 203-203.  | 1.3 | 4         |
| 63 | Systematic review of self-management interventions for people with eczema. British Journal of Dermatology, 2017, 177, 719-734.   | 1.5 | 43        |
| 64 | Oral and Topical Antibiotics for Clinically Infected Eczema in Children: A Pragmatic Randomized Controlled Trial in Ambulatory Care. Annals of Family Medicine, 2017, 15, 124-130.   | 1.9 | 42        |
| 65 | Medical undergraduate primary care teaching across the UK: what is being taught?. Education for Primary Care, 2017, 28, 23-28.   | 0.6 | 8         |
| 66 | The â€œOne in a Millionâ€™ study: creating a database of UK primary care consultations. British Journal of General Practice, 2017, 67, e345-e351.  | 1.4 | 48        |
| 67 | Effectiveness and cost-effectiveness of daily all-over-body application of emollient during the first year of life for preventing atopic eczema in high-risk children (The BEEP trial): protocol for a randomised controlled trial. Trials, 2017, 18, 343. | 1.6 | 56        |
| 68 | Impact of a deferred recruitment model in a randomised controlled trial in primary care (CREAM) Tj ETQq0 0 0 rgBT/Overlock_10 Tf 50 2  | 1.8 | 1         |
| 69 | Diagnosis, assessment, and treatment of childhood eczema in primary care: cross-sectional study. BJGP Open, 2017, 1, bjgpopen17X100821.  | 1.8 | 7         |
| 70 | The Patientâ€™Oriented Eczema Measure in young children: responsiveness and minimal clinically important difference. Allergy: European Journal of Allergy and Clinical Immunology, 2016, 71, 1620-1625.  | 5.7 | 44        |
| 71 | Report from the fourth international consensus meeting to harmonize core outcome measures for atopic eczema/dermatitis clinical trials (HOME initiative). British Journal of Dermatology, 2016, 175, 69-79.  | 1.5 | 115       |
| 72 | Strategies used for measuring long-term control in atopic dermatitis trials: A systematic review. Journal of the American Academy of Dermatology, 2016, 75, 1038-1044.   | 1.2 | 35        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Choice of Moisturiser for Eczema Treatment (COMET): feasibility study of a randomised controlled parallel group trial in children recruited from primary care. <i>BMJ Open</i> , 2016, 6, e012021.  | 1.9 | 20        |
| 74 | Exceeding the recruitment target in a primary care paediatric trial: an evaluation of the Choice of Moisturiser for Eczema Treatment (COMET) feasibility randomised controlled trial. <i>Trials</i> , 2016, 17, 550.                                      | 1.6 | 4         |
| 75 | Ineffective consultations for acne: what is important to patients?. <i>British Journal of Dermatology</i> , 2016, 175, 826-828.   | 1.5 | 0         |
| 76 | A randomised placebo-controlled trial of oral and topical antibiotics for children with clinically infected eczema in the community: the ChildRen with Eczema, Antibiotic Management (CREAM) study. <i>Health Technology Assessment</i> , 2016, 20, 1-84. | 2.8 | 26        |
| 77 | Access to primary care affects the health of Deaf people. <i>British Journal of General Practice</i> , 2015, 65, 95-96.   | 1.4 | 44        |
| 78 | Bath additives for the treatment of childhood eczema (BATHE): protocol for multicentre parallel group randomised trial. <i>BMJ Open</i> , 2015, 5, e009575.   | 1.9 | 10        |
| 79 | Patientâ€“doctor continuity and diagnosis of cancer: electronic medical records study in general practice. <i>British Journal of General Practice</i> , 2015, 65, e305-e311.  | 1.4 | 24        |
| 80 | Choice of Moisturiser for Eczema Treatment (COMET): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 304.  | 1.6 | 17        |
| 81 | Using existing trial data to inform the development of core outcome sets and improve efficiencies in research. <i>Trials</i> , 2015, 16, .  | 1.6 | 1         |
| 82 | The impact of a delayed consent model on trial recruitment - the cream study (children with eczema) Tj ETQq0 0 0 rgBT /Overlock 10 Tf   | 1.6 | 0         |
| 83 | A practical application of a novel software solution to aid identification of research participants in primary care - the CREAM study (children with eczema antibiotic management study). <i>Trials</i> , 2015, 16, .                                     | 1.6 | 0         |
| 84 | The current health of the signing Deaf community in the UK compared with the general population: a cross-sectional study. <i>BMJ Open</i> , 2015, 5, e006668-e006668.   | 1.9 | 56        |
| 85 | Decisions, choice and shared decision making in antenatal clinics: An observational study. <i>Patient Education and Counseling</i> , 2015, 98, 1106-1111.   | 2.2 | 8         |
| 86 | Rapid diagnostic pathways for suspected colorectal cancer: views of primary and secondary care clinicians on challenges and their potential solutions. <i>BMJ Open</i> , 2015, 5, e008577.  | 1.9 | 15        |
| 87 | Depth of the patientâ€“doctor relationship and content of general practice consultations: cross-sectional study. <i>British Journal of General Practice</i> , 2015, 65, e545-e551.  | 1.4 | 23        |
| 88 | Identifying acne treatment uncertainties via a James Lind Alliance Priority Setting Partnership. <i>BMJ Open</i> , 2015, 5, e008085.  | 1.9 | 44        |
| 89 | Diagnostic Intervals and Its Association with Breast, Prostate, Lung and Colorectal Cancer Survival in England: Historical Cohort Study Using the Clinical Practice Research Datalink. <i>PLoS ONE</i> , 2015, 10, e0126608.                              | 2.5 | 66        |
| 90 | Predictors of dizziness in older persons: a 10-year prospective cohort study in the community. <i>BMC Geriatrics</i> , 2014, 14, 133.   | 2.7 | 26        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Complex consultations in primary care: a tool for assessing the range of health problems and issues addressed in general practice consultations. BMC Family Practice, 2014, 15, 105.   | 2.9 | 12        |
| 92  | Products in "Bounty bags" potentially harm newborn skin. BMJ, The, 2013, 346, f3895-f3895.   | 6.0 | 0         |
| 93  | The Eczema Priority Setting Partnership: a collaboration between patients, carers, clinicians and researchers to identify and prioritize important research questions for the treatment of eczema. British Journal of Dermatology, 2013, 168, 577-582. | 1.5 | 91        |
| 94  | The content of general practice consultations: cross-sectional study based on video recordings. British Journal of General Practice, 2013, 63, e751-e759.  | 1.4 | 84        |
| 95  | Detection of patient psychological distress and longitudinal patientâ€ˆdoctor relationships: a cross-sectional study. British Journal of General Practice, 2012, 62, e167-e173.  | 1.4 | 6         |
| 96  | Transforming the Perceptual Situation: a Meta-ethnography of qualitative Work Reporting Patientsâ€™ Experiences of Mindfulness-Based Approaches. Mindfulness, 2012, 3, 60-75.  | 2.8 | 79        |
| 97  | Professional experience guides opioid prescribing for chronic joint pain in primary care. Family Practice, 2011, 28, 102-109.  | 1.9 | 20        |
| 98  | Dermatology research in primary care: why, what, and how?. British Journal of General Practice, 2011, 61, 89-90.   | 1.4 | 2         |
| 99  | Patient-Doctor Depth-of-Relationship Scale: Development and Validation. Annals of Family Medicine, 2011, 9, 538-545.   | 1.9 | 48        |
| 100 | Emollients, education and quality of life: the RCPCH care pathway for children with eczema. Archives of Disease in Childhood, 2011, 96, i19-i24.   | 1.9 | 18        |
| 101 | Exacerbation of atopic eczema in children. BMJ: British Medical Journal, 2009, 339, b2997-b2997.   | 2.3 | 2         |
| 102 | The patientâ€ˆdoctor relationship: a synthesis of the qualitative literature on patients' perspectives. British Journal of General Practice, 2009, 59, e116-e133.  | 1.4 | 247       |
| 103 | â€œMedication careerâ€ˆorâ€ˆâ€œMoral careerâ€ˆ? The two sides of managing Antidepressants: A meta-ethnography of patients' experience of antidepressants. Social Science and Medicine, 2009, 68, 154-168.  | 3.8 | 308       |
| 104 | How should continuity of care in primary health care be assessed?. British Journal of General Practice, 2009, 59, e134-e141.   | 1.4 | 85        |
| 105 | 'Two sides of the coin'--the value of personal continuity to GPs: a qualitative interview study. Family Practice, 2006, 23, 461-468.   | 1.9 | 60        |
| 106 | Aminosalicylate monitoring in primary care: an audit and protocol. British Journal of Clinical Governance, 2001, 6, 241-247.   | 0.3 | 0         |
| 107 | Different strategies for using topical corticosteroids in people with eczema. The Cochrane Library, 0, , .   | 2.8 | 6         |