
## Walter Artibani

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6203206/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Definition of a Structured Training Curriculum for Robot-assisted Radical Cystectomy with<br>Intracorporeal Ileal Conduit in Male Patients: A Delphi Consensus Study Led by the ERUS Educational<br>Board. European Urology Focus, 2022, 8, 160-164. | 3.1 | 21        |
| 2  | Predictors of complications occurring after open and robot-assisted prostate cancer surgery: a retrospective evaluation of 1062 consecutive patients treated in a tertiary referral high volume center. Journal of Robotic Surgery, 2022, 16, 45-52. | 1.8 | 6         |
| 3  | Severe intraoperative bleeding predicts the risk of perioperative blood transfusion after robot-assisted radical prostatectomy. Journal of Robotic Surgery, 2022, 16, 463-471.   | 1.8 | 3         |
| 4  | ls a Drain Needed After Robotic Radical Prostatectomy With or Without Pelvic Lymph Node Dissection?<br>Results of a Single-Center Randomized Clinical Trial. Journal of Endourology, 2021, 35, 922-928.  | 2.1 | 18        |
| 5  | Predictors of Lymph Node Invasion in Patients with Clinically Localized Prostate Cancer Who<br>Undergo Radical Prostatectomy and Extended Pelvic Lymph Node Dissection: The Role of Obesity.<br>Urologia Internationalis, 2021, 105, 362-369.        | 1.3 | 4         |
| 6  | Management of patients who opt for radical prostatectomy during the coronavirus disease 2019<br>(COVIDâ€19) pandemic: an international accelerated consensus statement. BJU International, 2021, 127,<br>729-741.                                    | 2.5 | 9         |
| 7  | Asking "Dr. Google―for a Second Opinion: The Devil Is in the Details. European Urology Focus, 2021, 7,<br>479-481.   | 3.1 | 11        |
| 8  | The Influence of Endogenous Testosterone on Incidental Prostate Cancer after Transurethral<br>Prostate Resection. Urologia Internationalis, 2021, 105, 826-834.  | 1.3 | 5         |
| 9  | Endogenous testosterone as a predictor of prostate growing disorders in the aging male.<br>International Urology and Nephrology, 2021, 53, 843-854.  | 1.4 | 13        |
| 10 | Consulting â€~Dr. Google' for minimally invasive urological oncological surgeries: A contemporary<br>webâ€based trend analysis. International Journal of Medical Robotics and Computer Assisted Surgery,<br>2021, 17, e2250.                         | 2.3 | 9         |
| 11 | ABO blood group system and risk of positive surgical margins in patients treated with robot-assisted radical prostatectomy: results in 1114 consecutive patients. Journal of Robotic Surgery, 2021, , 1.   | 1.8 | 1         |
| 12 | Impact of the Implementation of the EAU Guidelines Recommendation on Reporting and Grading of<br>Complications in Patients Undergoing Robot-assisted Radical Cystectomy: A Systematic Review.<br>European Urology, 2021, 80, 129-133.                | 1.9 | 25        |
| 13 | Incidental prostate cancer after transurethral resection of the prostate: analysis of incidence and risk factors in 458 patients. Minerva Urology and Nephrology, 2021, 73, 471-480.   | 2.5 | 5         |
| 14 | Impact of Implementation of Standardized Criteria in the Assessment of Complication Reporting After<br>Robotic Partial Nephrectomy: A Systematic Review. European Urology Focus, 2020, 6, 513-517.   | 3.1 | 17        |
| 15 | Prostate volume index and prostatic chronic inflammation predicted low tumor load in 945 patients<br>at baseline prostate biopsy. World Journal of Urology, 2020, 38, 957-964.   | 2.2 | 11        |
| 16 | Risk factors of positive surgical margins after robot-assisted radical prostatectomy in high-volume center: results in 732 cases. Journal of Robotic Surgery, 2020, 14, 167-175.   | 1.8 | 20        |
| 17 | Consulting "Dr. Google―for Prostate Cancer Treatment Options: A Contemporary Worldwide Trend<br>Analysis. European Urology Oncology, 2020, 3, 481-488.   | 5.4 | 29        |
| 18 | Linear extent of positive surgical margin impacts biochemical recurrence after robot-assisted radical prostatectomy in a high-volume center. Journal of Robotic Surgery, 2020, 14, 663-675.  | 1.8 | 11        |

WALTER ARTIBANI

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Prostatic chronic inflammation and prostate cancer risk at baseline random biopsy: Analysis of predictors. Arab Journal of Urology Arab Association of Urology, 2020, 18, 148-154.   | 1.5 | 3         |
| 20 | Association between Basal Total Testosterone Levels and Prostate Cancer D'Amico Risk Classes.<br>Urologia Internationalis, 2020, 104, 716-723.   | 1.3 | 2         |
| 21 | Obesity strongly predicts clinically undetected multiple lymph node metastases in intermediate- and high-risk prostate cancer patients who underwent robot assisted radical prostatectomy and extended lymph node dissection. International Urology and Nephrology, 2020, 52, 2097-2105.             | 1.4 | 13        |
| 22 | Basal total testosterone serum levels predict biopsy and pathological ISUP grade group in a large cohort of Caucasian prostate cancer patients who underwent radical prostatectomy. Therapeutic Advances in Urology, 2020, 12, 175628722092948.  | 2.0 | 3         |
| 23 | The impact of extended pelvic lymph node dissection on the risk of hospital readmission within<br>180Âdays after robot assisted radical prostatectomy. World Journal of Urology, 2020, 38, 2799-2809.  | 2.2 | 14        |
| 24 | Predictive Factors of the Risk of Long-Term Hospital Readmission after Primary Prostate Surgery at a<br>Single Tertiary Referral Center: Preliminary Report. Urologia Internationalis, 2020, 104, 465-475.   | 1.3 | 8         |
| 25 | Perioperative Mortality and Long-Term Survival after Radical Cystectomy: A Population-Based Study in a Southern European Country on 4,389 Patients. Urologia Internationalis, 2020, 104, 559-566.  | 1.3 | 9         |
| 26 | Endogenous testosterone mirrors prostate cancer aggressiveness: correlation between basal<br>testosterone serum levels and prostate cancer European Urology Association clinical risk classes in<br>a large cohort of Caucasian patients. International Urology and Nephrology, 2020, 52, 1261-1269. | 1.4 | 10        |
| 27 | Open approach, extended pelvic lymph node dissection, and seminal vesicle invasion are independent predictors of hospital readmission after prostate cancer surgery: a large retrospective study. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2020, 72, 72-81.  | 3.9 | 9         |
| 28 | Elevated prostate volume index and prostatic chronic inflammation reduce the number of positive cores at first prostate biopsy set: results in 945 consecutive patients. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2020, 46, 546-556.                         | 1.5 | 1         |
| 29 | Prostate volume index and prostatic chronic inflammation have an effect on tumor load at baseline<br>random biopsies in patients with normal DRE and PSA values less than 10 ng/ml: results of 564<br>consecutive cases. Therapeutic Advances in Urology, 2019, 11, 175628721986860.                 | 2.0 | 5         |
| 30 | Positive Association between Preoperative Total Testosterone and Lymph Node Invasion in Intermediate<br>Risk Prostate Cancer. Current Urology, 2019, 12, 216-222.  | 0.6 | 1         |
| 31 | Prostate Volume Index Is Able to Differentiate between Prostatic Chronic Inflammation and Prostate<br>Cancer in Patients with Normal Digital Rectal Examination and Prostate-Specific Antigen Values<br><10 ng/mL: Results of 564 Biopsy NaÃ`ve Cases. Urologia Internationalis, 2019, 103, 415-422. | 1.3 | 7         |
| 32 | Total testosterone density predicts high tumor load and disease reclassification of prostate cancer:<br>results in 144 low-risk patients who underwent radical prostatectomy. International Urology and<br>Nephrology, 2019, 51, 2169-2180.  | 1.4 | 9         |
| 33 | Surgeon volume and body mass index influence positive surgical margin risk after robot-assisted radical prostatectomy: Results in 732 cases. Arab Journal of Urology Arab Association of Urology, 2019, 17, 234-242.   | 1.5 | 6         |
| 34 | Positive Association between Basal Total Testosterone Circulating Levels and Tumor Grade Groups at the Time of Diagnosis of Prostate Cancer. Urologia Internationalis, 2019, 103, 400-407.   | 1.3 | 11        |
| 35 | High surgeon volume and positive surgical margins can predict the risk of biochemical recurrence<br>after robot-assisted radical prostatectomy. Therapeutic Advances in Urology, 2019, 11, 175628721987828.  | 2.0 | 8         |
| 36 | Multiple stones in neobladder: Case report and literature review. Urologia, 2019, 86, 216-219.   | 0.7 | 7         |

WALTER ARTIBANI

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Lymph Nodes Invasion of Marcille's Fossa Associates with High Metastatic Load in Prostate Cancer<br>Patients Undergoing Extended Pelvic Lymph Node Dissection: The Role of "Marcillectomy― Urologia<br>Internationalis, 2019, 103, 25-32.  | 1.3 | 28        |
| 38 | Low Preoperative Prolactin Levels Predict Non-Organ Confined Prostate Cancer in Clinically<br>Localized Disease. Urologia Internationalis, 2019, 103, 391-399.   | 1.3 | 8         |
| 39 | Robotic intracorporeal urinary diversion. Current Opinion in Urology, 2019, 29, 293-300.   | 1.8 | 20        |
| 40 | Holographic Reconstructions for Preoperative Planning before Partial Nephrectomy: A Head-to-Head<br>Comparison with Standard CT Scan. Urologia Internationalis, 2019, 102, 212-217.  | 1.3 | 30        |
| 41 | Quality of life following urinary diversion: Orthotopic ileal neobladder versus ileal conduit. A<br>multicentre study among long-term, female bladder cancer survivors. European Journal of Surgical<br>Oncology, 2019, 45, 477-481.   | 1.0 | 19        |
| 42 | Robot-assisted Vescica Ileale Padovana: A New Technique for Intracorporeal Bladder Replacement<br>Reproducing Open Surgical Principles. European Urology, 2019, 76, 381-390.   | 1.9 | 21        |
| 43 | Impact of Renal Hilar Control on Outcomes of Robotic Partial Nephrectomy: Systematic Review and<br>Cumulative Meta-analysis. European Urology Focus, 2019, 5, 619-635.   | 3.1 | 62        |
| 44 | Current evidence and future perspectives about the role of iXip® in the diagnosis of prostate cancer.<br>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2019, 71, 201-204.   | 3.9 | 4         |
| 45 | Extended pelvic lymphadenectomy for prostate cancer: should the Cloquet's nodes dissection be considered only an option?. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2019, 71, 136-145.  | 3.9 | 27        |
| 46 | Technical innovations to optimize continence recovery after robotic assisted radical prostatectomy.<br>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2019, 71, 324-338.   | 3.9 | 20        |
| 47 | Body Mass Index and prostatic-specific antigen are predictors of prostate cancer metastases in patients undergoing robot-assisted radical prostatectomy and extended pelvic lymph node dissection. Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology, 2019, 71, 516-523. | 3.9 | 13        |
| 48 | Possible role of 5-alpha reductase inhibitors in non-invasive bladder urothelial neoplasm: multicentre study. Minerva Urology and Nephrology, 2019, , .  | 2.5 | 3         |
| 49 | Health-Related Quality of Life after Radical Cystectomy for Bladder Cancer in Elderly Patients with<br>Ileal Orthotopic Neobladder or Ileal Conduit: Results from a Multicentre Cross-Sectional Study Using<br>Validated Questionnaires. Urologia Internationalis, 2018, 100, 346-352.                 | 1.3 | 17        |
| 50 | Adherence to the European Association of Urology Guidelines: A National Survey among Italian<br>Urologists. Urologia Internationalis, 2018, 100, 139-145.  | 1.3 | 12        |
| 51 | Impact of Surgical Factors on Robotic Partial Nephrectomy Outcomes: Comprehensive Systematic<br>Review and Meta-Analysis. Journal of Urology, 2018, 200, 258-274.  | 0.4 | 113       |
| 52 | Validation of the Clavien–Dindo Grading System in Urology by the European Association of Urology<br>Guidelines Ad Hoc Panel. European Urology Focus, 2018, 4, 608-613.   | 3.1 | 187       |
| 53 | Quality of Life in Patients with Bladder Cancer Undergoing Ileal Conduit: A Comparison of Women<br>Versus Men. In Vivo, 2018, 32, 139-143.   | 1.3 | 12        |
| 54 | Live Surgery: Is Operating at Home the Way Forward?. European Urology, 2018, 74, 403-404.  | 1.9 | 5         |

WALTER ARTIBANI

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Augmented reality during robot-assisted radical prostatectomy: expert robotic surgeons' on-the-spot<br>insights after live surgery. Minerva Urology and Nephrology, 2018, 70, 226-229.  | 2.5 | 14        |
| 56 | Robotic bladder diverticulectomy: step-by-step extravesical posterior approach – technique and outcomes. Scandinavian Journal of Urology, 2018, 52, 285-290.  | 1.0 | 14        |
| 57 | Use of AUC7 adjuvant carboplatin in patients with stage I seminoma: systematic review of the literature. Tumori, 2018, 104, 83-87.  | 1.1 | 0         |
| 58 | Impact of Host Factors on Robotic Partial Nephrectomy Outcomes: Comprehensive Systematic Review and Meta-Analysis. Journal of Urology, 2018, 200, 716-730.  | 0.4 | 41        |
| 59 | Counseling in urogynecology: A difficult task, or simply good surgeon–patient communication?.<br>International Urogynecology Journal, 2018, 29, 943-948.  | 1.4 | 25        |
| 60 | Is Health-Related Quality of Life after Radical Cystectomy Using Validated Questionnaires Really Better<br>in Patients with Ileal Orthotopic Neobladder Compared to Ileal Conduit: A Meta-Analysis of<br>Retrospective Comparative Studies. Current Urology, 2017, 10, 57-68. | 0.6 | 15        |
| 61 | Argus-T Sling in 182 Male Patients: Short-term Results of a Multicenter Study. Urology, 2017, 110, 177-183.   | 1.0 | 22        |
| 62 | Health-related Quality of Life After Radical Cystectomy: A Cross-sectional Study With Matched-pair<br>Analysis on Ileal Conduit vs Ileal Orthotopic Neobladder Diversion. Urology, 2017, 108, 82-89.  | 1.0 | 22        |
| 63 | Changes in tumor burden and IMDC class after active surveillance (AS) for metastatic renal cell carcinoma (mRCC) Journal of Clinical Oncology, 2017, 35, 435-435.   | 1.6 | 2         |
| 64 | Impact of Preoperative Patient Characteristics and Flow Rate on Failure, Early Complications, and<br>Voiding Dysfunction After a Transobturator Tape Procedure: A Multicentre Study. International<br>Neurourology Journal, 2017, 21, 282-288.                                | 1.2 | 2         |
| 65 | A Critical Analysis of the Current Knowledge of Surgical Anatomy of the Prostate Related to<br>Optimisation of Cancer Control and Preservation of Continence and Erection in Candidates for<br>Radical Prostatectomy: An Update. European Urology, 2016, 70, 301-311.         | 1.9 | 218       |
| 66 | Editorial comment on "Urinary bladder cancer treated with radical cystectomy: Perioperative parameters and early complications prospectively registered in a national population-based database―<br>Scandinavian Journal of Urology, 2014, 48, 343-343.                       | 1.0 | 0         |
| 67 | Prognostic role of substaging in T1G3 transitional cell carcinoma of the urinary bladder. Molecular and Clinical Oncology, 2014, 2, 575-580.  | 1.0 | 27        |
| 68 | Dysfunctional voiding. Current Opinion in Urology, 2014, 24, 330-335.   | 1.8 | 17        |
| 69 | Quality Assessment of Partial Nephrectomy Complications Reporting Using EAU Standardised Quality<br>Criteria. European Urology, 2014, 66, 522-526.  | 1.9 | 23        |
| 70 | Adenocarcinoma of the paraurethral glands: a case report. Histology and Histopathology, 2014, 29, 1295-303.   | 0.7 | 6         |
| 71 | Landmarks in prostate cancer diagnosis: the biomarkers. BJU International, 2012, 110, 8-13.   | 2.5 | 28        |
| 72 | Updated Systematic Review and Meta-Analysis of the Comparative Data on Colposuspensions,<br>Pubovaginal Slings, and Midurethral Tapes in the Surgical Treatment of Female Stress Urinary<br>Incontinence. European Urology, 2010, 58, 218-238.                                | 1.9 | 359       |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Complication Rates of Tension-Free Midurethral Slings in the Treatment of Female Stress Urinary<br>Incontinence: A Systematic Review and Meta-Analysis of Randomized Controlled Trials Comparing<br>Tension-Free Midurethral Tapes to Other Surgical Procedures and Different Devices. European<br>Urology, 2008, 53, 288-309. | 1.9 | 273       |
| 74 | The role of imaging in urinary incontinence. BJU International, 2005, 95, 699-703.   | 2.5 | 21        |
| 75 | ls Laparoscopic Radical Prostatectomy Better Than Traditional Retropubic Radical Prostatectomy?.<br>European Urology, 2003, 44, 401-406.   | 1.9 | 72        |