

# Vittorio Venturi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6208080/publications.pdf>

Version: 2024-02-01

152  
papers

8,154  
citations

47006

47  
h-index

58581

82  
g-index

158  
all docs

158  
docs citations

158  
times ranked

8481  
citing authors

#	ARTICLE	IF	CITATIONS
1	A new laser device for ultra-rapid and sustainable aerosol sterilization. <i>Environment International</i> , 2022, 164, 107272.	10.0	2
2	LuxR Solos from Environmental Fluorescent <i>Pseudomonads</i> . <i>MSphere</i> , 2021, 6, .	2.9	8
3	Plant Disease Management: Leveraging on the Plant-Microbe-Soil Interface in the Biorational Use of Organic Amendments. <i>Frontiers in Plant Science</i> , 2021, 12, 700507.	3.6	36
4	A call to arms for cell-cell interactions between bacteria in the plant microbiome. <i>Trends in Plant Science</i> , 2021, 26, 1126-1132.	8.8	13
5	Isolation and Characterization of <i>Pseudomonas chlororaphis</i> Strain ST9; Rhizomicrobiota and in <i>Planta</i> Studies. <i>Plants</i> , 2021, 10, 1466.	3.5	7
6	The rice foot rot pathogen <i>Dickeya zeae</i> alters the field plant microbiome. <i>Environmental Microbiology</i> , 2021, 23, 7671-7687.	3.8	14
7	Copper sulfate inhibition of quorum sensing in <i>Pseudomonas caepiferrum</i> is dependent on biotic interactions. <i>Rhizosphere</i> , 2021, , 100434.	3.0	1
8	In Planta Colonization and Role of T6SS in Two Rice <i>Kosakonia</i> Endophytes. <i>Molecular Plant-Microbe Interactions</i> , 2020, 33, 349-363.	2.6	30
9	N-Acyl Homoserine Lactones and Lux Solos Regulate Social Behaviour and Virulence of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . <i>Microbial Ecology</i> , 2020, 79, 383-396.	2.8	22
10	Syringopeptin Contributes to the Virulence of <i>Pseudomonas fuscovaginae</i> , Based on <i>sypA</i> Biosynthesis Mutant Analysis. <i>Phytopathology</i> , 2020, 110, 780-789.	2.2	6
11	Pathobiomes Revealed that <i>Pseudomonas fuscovaginae</i> and <i>Sarocladium oryzae</i> Are Independently Associated with Rice Sheath Rot. <i>Microbial Ecology</i> , 2020, 80, 627-642.	2.8	14
12	LuxR Solos in the Plant Endophyte <i>Kosakonia</i> sp. Strain KO348. <i>Applied and Environmental Microbiology</i> , 2020, 86, .	3.1	8
13	AzeR, a transcriptional regulator that responds to azelaic acid in <i>Pseudomonas nitroreducens</i> . <i>Microbiology (United Kingdom)</i> , 2020, 166, 73-84.	1.8	7
14	Many plant pathogenic <i>Pseudomonas savastanoi</i> pv. <i>glycinea</i> isolates possess an inactive quorum sensing <i>ahlR</i> gene via a point mutation. <i>FEMS Microbiology Letters</i> , 2019, 366, .	1.8	3
15	Blue laser light inhibits biofilm formation in vitro and in vivo by inducing oxidative stress. <i>Npj Biofilms and Microbiomes</i> , 2019, 5, 29.	6.4	40
16	Plant-Growth Promotion and Biocontrol Properties of Three <i>Streptomyces</i> spp. Isolates to Control Bacterial Rice Pathogens. <i>Frontiers in Microbiology</i> , 2019, 10, 290.	3.5	117
17	A Na <sup>+</sup> /Ca <sup>2+</sup> exchanger of the olive pathogen <i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> is critical for its virulence. <i>Molecular Plant Pathology</i> , 2019, 20, 716-730.	4.2	21
18	Study of the Regulatory Role of N-Acyl Homoserine Lactones Mediated Quorum Sensing in the Biological Activity of <i>Burkholderia gladioli</i> pv. <i>agaricicola</i> Causing Soft Rot of <i>Agaricus</i> spp.. <i>Frontiers in Microbiology</i> , 2019, 10, 2695.	3.5	12

#	ARTICLE	IF	CITATIONS
19	Genomic features of bacterial adaptation to plants. <i>Nature Genetics</i> , 2018, 50, 138-150.	21.4	480
20	Bacterial cyclic Î²-(1,2)-glucans sequester iron to protect against iron-induced toxicity. <i>EMBO Reports</i> , 2018, 19, 172-186.	4.5	33
21	Methods to Study Solo/Orphan Quorum-Sensing Receptors. <i>Methods in Molecular Biology</i> , 2018, 1673, 145-159.	0.9	6
22	The challenges of designing a benchmark strategy for bioinformatics pipelines in the identification of antimicrobial resistance determinants using next generation sequencing technologies. <i>F1000Research</i> , 2018, 7, 459.	1.6	31
23	The spent culture supernatant of <i>Pseudomonas syringae</i> contains azelaic acid. <i>BMC Microbiology</i> , 2018, 18, 199.	3.3	13
24	Quorum Sensing in <i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> and <i>Erwinia toletana</i> : Role in Virulence and Interspecies Interactions in the Olive Knot. <i>Applied and Environmental Microbiology</i> , 2018, 84, .	3.1	16
25	Bacterial Microbiota of Rice Roots: 16S-Based Taxonomic Profiling of Endophytic and Rhizospheric Diversity, Endophytes Isolation and Simplified Endophytic Community. <i>Microorganisms</i> , 2018, 6, 14.	3.6	75
26	The Mechanism of Killing by the Proline-Rich Peptide Bac7(1-35) against Clinical Strains of <i>Pseudomonas aeruginosa</i> Differs from That against Other Gram-Negative Bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	31
27	Identification of Loci of <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Involved in Lipolytic Activity and Their Role in Colonization of Kiwifruit Leaves. <i>Phytopathology</i> , 2017, 107, 645-653.	2.2	12
28	Application of Chemical Genomics to Plant-Bacteria Communication: A High-Throughput System to Identify Novel Molecules Modulating the Induction of Bacterial Virulence Genes by Plant Signals. <i>Methods in Molecular Biology</i> , 2017, 1610, 297-314.	0.9	5
29	Quorum Sensing Inhibitors from the Sea Discovered Using Bacterial N-acyl-homoserine Lactone-Based Biosensors. <i>Marine Drugs</i> , 2017, 15, 53.	4.6	68
30	Negative Regulation of Violacein Biosynthesis in <i>Chromobacterium violaceum</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 349.	3.5	35
31	Quorum sensing and RsaM regulons of the rice pathogen <i>Pseudomonas fuscovaginae</i> . <i>Microbiology (United Kingdom)</i> , 2017, 163, 765-777.	1.8	20
32	Shortening of the <i>Lactobacillus paracasei</i> subsp. <i>paracasei</i> BGNJ1-64 AggLb Protein Switches Its Activity from Auto-aggregation to Biofilm Formation. <i>Frontiers in Microbiology</i> , 2016, 7, 1422.	3.5	11
33	Rice bacterial endophytes: isolation of a collection, identification of beneficial strains and microbiome analysis. <i>Environmental Microbiology Reports</i> , 2016, 8, 388-398.	2.4	75
34	A LuxR Homolog in a Cottonwood Tree Endophyte That Activates Gene Expression in Response to a Plant Signal or Specific Peptides. <i>MBio</i> , 2016, 7, .	4.1	23
35	LsbB Bacteriocin Interacts with the Third Transmembrane Domain of the YvjB Receptor. <i>Applied and Environmental Microbiology</i> , 2016, 82, 5364-5374.	3.1	20
36	A New N -Acyl Homoserine Lactone Synthase in an Uncultured Symbiont of the Red Sea Sponge <i>Theonella swinhoei</i> . <i>Applied and Environmental Microbiology</i> , 2016, 82, 1274-1285.	3.1	30

#	ARTICLE	IF	CITATIONS
37	Signaling in the Rhizosphere. Trends in Plant Science, 2016, 21, 187-198.	8.8	465
38	Molecular characterisation of an endophyte showing a strong antagonistic activity against <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> . Plant and Soil, 2016, 405, 97-106.	3.7	16
39	Rice bacterial endophytes: isolation of a collection, identification of beneficial strains and microbiome analysis. Environmental Microbiology, 2016, , n/a-n/a.	3.8	0
40	<i>Pseudomonas corrugata</i> CrpCDE is part of the cyclic lipopeptide corpeptin biosynthetic gene cluster and is involved in bacterial virulence in tomato and in hypersensitive response in <i>Nicotiana benthamiana</i> . Molecular Plant Pathology, 2015, 16, 495-506.	4.2	42
41	Draft Genome Sequence of Rice Endophyte-Associated Isolate <i>Kosakonia oryzae</i> KO348. Genome Announcements, 2015, 3, .	0.8	18
42	Studies on synthetic LuxR solo hybrids. Frontiers in Cellular and Infection Microbiology, 2015, 5, 52.	3.9	7
43	Editorial: LuxR Solos are Becoming Major Players in Cell-Cell Communication in Bacteria. Frontiers in Cellular and Infection Microbiology, 2015, 5, 89.	3.9	21
44	The olive knot disease as a model to study the role of interspecies bacterial communities in plant disease. Frontiers in Plant Science, 2015, 6, 434.	3.6	69
45	Synergisms between microbial pathogens in plant disease complexes: a growing trend. Frontiers in Plant Science, 2015, 06, 385.	3.6	335
46	Plant-Influenced Gene Expression in the Rice Endophyte <i>Burkholderia kururiensis</i> M130. Molecular Plant-Microbe Interactions, 2015, 28, 10-21.	2.6	130
47	Phytohormone-mediated interkingdom signaling shapes the outcome of rice- <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> interactions. BMC Plant Biology, 2015, 15, 10.	3.6	36
48	The Kiwifruit Emerging Pathogen <i>Pseudomonas syringae</i> pv. <i>actinidiae</i> Does Not Produce AHLs but Possesses Three LuxR Solos. PLoS ONE, 2014, 9, e87862.	2.5	46
49	Transcriptomic analysis reveals new regulatory roles of Clp signaling in secondary metabolite biosynthesis and surface motility in <i>Lysobacter enzymogenes</i> OH11. Applied Microbiology and Biotechnology, 2014, 98, 9009-9020.	3.6	70
50	Draft Genome Sequence of Beneficial Rice Rhizosphere Isolate <i>Pseudomonas aeruginosa</i> PUPa3. Genome Announcements, 2014, 2, .	0.8	3
51	Draft Genome Sequence of a Hypersensitive Reaction-Inducing <i>Pantoea agglomerans</i> Strain Isolated from Olive Knots Caused by <i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> . Genome Announcements, 2014, 2, .	0.8	7
52	Draft Genome Sequence of <i>Erwinia oleae</i> , a Bacterium Associated with Olive Knots Caused by <i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> . Genome Announcements, 2014, 2, .	0.8	5
53	Involvement of both PKS and NRPS in antibacterial activity in <i>Lysobacter enzymogenes</i> OH11. FEMS Microbiology Letters, 2014, 355, 170-176.	1.8	23
54	Identification of virulence associated loci in the emerging broad host range plant pathogen <i>Pseudomonas fuscovaginae</i> . BMC Microbiology, 2014, 14, 274.	3.3	17

#	ARTICLE	IF	CITATIONS
55	Roles of a Solo LuxR in the Biological Control Agent <i>Lysobacter enzymogenes</i> Strain OH11. <i>Phytopathology</i> , 2014, 104, 224-231.	2.2	63
56	Modeling bacterial quorum sensing in open and closed environments: potential discrepancies between agar plate and culture flask experiments. <i>Journal of Molecular Modeling</i> , 2014, 20, 2248.	1.8	4
57	Bacterial multispecies studies and microbiome analysis of a plant disease. <i>Microbiology (United Kingdom)</i> 151, 1073-1083. doi:10.1093/mic/kgt114	1.8	51
58	Draft Genome Sequence of <i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> Strain DAPP-PG 722, Isolated in Italy from an Olive Plant Affected by Knot Disease. <i>Genome Announcements</i> , 2014, 2, .	0.8	17
59	Chemical Signaling Between Plants and Plant-Pathogenic Bacteria. <i>Annual Review of Phytopathology</i> , 2013, 51, 17-37.	7.8	119
60	The interkingdom solo OryR regulator of <i>Xanthomonas oryzae</i> is important for motility. <i>Molecular Plant Pathology</i> , 2013, 14, 211-221.	4.2	38
61	A novel widespread interkingdom signaling circuit. <i>Trends in Plant Science</i> , 2013, 18, 167-174.	8.8	115
62	AiiA lactonase disrupts N-acylhomoserine lactone and attenuates quorum-sensing-related virulence in <i>Pectobacterium carotovorum</i> EMPCC. <i>Annals of Microbiology</i> , 2013, 63, 691-697.	2.6	7
63	Proteomic Analysis Reveals Novel Extracellular Virulence-Associated Proteins and Functions Regulated by the Diffusible Signal Factor (DSF) in <i>Xanthomonas oryzae</i> pv. <i>oryzicola</i> . <i>Journal of Proteome Research</i> , 2013, 12, 3327-3341.	3.7	52
64	Draft Genome Sequence of <i>Erwinia toletana</i> , a Bacterium Associated with Olive Knots Caused by <i>Pseudomonas savastanoi</i> pv. <i>savastanoi</i> . <i>Genome Announcements</i> , 2013, 1, .	0.8	8
65	Draft Genome Sequence of the Plant Pathogen <i>Dickeya zeae</i> DZ2Q, Isolated from Rice in Italy. <i>Genome Announcements</i> , 2013, 1, .	0.8	17
66	<i>Lysobacter enzymogenes</i> Uses Two Distinct Cell-Cell Signaling Systems for Differential Regulation of Secondary-Metabolite Biosynthesis and Colony Morphology. <i>Applied and Environmental Microbiology</i> , 2013, 79, 6604-6616.	3.1	82
67	Structural Insights into a Novel Interkingdom Signaling Circuit by Cartography of the Ligand-Binding Sites of the Homologous Quorum Sensing LuxR-Family. <i>International Journal of Molecular Sciences</i> , 2013, 14, 20578-20596.	4.1	18
68	Regulon Studies and <i>In Planta</i> Role of the BrrL/R Quorum-Sensing System in the Plant-Beneficial <i>Burkholderia</i> Cluster. <i>Applied and Environmental Microbiology</i> , 2013, 79, 4421-4432.	3.1	32
69	Draft Genome Sequence of the Rice Endophyte <i>Burkholderia kururiensis</i> M130. <i>Genome Announcements</i> , 2013, 1, e0022512.	0.8	27
70	Stability of Multispecies Bacterial Communities: Signaling Networks May Stabilize Microbiomes. <i>PLoS ONE</i> , 2013, 8, e57947.	2.5	17
71	Bacterial LuxR solos have evolved to respond to different molecules including signals from plants. <i>Frontiers in Plant Science</i> , 2013, 4, 447.	3.6	58
72	The Organization of the Quorum Sensing luxI/R Family Genes in <i>Burkholderia</i> . <i>International Journal of Molecular Sciences</i> , 2013, 14, 13727-13747.	4.1	38

#	ARTICLE	IF	CITATIONS
73	Draft Genome Sequence of <i>Pseudomonas fuscovaginae</i> , a Broad-Host-Range Pathogen of Plants. <i>Journal of Bacteriology</i> , 2012, 194, 2765-2766.	2.2	14
74	Chromosomal Arrangement of AHL-Driven Quorum Sensing Circuits in <i>Pseudomonas</i> . , 2012, 2012, 1-6.		10
75	Classifying the Topology of AHL-Driven Quorum Sensing Circuits in Proteobacterial Genomes. <i>Sensors</i> , 2012, 12, 5432-5444.	3.8	34
76	N-acyl-homoserine-lactone quorum sensing in tomato phytopathogenic <i>Pseudomonas</i> spp. is involved in the regulation of lipopeptide production. <i>Journal of Biotechnology</i> , 2012, 159, 274-282.	3.8	41
77	A proteomic study of <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> in rice xylem sap. <i>Journal of Proteomics</i> , 2012, 75, 5911-5919.	2.4	41
78	Functional Characterization of the Quorum Sensing Regulator RsaL in the Plant-Beneficial Strain <i>Pseudomonas putida</i> WCS358. <i>Applied and Environmental Microbiology</i> , 2012, 78, 726-734.	3.1	13
79	Incoming pathogens team up with harmless "resident" bacteria. <i>Trends in Microbiology</i> , 2012, 20, 160-164.	7.7	17
80	Common Features of Environmental and Potentially Beneficial Plant-Associated Burkholderia. <i>Microbial Ecology</i> , 2012, 63, 249-266.	2.8	321
81	Bacterial Subfamily of LuxR Regulators That Respond to Plant Compounds. <i>Applied and Environmental Microbiology</i> , 2011, 77, 4579-4588.	3.1	68
82	In Vitro Antibacterial Activity of Sphaeropsidins and Chemical Derivatives toward <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> , the Causal Agent of Rice Bacterial Blight. <i>Journal of Natural Products</i> , 2011, 74, 2520-2525.	3.0	39
83	Sharing of quorum-sensing signals and role of interspecies communities in a bacterial plant disease. <i>ISME Journal</i> , 2011, 5, 1857-1870.	9.8	133
84	The plant pathogen <i>Pseudomonas fuscovaginae</i> contains two conserved quorum sensing systems involved in virulence and negatively regulated by RsaL and the novel regulator RsaM. <i>Environmental Microbiology</i> , 2011, 13, 145-162.	3.8	58
85	The virtue of temperance: built-in negative regulators of quorum sensing in <i>Pseudomonas</i> . <i>Molecular Microbiology</i> , 2011, 82, 1060-1070.	2.5	35
86	Inducible expression of choline sulfatase and its regulator BetR in <i>Pseudomonas</i> sp. ATCC19151. <i>Archives of Microbiology</i> , 2011, 193, 399-405.	2.2	5
87	Virulence Attenuation of <i>Pectobacterium carotovorum</i> Using N-Acyl-homoserine Lactone Degrading Bacteria Isolated from Potato Rhizosphere. <i>Plant Pathology Journal</i> , 2011, 27, 242-248.	1.7	29
88	<i>Xanthomonas oryzae</i> pv. <i>oryzae</i> XKK.12 Contains an AroQ <sup>3</sup> Chorismate Mutase That Is Involved in Rice Virulence. <i>Phytopathology</i> , 2010, 100, 262-270.	2.2	26
89	Locality versus globality in bacterial signalling: can local communication stabilize bacterial communities?. <i>Biology Direct</i> , 2010, 5, 30.	4.6	14
90	Tobramycin at subinhibitory concentration inhibits the Rhl/R quorum sensing system in a <i>Pseudomonas aeruginosa</i> environmental isolate. <i>BMC Infectious Diseases</i> , 2010, 10, 148.	2.9	56

#	ARTICLE	IF	CITATIONS
91	Co-Swarming and Local Collapse: Quorum Sensing Conveys Resilience to Bacterial Communities by Localizing Cheater Mutants in <i>Pseudomonas aeruginosa</i> . PLoS ONE, 2010, 5, e9998.	2.5	48
92	Commonalities and Differences in Regulation of <i>N</i> -Acyl Homoserine Lactone Quorum Sensing in the Beneficial Plant-Associated <i>Burkholderia</i> Species Cluster. Applied and Environmental Microbiology, 2010, 76, 4302-4317.	3.1	55
93	LasI/R and RhlI/R Quorum Sensing in a Strain of <i>Pseudomonas aeruginosa</i> Beneficial to Plants. Applied and Environmental Microbiology, 2009, 75, 5131-5140.	3.1	77
94	OryR Is a LuxR-Family Protein Involved in Interkingdom Signaling between Pathogenic <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> and Rice. Journal of Bacteriology, 2009, 191, 890-897.	2.2	93
95	LuxR-family "solos": bachelor sensors/regulators of signalling molecules. Microbiology (United Kingdom), 2009, 159, 205-210.	1.8	205
96	PpoR is a conserved unpaired LuxR solo of <i>Pseudomonas putida</i> which binds <i>N</i> -acyl homoserine lactones. BMC Microbiology, 2009, 9, 125.	3.3	28
97	Assessment of three Resistance-Nodulation-Cell Division drug efflux transporters of <i>Burkholderia cenocepacia</i> in intrinsic antibiotic resistance. BMC Microbiology, 2009, 9, 200.	3.3	72
98	A simple model for the early events of quorum sensing in <i>Pseudomonas aeruginosa</i> : modeling bacterial swarming as the movement of an "activation zone". Biology Direct, 2009, 4, 6.	4.6	26
99	Future research trends in the major chemical language of bacteria. HFSP Journal, 2009, 3, 105-116.	2.5	27
100	The Transcriptional Activator <i>rfiA</i> Is Quorum-Sensing Regulated by Cotranscription with the <i>luxI</i> Homolog <i>pcol</i> and Is Essential for Plant Virulence in <i>Pseudomonas corrugata</i> . Molecular Plant-Microbe Interactions, 2009, 22, 1514-1522.	2.6	22
101	5' untranslated region of the <i>Pseudomonas putida</i> WCS358 stationary phase sigma factor <i>rpoS</i> mRNA is involved in <i>RpoS</i> translational regulation. Journal of Microbiology, 2008, 46, 56-61.	2.8	8
102	The presence, type and role of <i>N</i> -acyl homoserine lactone quorum sensing in fluorescent <i>Pseudomonas</i> originally isolated from rice rhizospheres are unpredictable. FEMS Microbiology Letters, 2008, 288, 102-111.	1.8	20
103	Identification, characterization and regulation of two secreted polygalacturonases of the emerging rice pathogen <i>Burkholderia glumae</i> . FEMS Microbiology Ecology, 2008, 65, 251-262.	2.7	22
104	A versatile plasmid biosensor useful to identify quorum sensing LuxR-family orphans in bacterial strains. Journal of Microbiological Methods, 2008, 73, 273-275.	1.6	11
105	<i>N</i> -Acyl Homoserine Lactone Quorum Sensing in Gram-Negative Rhizobacteria. Soil Biology, 2008, , 69-90.	0.8	13
106	The new group of non-pathogenic plant-associated nitrogen-fixing <i>Burkholderia</i> spp. shares a conserved quorum-sensing system, which is tightly regulated by the RsaL repressor. Microbiology (United Kingdom), 2008, 154, 2048-2059.	1.8	45
107	The <i>Pseudomonas</i> Quorum-Sensing Regulator RsaL Belongs to the Tetrahelical Superclass of H-T-H Proteins. Journal of Bacteriology, 2007, 189, 1922-1930.	2.2	45
108	Isolation, heterologous expression and characterization of an endo-polygalacturonase produced by the phytopathogen <i>Burkholderia cepacia</i> . Protein Expression and Purification, 2007, 54, 300-308.	1.3	15



#	ARTICLE	IF	CITATIONS
109	Involvement of a Quorum-Sensing-Regulated Lipase Secreted by a Clinical Isolate of <i>Burkholderia glumae</i> in Severe Disease Symptoms in Rice. <i>Applied and Environmental Microbiology</i> , 2007, 73, 4950-4958.	3.1	82
110	RsaL provides quorum sensing homeostasis and functions as a global regulator of gene expression in <i>Pseudomonas aeruginosa</i> . <i>Molecular Microbiology</i> , 2007, 66, 1557-1565.	2.5	130
111	A LuxR homologue of <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> is required for optimal rice virulence. <i>Molecular Plant Pathology</i> , 2007, 8, 529-538.	4.2	81
112	<i>Pseudomonas corrugata</i> contains a conserved N-acyl homoserine lactone quorum sensing system; its role in tomato pathogenicity and tobacco hypersensitivity response. <i>FEMS Microbiology Ecology</i> , 2007, 61, 222-234.	2.7	45
113	Detection of quorum-sensing N-acyl homoserine lactone signal molecules by bacterial biosensors. <i>FEMS Microbiology Letters</i> , 2007, 266, 1-9.	1.8	349
114	<i>Oryza sativa</i> rice plants contain molecules that activate different quorum-sensing N-acyl homoserine lactone biosensors and are sensitive to the specific AiiA lactonase. <i>FEMS Microbiology Letters</i> , 2007, 269, 213-220.	1.8	50
115	The <i>Pseudomonas putida</i> Lon protease is involved in N-acyl homoserine lactone quorum sensing regulation. <i>BMC Microbiology</i> , 2007, 7, 71.	3.3	28
116	The <i>Burkholderia cepacia</i> rpoE gene is not involved in exopolysaccharide production and onion pathogenicity. <i>Canadian Journal of Microbiology</i> , 2006, 52, 260-265.	1.7	10
117	Involvement of quorum sensing and RpoS in rice seedling blight caused by <i>Burkholderia plantarii</i> . <i>FEMS Microbiology Letters</i> , 2006, 259, 106-112.	1.8	30
118	Regulation of quorum sensing in <i>Pseudomonas</i> . <i>FEMS Microbiology Reviews</i> , 2006, 30, 274-291.	8.6	421
119	The Quorum-Sensing Negative Regulator RsaL of <i>Pseudomonas aeruginosa</i> Binds to the <i>lasI</i> Promoter. <i>Journal of Bacteriology</i> , 2006, 188, 815-819.	2.2	97
120	Novel target genes of PsrA transcriptional regulator of <i>Pseudomonas aeruginosa</i> . <i>FEMS Microbiology Letters</i> , 2005, 246, 175-181.	1.8	39
121	Isolation, Characterization, and Heterologous Expression of a Carboxylesterase of <i>Pseudomonas aeruginosa</i> PAO1. <i>Current Microbiology</i> , 2005, 50, 102-109.	2.2	24
122	Regulation of the N-Acyl Homoserine Lactone-Dependent Quorum-Sensing System in Rhizosphere <i>Pseudomonas putida</i> WCS358 and Cross-Talk with the Stationary-Phase RpoS Sigma Factor and the Global Regulator GacA. <i>Applied and Environmental Microbiology</i> , 2004, 70, 5493-5502.	3.1	84
123	<i>Pseudomonas aeruginosa</i> <i>relA</i> Contributes to Virulence in <i>Drosophila melanogaster</i> . <i>Infection and Immunity</i> , 2004, 72, 5638-5645.	2.2	109
124	The plant pathogen <i>Erwinia amylovora</i> produces acyl-homoserine lactone signal molecules in vitro and in planta. <i>FEMS Microbiology Letters</i> , 2004, 241, 179-183.	1.8	27
125	Quorum sensing in the <i>Burkholderia cepacia</i> complex. <i>Research in Microbiology</i> , 2004, 155, 238-244.	2.1	73
126	Ribosomal Protein S1 Specifically Binds to the 5' Untranslated Region of the <i>Pseudomonas aeruginosa</i> Stationary-Phase Sigma Factor <i>rpoS</i> mRNA in the Logarithmic Phase of Growth. <i>Journal of Bacteriology</i> , 2004, 186, 4903-4909.	2.2	12



#	ARTICLE	IF	CITATIONS
127	Compiling Extracytoplasmic Function (ECF) Sigma Factors Regulated Promoters in <i>Pseudomonas</i> . , 2004, , 345-363.		1
128	Role of GacA, LasI, RhlI, Ppk, PsrA, Vfr and ClpXP in the regulation of the stationary-phase sigma factor rpoS/RpoS in <i>Pseudomonas</i> . <i>Archives of Microbiology</i> , 2003, 180, 264-271.	2.2	39
129	Control of rpoS transcription in <i>Escherichia coli</i> and <i>Pseudomonas</i> : why so different?. <i>Molecular Microbiology</i> , 2003, 49, 1-9.	2.5	122
130	A thermostable $\beta$ -arabinofuranosidase from xylanolytic <i>Bacillus pumilus</i> : purification and characterisation. <i>Journal of Biotechnology</i> , 2003, 101, 69-79.	3.8	35
131	Identification of Quorum-Sensing-Regulated Genes of <i>Burkholderia cepacia</i> . <i>Journal of Bacteriology</i> , 2003, 185, 6456-6462.	2.2	42
132	Quorum-Sensing System and Stationary-Phase Sigma Factor ( rpoS ) of the Onion Pathogen <i>Burkholderia cepacia</i> Genomovar I Type Strain, ATCC 25416. <i>Applied and Environmental Microbiology</i> , 2003, 69, 1739-1747.	3.1	73
133	TetR Family Member PsrA Directly Binds the <i>Pseudomonas</i> rpoS and psrA Promoters. <i>Journal of Bacteriology</i> , 2002, 184, 2324-2330.	2.2	53
134	Production of glycosylated thermostable penicillin G amidase in. <i>FEMS Yeast Research</i> , 2002, 1, 271-277.	2.3	2
135	Plant Growth-Promoting <i>Pseudomonas putida</i> WCS358 Produces and Secretes Four Cyclic Dipeptides: Cross-Talk with Quorum Sensing Bacterial Sensors. <i>Current Microbiology</i> , 2002, 45, 250-254.	2.2	183
136	A Siderophore Peptide Synthetase Gene from Plant-growth-promoting <i>Pseudomonas putida</i> WCS358. <i>Systematic and Applied Microbiology</i> , 2001, 24, 321-330.	2.8	16
137	Regulation of rpoS Gene Expression in <i>Pseudomonas</i> : Involvement of a TetR Family Regulator. <i>Journal of Bacteriology</i> , 2001, 183, 3712-3720.	2.2	74
138	Regulation of the p-hydroxybenzoic acid hydroxylase gene (pobA) in plant-growth-promoting <i>Pseudomonas putida</i> WCS358 The GenBank/EMBL/DDBJ accession numbers for the pcaR, pobC-pobA and pcaHG sequences reported in this paper are AJ252090, AJ251792 and AJ295623, respectively.. <i>Microbiology (United Kingdom)</i> , 2001, 147, 1611-1620.	1.8	39
139	The acetyl xylan esterase of <i>Bacillus pumilus</i> belongs to a family of esterases with broad substrate specificity The GenBank/EMBL/DDBJ accession number for the sequence reported in this paper is AJ249957.. <i>Microbiology (United Kingdom)</i> , 2000, 146, 1585-1591.	1.8	49
140	Purification and Properties of an Esterase from the Yeast <i>Saccharomyces cerevisiae</i> and Identification of the Encoding Gene. <i>Applied and Environmental Microbiology</i> , 1999, 65, 3470-3472.	3.1	53
141	Controlled specific expression and purification of 6 $\times$ His-tagged proteins in <i>Pseudomonas</i> . <i>FEMS Microbiology Letters</i> , 1999, 179, 101-106.	1.8	8
142	Cloning and characterisation of the rpoS gene from plant growth-promoting <i>Pseudomonas putida</i> WCS358: RpoS is not involved in siderophore and homoserine lactone production. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999, 1489, 413-420.	2.4	31
143	Construction of recombinants <i>Pseudomonas putida</i> BO14 and <i>Escherichia coli</i> QEFCA8 for ferulic acid biotransformation to vanillin. <i>Journal of Bioscience and Bioengineering</i> , 1999, 88, 103-106.	2.2	17
144	Genetics of ferulic acid bioconversion to protocatechuic acid in plant-growth-promoting <i>Pseudomonas putida</i> WCS358. <i>Microbiology (United Kingdom)</i> , 1998, 144, 965-973.	1.8	109

#	ARTICLE	IF	CITATIONS
145	Purification and Characterization of an Acetyl Xylan Esterase from <i>Bacillus pumilus</i> . Applied and Environmental Microbiology, 1998, 64, 789-792.	3.1	49
146	Gene regulation of siderophore-mediated iron acquisition in Pseudomonas: not only the Fur repressor. Molecular Microbiology, 1995, 17, 603-610.	2.5	73
147	Iron regulation of siderophore biosynthesis and transport in Pseudomonas putida WCS358: involvement of a transcriptional activator and of the Fur protein. Molecular Microbiology, 1995, 15, 1081-1093.	2.5	83
148	Alginate regulatory and biosynthetic gene homologs in pseudomonas putida WCS358: correlation with the siderophore regulatory gene pfrA. Gene, 1995, 155, 83-88.	2.2	20
149	Amplification of the groESL operon in Pseudomonas putida increases siderophore gene promoter activity. Molecular Genetics and Genomics, 1994, 245, 126-132.	2.4	3
150	Identification and characterization of a siderophore regulatory gene (pfrA) of Pseudomonas putida WCS358: homology to the alginate regulatory gene aigQ of Pseudomonas aeruginosa. Molecular Microbiology, 1993, 10, 63-73.	2.5	49
151	Molecular analysis of iron transport in plant growth-promoting Pseudomonas putida WCS358. Biology of Metals, 1991, 4, 36-40.	1.1	21
152	Bacterial Endophytes Contribute to Rice Seedling Establishment Under Submergence. Frontiers in Plant Science, 0, 13, .	3.6	5