

Jon O Ebbert

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6212022/publications.pdf>

Version: 2024-02-01

170
papers

5,851
citations

87888

38
h-index

98798

67
g-index

170
all docs

170
docs citations

170
times ranked

7918
citing authors

#	ARTICLE	IF	CITATIONS
1	Patient preferences for telehealth services in a large multispecialty practice. <i>Journal of Telemedicine and Telecare</i> , 2023, 29, 298-303.	2.7	34
2	Creation of a Multispecialty Clinic for Patients with Central Sensitization-Based Chronic Pain Conditions. <i>Mayo Clinic Proceedings Innovations, Quality & Outcomes</i> , 2022, 6, 45-54.	2.4	5
3	Planning a Change Easily (PACE) for smokers who are not ready to quit: a telephone-based, randomized controlled trial. <i>Addiction</i> , 2022, , .	3.3	0
4	Buprenorphine Waiver Attitudes Among Primary Care Providers. <i>Journal of Primary Care and Community Health</i> , 2022, 13, 215013192211122.	2.1	5
5	Use of Cannabis for Self-Management of Chronic Pelvic Pain. <i>Journal of Women's Health</i> , 2021, 30, 1344-1351.	3.3	20
6	The Comparison of Segmental Multifrequency Bioelectrical Impedance Analysis and Dual-Energy X-ray Absorptiometry for Estimating Fat Free Mass and Percentage Body Fat in an Ambulatory Population. <i>Journal of Parenteral and Enteral Nutrition</i> , 2021, 45, 1231-1238.	2.6	33
7	Outcomes of COVID-19 With the Mayo Clinic Model of Care and Research. <i>Mayo Clinic Proceedings</i> , 2021, 96, 601-618.	3.0	20
8	Changes in social relationships during an initial "stay-at-home" phase of the COVID-19 pandemic: A longitudinal survey study in the U.S.. <i>Social Science and Medicine</i> , 2021, 274, 113779.	3.8	67
9	Frequently Reported Adverse Events With Smoking Cessation Medications: Post Hoc Analysis of a Randomized Trial. <i>Mayo Clinic Proceedings</i> , 2021, 96, 1801-1811.	3.0	6
10	Improving time to palliative care review with predictive modeling in an inpatient adult population: study protocol for a stepped-wedge, pragmatic randomized controlled trial. <i>Trials</i> , 2021, 22, 635.	1.6	6
11	Electronic Vaping Product Use among Young Adults Who Receive Care at a Major Medical Institution. <i>Substance Use and Misuse</i> , 2021, 56, 224-237.	1.4	3
12	Endocannabinoids and Stroke Prevention: Review of Clinical Studies. <i>Cannabis and Cannabinoid Research</i> , 2020, 5, 6-11.	2.9	3
13	Low-level laser therapy for weight reduction: a randomized pilot study. <i>Lasers in Medical Science</i> , 2020, 35, 663-675.	2.1	13
14	Commercial Cannabidiol Caution: A New Gold Rush. <i>Mayo Clinic Proceedings</i> , 2020, 95, 200.	3.0	1
15	Social Relationship Quality Among Patients With Chronic Pain: A Population-Based Sample. <i>Journal of Patient Experience</i> , 2020, 7, 316-323.	0.9	11
16	Helpfulness of Clinical Visit Summary Content From Multi-Specialty Care: A Mixed-Methods Assessment. <i>Health Services Research and Managerial Epidemiology</i> , 2020, 7, 233339282095090.	0.9	1
17	Research Response to SARS-CoV-2/COVID-19. <i>Mayo Clinic Proceedings</i> , 2020, 95, S52-S55.	3.0	8
18	Changes in substance use among young adults during a respiratory disease pandemic. <i>SAGE Open Medicine</i> , 2020, 8, 205031212096532.	1.8	34

#	ARTICLE	IF	CITATIONS
19	Is a switch to a different electronic health record associated with a change in patient satisfaction?. Journal of the American Medical Informatics Association: JAMIA, 2020, 27, 867-876.	4.4	13
20	Loneliness and Migraine Self-Management: A Cross-Sectional Assessment. Journal of Primary Care and Community Health, 2020, 11, 215013272092487.	2.1	10
21	Electronic nicotine delivery system design and aerosol toxicants: A systematic review. PLoS ONE, 2020, 15, e0234189.	2.5	38
22	Influence of gender on initiation of tobacco and nicotine containing product use among U.S. Air Force trainees. Preventive Medicine Reports, 2020, 19, 101104.	1.8	1
23	Synchronous neurologyâ€“primary care collaboration in a medical home. Neurology: Clinical Practice, 2020, 10, 388-395.	1.6	1
24	SMART goals setting and biometric changes in obese adults with multimorbidity: Secondary analysis of a randomized controlled trial. SAGE Open Medicine, 2019, 7, 205031211985804.	1.8	7
25	Creation of a Patient-Centered Journey Map to Improve the Patient Experience: A Mixed Methods Approach. Mayo Clinic Proceedings Innovations, Quality & Outcomes, 2019, 3, 466-475.	2.4	15
26	Variation in Patient Experience Across the Clinic Day: a Multilevel Assessment of Four Primary Care Practices. Journal of General Internal Medicine, 2019, 34, 2536-2541.	2.6	4
27	Influence of gender and peer tobacco use on tobacco use intentions after a period of involuntary tobacco abstinence among U.S. Air Force trainees. Preventive Medicine Reports, 2019, 13, 270-276.	1.8	4
28	A survey of the attitudes, beliefs and knowledge about medical cannabis among primary care providers. BMC Family Practice, 2019, 20, 17.	2.9	117
29	Predicting smokeless tobacco initiation and re-initiation in the United States Air Force. Addictive Behaviors Reports, 2019, 9, 100142.	1.9	7
30	Fit & quit: An efficacy trial of two behavioral post-cessation weight gain interventions. Contemporary Clinical Trials, 2019, 76, 31-40.	1.8	12
31	778. ID Rocks It: Infectious Disease Remotely Offered Consultative Knowledge and Support via Inpatient Telehealth. Open Forum Infectious Diseases, 2019, 6, S345-S346.	0.9	0
32	Identifying highâ€“cost episodes in lower extremity joint replacement. Health Services Research, 2019, 54, 117-127.	2.0	5
33	Neuroimaging utilization and findings in headache outpatients: Significance of red and yellow flags. Cephalalgia, 2018, 38, 1841-1848.	3.9	18
34	Use of echocardiography in outpatients with chest pain and normal resting electrocardiograms referred to Mayo Clinic Rochester. American Heart Journal, 2018, 196, 49-55.	2.7	11
35	Varenicline for tobacco-dependence treatment in alcohol-dependent smokers: A randomized controlled trial. Drug and Alcohol Dependence, 2018, 184, 12-17.	3.2	41
36	Co-located specialty care within primary care practice settings: A systematic review and meta-analysis. Healthcare, 2018, 6, 52-66.	1.3	25

#	ARTICLE	IF	CITATIONS
37	Attitudes, Beliefs, Practices, and Concerns Among Clinicians Prescribing Opioids in a Large Academic Institution. <i>Pain Medicine</i> , 2018, 19, 1790-1798.	1.9	30
38	Patient perception matters in weight management. <i>Primary Health Care Research and Development</i> , 2018, 19, 197-204.	1.2	7
39	Medical Cannabis. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1842-1847.	3.0	79
40	Challenging obesity, diabetes, and addiction: the potential of lorcaserin extended release. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2018, Volume 11, 469-478.	2.4	7
41	A Before and After Analysis of Health Care Utilization by Patients Enrolled in Opioid Controlled Substance Agreements for Chronic Noncancer Pain. <i>Mayo Clinic Proceedings</i> , 2018, 93, 1431-1439.	3.0	5
42	Depression and Anxiety Among Patients on Chronic Opioid Therapy. <i>Health Services Research and Managerial Epidemiology</i> , 2018, 5, 233339281877124.	0.9	7
43	Time of Day is Associated with Opioid Prescribing for Low Back Pain in Primary Care. <i>Journal of General Internal Medicine</i> , 2018, 33, 1828-1830.	2.6	19
44	Do primary care providers who prescribe more opioids have higher patient panel satisfaction scores?. <i>SAGE Open Medicine</i> , 2018, 6, 205031211878254.	1.8	14
45	Improved Self-Acceptance, Quality of Life, and Stress Level from Participation in a Worksite Yoga Foundations Program: A Pilot Study. <i>International Journal of Yoga Therapy</i> , 2018, 28, 15-21.	0.7	4
46	Pilot of integrated, colocated neurology in a primary care medical home. <i>Journal of Evaluation in Clinical Practice</i> , 2017, 23, 548-553.	1.8	16
47	Smokeless tobacco use among United States Air Force trainees. <i>Substance Abuse</i> , 2017, 38, 278-284.	2.3	5
48	Effect of integrated community neurology on utilization, diagnostic testing, and access. <i>Neurology: Clinical Practice</i> , 2017, 7, 306-315.	1.6	10
49	Enhancing the efficacy of a smoking quit line in the military: Study rationale, design and methods of the Freedom quit line. <i>Contemporary Clinical Trials</i> , 2017, 59, 51-56.	1.8	8
50	Step Care treatment for smoking cessation. <i>Health Education Research</i> , 2017, 32, 1-11.	1.9	2
51	Controlled Substance Agreements for Opioids in a Primary Care Practice. <i>Journal of Pharmaceutical Policy and Practice</i> , 2017, 10, 29.	2.4	7
52	Predictors of sedentary status in overweight and obese patients with multiple chronic conditions: a cohort study. <i>Journal of Pragmatic and Observational Research</i> , 2017, Volume 8, 203-209.	1.5	1
53	Associations Between Anxiety Disorder Diagnoses and Body Mass Index Differ by Age, Sex and Race: A Population Based Study. <i>Clinical Practice and Epidemiology in Mental Health</i> , 2016, 12, 67-74.	1.2	36
54	Connecting low-income smokers to tobacco treatment services. <i>Addictive Behaviors</i> , 2016, 52, 108-114.	3.0	15

#	ARTICLE	IF	CITATIONS
55	Younger age at initiation of the human papillomavirus (HPV) vaccination series is associated with higher rates of on-time completion. <i>Preventive Medicine</i> , 2016, 89, 327-333.	3.4	54
56	Varenicline for Smoking Cessation in Light Smokers. <i>Nicotine and Tobacco Research</i> , 2016, 18, 2031-2035.	2.6	18
57	Combination Varenicline and Lorcaserin for Tobacco Dependence Treatment and Weight Gain Prevention in Overweight and Obese Smokers: A Pilot Study. <i>Nicotine and Tobacco Research</i> , 2016, 19, ntw304.	2.6	17
58	A randomized, open-label pilot of the combination of low-level laser therapy and lorcaserin for weight loss. <i>BMC Obesity</i> , 2016, 3, 42.	3.1	11
59	Prevalence and Correlates of Tobacco and Nicotine Containing Product Use in a Sample of United States Air Force Trainees. <i>Nicotine and Tobacco Research</i> , 2016, 18, 416-423.	2.6	40
60	Personalizing Aspirin Use for Targeted Breast Cancer Chemoprevention in Postmenopausal Women. <i>Mayo Clinic Proceedings</i> , 2016, 91, 71-80.	3.0	20
61	Efficacy of a Brief Tobacco Intervention for Tobacco and Nicotine Containing Product Use in the US Air Force. <i>Nicotine and Tobacco Research</i> , 2016, 18, 1142-1149.	2.6	19
62	The safety of treatments for tobacco use disorder. <i>Expert Opinion on Drug Safety</i> , 2016, 15, 333-341.	2.4	9
63	Nicotine Metabolite Ratio Is Associated With Lozenge Use But Not Quitting in Smokeless Tobacco Users. <i>Nicotine and Tobacco Research</i> , 2016, 18, 366-370.	2.6	6
64	Use of Echocardiography in Olmsted County Outpatients With Chest Pain and Normal Resting Electrocardiograms Seen at Mayo Clinic Rochester. <i>Mayo Clinic Proceedings</i> , 2015, 90, 1492-1498.	3.0	6
65	Telecoaching plus a portion control plate for weight care management: a randomized trial. <i>Trials</i> , 2015, 16, 323.	1.6	31
66	Interventions for smokeless tobacco use cessation. <i>The Cochrane Library</i> , 2015, , CD004306.	2.8	65
67	Efficacy of a Tobacco Quitline in Active Duty Military and TRICARE Beneficiaries: A Randomized Trial. <i>Military Medicine</i> , 2015, 180, 917-925.	0.8	11
68	Tobacco Research in the Military: Reflections on 20 Years of Research in the United States Air Force. <i>Military Medicine</i> , 2015, 180, 848-850.	0.8	17
69	Randomized Trial of Nicotine Lozenges and Phone Counseling for Smokeless Tobacco Cessation. <i>Nicotine and Tobacco Research</i> , 2015, 17, 309-315.	2.6	15
70	Impact of a countywide smoke-free workplace law on emergency department visits for respiratory diseases: a retrospective cohort study. <i>BMC Pulmonary Medicine</i> , 2015, 15, 6.	2.0	18
71	Telemonitoring Blood Pressure by Secure Message on a Patient Portal: Use, Content, and Outcomes. <i>Telemedicine Journal and E-Health</i> , 2015, 21, 630-636.	2.8	9
72	Trial of Intensive Acupuncture for Smoking Cessation: A Pilot Study. <i>Acupuncture in Medicine</i> , 2015, 33, 375-380.	1.0	4

#	ARTICLE	IF	CITATIONS
73	Developing a clinical trial unit to advance research in an academic institution. <i>Contemporary Clinical Trials</i> , 2015, 45, 270-276.	1.8	26
74	A Critical Review of Repurposing Apomorphine for Smoking Cessation. <i>Assay and Drug Development Technologies</i> , 2015, 13, 612-622.	1.2	8
75	Counseling Patients on the Use of Electronic Cigarettes. <i>Mayo Clinic Proceedings</i> , 2015, 90, 128-134.	3.0	35
76	Randomized controlled trial examining the adjunctive use of nicotine lozenges with MyLastDip: An eHealth smokeless tobacco cessation intervention. <i>Internet Interventions</i> , 2015, 2, 69-76.	2.7	8
77	Risk of developing multimorbidity across all ages in an historical cohort study: differences by sex and ethnicity. <i>BMJ Open</i> , 2015, 5, e006413-e006413.	1.9	180
78	Quit_line treatment protocols for users of non-cigarette tobacco and nicotine containing products. <i>Addictive Behaviors</i> , 2015, 45, 259-262.	3.0	3
79	Prevalence and predictors of hookah use in US Air Force military recruits. <i>Addictive Behaviors</i> , 2015, 47, 5-10.	3.0	13
80	Depressive Symptoms Among Patients Receiving Varenicline and Bupropion for Smoking Cessation. <i>Journal of Substance Abuse Treatment</i> , 2015, 52, 78-81.	2.8	11
81	Female smokers have the highest alcohol craving in a residential alcoholism treatment cohort. <i>Drug and Alcohol Dependence</i> , 2015, 150, 179-182.	3.2	32
82	Emergency department and inpatient health care utilization among patients who require interpreter services. <i>BMC Health Services Research</i> , 2015, 15, 214.	2.2	49
83	The Prevalence of E-cigarette Use in a Sample of U.S. Air Force Recruits. <i>American Journal of Preventive Medicine</i> , 2015, 49, 402-408.	3.0	33
84	Time trends of antidepressant drug prescriptions in men versus women in a geographically defined US population. <i>Archives of Women's Mental Health</i> , 2014, 17, 485-492.	2.6	21
85	Combination Varenicline and Bupropion SR for Tobacco-Dependence Treatment in Cigarette Smokers. <i>JAMA - Journal of the American Medical Association</i> , 2014, 311, 155.	7.4	112
86	Dual Tobacco User Subtypes in the U.S. Air Force: Dependence, Attitudes, and Other Correlates of Use. <i>Nicotine and Tobacco Research</i> , 2014, 16, 1216-1223.	2.6	16
87	A Pooled Analysis of Waist Circumference and Mortality in 650,000 Adults. <i>Mayo Clinic Proceedings</i> , 2014, 89, 335-345.	3.0	307
88	New Pharmacological Treatments for the Management of Obesity. <i>Current Gastroenterology Reports</i> , 2014, 16, 394.	2.5	27
89	Changes in U.S. Preventive Services Task Force recommendations: Effect on mammography screening in Olmsted County, MN 2004-2013. <i>Preventive Medicine</i> , 2014, 69, 235-238.	3.4	10
90	Designation of Obesity as a Disease: Lessons Learned From Alcohol and Tobacco. <i>Current Gastroenterology Reports</i> , 2014, 16, 415.	2.5	15

#	ARTICLE	IF	CITATIONS
91	Managing Overweight and Obesity in Adults to Reduce Cardiovascular Disease Risk. <i>Current Atherosclerosis Reports</i> , 2014, 16, 445.	4.8	46
92	Prevalence of Multimorbidity in a Geographically Defined American Population. <i>Mayo Clinic Proceedings</i> , 2014, 89, 1336-1349.	3.0	193
93	Emerging drugs for the treatment of tobacco dependence: 2014 update. <i>Expert Opinion on Emerging Drugs</i> , 2014, 19, 243-260.	2.4	32
94	Preventing smoking initiation or relapse following 8.5 weeks of involuntary smoking abstinence in basic military training: Trial design, interventions, and baseline data. <i>Contemporary Clinical Trials</i> , 2014, 38, 28-36.	1.8	6
95	Larval Zebrafish Model for FDA-Approved Drug Repositioning for Tobacco Dependence Treatment. <i>PLoS ONE</i> , 2014, 9, e90467.	2.5	48
96	Age and Sex Patterns of Drug Prescribing in a Defined American Population. <i>Mayo Clinic Proceedings</i> , 2013, 88, 697-707.	3.0	99
97	Why Patients Visit Their Doctors: Assessing the Most Prevalent Conditions in a Defined American Population. <i>Mayo Clinic Proceedings</i> , 2013, 88, 56-67.	3.0	275
98	Comparative effectiveness of the nicotine lozenge and tobacco-free snuff for smokeless tobacco reduction. <i>Addictive Behaviors</i> , 2013, 38, 2140-2145.	3.0	6
99	A Randomized Phase II Clinical Trial of High-Dose Nicotine Patch Therapy for Smokeless Tobacco Users. <i>Nicotine and Tobacco Research</i> , 2013, 15, 2037-2044.	2.6	5
100	Tobacco Use During Military Deployment. <i>Nicotine and Tobacco Research</i> , 2013, 15, 1348-1354.	2.6	28
101	Fat Depots, Free Fatty Acids, and Dyslipidemia. <i>Nutrients</i> , 2013, 5, 498-508.	4.1	251
102	Interventions for tobacco cessation in the dental setting. <i>The Cochrane Library</i> , 2012, , CD005084.	2.8	116
103	Pharmacological Interventions for the Treatment of Smokeless Tobacco Use. <i>CNS Drugs</i> , 2012, 26, 1-10.	5.9	14
104	A comparison of three smokeless tobacco dependence measures. <i>Addictive Behaviors</i> , 2012, 37, 1271-1277.	3.0	24
105	Tobacco dependence counseling in a randomized multisite clinical trial. <i>Contemporary Clinical Trials</i> , 2012, 33, 576-582.	1.8	11
106	Comparisons of high-dose and combination nicotine replacement therapy, varenicline, and bupropion for smoking cessation: A systematic review and multiple treatment meta-analysis. <i>Annals of Medicine</i> , 2012, 44, 588-597.	3.8	140
107	Pharmacologic Agents for Tobacco Dependence Treatment: 2011 Update. <i>Current Atherosclerosis Reports</i> , 2012, 14, 85-92.	4.8	12
108	Preventing Lung Cancer by Treating Tobacco Dependence. <i>Clinics in Chest Medicine</i> , 2011, 32, 645-657.	2.1	12

#	ARTICLE	IF	CITATIONS
109	Residential Treatment Compared With Outpatient Treatment for Tobacco Use and Dependence. Mayo Clinic Proceedings, 2011, 86, 203-209.	3.0	27
110	Evaluation of a student-run smoking cessation clinic for a medically underserved population. BMC Research Notes, 2011, 4, 55.	1.4	22
111	Interventions for smokeless tobacco use cessation. , 2011, , CD004306.		50
112	Portion control for the treatment of obesity in the primary care setting. BMC Research Notes, 2011, 4, 346.	1.4	42
113	A Pilot Study of the Efficacy of Varenicline for the Treatment of Smokeless Tobacco Users in Midwestern United States. Nicotine and Tobacco Research, 2011, 13, 820-826.	2.6	22
114	Impact of Differing Definitions of Dual Tobacco Use: Implications for Studying Dual Use and a Call for Operational Definitions. Nicotine and Tobacco Research, 2011, 13, 523-531.	2.6	49
115	Tobacco Use Harm Reduction, Elimination, and Escalation in a Large Military Cohort. American Journal of Public Health, 2010, 100, 2487-2492.	2.7	32
116	Varenicline for smoking cessation: efficacy, safety, and treatment recommendations. Patient Preference and Adherence, 2010, 4, 355.	1.8	54
117	Clinical Features of Bronchioloalveolar Carcinoma with New Histologic and Staging Definitions. Journal of Thoracic Oncology, 2010, 5, 1213-1220.	1.1	16
118	Adverse events associated with nicotine replacement therapy (NRT) for smoking cessation. A systematic review and meta-analysis of one hundred and twenty studies involving 177,390 individuals. Tobacco Induced Diseases, 2010, 8, 8.	0.6	110
119	A pilot study to assess smokeless tobacco use reduction with varenicline. Nicotine and Tobacco Research, 2010, 12, 1037-1040.	2.6	12
120	A Randomized Clinical Trial of St. John's Wort for Smoking Cessation. Journal of Alternative and Complementary Medicine, 2010, 16, 761-767.	2.1	24
121	Smokeless tobacco reduction with the nicotine lozenge and behavioral intervention. Nicotine and Tobacco Research, 2010, 12, 823-827.	2.6	15
122	Combination Pharmacotherapy for Stopping Smoking. Drugs, 2010, 70, 643-650.	10.9	47
123	Adverse Effects and Tolerability of Medications for the Treatment of Tobacco Use and Dependence. Drugs, 2010, 70, 2357-2372.	10.9	60
124	A pilot study of mailed nicotine lozenges with assisted self-help for the treatment of smokeless tobacco users. Addictive Behaviors, 2010, 35, 522-525.	3.0	13
125	Clinical utility of varenicline for smokers with medical and psychiatric comorbidity. International Journal of COPD, 2009, 4, 421.	2.3	5
126	Emerging drugs for the treatment of tobacco dependence. Expert Opinion on Emerging Drugs, 2009, 14, 23-32.	2.4	6

#	ARTICLE	IF	CITATIONS
127	A randomized clinical trial of nicotine lozenge for smokeless tobacco use. <i>Nicotine and Tobacco Research</i> , 2009, 11, 1415-1423.	2.6	27
128	Treating Tobacco Dependence in a Medical Setting. <i>Ca-A Cancer Journal for Clinicians</i> , 2009, 59, 314-326.	329.8	49
129	No interaction of body mass index and smoking on diabetes mellitus risk in elderly women. <i>Preventive Medicine</i> , 2009, 48, 74-78.	3.4	13
130	Varenicline and bupropion sustained-release combination therapy for smoking cessation. <i>Nicotine and Tobacco Research</i> , 2009, 11, 234-239.	2.6	86
131	Combination treatment with varenicline and nicotine replacement therapy. <i>Nicotine and Tobacco Research</i> , 2009, 11, 572-576.	2.6	71
132	Prevalence of alternative forms of tobacco use in a population of young adult military recruits. <i>Addictive Behaviors</i> , 2008, 33, 69-82.	3.0	26
133	Treatment of Tobacco Dependence. <i>Mayo Clinic Proceedings</i> , 2008, 83, 479-484.	3.0	32
134	Smokeless tobacco reduction: Preliminary study of tobacco-free snuff versus no snuff. <i>Nicotine and Tobacco Research</i> , 2008, 10, 77-85.	2.6	14
135	A randomized controlled trial of Telephone Counseling with smokeless tobacco users: The ChewFree Minnesota study. <i>Nicotine and Tobacco Research</i> , 2008, 10, 1433-1440.	2.6	24
136	The missing link in tobacco control. <i>Cmaj</i> , 2008, 179, 123-124.	2.0	4
137	Predictors of smokeless tobacco abstinence. <i>American Journal of Health Behavior</i> , 2008, 32, 735-40.	1.4	3
138	Tobacco use quitline enrollment through dental practices. <i>Journal of the American Dental Association</i> , 2007, 138, 595-601.	1.5	36
139	Nicotine lozenges for the treatment of smokeless tobacco use. <i>Nicotine and Tobacco Research</i> , 2007, 9, 233-240.	2.6	13
140	Effect of high-dose nicotine patch therapy on tobacco withdrawal symptoms among smokeless tobacco users. <i>Nicotine and Tobacco Research</i> , 2007, 9, 43-52.	2.6	28
141	Treating Tobacco Dependence: Review of the Best and Latest Treatment Options. <i>Journal of Thoracic Oncology</i> , 2007, 2, 249-256.	1.1	25
142	Nicotine percentage replacement among smokeless tobacco users with nicotine patch. <i>Drug and Alcohol Dependence</i> , 2007, 89, 223-226.	3.2	10
143	Bupropion SR for the treatment of smokeless tobacco use. <i>Drug and Alcohol Dependence</i> , 2007, 90, 56-63.	3.2	34
144	Clinicians' Guide to New Tools and Features of PubMed. <i>Mayo Clinic Proceedings</i> , 2007, 82, 480-484.	3.0	5

#	ARTICLE	IF	CITATIONS
145	Association between respiratory tract diseases and secondhand smoke exposure among never smoking flight attendants: a cross-sectional survey. <i>Environmental Health</i> , 2007, 6, 28.	4.0	51
146	Interventions for smokeless tobacco use cessation. , 2007, , CD004306.		24
147	Quitline referral vs. self-help manual for tobacco use cessation in the Emergency Department: a feasibility study. <i>BMC Emergency Medicine</i> , 2007, 7, 15.	1.9	17
148	Measuring nicotine dependence among smokeless tobacco users. <i>Addictive Behaviors</i> , 2006, 31, 1511-1521.	3.0	25
149	The Fagerstr�m Test for Nicotine Dependence-Smokeless Tobacco (FTND-ST). <i>Addictive Behaviors</i> , 2006, 31, 1716-1721.	3.0	161
150	Predictors of Smokeless Tobacco Initiation in a Young Adult Military Cohort. <i>American Journal of Health Behavior</i> , 2006, 30, 103-112.	1.4	18
151	Sustained- Release Bupropion as a Pharmacological Aid to Smoking Cessation. , 2006, , 75-92.		0
152	Predictors of smokeless tobacco initiation in a young adult military cohort. <i>American Journal of Health Behavior</i> , 2006, 30, 103-12.	1.4	11
153	A Survey of Characteristics of Smokeless Tobacco Users in a Treatment Program. <i>American Journal of Health Behavior</i> , 2005, 29, 25-35.	1.4	5
154	Motivation for Stopping Tobacco Use among Emergency Department Patients. <i>Academic Emergency Medicine</i> , 2005, 12, 568-571.	1.8	13
155	The association of alcohol consumption with coronary heart disease mortality and cancer incidence varies by smoking history. <i>Journal of General Internal Medicine</i> , 2005, 20, 14-20.	2.6	41
156	Respiratory Syncytial Virus Pneumonitis in Immunocompromised Adults: Clinical Features and Outcome. <i>Respiration</i> , 2005, 72, 263-269.	2.6	118
157	Using Advanced Search Tools on PubMed for Citation Retrieval. <i>Mayo Clinic Proceedings</i> , 2004, 79, 1295-1300.	3.0	18
158	Smokeless tobacco: an emerging addiction. <i>Medical Clinics of North America</i> , 2004, 88, 1593-1605.	2.5	20
159	Residential treatment for smokeless tobacco use: A case series. <i>Journal of Substance Abuse Treatment</i> , 2004, 26, 261-267.	2.8	6
160	Cotinine as a biomarker of systemic nicotine exposure in spit tobacco users. <i>Addictive Behaviors</i> , 2004, 29, 349-355.	3.0	20
161	The Relationship Between Cigarette Smoking and Quality of Life After Lung Cancer Diagnosis. <i>Chest</i> , 2004, 126, 1733-1741.	0.8	216
162	Treatments for spit tobacco use: a quantitative systematicreview. <i>Addiction</i> , 2003, 98, 569-583.	3.3	26

#	ARTICLE	IF	CITATIONS
163	Bupropion Sustained Release for Treatment of Tobacco Dependence. Mayo Clinic Proceedings, 2003, 78, 1020-1024.	3.0	24
164	Searching the Medical Literature Using PubMed: A Tutorial. Mayo Clinic Proceedings, 2003, 78, 87-91.	3.0	46
165	Bupropion for the Treatment of Tobacco Dependence. CNS Drugs, 2003, 17, 71-83.	5.9	52
166	Bupropion Sustained Release for Treatment of Tobacco Dependence. Mayo Clinic Proceedings, 2003, 78, 1020-1024.	3.0	29
167	Bupropion for the treatment of nicotine dependence in spit tobacco users: a pilot study. Nicotine and Tobacco Research, 2002, 4, 267-274.	2.6	42
168	Simultaneous Analysis of Nicotine, Nicotine Metabolites, and Tobacco Alkaloids in Serum or Urine by Tandem Mass Spectrometry, with Clinically Relevant Metabolic Profiles. Clinical Chemistry, 2002, 48, 1460-1471.	3.2	197
169	Simultaneous analysis of nicotine, nicotine metabolites, and tobacco alkaloids in serum or urine by tandem mass spectrometry, with clinically relevant metabolic profiles. Clinical Chemistry, 2002, 48, 1460-71.	3.2	66
170	Treatment of Nicotine Dependence. Mayo Clinic Proceedings, 2000, 75, 1311-1316.	3.0	34