

Ji-Feng Feng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6213834/publications.pdf>

Version: 2024-02-01

50
papers

5,027
citations

331670

21
h-index

223800

46
g-index

52
all docs

52
docs citations

52
times ranked

6657
citing authors

#	ARTICLE	IF	CITATIONS
1	PELI1 promotes radiotherapy sensitivity by inhibiting noncanonical NF- κ B in esophageal squamous cancer. <i>Molecular Oncology</i> , 2022, 16, 1384-1401.	4.6	8
2	Water-soluble BODIPY-nido-carborane nanoparticles applied to biocompatibility tumor cell imaging. <i>Photochemical and Photobiological Sciences</i> , 2022, 21, 185-194.	2.9	3
3	A Three-Genes Signature Predicting Colorectal Cancer Relapse Reveals LEMD1 Promoting CRC Cells Migration by RhoA/ROCK1 Signaling Pathway. <i>Frontiers in Oncology</i> , 2022, 12, .	2.8	3
4	SHR-1701, a Bifunctional Fusion Protein Targeting PD-L1 and TGF β 2, for Recurrent or Metastatic Cervical Cancer: A Clinical Expansion Cohort of a Phase I Study. <i>Clinical Cancer Research</i> , 2022, 28, 5297-5305.	7.0	20
5	Therapeutic Strategies for Resectable Stage-IIIa N2 Non-Small Cell Lung Cancer Patients: A Network Meta-Analysis. <i>Clinical Medicine Insights: Oncology</i> , 2022, 16, 117955492211094.	1.3	0
6	Understanding Patterns of Brain Metastasis in Triple-Negative Breast Cancer and Exploring Potential Therapeutic Targets. <i>OncoTargets and Therapy</i> , 2021, Volume 14, 589-607.	2.0	29
7	CDCA4 suppresses epithelial-mesenchymal transition (EMT) and metastasis in Non-small cell lung cancer through modulating autophagy. <i>Cancer Cell International</i> , 2021, 21, 48.	4.1	13
8	Role of ATP5B in colorectal cancer. <i>Precision Medical Sciences</i> , 2021, 10, 21-25.	0.5	0
9	Hypermethylation of heparanase 2 promotes colorectal cancer proliferation and is associated with poor prognosis. <i>Journal of Translational Medicine</i> , 2021, 19, 98.	4.4	12
10	Improving the Lung Cancer Clinical Trial Development by Incorporating Competing Risk Factors. <i>BioMed Research International</i> , 2021, 2021, 1-8.	1.9	0
11	VLX1570 regulates the proliferation and apoptosis of human lung cancer cells through modulating ER stress and the AKT pathway. <i>Journal of Cellular and Molecular Medicine</i> , 2021, , .	3.6	6
12	LncRNA SNHG15 regulates EGFR-TKI acquired resistance in lung adenocarcinoma through sponging miR-451 to upregulate MDR-1. <i>Cell Death and Disease</i> , 2020, 11, 525.	6.3	38
13	In Vitro and in Vivo Efficacy of NBDHEX on Gefitinib-resistant Human Non-small Cell Lung Cancer. <i>Journal of Cancer</i> , 2020, 11, 7216-7223.	2.5	1
14	Hsa_circ_0046263 functions as a ceRNA to promote nasopharyngeal carcinoma progression by upregulating IGFBP3. <i>Cell Death and Disease</i> , 2020, 11, 562.	6.3	30
15	B7-H4 and HHLA2, members of B7 family, are aberrantly expressed in EGFR mutated lung adenocarcinoma. <i>Pathology Research and Practice</i> , 2020, 216, 153134.	2.3	15
16	New genetic variations discovered in KRAS wild-type cetuximab resistant chinese colorectal cancer patients. <i>Molecular Carcinogenesis</i> , 2020, 59, 478-491.	2.7	10
17	Serum Platelet-Derived Growth Factor Is Significantly Lower in Patients with Lung Cancer and Continued to Decrease After Platinum-Based Chemotherapy. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 1883-1892.	2.0	5
18	CRNDE: an oncogenic long non-coding RNA in cancers. <i>Cancer Cell International</i> , 2020, 20, 162.	4.1	46

#	ARTICLE	IF	CITATIONS
19	DNA-methylated gene markers for colorectal cancer in TCGA database. <i>Experimental and Therapeutic Medicine</i> , 2020, 19, 3042-3050.	1.8	10
20	p38/TF/HIF-1 α Signaling Pathway Participates in the Progression of CIPN in Mice. <i>BioMed Research International</i> , 2019, 2019, 1-11.	1.9	5
21	Integrated Analysis of Oncogenic Networks in Colorectal Cancer Identifies GUCA2A as a Molecular Marker. <i>Biochemistry Research International</i> , 2019, 2019, 1-13.	3.3	24
22	Epigenetic profiling and mRNA expression reveal candidate genes as biomarkers for colorectal cancer. <i>Journal of Cellular Biochemistry</i> , 2019, 120, 10767-10776.	2.6	19
23	Long noncoding RNAs predict the survival of patients with colorectal cancer as revealed by constructing an endogenous RNA network using bioinformation analysis. <i>Cancer Medicine</i> , 2019, 8, 863-873.	2.8	29
24	The Role Of Circulating Tumor DNA In Therapeutic Resistance. <i>OncoTargets and Therapy</i> , 2019, Volume 12, 9459-9471.	2.0	9
25	Rosmarinic acid reduces the resistance of gastric carcinoma cells to 5-fluorouracil by downregulating FOXO4-targeting miR-6785-5p. <i>Biomedicine and Pharmacotherapy</i> , 2019, 109, 2327-2334.	5.6	33
26	Efatutazone and T0901317 exert synergistically therapeutic effects in acquired gefitinib-resistant lung adenocarcinoma cells. <i>Cancer Medicine</i> , 2018, 7, 1955-1966.	2.8	11
27	T-cell lymphomas associated gene expression signature: Bioinformatics analysis based on gene expression Omnibus. <i>European Journal of Haematology</i> , 2018, 100, 575-583.	2.2	2
28	6-(7-nitro-2,1,3-benzoxadiazol-4-ylthio) hexanol: a promising new anticancer compound. <i>Bioscience Reports</i> , 2018, 38, .	2.4	17
29	MiRNA signature predicts the response of patients with advanced lung adenocarcinoma to platinum-based treatment. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 431-438.	2.5	23
30	Glutathione S-transferase π : a potential role in antitumor therapy. <i>Drug Design, Development and Therapy</i> , 2018, Volume 12, 3535-3547.	4.3	51
31	Advances of circular RNAs in carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2018, 107, 59-71.	5.6	21
32	LincRNA-p21 predicts favorable clinical outcome and impairs tumorigenesis in diffuse large B cell lymphoma patients treated with R-CHOP chemotherapy. <i>Clinical and Experimental Medicine</i> , 2017, 17, 1-8.	3.6	41
33	Chimaeric antigen receptor T-cell therapy for tumour immunotherapy. <i>Bioscience Reports</i> , 2017, 37, .	2.4	13
34	Liver X receptor agonist T0901317 reverses resistance of A549 human lung cancer cells to EGFR-TKI treatment. <i>FEBS Open Bio</i> , 2017, 7, 35-43.	2.3	8
35	PPAR γ agonist efatutazone and gefitinib synergistically inhibit the proliferation of EGFR-TKI-resistant lung adenocarcinoma cells via the PPAR γ /PTEN/Akt pathway. <i>Experimental Cell Research</i> , 2017, 361, 246-256.	2.6	28
36	High YBX1 expression indicates poor prognosis and promotes cell migration and invasion in nasopharyngeal carcinoma. <i>Experimental Cell Research</i> , 2017, 361, 126-134.	2.6	28

#	ARTICLE	IF	CITATIONS
37	Age is associated with prognosis in serous ovarian carcinoma. <i>Journal of Ovarian Research</i> , 2017, 10, 36.	3.0	28
38	Cisplatin-resistant lung cancer cell–derived exosomes increase cisplatin resistance of recipient cells in exosomal miR-100–5p-dependent manner. <i>International Journal of Nanomedicine</i> , 2017, Volume 12, 3721-3733.	6.7	195
39	Liver X receptors agonist GW3965 re-sensitizes gefitinib-resistant human non-small cell lung cancer cell to gefitinib treatment by inhibiting NF- κ B <i>in vitro</i> . <i>Oncotarget</i> , 2017, 8, 15802-15814.	1.8	12
40	Identification of serum proteins and multivariate models for diagnosis and therapeutic monitoring of lung cancer. <i>Oncotarget</i> , 2017, 8, 18901-18913.	1.8	24
41	Long noncoding RNA HULC predicts poor clinical outcome and represents pro-oncogenic activity in diffuse large B-cell lymphoma. <i>Biomedicine and Pharmacotherapy</i> , 2016, 79, 188-193.	5.6	62
42	Notch-1 Confers Chemoresistance in Lung Adenocarcinoma to Taxanes through AP-1/microRNA-451 Mediated Regulation of MDR-1. <i>Molecular Therapy - Nucleic Acids</i> , 2016, 5, e375.	5.1	35
43	Long noncoding RNA LUNAR1 associates with cell proliferation and predicts a poor prognosis in diffuse large B-cell lymphoma. <i>Biomedicine and Pharmacotherapy</i> , 2016, 77, 65-71.	5.6	48
44	Upregulation of long noncoding RNA PEG10 associates with poor prognosis in diffuse large B cell lymphoma with facilitating tumorigenicity. <i>Clinical and Experimental Medicine</i> , 2016, 16, 177-182.	3.6	54
45	Comparison of nedaplatin-based versus cisplatin-based chemotherapy for advanced non-small cell lung cancer among East Asian populations: A meta-analysis. <i>Scientific Reports</i> , 2015, 5, 10516.	3.3	11
46	Long noncoding RNA SPRY4-IT1 predicts poor patient prognosis and promotes tumorigenesis in gastric cancer. <i>Tumor Biology</i> , 2015, 36, 6751-6758.	1.8	70
47	Detection of circulating vascular endothelial growth factor and matrix metalloproteinase-9 in non-small cell lung cancer using Luminex multiplex technology. <i>Oncology Letters</i> , 2014, 7, 499-506.	1.8	12
48	Expression of growth-regulated oncogene-1, hepatocyte growth factor, platelet-derived growth factor-AA and soluble E-selectin and their association with high-risk human papillomavirus infection in squamous cell carcinoma of the uterine cervix. <i>Molecular Medicine Reports</i> , 2014, 10, 1013-1024.	2.4	15
49	Erlotinib versus chemotherapy as first-line treatment for patients with advanced EGFR mutation-positive non-small-cell lung cancer (OPTIMAL, CTONG-0802): a multicentre, open-label, randomised, phase 3 study. <i>Lancet Oncology</i> , The, 2011, 12, 735-742.	10.7	3,758
50	MRP2 and GSTP1 polymorphisms and chemotherapy response in advanced non-small cell lung cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2010, 65, 437-446.	2.3	92