

Miquel Nofrarias Espadamala

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6215700/publications.pdf>

Version: 2024-02-01

33
papers

1,561
citations

279798

23
h-index

395702

33
g-index

33
all docs

33
docs citations

33
times ranked

1838
citing authors

#	ARTICLE	IF	CITATIONS
1	Increasing breast milk betaine modulates <i>Akkermansia</i> abundance in mammalian neonates and improves long-term metabolic health. <i>Science Translational Medicine</i> , 2021, 13, .	12.4	28
2	Retrospective study on transmissible viral proventriculitis and chicken proventricular necrosis virus (CPNV) in the UK. <i>Avian Pathology</i> , 2020, 49, 99-105.	2.0	11
3	Detection of transmissible viral proventriculitis and chicken proventricular necrosis virus in the UK. <i>Avian Pathology</i> , 2017, 46, 68-75.	2.0	7
4	Effect of different vaccination strategies on IBV QX population dynamics and clinical outbreaks. <i>Vaccine</i> , 2016, 34, 5670-5676.	3.8	38
5	Proposed bursa of fabricius weight to body weight ratio standard in commercial broilers. <i>Poultry Science</i> , 2015, 94, 2088-2093.	3.4	26
6	Changes in Bacterial Population of Gastrointestinal Tract of Weaned Pigs Fed with Different Additives. <i>BioMed Research International</i> , 2014, 2014, 1-13.	1.9	9
7	Standardization of pathological investigations in the framework of experimental ASFV infections. <i>Virus Research</i> , 2013, 173, 180-190.	2.2	103
8	Bile Acids Induce Glucagon-Like Peptide 2 Secretion with Limited Effects on Intestinal Adaptation in Early Weaned Pigs. <i>Journal of Nutrition</i> , 2013, 143, 1899-1905.	2.9	22
9	Casein glycomacropeptide in the diet may reduce <i>Escherichia coli</i> attachment to the intestinal mucosa and increase the intestinal lactobacilli of early weaned piglets after an enterotoxigenic <i>E. coli</i> K88 challenge. <i>British Journal of Nutrition</i> , 2013, 109, 1001-1012.	2.3	58
10	A Multi-Antigenic Adenoviral-Vectored Vaccine Improves BCG-Induced Protection of Goats against Pulmonary Tuberculosis Infection and Prevents Disease Progression. <i>PLoS ONE</i> , 2013, 8, e81317.	2.5	33
11	Effects of vaccination against paratuberculosis on tuberculosis in goats: diagnostic interferences and cross-protection. <i>BMC Veterinary Research</i> , 2012, 8, 191.	1.9	31
12	A T-cell epitope on NS3 non-structural protein enhances the B and T cell responses elicited by dendrimeric constructions against CSFV in domestic pigs. <i>Veterinary Immunology and Immunopathology</i> , 2012, 150, 36-46.	1.2	23
13	Evaluation of cell-mediated immune responses against porcine circovirus type 2 (PCV2) Cap and Rep proteins after vaccination with a commercial PCV2 sub-unit vaccine. <i>Veterinary Immunology and Immunopathology</i> , 2012, 150, 128-132.	1.2	19
14	Effect of sow and piglet porcine circovirus type 2 (PCV2) vaccination on piglet mortality, viraemia, antibody titre and production parameters. <i>Veterinary Microbiology</i> , 2012, 161, 229-234.	1.9	50
15	Inactivated PCV2 one shot vaccine applied in 3-week-old piglets: Improvement of production parameters and interaction with maternally derived immunity. <i>Vaccine</i> , 2012, 30, 1986-1992.	3.8	66
16	Infectious risk factors for individual postweaning multisystemic wasting syndrome (PMWS) development in pigs from affected farms in Spain and Denmark. <i>Research in Veterinary Science</i> , 2012, 93, 1231-1240.	1.9	13
17	DNA Vaccination Partially Protects against African Swine Fever Virus Lethal Challenge in the Absence of Antibodies. <i>PLoS ONE</i> , 2012, 7, e40942.	2.5	132
18	Exploratory study on the influence of climatological parameters on <i>Mycoplasma hyopneumoniae</i> infection dynamics. <i>International Journal of Biometeorology</i> , 2012, 56, 1167-1171.	3.0	16

#	ARTICLE	IF	CITATIONS
19	Goats Primed with Mycobacterium bovis BCG and Boosted with a Recombinant Adenovirus Expressing Ag85A Show Enhanced Protection against Tuberculosis. <i>Vaccine Journal</i> , 2012, 19, 1339-1347.	3.1	50
20	Experimental Model of Tuberculosis in the Domestic Goat after Endobronchial Infection with Mycobacterium caprae. <i>Vaccine Journal</i> , 2011, 18, 1872-1881.	3.1	58
21	Post-weaning multisystemic wasting syndrome (PMWS) clinical expression under field conditions is modulated by the pig genetic background. <i>Veterinary Microbiology</i> , 2011, 149, 352-357.	1.9	18
22	Correlation between clinico-pathological outcome and typing of Haemophilus parasuis field strains. <i>Veterinary Microbiology</i> , 2010, 142, 387-393.	1.9	50
23	Immunity conferred by an experimental vaccine based on the recombinant PCV2 Cap protein expressed in Trichoplusia ni-larvae. <i>Vaccine</i> , 2010, 28, 2340-2349.	3.8	37
24	Porcine circovirus type 2 (PCV2) Cap and Rep proteins are involved in the development of cell-mediated immunity upon PCV2 infection. <i>Veterinary Immunology and Immunopathology</i> , 2010, 137, 226-234.	1.2	49
25	Infection, excretion and seroconversion dynamics of porcine circovirus type 2 (PCV2) in pigs from post-weaning multisystemic wasting syndrome (PMWS) affected farms in Spain and Denmark. <i>Veterinary Microbiology</i> , 2009, 135, 272-282.	1.9	95
26	Development of cell-mediated immunity to porcine circovirus type 2 (PCV2) in caesarean-derived, colostrum-deprived piglets. <i>Veterinary Immunology and Immunopathology</i> , 2009, 129, 101-107.	1.2	81
27	Differences in phagocytosis susceptibility in Haemophilus parasuis strains. <i>Veterinary Research</i> , 2009, 40, 24.	3.0	72
28	Hepatitis E virus infection dynamics and organic distribution in naturally infected pigs in a farrow-to-finish farm. <i>Veterinary Microbiology</i> , 2008, 132, 19-28.	1.9	123
29	Development of two Trichoplusia ni larvae-derived ELISAs for the detection of antibodies against replicase and capsid proteins of porcine circovirus type 2 in domestic pigs. <i>Journal of Virological Methods</i> , 2008, 154, 167-174.	2.1	20
30	Long-term effects on the digestive tract of feeding large amounts of resistant starch: A study in pigs. <i>Journal of the Science of Food and Agriculture</i> , 2007, 87, 1991-1999.	3.5	16
31	Changes in caecal microbiota and mucosal morphology of weaned pigs. <i>Veterinary Microbiology</i> , 2007, 124, 239-247.	1.9	73
32	Long-term intake of resistant starch improves colonic mucosal integrity and reduces gut apoptosis and blood immune cells. <i>Nutrition</i> , 2007, 23, 861-870.	2.4	91
33	Haptoglobin and pig-major acute protein are increased in pigs with postweaning multisystemic wasting syndrome (PMWS). <i>Veterinary Research</i> , 2004, 35, 275-282.	3.0	43