

Elizabeth C Thompson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6217936/publications.pdf>

Version: 2024-02-01

35
papers

834
citations

471509

17
h-index

526287

27
g-index

36
all docs

36
docs citations

36
times ranked

1078
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychosis-Spectrum Screening and Assessment within a College Counseling Center: A Pilot Study Exploring Feasibility and Clinical Need. <i>Journal of College Student Psychotherapy</i> , 2022, 36, 201-222.	1.0	3
2	Preliminary evidence supporting the practice of psychosis-risk screening within an inpatient psychiatric setting serving adolescents. <i>Psychiatry Research</i> , 2022, 307, 114322.	3.3	2
3	Preliminary support for using the Atypicality Scale from the Behavior Assessment System for Children, Second Edition, to screen for psychosis-spectrum disorders within a college counselling centre. <i>Microbial Biotechnology</i> , 2021, 15, 406-411.	1.7	2
4	Sleep quality moderates the association between psychotic-like experiences and suicidal ideation among help-seeking university students. <i>Psychiatry Research</i> , 2021, 296, 113668.	3.3	4
5	Suicidal thoughts and behaviors in psychiatrically hospitalized adolescents pre- and post- COVID-19: A historical chart review and examination of contextual correlates. <i>Journal of Affective Disorders Reports</i> , 2021, 4, 100100.	1.7	40
6	Social media use and self-injurious thoughts and behaviors: A systematic review and meta-analysis. <i>Clinical Psychology Review</i> , 2021, 87, 102038.	11.4	44
7	COVID-19 Related Daily Stressors, Coping, and Suicidal Ideation in Psychiatrically Hospitalized Youth. <i>Child and Youth Care Forum</i> , 2021, , 1-14.	1.6	6
8	Psychosis-spectrum experiences linked to specific psychotherapy readiness domains among psychiatrically hospitalized adolescents. <i>Microbial Biotechnology</i> , 2020, 15, 949-956.	1.7	0
9	Prevalence and clinical indices of risk for sexual and gender minority youth in an adolescent inpatient sample. <i>Journal of Psychiatric Research</i> , 2020, 130, 327-332.	3.1	14
10	Youth Self Report Thought Problems and Sleep Difficulties Are Linked to Suicidal Ideation Among Psychiatrically Hospitalized Adolescents. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2020, 30, 522-525.	1.3	12
11	Suicidal thoughts and behavior (STB) and psychosis-risk symptoms among psychiatrically hospitalized adolescents. <i>Schizophrenia Research</i> , 2020, 218, 240-246.	2.0	17
12	Telepsychotherapy with youth at clinical high risk for psychosis: Clinical issues and best practices during the COVID-19 pandemic.. <i>Journal of Psychotherapy Integration</i> , 2020, 30, 304-331.	1.1	36
13	Using the K-SADS psychosis screen to identify people with early psychosis or psychosis risk syndromes. <i>Clinical Child Psychology and Psychiatry</i> , 2019, 24, 809-820.	1.6	5
14	Family functioning moderates the impact of psychosis-risk symptoms on social and role functioning. <i>Schizophrenia Research</i> , 2019, 204, 337-342.	2.0	17
15	Perceived social stress and symptom severity among help-seeking adolescents with versus without clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2018, 192, 364-370.	2.0	23
16	Validity of a two-item screen for early psychosis. <i>Psychiatry Research</i> , 2018, 270, 861-868.	3.3	10
17	Differential relations of locus of control to perceived social stress among help-seeking adolescents at low vs. high clinical risk of psychosis. <i>Schizophrenia Research</i> , 2017, 184, 39-44.	2.0	15
18	The association between sleep dysfunction and psychosis-like experiences among college students. <i>Psychiatry Research</i> , 2017, 248, 6-12.	3.3	38

#	ARTICLE	IF	CITATIONS
19	Glutamatergic metabolites among adolescents at risk for psychosis. <i>Psychiatry Research</i> , 2017, 257, 179-185.	3.3	19
20	Self-Report Instruments for Clinical Monitoring of Psychosis Risk States. <i>Psychiatric Services</i> , 2016, 67, 456-459.	2.0	12
21	High-risk diagnosis, social stress, and parent-child relationships: A moderation model. <i>Schizophrenia Research</i> , 2016, 174, 65-70.	2.0	17
22	Comparison of measures of functioning for use with treatment-seeking adolescents experiencing attenuated symptoms of psychosis. <i>Microbial Biotechnology</i> , 2016, 10, 81-87.	1.7	5
23	Trauma and psychosis symptoms in a sample of help-seeking youth. <i>Schizophrenia Research</i> , 2016, 175, 174-179.	2.0	34
24	Context matters: The impact of neighborhood crime and paranoid symptoms on psychosis risk assessment. <i>Schizophrenia Research</i> , 2016, 171, 56-61.	2.0	27
25	Subthreshold psychotic symptom distress, self-stigma, and peer social support among college students with mental health concerns.. <i>Psychiatric Rehabilitation Journal</i> , 2015, 38, 164-170.	1.1	36
26	Evidence-Based Early Interventions for Individuals at Clinical High Risk for Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 342-351.	1.0	69
27	Emotional and behavioral symptomatology reported by help-seeking youth at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2015, 162, 79-85.	2.0	38
28	Longitudinal validation of psychosis risk screening tools. <i>Schizophrenia Research</i> , 2015, 165, 116-122.	2.0	38
29	Psychotic experiences as indicators of suicidal ideation in a non-clinical college sample. <i>Psychiatry Research</i> , 2015, 226, 489-493.	3.3	28
30	Psychosis-like experiences and distress among adolescents using mental health services. <i>Schizophrenia Research</i> , 2014, 152, 498-502.	2.0	51
31	Using parent and youth reports from the Behavior Assessment System for Children, Second Edition to identify individuals at clinical high-risk for psychosis. <i>Schizophrenia Research</i> , 2014, 154, 107-112.	2.0	19
32	Assessing psychotic-like symptoms using the <scp>BASC</scp>: adolescent, parent and teacher agreement. <i>Microbial Biotechnology</i> , 2013, 7, 431-436.	1.7	16
33	Identifying youth at risk for psychosis using the Behavior Assessment System for Children, Second Edition. <i>Schizophrenia Research</i> , 2013, 151, 238-244.	2.0	28
34	Parent-adolescent agreement on psychosis risk symptoms. <i>Schizophrenia Research</i> , 2013, 147, 147-152.	2.0	20
35	Psychosis risk screening in youth: A validation study of three self-report measures of attenuated psychosis symptoms. <i>Schizophrenia Research</i> , 2012, 141, 72-77.	2.0	89