

# Monica Acevedo

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6218832/publications.pdf>

Version: 2024-02-01

46  
papers

1,108  
citations

394421

19  
h-index

414414

32  
g-index

60  
all docs

60  
docs citations

60  
times ranked

1740  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prevalence and determinants of ideal cardiovascular health in a latin women cohort: a cross-sectional study. <i>The Lancet Regional Health Americas</i> , 2021, 4, 100071.	2.6	2
2	Cardiorespiratory fitness improves prediction of mortality of standard cardiovascular risk scores in a Latino population. <i>Clinical Cardiology</i> , 2020, 43, 1167-1174.	1.8	4
3	Urinary sodium-to-potassium ratio and body mass index in relation to high blood pressure in a national health survey in Chile. <i>Journal of Clinical Hypertension</i> , 2020, 22, 1041-1049.	2.0	7
4	Low Cardiovascular Disease Awareness in Chilean Women: Insights from the ESCI Project. <i>Global Heart</i> , 2020, 15, 55.	2.3	7
5	Conocimiento sobre enfermedad coronaria en familiares de pacientes con evento cardiovascular. <i>Archivos De Medicina</i> , 2019, 19, .	0.0	0
6	Platelet tissue factor activity and membrane cholesterol are increased in hypercholesterolemia and normalized by rosuvastatin, but not by atorvastatin. <i>Atherosclerosis</i> , 2017, 257, 164-171.	0.8	27
7	Atherogenic Dyslipidemia in Latin America: Prevalence, causes and treatment. <i>International Journal of Cardiology</i> , 2017, 243, 516-522.	1.7	37
8	Mobile phone text messaging improves antihypertensive drug adherence in the community. <i>Journal of Clinical Hypertension</i> , 2017, 19, 1276-1284.	2.0	59
9	Does Good Aerobic Capacity Attenuate the Effects of Aging on Cardiovascular Risk Factors? Results from a Cross-Sectional Study in a Latino Population. <i>International Journal of Endocrinology</i> , 2017, 2017, 1-7.	1.5	1
10	Waist to Stature (height) Ratio and Clustering of Metabolic Syndrome Components in Chilean Children and Adolescents. <i>Endocrinology&amp;Metabolism International Journal</i> , 2017, 4, .	0.1	0
11	Comparison of Lipoprotein-Associated Phospholipase A2 and High Sensitive C-Reactive Protein as Determinants of Metabolic Syndrome in Subjects without Coronary Heart Disease: In Search of the Best Predictor. <i>International Journal of Endocrinology</i> , 2015, 2015, 1-7.	1.5	20
12	Impaired Fasting Glucose in Nondiabetic Range: Is It a Marker of Cardiovascular Risk Factor Clustering?. <i>Disease Markers</i> , 2015, 2015, 1-5.	1.3	8
13	Body fat and its relationship with clustering of cardiovascular risk factors. <i>Nutricion Hospitalaria</i> , 2015, 31, 2253-60.	0.3	18
14	Cholesterol Levels and the Association of Statins With In-Hospital Mortality of Myocardial Infarction Patients Insights From a Chilean Registry of Myocardial Infarction. <i>Clinical Cardiology</i> , 2013, 36, 305-311.	1.8	3
15	Tissue Factor-Dependent Pro-Coagulant Activity Of Human Platelets Is Directly Related To Membrane Cholesterol Content. Rosuvastatin, But Not Atorvastatin, Reduces The Platelet Cholesterol, Tissue Factor Protein and Clotting Activity In Hypercholesterolemic Patients. <i>Blood</i> , 2013, 122, 34-34.	1.4	0
16	Biochemical predictors of cardiac rhythm at 1-year follow-up in patients with non-valvular atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 2012, 33, 383-388.	2.1	13
17	Common Carotid Artery Intima-Media Thickness: The Cardiovascular Risk Factor Multiple Evaluation in Latin America (CARMELA) Study Results. <i>Cerebrovascular Diseases</i> , 2011, 31, 43-50.	1.7	33
18	Strain y Strain rate auricular izquierdo evaluado por speckle tracking está relacionado a PCR ultrasensible en adolescentes obesos. <i>Revista Chilena De Cardiología</i> , 2011, 30, 95-102.	0.0	0

#	ARTICLE	IF	CITATIONS
19	Perfil de riesgo cardiovascular en adultos jóvenes asintomáticos con grosor íntima media carotídeo elevado. Revista Medica De Chile, 2011, 139, 1322-1329.	0.2	12
20	Cardiac Rehabilitation and Exercise in Secondary Prevention. Current Cardiovascular Risk Reports, 2011, 5, 391-398.	2.0	1
21	Hipertensión arterial: el factor de riesgo más importante para grosor íntima media carotídeo elevado y placa carotídea en adultos de Santiago. Revista Medica De Chile, 2011, 139, 290-297.	0.2	4
22	Adiponectin levels, cardiometabolic risk factors and markers of subclinical atherosclerosis in children. International Journal of Cardiology, 2010, 138, 138-144.	1.7	40
23	Dyslipidemia in seven Latin American cities: CARMELA study. Preventive Medicine, 2010, 50, 106-111.	3.4	241
24	Índice cintura estatura y agregación de componentes cardiometabólicos en niños y adolescentes de Santiago. Revista Medica De Chile, 2010, 138, 1378-1385.	0.2	15
25	Actividad física y potencia aeróbica: ¿Cómo influyen sobre los factores de riesgo cardiovascular clínicos y emergentes?. Revista Medica De Chile, 2009, 137, .	0.2	7
26	Marcadores de aterosclerosis temprana y síndrome metabólico en niños. Revista Medica De Chile, 2009, 137, .	0.2	19
27	Hypertension in adolescents. Expert Review of Cardiovascular Therapy, 2009, 7, 1595-1603.	1.5	17
28	Modificación del grosor íntima-media carotídeo según factores de riesgo clínicos y síndrome metabólico con o sin inflamación. Revista Chilena De Cardiología, 2009, 28, .	0.0	2
29	High sensitivity C-reactive protein and endothelial function in Chilean patients with history of Kawasaki disease. Clinical Rheumatology, 2008, 27, 845-850.	2.2	26
30	Cardiovascular risk factors for heart disease and stroke in women by age and time since menopause, in seven Latin American cities: The CARMELA study. CVD Prevention and Control, 2008, 3, 181.	0.7	7
31	Use of Endovascular Stents in Atherosclerotic Renovascular Stenosis: Blood Pressure and Renal Function Changes in Hypertensive Patients. Journal of Clinical Hypertension, 2007, 9, 608-614.	2.0	5
32	C-reactive protein and atrial fibrillation: Evidence for the presence of inflammation in the perpetuation of the arrhythmia. International Journal of Cardiology, 2006, 108, 326-331.	1.7	50
33	Serum homocysteine levels and mortality in outpatients with or without coronary artery disease: an observational study. American Journal of Medicine, 2003, 114, 685-688.	1.5	8
34	Administration of growth hormone to patients with advanced cardiac heart failure: effects upon left ventricular function, exercise capacity, and neurohormonal status. International Journal of Cardiology, 2003, 87, 185-191.	1.7	45
35	Effects of glucose-insulin-potassium solution on myocardial salvage and left ventricular function after primary angioplasty. Critical Care Medicine, 2003, 31, 2152-2155.	0.9	35
36	Microalbuminuria: is it a valid predictor of cardiovascular risk?. Cleveland Clinic Journal of Medicine, 2003, 70, 255-261.	1.3	27

#	ARTICLE	IF	CITATIONS
37	Elevated Fibrinogen and Homocysteine Levels Enhance the Risk of Mortality in Patients From a High-Risk Preventive Cardiology Clinic. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2002, 22, 1042-1045.	2.4	39
38	Pilot study of coronary atherosclerotic risk and plaque burden in HIV patients: a call for cardiovascular prevention™. <i>Atherosclerosis</i> , 2002, 163, 349-354.	0.8	50
39	Fibrinogen: Associations with cardiovascular events in an outpatient clinic. <i>American Heart Journal</i> , 2002, 143, 277-282.	2.7	26
40	Routine statin treatment after acute coronary syndromes?. <i>American Heart Journal</i> , 2002, 143, 940-942.	2.7	6
41	Blood glucose concentrations $\geq 125$ mg/dl and coronary heart disease risk. <i>American Journal of Cardiology</i> , 2002, 89, 596-599.	1.6	21
42	Statins in acute coronary syndromes: start them in the hospital.. <i>Cleveland Clinic Journal of Medicine</i> , 2002, 69, 25-26.	1.3	3
43	Association of noninvasive markers of coronary artery reperfusion to assess microvascular obstruction in patients with acute myocardial infarction treated with primary angioplasty. <i>American Journal of Cardiology</i> , 2001, 88, 342-346.	1.6	30
44	Non-traditional risk factors for Atherosclerosis. <i>Revista Medica De Chile</i> , 2001, 129, 1212-21.	0.2	6
45	Selective Increase in Cardiac IGF-1 in a Rat Model of Ventricular Hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , 1998, 243, 20-24.	2.1	21
46	Enalapril restores depressed circulating insulin-like growth factor 1 in patients with chronic heart failure. <i>Journal of Cardiac Failure</i> , 1998, 4, 115-119.	1.7	30