Arnoud Arntz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6220045/publications.pdf

Version: 2024-02-01

385 papers 21,506 citations

7568 77 h-index 126 g-index

440 all docs

440 docs citations

440 times ranked

13491 citing authors

#	Article	IF	CITATIONS
1	Outpatient Psychotherapy for Borderline Personality Disorder. Archives of General Psychiatry, 2006, 63, 649.	12.3	1,062
2	Interâ€rater reliability of the Structured Clinical Interview for DSMâ€IV Axis I Disorders (SCID I) and Axis II Disorders (SCID II). Clinical Psychology and Psychotherapy, 2011, 18, 75-79.	2.7	883
3	Mind the gap: Improving the dissemination of CBT. Behaviour Research and Therapy, 2009, 47, 902-909.	3.1	484
4	Results of a Multicenter Randomized Controlled Trial of the Clinical Effectiveness of Schema Therapy for Personality Disorders. American Journal of Psychiatry, 2014, 171, 305-322.	7.2	371
5	Treatment of childhood memories: theory and practice. Behaviour Research and Therapy, 1999, 37, 715-740.	3.1	366
6	Imagery rescripting in cognitive behaviour therapy: Images, treatment techniques and outcomes. Journal of Behavior Therapy and Experimental Psychiatry, 2007, 38, 297-305.	1.2	364
7	Prolonged exposure in patients with chronic PTSD: predictors of treatment outcome and dropout. Behaviour Research and Therapy, 2002, 40, 439-457.	3.1	322
8	Symptoms of post-traumatic stress disorder after non-traumatic events: evidence from an open population study. British Journal of Psychiatry, 2005, 186, 494-499.	2.8	256
9	Imagery Rescripting as a Therapeutic Technique: Review of Clinical Trials, Basic Studies, and Research Agenda. Journal of Experimental Psychopathology, 2012, 3, 189-208.	0.8	253
10	Treatment of PTSD: A comparison of imaginal exposure with and without imagery rescripting. Journal of Behavior Therapy and Experimental Psychiatry, 2007, 38, 345-370.	1.2	250
11	Reliability and Validity of the Borderline Personality Disorder Severity Index. Journal of Personality Disorders, 2003, 17, 45-59.	1.4	243
12	Rumination and worrying as possible mediators in the relation between neuroticism and symptoms of depression and anxiety in clinically depressed individuals. Behaviour Research and Therapy, 2008, 46, 1283-1289.	3.1	224
13	A validation study of the Dutch Childhood Trauma Questionnaire-Short Form: Factor structure, reliability, and known-groups validity. Child Abuse and Neglect, 2009, 33, 518-523.	2.6	218
14	Implementation of outpatient schema therapy for borderline personality disorder with versus without crisis support by the therapist outside office hours: AÂrandomized trial. Behaviour Research and Therapy, 2009, 47, 961-973.	3.1	213
15	The cost of borderline personality disorder: societal cost of illness in BPD-patients. European Psychiatry, 2007, 22, 354-361.	0.2	212
16	"lf I feel anxious, there must be danger†Ex-consequentia reasoning in inferring danger in anxiety disorders. Behaviour Research and Therapy, 1995, 33, 917-925.	3.1	203
17	Cognitive therapy for obsessive-compulsive disorder. Behaviour Research and Therapy, 1994, 32, 79-87.	3.1	194
18	Posttraumatic stress disorder after pregnancy loss. General Hospital Psychiatry, 2001, 23, 62-66.	2.4	186

#	Article	IF	CITATIONS
19	Disentangling the Relationship Between Different Types of Childhood Maltreatment and Personality Disorders. Journal of Personality Disorders, 2010, 24, 285-295.	1.4	186
20	Predictions of dental pain: The fear of any expected evil, is worse than the evil itself. Behaviour Research and Therapy, 1990, 28, 29-41.	3.1	172
21	Deployment-related stress and trauma in Dutch soldiers returning from Iraq. British Journal of Psychiatry, 2007, 191, 140-145.	2.8	171
22	Clinical effectiveness of online computerised cognitive–behavioural therapy without support for depression in primary care: randomised trial. British Journal of Psychiatry, 2009, 195, 73-80.	2.8	171
23	Attention, not anxiety, influences pain. Behaviour Research and Therapy, 1991, 29, 41-50.	3.1	169
24	Negative beliefs of spider phobics: A psychometric evaluation of the spider phobia beliefs questionnaire. Advances in Behaviour Research and Therapy, 1993, 15, 257-277.	3.0	164
25	Imagery rescripting as a clinical intervention for aversive memories: A meta-analysis. Journal of Behavior Therapy and Experimental Psychiatry, 2017, 55, 6-15.	1.2	162
26	Schema Focused Therapy in Forensic Settings: Theoretical Model and Recommendations for Best Clinical Practice. International Journal of Forensic Mental Health, 2007, 6, 169-183.	1.0	157
27	Reliability and Validity of the Short Schema Mode Inventory (SMI). Behavioural and Cognitive Psychotherapy, 2010, 38, 437-458.	1.2	155
28	The therapeutic alliance in schema-focused therapy and transference-focused psychotherapy for borderline personality disorder Journal of Consulting and Clinical Psychology, 2007, 75, 104-115.	2.0	150
29	Effects of neuroticism on depression and anxiety: Rumination as a possible mediator. Personality and Individual Differences, 2008, 44, 576-586.	2.9	149
30	Attentional bias and spider phobia: Conceptual and clinical issues. Behaviour Research and Therapy, 1993, 31, 17-24.	3.1	148
31	The influence of anxiety on pain: attentional and attributional mediators. Pain, 1994, 56, 307-314.	4.2	147
32	Correlates of autobiographical memory specificity: the role of depression, anxiety and childhood trauma. Behaviour Research and Therapy, 2001, 39, 409-421.	3.1	147
33	Mechanisms of change in psychotherapy for depression: An empirical update and evaluation of research aimed at identifying psychological mediators. Clinical Psychology Review, 2016, 50, 95-107.	11.4	144
34	Out-patient psychotherapy for borderline personality disorder: Cost-effectiveness of schema-focused therapy v. transference-focused psychotherapy. British Journal of Psychiatry, 2008, 192, 450-457.	2.8	142
35	Behavioral Inhibition as a Risk Factor for the Development of Childhood Anxiety Disorders: A Longitudinal Study. Journal of Child and Family Studies, 2011, 20, 157-170.	1.3	131
36	Predicting Optimal Outcomes in Cognitive Therapy or Interpersonal Psychotherapy for Depressed Individuals Using the Personalized Advantage Index Approach. PLoS ONE, 2015, 10, e0140771.	2.5	131

#	Article	IF	Citations
37	Emotional sensitivity, emotion regulation and impulsivity in borderline personality disorder: A critical review of fMRI studies. Neuroscience and Biobehavioral Reviews, 2015, 51, 64-76.	6.1	128
38	The meaning of pain influences its experienced intensity. Pain, 2004, 109, 20-25.	4.2	127
39	Economic evaluation of online computerised cognitive–behavioural therapy without support for depression in primary care: randomised trial. British Journal of Psychiatry, 2010, 196, 310-318.	2.8	127
40	The context of a noxious stimulus affects the pain it evokes. Pain, 2007, 133, 64-71.	4.2	123
41	An empirical test of schema mode conceptualizations in personality disorders. Behaviour Research and Therapy, 2008, 46, 854-860.	3.1	123
42	Improving adherence and effectiveness of computerised cognitive behavioural therapy without support for depression: A qualitative study on patient experiences. Journal of Affective Disorders, 2011, 129, 117-125.	4.1	120
43	Cognitive therapy versus applied relaxation as treatment of generalized anxiety disorder. Behaviour Research and Therapy, 2003, 41, 633-646.	3.1	119
44	Schema modes and childhood abuse in borderline and antisocial personality disorders. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 240-253.	1.2	117
45	Initial Validation of the Spanish Childhood Trauma Questionnaire-Short Form. Journal of Interpersonal Violence, 2013, 28, 1498-1518.	2.0	117
46	Schema therapy for borderline personality disorder: A comprehensive review of its empirical foundations, effectiveness and implementation possibilities. Clinical Psychology Review, 2013, 33, 426-447.	11.4	116
47	An experimental test of the schema mode model of borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 226-239.	1.2	114
48	Hypervigilance in Borderline Disorder: A Test with the Emotional Stroop Paradigm. Journal of Personality Disorders, 2000, 14, 366-373.	1.4	112
49	Psychometric properties of the Multidimensional Pain Inventory, Dutch language version (MPI-DLV). Behaviour Research and Therapy, 1999, 37, 167-182.	3.1	109
50	Responsibility and obsessive–compulsive disorder: An experimental test. Behaviour Research and Therapy, 2007, 45, 425-435.	3.1	108
51	Early maladaptive schemas in depressed patients: Stability and relation with depressive symptoms over the course of treatment. Journal of Affective Disorders, 2012, 136, 581-590.	4.1	108
52	Schema Therapy for Personality Disordersâ€"A Review. International Journal of Cognitive Therapy, 2013, 6, 171-185.	2.2	108
53	Short-Interval Test-Retest Interrater Reliability of the Dutch Version of the Structured Clinical Interview for DSM-IV Personality Disorders (SCID-II). Journal of Personality Disorders, 2003, 17, 562-567.	1.4	106
54	How to push someone's buttons: A comparison of four anger-induction methods. Cognition and Emotion, 2008, 22, 353-373.	2.0	105

#	Article	IF	CITATIONS
55	The role of evaluative learning and disgust sensitivity in the etiology and treatment of spider phobia. Advances in Behaviour Research and Therapy, 1993, 15, 243-255.	3.0	102
56	The impact of personality disorders on treatment outcome of anxiety disorders: Best-evidence synthesis. Behaviour Research and Therapy, 1998, 36, 483-504.	3.1	101
57	Beliefs in personality disorders: a test with the Personality Disorder Belief Questionnaire. Behaviour Research and Therapy, 2004, 42, 1215-1225.	3.1	100
58	A longitudinal study on the predictive validity of the fear–avoidance model in low back pain. Pain, 2005, 117, 162-170.	4.2	100
59	Low specificity of symptoms on the post-traumatic stress disorder (PTSD) symptom scale: A comparison of individuals with PTSD, individuals with other anxiety disorders and individuals without psychopathology. British Journal of Clinical Psychology, 2007, 46, 449-456.	3.5	100
60	Peritraumatic dissociation and posttraumatic stress after pregnancy loss: a prospective study. Behaviour Research and Therapy, 2003, 41, 67-78.	3.1	98
61	Anxiety and pain: attentional and endorphinergic influences. Pain, 1996, 66, 145-150.	4.2	96
62	Multidimensional Dichotomous Thinking Characterizes Borderline Personality Disorder. Cognitive Therapy and Research, 2000, 24, 23-45.	1.9	96
63	Evaluations of Others by Borderline Patients. Journal of Nervous and Mental Disease, 2001, 189, 513-521.	1.0	96
64	Assumptions in borderline personality disorder: specificity, stability and relationship with etiological factors. Behaviour Research and Therapy, 1999, 37, 545-557.	3.1	95
65	Imagery Rescripting for Personality Disorders. Cognitive and Behavioral Practice, 2011, 18, 466-481.	1.5	95
66	Reducing proactive aggression through non-invasive brain stimulation. Social Cognitive and Affective Neuroscience, 2015, 10, 1303-1309.	3.0	93
67	The overprediction and underprediction of pain. Clinical Psychology Review, 1991, 11, 339-355.	11.4	92
68	Assessing callous–unemotional traits across different groups of youths: Further cross-cultural validation of the Inventory of Callous–Unemotional Traits. International Journal of Law and Psychiatry, 2012, 35, 251-262.	0.9	92
69	Out of control: Evidence for anterior insula involvement in motor impulsivity and reactive aggression. Social Cognitive and Affective Neuroscience, 2015, 10, 508-516.	3.0	91
70	Anxiety, attention and pain. Journal of Psychosomatic Research, 1993, 37, 423-431.	2.6	90
71	The Borderline Personality Disorder Severity Index-IV: Psychometric evaluation and dimensional structure. Personality and Individual Differences, 2010, 49, 136-141.	2.9	90
72	The Relationship Between Adult Reactive and Proactive Aggression, Hostile Interpretation Bias, and Antisocial Personality Disorder. Journal of Personality Disorders, 2013, 27, 53-66.	1.4	88

#	Article	IF	Citations
73	Extended Schema Mode Conceptualizations for Specific Personality Disorders: An Empirical Study. Journal of Personality Disorders, 2011, 25, 41-58.	1.4	86
74	Reduced intrusion development after post-trauma imagery rescripting; an experimental study. Journal of Behavior Therapy and Experimental Psychiatry, 2012, 43, 808-814.	1,2	86
75	Covariation detection in treated and untreated spider phobics Journal of Abnormal Psychology, 1992, 101, 724-727.	1.9	84
76	The interrater reliability of a Dutch version of the Structured Clinical Interview for DSMâ€IIIâ€R Personality Disorders. Acta Psychiatrica Scandinavica, 1992, 85, 394-400.	4.5	82
77	Emotional memory is perceptual. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 19-34.	1,2	82
78	Imagery Rescripting as treatment for complicated PTSD in refugees: AÂmultiple baseline case series study. Behaviour Research and Therapy, 2013, 51, 274-283.	3.1	82
79	Rejection Sensitivity Is a Mediator Between Borderline Personality Disorder Features and Facial Trust Appraisal. Journal of Personality Disorders, 2013, 27, 442-456.	1.4	80
80	The influence of stress on social cognition in patients with borderline personality disorder. Psychoneuroendocrinology, 2015, 52, 119-129.	2.7	80
81	Cognitive therapy versus interoceptive exposure as treatment of panic disorder without agoraphobia. Behaviour Research and Therapy, 2002, 40, 325-341.	3.1	79
82	A longitudinal study of "intrusion-based reasoning―and posttraumatic stress disorder after exposure to a train disaster. Behaviour Research and Therapy, 2002, 40, 1415-1424.	3.1	79
83	Specialized psychotherapies for adults with borderline personality disorder: A systematic review and meta-analysis. Australian and New Zealand Journal of Psychiatry, 2018, 52, 949-961.	2.3	79
84	Effectiveness of treatment of childhood memories in cognitive therapy for personality disorders: A controlled study contrasting methods focusing on the present and methods focusing on childhood memories. Behaviour Research and Therapy, 2007, 45, 2133-2143.	3.1	78
85	Theory of Mind in Borderline and Cluster-C Personality Disorder. Journal of Nervous and Mental Disease, 2009, 197, 801-807.	1.0	75
86	Schema therapy for patients with chronic depression: A single case series study. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 319-329.	1.2	75
87	Resilience as a predictor for emotional response to the diagnosis and surgery in breast cancer patients. Psycho-Oncology, 2015, 24, 1639-1645.	2.3	7 5
88	On the measurement of rumination: A psychometric evaluation of the ruminative response scale and the rumination on sadness scale in undergraduates. Journal of Behavior Therapy and Experimental Psychiatry, 2006, 37, 299-313.	1,2	74
89	Hypervigilance in patients with borderline personality disorder: Specificity, automaticity, and predictors. Behaviour Research and Therapy, 2007, 45, 1011-1024.	3.1	74
90	Use and acceptability of unsupported online computerized cognitive behavioral therapy for depression and associations with clinical outcome. Journal of Affective Disorders, 2009, 116, 227-231.	4.1	73

#	Article	IF	Citations
91	Schema therapy for chronic depression: Results of a multiple single case series. Journal of Behavior Therapy and Experimental Psychiatry, 2016, 51, 66-73.	1.2	73
92	Psychological treatments of panic disorder without agoraphobia: Cognitive therapy versus applied relaxation. Behaviour Research and Therapy, 1996, 34, 113-121.	3.1	72
93	How to Deal with Cost Differences at Baseline. Pharmacoeconomics, 2009, 27, 519-528.	3.3	72
94	The Effects of Experimentally Induced Rumination, Positive Reappraisal, Acceptance, and Distancing When Thinking About a Stressful Event on Affect States in Adolescents. Journal of Abnormal Child Psychology, 2012, 40, 73-84.	3.5	72
95	Combined group and individual schema therapy for borderline personality disorder: A pilot study. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 242-251.	1.2	72
96	Personality disorders do not influence the results of cognitive behavior therapies for anxiety disorders. Comprehensive Psychiatry, 1994, 35, 265-274.	3.1	71
97	On the links between self-discrepancies, rumination, metacognitions, and symptoms of depression in undergraduates. Behaviour Research and Therapy, 2007, 45, 1295-1305.	3.1	70
98	Schema therapy for personality disorders in older adults: a multiple-baseline study. Aging and Mental Health, 2018, 22, 738-747.	2.8	70
99	Do personality disorders exist? On the validity of the concept and its cognitiveâ€behavioral formulation and treatment. Behaviour Research and Therapy, 1999, 37, S97-S134.	3.1	69
100	Taxometric Evidence for the Dimensional Structure of Cluster-C, Paranoid, and Borderline Personality Disorders. Journal of Personality Disorders, 2009, 23, 606-628.	1.4	67
101	Emotion Regulation in Schema Therapy and Dialectical Behavior Therapy. Frontiers in Psychology, 2016, 7, 1373.	2.1	67
102	The Role of Right Prefrontal and Medial Cortex in Response Inhibition: Interfering with Action Restraint and Action Cancellation Using Transcranial Magnetic Brain Stimulation. Journal of Cognitive Neuroscience, 2014, 26, 1775-1784.	2.3	65
103	Short-Interval Test-Retest Interrater Reliability of the Structured Clinical Interview for DSM-III-R Personality Disorders (SCID-II) in Outpatients. Journal of Personality Disorders, 1998, 12, 138-148.	1.4	64
104	Netherlands Journal of Psychology, 2007, number 3 Shedding light on schema modes: a clarification of the mode concept and its current research status. Netherlands Journal of Psychology, 2007, 63, 69-78.	0.5	64
105	Pathways to spider phobia. Behaviour Research and Therapy, 1992, 30, 543-546.	3.1	62
106	Treatment of borderline personality disorder: A challenge for cognitive-behavioural therapy. Behaviour Research and Therapy, 1994, 32, 419-430.	3.1	62
107	Norms for the Beck Depression Inventory (BDI-II) in a Large Dutch Community Sample. Journal of Psychopathology and Behavioral Assessment, 2013, 35, 93-98.	1.2	61
108	Effects of induced anger in patients with antisocial personality disorder. Psychological Medicine, 2009, 39, 557-568.	4.5	60

#	Article	IF	Citations
109	Adding imagery rescripting during extinction leads to less ABA renewal. Journal of Behavior Therapy and Experimental Psychiatry, 2012, 43, 614-624.	1.2	60
110	Behavioural activation <i>v.</i> antidepressant medication for treating depression in Iran: randomised trial. British Journal of Psychiatry, 2013, 202, 204-211.	2.8	60
111	The effects of once-versus twice-weekly sessions on psychotherapy outcomes in depressed patients. British Journal of Psychiatry, 2020, 216, 222-230.	2.8	60
112	Personality disorders do not influence the results of cognitive and behavior therapy for obsessive compulsive disorder. Journal of Anxiety Disorders, 1997, 11, 503-521.	3.2	59
113	Does the weather make us sad? Meteorological determinants of mood and depression in the general population. Psychiatry Research, 2010, 180, 143-146.	3.3	59
114	The effectiveness of long-term psychoanalytic psychotherapy—A meta-analysis of randomized controlled trials. Clinical Psychology Review, 2012, 32, 81-92.	11.4	58
115	No Effects of Bilateral tDCS over Inferior Frontal Gyrus on Response Inhibition and Aggression. PLoS ONE, 2015, 10, e0132170.	2.5	58
116	Does Stimulus Elaboration Potentiate Exposure <i>in vivo</i> Treatment? Two Forms of One-Session Treatment of Spider Phobia. Behavioural Psychotherapy, 1993, 21, 1-12.	0.5	57
117	No evidence for overgeneral memories in borderline personality disorder. Behaviour Research and Therapy, 2002, 40, 1063-1068.	3.1	57
118	Exposure reduced agoraphobia but not panic, and cognitive therapy reduced panic but not agoraphobia. Behaviour Research and Therapy, 1994, 32, 447-451.	3.1	56
119	Covariation bias in phobic women: The relationship between a priori expectancy, on-line expectancy, autonomic responding, and a posteriori contingency judgment Journal of Abnormal Psychology, 1995, 104, 55-62.	1.9	56
120	A network approach to response inhibition: dissociating functional connectivity of neural components involved in action restraint and action cancellation. European Journal of Neuroscience, 2014, 39, 821-831.	2.6	56
121	Identifying cognitive predictors of reactive and proactive aggression. Aggressive Behavior, 2015, 41, 51-64.	2.4	56
122	Clinical effectiveness of cognitive therapy <i>v.</i> interpersonal psychotherapy for depression: results of a randomized controlled trial. Psychological Medicine, 2015, 45, 2095-2110.	4.5	56
123	Exploring mechanisms of change in cognitive therapy and interpersonal psychotherapy for adult depression. Behaviour Research and Therapy, 2017, 94, 81-92.	3.1	56
124	Hypothalamic-pituitary-adrenal axis functioning in borderline personality disorder: A meta-analysis. Neuroscience and Biobehavioral Reviews, 2019, 96, 316-334.	6.1	56
125	Emotion- and intrusion-based reasoning in Vietnam veterans with and without chronic posttraumatic stress disorder. Behaviour Research and Therapy, 2001, 39, 1339-1348.	3.1	55
126	Development and psychometric evaluation of a new assessment method for childhood maltreatment experiences: The interview for traumatic events in childhood (ITEC). Child Abuse and Neglect, 2009, 33, 505-517.	2.6	55

#	Article	IF	CITATIONS
127	Prediction of treatment discontinuation and recovery from Borderline Personality Disorder: Results from an RCT comparing Schema Therapy and Transference Focused Psychotherapy. Behaviour Research and Therapy, 2015, 74, 60-71.	3.1	55
128	Games as personality profiling tools. , 2011, , .		54
129	All we need is a cue to remember: The effect of an extinction cue on renewal. Behaviour Research and Therapy, 2008, 46, 1070-1077.	3.1	53
130	Deficient amygdala–prefrontal intrinsic connectivity after effortful emotion regulation in borderline personality disorder. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 551-565.	3.2	52
131	Emotional, cognitive and physiological correlates of abuse-related stress in borderline and antisocial personality disorder. Behaviour Research and Therapy, 2010, 48, 116-124.	3.1	51
132	Short-term group schema cognitive-behavioral therapy for young adults with personality disorders and personality disorder features: Associations with changes in symptomatic distress, schemas, schemaÂmodes and coping styles. Behaviour Research and Therapy, 2013, 51, 487-492.	3.1	51
133	Schema modes in criminal and violent behaviour of forensic cluster B <scp>PD </scp> patients: A retrospective and prospective study. Legal and Criminological Psychology, 2016, 21, 56-76.	2.0	51
134	Treatment for chronic depression using schema therapy Clinical Psychology: Science and Practice, 2013, 20, 166-180.	0.9	50
135	Anxiety and pain: epinephrine-induced hyperalgesia and attentional influences. Pain, 1998, 76, 309-316.	4.2	49
136	Social cognition in borderline personality disorder: Evidence for dichotomous thinking but no evidence for less complex attributions. Behaviour Research and Therapy, 2012, 50, 707-718.	3.1	49
137	The placebo effect in pain reduction: The influence of conditioning experiences and response expectancies. International Journal of Behavioral Medicine, 1996, 3, 14-29.	1.7	48
138	Imagery rescripting and eye movement desensitisation and reprocessing as treatment for adults with post-traumatic stress disorder from childhood trauma: randomised clinical trial. British Journal of Psychiatry, 2020, 217, 609-615.	2.8	48
139	Hyperventilation is not diagnostically specific to panic patients Psychosomatic Medicine, 1992, 54, 182-191.	2.0	47
140	Personality disorders and features in social phobia and panic disorder Journal of Abnormal Psychology, 1994, 103, 391-395.	1.9	46
141	Subclinical psychotic experiences and bipolar spectrum features in depression: association with outcome of psychotherapy. Psychological Medicine, 2014, 44, 325-336.	4.5	46
142	Positive cognitive behavior therapy in the treatment of depression: A randomized order within-subject comparison with traditional cognitive behavior therapy. Behaviour Research and Therapy, 2019, 116, 119-130.	3.1	46
143	The effects of underestimated pain and their relationship to habituation. Behaviour Research and Therapy, 1990, 28, 15-28.	3.1	45
144	Attentional Bias for Emotional Stimuli in Borderline Personality Disorder: A Meta-Analysis. Psychopathology, 2016, 49, 383-396.	1.5	45

#	Article	IF	CITATIONS
145	Internalizing and Externalizing Behaviors Share a Common Predictor: the Effects of Early Maladaptive Schemas Are Mediated by Coping Responses and Schema Modes. Journal of Abnormal Child Psychology, 2018, 46, 907-920.	3.5	45
146	Patient-Informant Concordance on the Structured Clinical Interview for DSM-III-R Personality Disorders (SCID-II). Journal of Personality Disorders, 1998, 12, 149-161.	1.4	44
147	Imagery rescripting: Is incorporation of the most aversive scenes necessary?. Memory, 2016, 24, 683-695.	1.7	43
148	Design of an international multicentre RCT on group schema therapy for borderline personality disorder. BMC Psychiatry, 2014, 14, 319.	2.6	41
149	Interpretation bias in Cluster-C and borderline personality disorders. Behaviour Research and Therapy, 2011, 49, 472-481.	3.1	40
150	Changes in natural language use as an indicator of psychotherapeutic change in personality disorders. Behaviour Research and Therapy, 2012, 50, 191-202.	3.1	40
151	Reduced specificity of autobiographical memory in Cluster C personality disorders and the role of depression, worry, and experiential avoidance Journal of Abnormal Psychology, 2009, 118, 520-530.	1.9	39
152	Word use of outpatients with a personality disorder and concurrent or previous major depressive disorder. Behaviour Research and Therapy, 2010, 48, 44-51.	3.1	39
153	Relationships Between Childhood Maltreatment, Parenting Style, and Borderline Personality Disorder Criteria. Journal of Personality Disorders, 2012, 26, 727-736.	1.4	39
154	Imagery rescripting for the treatment of trauma in voice hearers: a case series. Behavioural and Cognitive Psychotherapy, 2019, 47, 709-725.	1.2	39
155	Conditioning experiences in spider phobics. Behaviour Research and Therapy, 1991, 29, 333-335.	3.1	38
156	Opioid antagonist affects behavioral effects of exposure in vivo Journal of Consulting and Clinical Psychology, 1993, 61, 865-870.	2.0	38
157	Responding to the Treatment Challenge of Patients with Severe BPD: Results of Three Pilot Studies of Inpatient Schema Therapy. Behavioural and Cognitive Psychotherapy, 2014, 42, 355-367.	1.2	38
158	Perceptual and conceptual processing as predictors of treatment outcome in PTSD. Journal of Behavior Therapy and Experimental Psychiatry, 2007, 38, 491-506.	1.2	37
159	Early Maladaptive Schemas in the risk for bipolar spectrum disorders. Journal of Affective Disorders, 2011, 133, 428-436.	4.1	37
160	The effects of incorrect pain expectations on acquired fear and pain responses. Behaviour Research and Therapy, 1991, 29, 547-560.	3.1	36
161	Influences of beliefs and personality disorders on treatment outcome in anxiety patients Journal of Consulting and Clinical Psychology, 2005, 73, 936-944.	2.0	36
162	The EQ-5D: A useful quality of life measure in borderline personality disorder?. European Psychiatry, 2009, 24, 79-85.	0.2	36

#	Article	IF	Citations
163	Towards a Reformulated Theory Underlying Schema Therapy: Position Paper of an International Workgroup. Cognitive Therapy and Research, 2021, 45, 1007-1020.	1.9	36
164	Overprediction of anxiety, and disconfirmatory processes, in anxiety disorders. Behaviour Research and Therapy, 1994, 32, 709-722.	3.1	35
165	Social Phobia and Personality Disorder: Severity of Complaint and Treatment Effectiveness. Journal of Personality Disorders, 1995, 9, 143-159.	1.4	35
166	Evaluations of emotional noninterpersonal situations by patients with borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 209-225.	1.2	35
167	Efficacy of imagery rescripting and imaginal exposure for nightmares: A randomized wait-list controlled trial. Behaviour Research and Therapy, 2017, 97, 14-25.	3.1	35
168	One-year follow-up results of unsupported online computerized cognitive behavioural therapy for depression in primary care: A randomized trial. Journal of Behavior Therapy and Experimental Psychiatry, 2011, 42, 89-95.	1.2	34
169	A Group-Administered social Skills Training for 8- to 12- Year-Old, high-Functioning Children With Autism Spectrum Disorders: An Evaluation of its Effectiveness in a Naturalistic Outpatient Treatment Setting. Journal of Autism and Developmental Disorders, 2016, 46, 3493-3504.	2.7	34
170	Anger provocation increases limbic and decreases medial prefrontal cortex connectivity with the left amygdala in reactive aggressive violent offenders. Brain Imaging and Behavior, 2019, 13, 1311-1323.	2.1	34
171	Effectiveness of Predominantly Group Schema Therapy and Combined Individual and Group Schema Therapy for Borderline Personality Disorder. JAMA Psychiatry, 2022, 79, 287.	11.0	34
172	Generalizability of the match/mismatch model of fear. Behaviour Research and Therapy, 1988, 26, 207-223.	3.1	33
173	Using Named Entities for Computerâ€Automated Verbal Deception Detection. Journal of Forensic Sciences, 2018, 63, 714-723.	1.6	33
174	Schema therapy for violent PD offenders: a randomized clinical trial. Psychological Medicine, 2023, 53, 88-102.	4.5	33
175	Long-term outcomes of acute treatment with cognitive therapy v. interpersonal psychotherapy for adult depression: follow-up of a randomized controlled trial. Psychological Medicine, 2019, 49, 465-473.	4.5	32
176	Eyeblink startle responses in spider phobies before and after treatment: A pilot study. Journal of Psychopathology and Behavioral Assessment, 1991, 13, 213-223.	1.2	31
177	The effects of failing to control pain: an experimental investigation. Pain, 2004, 107, 227-233.	4.2	31
178	World assumptions and the role of trauma in borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 197-208.	1.2	31
179	Clinical and cost-effectiveness of computerised cognitive behavioural therapy for depression in primary care: Design of a randomised trial. BMC Public Health, 2008, 8, 224.	2.9	31
180	The exploratory value of cross-sectional partial correlation networks: Predicting relationships between change trajectories in borderline personality disorder. PLoS ONE, 2021, 16, e0254496.	2.5	31

#	Article	IF	Citations
181	Positive and Negative Beliefs About Depressive Rumination: A Psychometric Evaluation of Two Self-Report Scales and a Test of a Clinical Metacognitive Model of Rumination and Depression. Cognitive Therapy and Research, 2010, 34, 196-205.	1.9	30
182	Effectiveness, relapse prevention and mechanisms of change of cognitive therapy vs. interpersonal therapy for depression: Study protocol for a randomised controlled trial. Trials, 2011, 12, 150.	1.6	30
183	Frequency and change mechanisms of psychotherapy among depressed patients: study protocol for a multicenter randomized trial comparing twice-weekly versus once-weekly sessions of CBT and IPT. BMC Psychiatry, 2015, 15, 137.	2.6	30
184	Validation of the schema mode concept in personality disordered offenders. Legal and Criminological Psychology, 2017, 22, 420-441.	2.0	30
185	Avoidant personality disorder and implicit schema-congruent information processing bias: a pilot study with a pragmatic inference task. Behaviour Research and Therapy, 1999, 37, 619-632.	3.1	29
186	The influence of data-driven versus conceptually-driven processing on the development of PTSD-like symptoms. Journal of Behavior Therapy and Experimental Psychiatry, 2008, 39, 546-557.	1.2	29
187	Patient versus informant reports of personality disorders in forensic patients. Journal of Forensic Psychiatry and Psychology, 2011, 22, 52-71.	1.0	29
188	Attributional style questioned: Psychometric evaluation of the ASQ in Dutch adolescents. Advances in Behaviour Research and Therapy, 1985, 7, 55-89.	3.0	28
189	Difficulties in Calculating Productivity Costs: Work Disability Associated with Borderline Personality Disorder. Value in Health, 2008, 11, 637-644.	0.3	28
190	Comparison of different strategies to decrease negative affect and increase positive affect in women with borderline personality disorder. Behaviour Research and Therapy, 2011, 49, 68-73.	3.1	28
191	A randomized clinical trial of cognitive behavioral therapy and interpersonal psychotherapy for panic disorder with agoraphobia. Psychological Medicine, 2012, 42, 2661-2672.	4.5	28
192	The clinical effectiveness of evidence-based interventions for depression: A pragmatic trial in routine practice. Journal of Affective Disorders, 2013, 145, 349-355.	4.1	28
193	The influence of patients' preference/attitude towards psychotherapy and antidepressant medication on the treatment of major depressive disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 170-177.	1.2	28
194	Successful Psychotherapy Reduces Hypervigilance in Borderline Personality Disorder. Behavioural and Cognitive Psychotherapy, 2007, 35, 387-402.	1.2	27
195	Sudden gains in Cognitive Therapy and Interpersonal Psychotherapy for adult depression. Behaviour Research and Therapy, 2016, 77, 170-176.	3.1	27
196	Imagery rescripting and eye movement desensitisation and reprocessing for treatment of adults with childhood trauma-related post-traumatic stress disorder: IREM study design. BMC Psychiatry, 2017, 17, 165.	2.6	27
197	Anger provocation in violent offenders leads to emotion dysregulation. Scientific Reports, 2017, 7, 3583.	3.3	27
198	Negative mood-induction modulates default mode network resting-state functional connectivity in chronic depression. Journal of Affective Disorders, 2017, 208, 590-596.	4.1	27

#	Article	IF	CITATIONS
199	Schema therapy for Dissociative Identity Disorder (DID): rationale and study protocol. Högre Utbildning, 2019, 10, 1571377.	3.0	27
200	Chronic low back pain and inaccurate predictions of pain: Is being too tough a risk factor for the development and maintenance of chronic pain?. Behaviour Research and Therapy, 1995, 33, 49-53.	3.1	26
201	Underpredicted pain disrupts more than correctly predicted pain, but does not hurt more. Behaviour Research and Therapy, 1998, 36, 1121-1129.	3.1	26
202	Mediators of Change in Imagery Rescripting and Imaginal Exposure for Nightmares: Evidence From a Randomized Wait-List Controlled Trial. Behavior Therapy, 2019, 50, 978-993.	2.4	26
203	No interactive effects of naltrexone and benzodiazepines on pain during phobic fear. Behaviour Research and Therapy, 1999, 37, 77-86.	3.1	25
204	Psychosocial predictors of chronic Post-Traumatic Stress Disorder in Sri Lankan tsunami survivors. Behaviour Research and Therapy, 2009, 47, 60-65.	3.1	25
205	Cognitive predictors of violent incidents in forensic psychiatric inpatients. Psychiatry Research, 2016, 237, 229-237.	3.3	25
206	Exploring mechanisms of change in schema therapy for chronic depression. Journal of Behavior Therapy and Experimental Psychiatry, 2018, 58, 97-105.	1.2	25
207	The Role of the Insular Cortex in Retaliation. PLoS ONE, 2016, 11, e0152000.	2.5	25
208	No evidence for opioid-mediated analgesia induced by phobic fear. Behaviour Research and Therapy, 1997, 35, 823-830.	3.1	24
209	Personality Disorder Patients' Perspectives on the Introduction of Imagery Within Schema Therapy: A Qualitative Study of Patients' Experiences. Cognitive and Behavioral Practice, 2011, 18, 482-490.	1.5	24
210	Fear conditioning with film clips: A complex associative learning paradigm. Journal of Behavior Therapy and Experimental Psychiatry, 2015, 47, 42-50.	1.2	24
211	Feasibility of Group Schema Therapy for Outpatients with Severe Borderline Personality Disorder in Germany: A Pilot Study with Three Year Follow-Up. Frontiers in Psychology, 2016, 7, 1851.	2.1	24
212	Schema therapy for borderline personality disorder: A qualitative study of patients' perceptions. PLoS ONE, 2018, 13, e0206039.	2.5	24
213	An integrative perspective on the interplay between early maladaptive schemas and mental health: The role of selfâ€compassion and emotion regulation. Journal of Clinical Psychology, 2019, 75, 1098-1113.	1.9	24
214	A comparative study of patients and therapists' reports of schema modes. Journal of Behavior Therapy and Experimental Psychiatry, 2009, 40, 571-579.	1.2	23
215	Performance measurement in mental health care: present situation and future possibilities. International Journal of Health Planning and Management, 2010, 25, 198-214.	1.7	23
216	Neural correlates of self-referential processing and implicit self-associations in chronic depression. Journal of Affective Disorders, 2015, 186, 40-47.	4.1	23

#	Article	IF	Citations
217	Examining the influence of psychopathy, hostility biases, and automatic processing on criminal offenders' Theory of Mind. International Journal of Law and Psychiatry, 2015, 38, 92-99.	0.9	23
218	Illusory correlation, on-line probability estimates, and electrodermal responding in a (quasi)-conditioning paradigm. Biological Psychology, 1990, 31, 201-212.	2.2	22
219	Pain patients in a randomized trial did not show a significant effect of a positive consultation. Journal of Clinical Epidemiology, 2005, 58, 708-713.	5.0	22
220	Automated verbal credibility assessment of intentions: The model statement technique and predictive modeling. Applied Cognitive Psychology, 2018, 32, 354-366.	1.6	22
221	Always on guard: emotion regulation in women with. Journal of Psychiatry and Neuroscience, 2018, 43, 37-47.	2.4	22
222	Schema modes as a common mechanism of change in personality pathology and functioning: Results from a randomized controlled trial. Behaviour Research and Therapy, 2020, 126, 103553.	3.1	22
223	Implementation of outpatient schema therapy for borderline personality disorder: study design. BMC Psychiatry, 2009, 9, 64.	2.6	21
224	General practitioners' treatment orientations towards low back pain: Influence on treatment behaviour and patient outcome. European Journal of Pain, 2009, 13, 412-418.	2.8	21
225	Minor and major depression in the general population: does dysfunctional thinking play a role?. Comprehensive Psychiatry, 2010, 51, 266-274.	3.1	21
226	Brief Communication: Investigating the Relationship Between Psychopathy and Interoceptive Awareness. Journal of Personality Disorders, 2013, 27, 617-624.	1.4	21
227	Neither Dichotomous nor Split, but Schema-Related Negative Interpersonal Evaluations Characterize Borderline Patients. Journal of Personality Disorders, 2013, 27, 36-52.	1.4	21
228	Executive (Dys)Functioning and Impulsivity as Possible Vulnerability Factors for Aggression in Forensic Patients. Journal of Nervous and Mental Disease, 2016, 204, 280-286.	1.0	21
229	Economic Evaluation of Schema Therapy and Clarification-Oriented Psychotherapy for Personality Disorders. Journal of Clinical Psychiatry, 2015, 76, e1432-e1440.	2.2	21
230	Why do people tend to overpredict pain? On the asymmetries between underpredictions and overpredictions of pain. Behaviour Research and Therapy, 1996, 34, 545-554.	3.1	20
231	Design of a multicentered randomized controlled trial on the clinical and cost effectiveness of schema therapy for personality disorders. BMC Public Health, 2012, 12, 75.	2.9	19
232	The influence of comorbid personality disorder on the effects ofÂbehavioural activation vs. antidepressant medication for major depressive disorder: Results from a randomized trial in Iran. Behaviour Research and Therapy, 2013, 51, 499-506.	3.1	19
233	Psychometric Properties of the German Version of the Borderline Personality Disorder Severity Index - Version IV. Psychopathology, 2013, 46, 396-403.	1.5	19
234	Borderline Personality Disorder and Emotional Intelligence. Journal of Nervous and Mental Disease, 2013, 201, 99-104.	1.0	19

#	Article	IF	CITATIONS
235	Sex Bias in Classifying Borderline and Narcissistic Personality Disorder. Journal of Nervous and Mental Disease, 2015, 203, 804-808.	1.0	19
236	The Structured Clinical Interview for DSM-IV Childhood Diagnoses (Kid-SCID): First Psychometric Evaluation in a Dutch Sample of Clinically Referred Youths. Child Psychiatry and Human Development, 2015, 46, 367-375.	1.9	19
237	Group schema therapy versus group cognitive behavioral therapy for social anxiety disorder with comorbid avoidant personality disorder: study protocol for a randomized controlled trial. Trials, 2016, 17, 487.	1.6	19
238	Schema Therapy for Personality Disorders: a Qualitative Study of Patients' and Therapists' Perspectives. Behavioural and Cognitive Psychotherapy, 2017, 45, 31-45.	1.2	19
239	Unblending Borderline Personality and Bipolar Disorders. Journal of Psychiatric Research, 2017, 91, 90-97.	3.1	19
240	PRO*BPD: effectiveness of outpatient treatment programs for borderline personality disorder: a comparison of Schema therapy and dialectical behavior therapy: study protocol for a randomized trial. BMC Psychiatry, 2018, 18, 341.	2.6	19
241	Biased Attention to Facial Expressions of Ambiguous Emotions in Borderline Personality Disorder: An Eye-Tracking Study. Journal of Personality Disorders, 2019, 33, 671-S8.	1.4	19
242	Effectiveness of Psychological Treatments for Borderline Personality Disorder and Predictors of Treatment Outcomes: A Multivariate Multilevel Meta-Analysis of Data from All Design Types. Journal of Clinical Medicine, 2021, 10, 5622.	2.4	19
243	The fallacy of ex-consequentia reasoning and the persistence of PTSD. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 35-42.	1.2	18
244	Three preparatory studies for promoting implementation of outpatient schema therapy for borderline personality disorder in general mental health care. Behaviour Research and Therapy, 2009, 47, 938-945.	3.1	18
245	Integration of eâ€Health Tools Into Faceâ€toâ€Face Psychotherapy for Borderline Personality Disorder: A Chance to Close the Gap Between Demand and Supply?. Journal of Clinical Psychology, 2015, 71, 764-777.	1.9	18
246	Evoking emotional states in personality disordered offenders: An experimental pilot study of experiential drama therapy techniques. Arts in Psychotherapy, 2017, 53, 80-88.	1.2	18
247	Temperament, Character, and Personality Disorders in Adults with Autism Spectrum Disorder: a Systematic Literature Review and Meta-analysis. Review Journal of Autism and Developmental Disorders, 2018, 5, 176-197.	3.4	18
248	Validation of Schema Coping Inventory and Schema Mode Inventory in Adolescents. Journal of Personality Disorders, 2018, 32, 220-241.	1.4	18
249	Investigating the effects of imagery rescripting on emotional memory: A series of analogue studies. Journal of Experimental Psychopathology, 2019, 10, 204380871985073.	0.8	18
250	Being accurate about accuracy in verbal deception detection. PLoS ONE, 2019, 14, e0220228.	2.5	18
251	The relationship between underpredicted pain and escape. Behaviour Research and Therapy, 1990, 28, 87-90.	3.1	17
252	EXPERIMENTAL INVESTIGATION OF TARGETING RESPONSIBILITY VERSUS DANGER IN COGNITIVE THERAPY OF OBSESSIVE-COMPULSIVE DISORDER. Depression and Anxiety, 2012, 29, 629-637.	4.1	17

#	Article	IF	Citations
253	Impulse control under emotion processing: an fMRI investigation in borderline personality disorder compared to non-patients and cluster-C personality disorder patients. Brain Imaging and Behavior, 2020, 14, 2107-2121.	2.1	17
254	Avoidance of pain of unpredictable intensity. Behaviour Research and Therapy, 1991, 29, 197-201.	3.1	16
255	Imagery ability and exposure in vivo in spider phobia. Behaviour Research and Therapy, 1991, 29, 203-205.	3.1	16
256	The startle probe response as an instrument for evaluating exposure effects in spider phobia. Advances in Behaviour Research and Therapy, 1993, 15, 301-316.	3.0	16
257	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. BMC Psychiatry, 2011, 11, 8.	2.6	16
258	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: A pragmatic trial in routine practice. Journal of Affective Disorders, 2014, 152-154, 146-154.	4.1	16
259	Schema therapy as treatment for adults with autism spectrum disorder and comorbid personality disorder: Protocol of a multiple-baseline case series study testing cognitive-behavioral and experiential interventions. Contemporary Clinical Trials Communications, 2017, 5, 80-85.	1.1	16
260	Efficacy of a self-control therapy program in a psychiatric day-treatment center. Acta Psychiatrica Scandinavica, 1995, 92, 25-29.	4. 5	15
261	Implicit self- and other-associations in obsessive-compulsive personality disorder traits. Cognition and Emotion, 2008, 22, 1253-1275.	2.0	15
262	Does illness attribution affect treatment assignment in depression?. Clinical Psychology and Psychotherapy, 2010, 17, 418-426.	2.7	15
263	Theory of Mind, Social Desirability, and Unlikely Symptom Reporting in Offenders With and Without Psychopathy. Journal of Nervous and Mental Disease, 2015, 203, 596-603.	1.0	15
264	The influence of comorbid anxiety on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. Journal of Affective Disorders, 2018, 232, 52-60.	4.1	15
265	The impact of personality disorder pathology on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. Journal of Affective Disorders, 2018, 225, 530-538.	4.1	15
266	Optimizing psychotherapy dosage for comorbid depression and personality disorders (PsyDos): aApragmatic randomized factorial trial using schema therapy and short-term psychodynamic psychotherapy. BMC Psychiatry, 2018, 18, 252.	2.6	15
267	Real-Life Stress and Opioid-Mediated Analgesia in Novice Parachute Jumpers. Journal of Psychophysiology, 2001, 15, 106-113.	0.7	15
268	The societal cost of treatment-seeking patients with borderline personality disorder in Germany. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 741-752.	3.2	15
269	Pathological dependency: Distinguishing functional from emotional dependency Clinical Psychology: Science and Practice, 2005, 12, 411-416.	0.9	14
270	Questions Concerning the Randomized Trial of Schema-Focused Therapy vs Transference-Focused Psychotherapy—Reply. Archives of General Psychiatry, 2007, 64, 610.	12.3	14

#	Article	IF	Citations
271	Positive erotic picture stimuli for emotion research in heterosexual females. Psychiatry Research, 2011, 190, 348-351.	3.3	14
272	Caseâ€based reasoning for predicting the success of therapy. Expert Systems, 2015, 32, 165-177.	4.5	14
273	A plea for more attention to mental representations. Journal of Behavior Therapy and Experimental Psychiatry, 2020, 67, 101510.	1.2	14
274	Attentional bias and facilitated escape: A pictorial test. Advances in Behaviour Research and Therapy, 1993, 15, 279-289.	3.0	13
275	Dependent personality traits and information processing: Assessing the interpretation of ambiguous information using the Thematic Apperception Test. British Journal of Clinical Psychology, 2006, 45, 273-278.	3.5	13
276	Can assessors and therapists predict the outcome of longâ€term psychotherapy in borderline personality disorder?. Journal of Clinical Psychology, 2008, 64, 667-686.	1.9	13
277	The impact of comorbid depression on recovery from personality disorders and improvements in psychosocial functioning: Results from a randomized controlled trial. Behaviour Research and Therapy, 2014, 63, 55-62.	3.1	13
278	The value of an implicit self-associative measure specific to core beliefs of depression. Journal of Behavior Therapy and Experimental Psychiatry, 2014, 45, 196-202.	1.2	13
279	Personality disorders have no excessively negative impact on therapist-rated therapy process in the cognitive and behavioural treatment of Axis I anxiety disorders. Clinical Psychology and Psychotherapy, 1999, 6, 384-394.	2.7	12
280	Preliminary evaluation of psychometric properties of the Finnish Borderline Personality Disorder Severity Index: Oulu-BPD-Study. Nordic Journal of Psychiatry, 2013, 67, 312-319.	1.3	12
281	The effectiveness of individual schema therapy in older adults with borderline personality disorder: Protocol of a multiple-baseline study. Contemporary Clinical Trials Communications, 2019, 14, 100330.	1.1	12
282	Is the match/mismatch model based on a statistical artefact?. Behaviour Research and Therapy, 1990, 28, 249-253.	3.1	11
283	Cued UCS rehearsal and the impact of painful conditioned stimuli: UCS rehearsal increases SCRs but reduces experienced pain. Behaviour Research and Therapy, 1997, 35, 591-605.	3.1	11
284	Traumatic events in a general practice population: the patient's perspective. Family Practice, 2002, 19, 390-396.	1.9	11
285	Introduction to special issue: Cognition and emotion in borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 167-172.	1.2	11
286	Unresolved Issues Regarding Homework Assignments in Cognitive and Behavioural Therapies: An Expert Panel Discussion at AACBT. Behaviour Change, 2010, 27, 119-129.	1.3	11
287	Schema Therapy with Emotionally Inhibited and Fearful Patients. Journal of Contemporary Psychotherapy, 2019, 49, 7-14.	1.2	11
288	Group schema therapy for patients with cluster personality disorders: A case study on avoidant personality disorder. Journal of Clinical Psychology, 2021, 77, 1233-1248.	1.9	11

#	Article	IF	Citations
289	Patient and Therapist Perspectives on Treatment for Adults with PTSD from Childhood Trauma. Journal of Clinical Medicine, 2021, 10, 954.	2.4	11
290	The impact of childhood maltreatment on the severity of childhood-related posttraumatic stress disorder in adults. Child Abuse and Neglect, 2021, 120, 105208.	2.6	11
291	The Borderline Personality Disorder Checklist: Psychometric evaluation and factorial structure in clinical and nonclinical samples. Roczniki Psychologiczne, 2017, 20, 311-336.	0.1	11
292	Endorphins stimulate approach behaviour, but do not reduce subjective fear. A pilot study. Behaviour Research and Therapy, 1993, 31, 403-405.	3.1	10
293	Treatment of Intrusive Suicidal Imagery Using Eye Movements. International Journal of Environmental Research and Public Health, 2017, 14, 714.	2.6	10
294	Treating posttraumatic stress disorder in substance use disorder patients with co-occurring posttraumatic stress disorder: study protocol for a randomized controlled trial to compare the effectiveness of different types and timings of treatment. BMC Psychiatry, 2021, 21, 442.	2.6	10
295	Psychological research and chronic low back pain: A stand-still or breakthrough?. Social Science and Medicine, 1987, 25, 1095-1104.	3.8	9
296	Can personality disorders be changed?. Netherlands Journal of Psychology, 2006, 62, 8-18.	0.5	9
297	Effectiveness Studies. , 2012, , 493-510.		9
298	Reducing emotional reasoning: An experimental manipulation in individuals with fear of spiders. Cognition and Emotion, 2013, 27, 1504-1512.	2.0	9
299	The Mask of Sanity: Facial Expressive, Self-Reported, and Physiological Consequences of Emotion Regulation in Psychopathic Offenders. Journal of Personality Disorders, 2016, 30, 828-S8.	1.4	9
300	Some limitations of the attributional learned helplessness model on understanding effects of (non-) contingency: A controlled study in Dutch adolescents. Advances in Behaviour Research and Therapy, 1986, 8, 1-42.	3.0	8
301	The role of conditioning in the placebo response: a comment on Voudouris et al., PAIN , 43 (1990) 121—128. Pain, 1993, 54, 232-233.	4.2	8
302	Consistency of reporting sexual and physical abuse during psychological treatment of personality disorder: An explorative study. Journal of Behavior Therapy and Experimental Psychiatry, 2012, 43, S43-S50.	1.2	8
303	Emotional hyperreactivity in response to childhood abuse by primary caregivers in patients with borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2015, 48, 125-132.	1.2	8
304	Modeling Impulsivity in Forensic Patients: A Three-Dimensional Model of Impulsivity. American Journal of Psychology, 2016, 129, 429-441.	0.3	8
305	An Investigation on the Detectability of Deceptive Intent about Flying through Verbal Deception Detection. Collabra: Psychology, 2017, 3, .	1.8	8
306	Borderline personality disorder classification based on brain network measures during emotion regulation. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1169-1178.	3.2	8

#	Article	IF	CITATIONS
307	Responses to dominance challenge are a function of psychopathy level: A multimethod study Personality Disorders: Theory, Research, and Treatment, 2018, 9, 305-314.	1.3	8
308	Interpersonal Psychotherapy Versus Cognitive Therapy for Depression: How They Work, How Long, and for Whom—Key Findings From an RCT. American Journal of Psychotherapy, 2020, 73, 8-14.	1.2	8
309	Imagery Rescripting for Patients With Posttraumatic Stress Disorder: A Qualitative Study of Patients' and Therapists' Perspectives About the Elements of Change. Cognitive and Behavioral Practice, 2023, 30, 18-34.	1.5	8
310	Psychometric properties of the Trauma Relevant Assumptions Scale. Journal of Anxiety Disorders, 2008, 22, 1496-1509.	3.2	7
311	Case Formulation in Schema Therapy. , 2019, , 77-94.		7
312	Schema therapy for Dissociative Identity Disorder (DID): further explanation about the rationale and study protocol. Högre Utbildning, 2019, 10, 1684629.	3.0	7
313	Patients with borderline personality disorder and comorbid PTSD show biased attention for threat in the facial dot-probe task. Journal of Behavior Therapy and Experimental Psychiatry, 2020, 67, 101437.	1.2	7
314	Improvement of Conflict Handling: Hand-Holding During and After Conflict Discussions Affects Heart Rate, Mood, and Observed Communication Behavior in Romantic Partners. Journal of Sex and Marital Therapy, 2020, 46, 419-434.	1.5	7
315	Delivering Imagery Rescripting via Telehealth: Clinical Concerns, Benefits, and Recommendations. Current Psychiatry Reports, 2021, 23, 24.	4.5	7
316	The effect of twice-weekly versus once-weekly sessions of either imagery rescripting or eye movement desensitization and reprocessing for adults with PTSD from childhood trauma (IREM-Freq): a study protocol for an international randomized clinical trial. Trials, 2021, 22, 848.	1.6	7
317	Towards optimal treatment selection for borderline personality disorder patients (BOOTS): a study protocol for a multicenter randomized clinical trial comparing schema therapy and dialectical behavior therapy. BMC Psychiatry, 2022, 22, 89.	2.6	7
318	Efficacy and mechanisms of imagery rescripting and imaginal exposure for nightmares: study protocol for a randomized controlled trial. Trials, 2016, 17, 469.	1.6	6
319	How to Train Experienced Therapists in a New Method: A Qualitative Study into Therapists' Views. Clinical Psychology and Psychotherapy, 2017, 24, 359-372.	2.7	6
320	Explosive Matters: Does Venting Anger Reduce or Increase Aggression? Differences in Anger Venting Effects in Violent Offenders. Journal of Aggression, Maltreatment and Trauma, 2020, 29, 611-627.	1.4	6
321	Managing Dissociation in Imagery Rescripting for Voice Hearers With Trauma: Lessons From a Case Series. Cognitive and Behavioral Practice, 2022, 29, 434-445.	1.5	6
322	The Influence of Early Maladaptive Schemas on the Causal Links between Perceived Injustice, Negative Affect, and Aggression. International Journal of Forensic Mental Health, 2021, 20, 133-149.	1.0	6
323	The network structure of schema modes. Clinical Psychology and Psychotherapy, 2021, 28, 1065-1078.	2.7	6
324	Treating PTSD with Imagery Rescripting in underweight eating disorder patients: a multiple baseline case series study. Journal of Eating Disorders, 2022, 10, 35.	2.7	6

#	Article	IF	Citations
325	The state dependency of cognitive schemas in antisocial patients. Psychiatry Research, 2012, 198, 452-456.	3.3	5
326	The Italian Version of the Borderline Personality Disorder Severity Index IV: Psychometric Properties, Clinical Usefulness, and Possible Diagnostic Implications. Journal of Personality Disorders, 2018, 32, 207-219.	1.4	5
327	Looking at the bigger picture: Cortical volume, thickness and surface area characteristics in borderline personality disorder with and without posttraumatic stress disorder. Psychiatry Research - Neuroimaging, 2021, 311, 111283.	1.8	5
328	Differential Effects of Comorbid Psychiatric Disorders on Treatment Outcome in Posttraumatic Stress Disorder from Childhood Trauma. Journal of Clinical Medicine, 2021, 10, 3708.	2.4	5
329	Effects of endorphin blocking on conditioned SCR in humans. Behaviour Research and Therapy, 1993, 31, 775-779.	3.1	4
330	Modulation of responses to emotional information in pathological anxiety. Journal of Experimental Psychopathology, 2011, 2, 371-385.	0.8	4
331	A Commentary on the Study on Dual-Focused vs. Single-Focused Therapy for Personality Disorders and Substance Dependence by Ball et al. (2011). Journal of Nervous and Mental Disease, 2013, 201, 712-713.	1.0	4
332	The influence of patients' attributions of the immediate effects of treatment of depression on long-term effectiveness of behavioural activation and antidepressant medication. Behaviour Research and Therapy, 2015, 69, 83-92.	3.1	4
333	The Development and Psychometric Evaluation of the Group Schema Therapy Rating Scale – Revised. Behavioural and Cognitive Psychotherapy, 2018, 46, 601-618.	1.2	4
334	The first direct replication on using verbal credibility assessment for the detection of deceptive intentions. Applied Cognitive Psychology, 2018, 32, 592-599.	1.6	4
335	Intimate stimuli result in fronto-parietal activation changes in anorexia nervosa. Eating and Weight Disorders, 2019, 24, 1155-1164.	2.5	4
336	A Schema Therapy Based Milieu in Secure Residential Youth Care:Effects on Aggression, Group Climate, Repressive Staff Interventions, and Team Functioning. Residential Treatment for Children and Youth, 2021, 38, 289-306.	0.9	4
337	First Psychometric Properties of the Dutch Interview for Diagnostic Assessment of Autism Spectrum Disorder in Adult Males Without Intellectual Disability. Journal of Autism and Developmental Disorders, 2022, 52, 3523-3535.	2.7	4
338	Addressing the punitive parent mode in schema therapy for borderline personality disorder: Short-term effects of the empty chair technique as compared to cognitive challenging. Journal of Behavior Therapy and Experimental Psychiatry, 2021, 73, 101678.	1.2	4
339	Schemagerichte therapie., 2007,, 285-302.		4
340	21 Persoonlijkheidsstoornissen. , 2006, , 443-477.		4
341	Internet-delivered interventions for personality disorders – A scoping review. Internet Interventions, 2022, 28, 100525.	2.7	4
342	Jumping back onto the giants' shoulders: Why emotional memory should be considered in a network perspective of psychopathology. Behaviour Research and Therapy, 2022, 156, 104154.	3.1	4

#	Article	IF	CITATIONS
343	Effects of matches and mismatches in agoraphobic and neutral situations. Behaviour Research and Therapy, 1990, 28, 43-50.	3.1	3
344	No Threat-Related Processing Bias in Low Trait-Anxious/High State-Anxious Novice Parachuters. Cognitive Therapy and Research, 1998, 22, 125-135.	1.9	3
345	Different aspects of emotional intelligence of borderline personality disorder. Clinical Psychology and Psychotherapy, 2018, 25, e51-e59.	2.7	3
346	Detecting Deceptive Intentions: Possibilities for Large-Scale Applications. , 2019, , 403-427.		3
347	Crying in borderline personality disorder patients. Psychiatry Research, 2019, 273, 100-107.	3. 3	3
348	The effectiveness of imagery work in schema therapy with couples: a clinical experiment comparing the effects of imagery rescripting and cognitive interventions in brief schema couples therapy. Sexual and Relationship Therapy, 2020, 35, 320-337.	1.2	3
349	Experiences of Patients With Borderline Personality Disorder With Imagery Rescripting in the Context of Schema Therapy—A Qualitative Study. Frontiers in Psychiatry, 2020, 11, 550833.	2.6	3
350	Borderline Personality Disorder With Versus Without Alcohol Use Disorder: Comparing Impulsivity and Schema Modes. Journal of Personality Disorders, 2021, , 1-18.	1.4	3
351	Impact of measurement frequency on self-reported depressive symptoms: An experimental study in a clinical setting. Journal of Affective Disorders Reports, 2021, 5, 100168.	1.7	3
352	Emotion-Focused Techniques in Schema Therapy and the Role of Exposure Techniques., 2012,, 167-181.		2
353	Validation of the Spanish version of the Borderline Personality Disorder Checklist (BPD Checklist) in a sample of BPD patients: Study of psychometric properties. European Journal of Psychiatry, 2018, 32, 26-35.	1.3	2
354	Cognitive predictors of reactive and proactive aggression in a forensic sample: A comparison with a non-clinical sample. Psychiatry Research, 2018, 269, 610-620.	3.3	2
355	Detecting Concealed Information on a Large Scale. , 2018, , 377-403.		2
356	Subjective emotional responses to IAPS pictures in patients with borderline personality disorder, cluster-C personality disorders, and non-patients. Psychiatry Research, 2019, 273, 712-718.	3.3	2
357	Beneficial Effects of Role Reversal in Comparison to role-playing on negative cognitions about Other's Judgments for Social Anxiety Disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2021, 70, 101599.	1.2	2
358	Toward a More Valid Assessment of Behavioral Aggression: An Open Source Platform and an Empirically Derived Scoring Method for Using the Competitive Reaction Time Task (CRTT). Assessment, 2021, 28, 1065-1079.	3.1	2
359	17 Schemagerichte therapie. , 2009, , 301-318.		2
360	11 Cognitieve therapie bij posttraumatische stressstoornis. , 2011, , 289-319.		2

#	Article	IF	Citations
361	Attachment as a framework to facilitate empowerment for people with severe mental illness. Psychology and Psychotherapy: Theory, Research and Practice, 2021, 94, 407-425.	2.5	2
362	The use of borderline personality disorder severity index-iv feedback in adjusting borderline personality disorder treatment: therapists and patients perspectives. BMC Psychiatry, 2022, 22, .	2.6	2
363	Dth jaargang 1993, nummer 1 Cognitieve gedragstherapie bij persoonlijkheidsstoornissen. Dth, 1993, 13, 1-11.	0.2	1
364	Stimulus estimation and the overprediction of fear: a reply to Taylor. Behaviour Research and Therapy, 1995, 33, 817-818.	3.1	1
365	PMH7 BOTTOM-UP OR TOP-DOWN? IMPACT OF PATIENT SELECTION ON COST-OF-ILLNESS RESULTS. Value in Health, 2002, 5, 516.	0.3	1
366	Special issue in honour of Marcel van den Hout, former Co-Editor of BTEP. Journal of Behavior Therapy and Experimental Psychiatry, 2016, 53, 1.	1.2	1
367	Schematherapy in DID: treatment length and related studies on dissociative amnesia. Högre Utbildning, 2020, 11, 1711638.	3.0	1
368	How do adults with <scp>postâ€traumatic</scp> stress disorder from childhood trauma talk about single versus repeated traumas?. Applied Cognitive Psychology, 2021, 35, 924-934.	1.6	1
369	11 Schematherapie voor Forensische Patiīnten. , 2008, , 123-129.		1
370	Effects of endorphine blocking on conditioned SCRs. International Journal of Psychophysiology, 1993, 14, 137.	1.0	0
371	PMH11 PRODUCTION LOSSES IN BORDERLINE PERSONALITY DISORDER: SHORTCOMINGS IN THE STANDARD METHODS OF VALUATION. Value in Health, 2003, 6, 692.	0.3	0
372	Reassurance that there is no serious disease seems essential in the development of benign pain complaints. Journal of Clinical Epidemiology, 2006, 59, 868-869.	5.0	0
373	Ook angstpatiënten zonder ptss hebben last van ptss-symptomen. Dth, 2006, 26, 28-31.	0.2	0
374	Epidemiological, Factor-Analytic, and Cognitive Factors in the Position of Obsessive-Compulsive Personality Disorder among the Cluster C Personality Disorders: Commentary on Cluster C Anxious-Fearful Personality Pathology and Avoidance., 2020,, 317-320.		0
375	Protocollaire behandeling van patiënten met een gegeneraliseerde angststoornis:. , 2004, , 98-124.		0
376	Behandeling van patiënten met een posttraumatische stress-stoornis met exposure. , 2005, , 76-85.		0
377	Post-traumatic stress after non-traumatic events. British Journal of Psychiatry, 2006, 188, 291-291.	2.8	0
378	3 Theoretisch model: schema's, copingstrategieën en modi. , 2008, , 17-32.		О

#	Article	IF	CITATIONS
379	2 Een beknopte geschiedenis van schematherapie. , 2008, , 9-16.		O
380	21 Effectiviteitsstudies., 2008,, 235-250.		0
381	6 Cognitieve therapie bij gegeneraliseerde angststoornis. , 2011, , 137-165.		0
382	1 Cognitieve verwerking en psychopathologie: theorie en onderzoek., 2011,, 3-29.		0
383	Schematherapie: theorie, praktijk en onderzoek. , 2017, , 363-392.		O
384	Cognitieve therapie bij posttraumatische stressstoornis. , 2019, , 207-227.		0
385	An Explorative Study of Atypical Social Interaction Styles in Adult Men with Autism Spectrum Disorder, Men with Personality Disorders and Men from the General Population. Journal of Autism and Developmental Disorders, 2022, , .	2.7	0