

Arnoud Arntz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6220045/publications.pdf>

Version: 2024-02-01

385
papers

21,506
citations

7568

77
h-index

15266

126
g-index

440
all docs

440
docs citations

440
times ranked

13491
citing authors

#	ARTICLE	IF	CITATIONS
1	Schema therapy for violent PD offenders: a randomized clinical trial. <i>Psychological Medicine</i> , 2023, 53, 88-102.	4.5	33
2	Imagery Rescripting for Patients With Posttraumatic Stress Disorder: A Qualitative Study of Patients' and Therapists' Perspectives About the Elements of Change. <i>Cognitive and Behavioral Practice</i> , 2023, 30, 18-34.	1.5	8
3	Managing Dissociation in Imagery Rescripting for Voice Hearers With Trauma: Lessons From a Case Series. <i>Cognitive and Behavioral Practice</i> , 2022, 29, 434-445.	1.5	6
4	First Psychometric Properties of the Dutch Interview for Diagnostic Assessment of Autism Spectrum Disorder in Adult Males Without Intellectual Disability. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 3523-3535.	2.7	4
5	The societal cost of treatment-seeking patients with borderline personality disorder in Germany. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 741-752.	3.2	15
6	Towards optimal treatment selection for borderline personality disorder patients (BOOTS): a study protocol for a multicenter randomized clinical trial comparing schema therapy and dialectical behavior therapy. <i>BMC Psychiatry</i> , 2022, 22, 89.	2.6	7
7	Treating PTSD with Imagery Rescripting in underweight eating disorder patients: a multiple baseline case series study. <i>Journal of Eating Disorders</i> , 2022, 10, 35.	2.7	6
8	An Explorative Study of Atypical Social Interaction Styles in Adult Men with Autism Spectrum Disorder, Men with Personality Disorders and Men from the General Population. <i>Journal of Autism and Developmental Disorders</i> , 2022, , .	2.7	0
9	Internet-delivered interventions for personality disorders – A scoping review. <i>Internet Interventions</i> , 2022, 28, 100525.	2.7	4
10	Effectiveness of Predominantly Group Schema Therapy and Combined Individual and Group Schema Therapy for Borderline Personality Disorder. <i>JAMA Psychiatry</i> , 2022, 79, 287.	11.0	34
11	The use of borderline personality disorder severity index-iv feedback in adjusting borderline personality disorder treatment: therapists and patients perspectives. <i>BMC Psychiatry</i> , 2022, 22, .	2.6	2
12	Jumping back onto the giants' shoulders: Why emotional memory should be considered in a network perspective of psychopathology. <i>Behaviour Research and Therapy</i> , 2022, 156, 104154.	3.1	4
13	Borderline personality disorder classification based on brain network measures during emotion regulation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1169-1178.	3.2	8
14	Beneficial Effects of Role Reversal in Comparison to role-playing on negative cognitions about Other's Judgments for Social Anxiety Disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2021, 70, 101599.	1.2	2
15	Toward a More Valid Assessment of Behavioral Aggression: An Open Source Platform and an Empirically Derived Scoring Method for Using the Competitive Reaction Time Task (CRTT). <i>Assessment</i> , 2021, 28, 1065-1079.	3.1	2
16	The Influence of Early Maladaptive Schemas on the Causal Links between Perceived Injustice, Negative Affect, and Aggression. <i>International Journal of Forensic Mental Health</i> , 2021, 20, 133-149.	1.0	6
17	A Schema Therapy Based Milieu in Secure Residential Youth Care: Effects on Aggression, Group Climate, Repressive Staff Interventions, and Team Functioning. <i>Residential Treatment for Children and Youth</i> , 2021, 38, 289-306.	0.9	4
18	Towards a Reformulated Theory Underlying Schema Therapy: Position Paper of an International Workgroup. <i>Cognitive Therapy and Research</i> , 2021, 45, 1007-1020.	1.9	36

#	ARTICLE	IF	CITATIONS
19	Group schema therapy for patients with clusterâ€C personality disorders: A case study on avoidant personality disorder. <i>Journal of Clinical Psychology</i> , 2021, 77, 1233-1248.	1.9	11
20	The network structure of schema modes. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 1065-1078.	2.7	6
21	Patient and Therapist Perspectives on Treatment for Adults with PTSD from Childhood Trauma. <i>Journal of Clinical Medicine</i> , 2021, 10, 954.	2.4	11
22	Delivering Imagery Rescripting via Telehealth: Clinical Concerns, Benefits, and Recommendations. <i>Current Psychiatry Reports</i> , 2021, 23, 24.	4.5	7
23	How do adults with <scp>postâ€traumatic</scp> stress disorder from childhood trauma talk about single versus repeated traumas?. <i>Applied Cognitive Psychology</i> , 2021, 35, 924-934.	1.6	1
24	Borderline Personality Disorder With Versus Without Alcohol Use Disorder: Comparing Impulsivity and Schema Modes. <i>Journal of Personality Disorders</i> , 2021, , 1-18.	1.4	3
25	Looking at the bigger picture: Cortical volume, thickness and surface area characteristics in borderline personality disorder with and without posttraumatic stress disorder. <i>Psychiatry Research - Neuroimaging</i> , 2021, 311, 111283.	1.8	5
26	Impact of measurement frequency on self-reported depressive symptoms: An experimental study in a clinical setting. <i>Journal of Affective Disorders Reports</i> , 2021, 5, 100168.	1.7	3
27	The exploratory value of cross-sectional partial correlation networks: Predicting relationships between change trajectories in borderline personality disorder. <i>PLoS ONE</i> , 2021, 16, e0254496.	2.5	31
28	Differential Effects of Comorbid Psychiatric Disorders on Treatment Outcome in Posttraumatic Stress Disorder from Childhood Trauma. <i>Journal of Clinical Medicine</i> , 2021, 10, 3708.	2.4	5
29	Treating posttraumatic stress disorder in substance use disorder patients with co-occurring posttraumatic stress disorder: study protocol for a randomized controlled trial to compare the effectiveness of different types and timings of treatment. <i>BMC Psychiatry</i> , 2021, 21, 442.	2.6	10
30	The impact of childhood maltreatment on the severity of childhood-related posttraumatic stress disorder in adults. <i>Child Abuse and Neglect</i> , 2021, 120, 105208.	2.6	11
31	Addressing the punitive parent mode in schema therapy for borderline personality disorder: Short-term effects of the empty chair technique as compared to cognitive challenging.. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2021, 73, 101678.	1.2	4
32	Attachment as a framework to facilitate empowerment for people with severe mental illness. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 407-425.	2.5	2
33	Effectiveness of Psychological Treatments for Borderline Personality Disorder and Predictors of Treatment Outcomes: A Multivariate Multilevel Meta-Analysis of Data from All Design Types. <i>Journal of Clinical Medicine</i> , 2021, 10, 5622.	2.4	19
34	The effect of twice-weekly versus once-weekly sessions of either imagery rescripting or eye movement desensitization and reprocessing for adults with PTSD from childhood trauma (IREM-Freq): a study protocol for an international randomized clinical trial. <i>Trials</i> , 2021, 22, 848.	1.6	7
35	The effectiveness of imagery work in schema therapy with couples: a clinical experiment comparing the effects of imagery rescripting and cognitive interventions in brief schema couples therapy. <i>Sexual and Relationship Therapy</i> , 2020, 35, 320-337.	1.2	3
36	Patients with borderline personality disorder and comorbid PTSD show biased attention for threat in the facial dot-probe task. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2020, 67, 101437.	1.2	7

#	ARTICLE	IF	CITATIONS
37	Explosive Matters: Does Venting Anger Reduce or Increase Aggression? Differences in Anger Venting Effects in Violent Offenders. <i>Journal of Aggression, Maltreatment and Trauma</i> , 2020, 29, 611-627.	1.4	6
38	Impulse control under emotion processing: an fMRI investigation in borderline personality disorder compared to non-patients and cluster-C personality disorder patients. <i>Brain Imaging and Behavior</i> , 2020, 14, 2107-2121.	2.1	17
39	A plea for more attention to mental representations. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2020, 67, 101510.	1.2	14
40	Imagery rescripting and eye movement desensitisation and reprocessing as treatment for adults with post-traumatic stress disorder from childhood trauma: randomised clinical trial. <i>British Journal of Psychiatry</i> , 2020, 217, 609-615.	2.8	48
41	Experiences of Patients With Borderline Personality Disorder With Imagery Rescripting in the Context of Schema Therapy—A Qualitative Study. <i>Frontiers in Psychiatry</i> , 2020, 11, 550833.	2.6	3
42	Epidemiological, Factor-Analytic, and Cognitive Factors in the Position of Obsessive-Compulsive Personality Disorder among the Cluster C Personality Disorders: Commentary on Cluster C Anxious-Fearful Personality Pathology and Avoidance. , 2020, , 317-320.		0
43	Improvement of Conflict Handling: Hand-Holding During and After Conflict Discussions Affects Heart Rate, Mood, and Observed Communication Behavior in Romantic Partners. <i>Journal of Sex and Marital Therapy</i> , 2020, 46, 419-434.	1.5	7
44	The effects of once- versus twice-weekly sessions on psychotherapy outcomes in depressed patients. <i>British Journal of Psychiatry</i> , 2020, 216, 222-230.	2.8	60
45	Schematherapy in DID: treatment length and related studies on dissociative amnesia. <i>HÅrre Utbildning</i> , 2020, 11, 1711638.	3.0	1
46	Schema modes as a common mechanism of change in personality pathology and functioning: Results from a randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2020, 126, 103553.	3.1	22
47	Interpersonal Psychotherapy Versus Cognitive Therapy for Depression: How They Work, How Long, and for Whom—Key Findings From an RCT. <i>American Journal of Psychotherapy</i> , 2020, 73, 8-14.	1.2	8
48	Schema Therapy with Emotionally Inhibited and Fearful Patients. <i>Journal of Contemporary Psychotherapy</i> , 2019, 49, 7-14.	1.2	11
49	Long-term outcomes of acute treatment with cognitive therapy v. interpersonal psychotherapy for adult depression: follow-up of a randomized controlled trial. <i>Psychological Medicine</i> , 2019, 49, 465-473.	4.5	32
50	Anger provocation increases limbic and decreases medial prefrontal cortex connectivity with the left amygdala in reactive aggressive violent offenders. <i>Brain Imaging and Behavior</i> , 2019, 13, 1311-1323.	2.1	34
51	Investigating the effects of imagery rescripting on emotional memory: A series of analogue studies. <i>Journal of Experimental Psychopathology</i> , 2019, 10, 204380871985073.	0.8	18
52	Detecting Deceptive Intentions: Possibilities for Large-Scale Applications. , 2019, , 403-427.		3
53	Imagery rescripting for the treatment of trauma in voice hearers: a case series. <i>Behavioural and Cognitive Psychotherapy</i> , 2019, 47, 709-725.	1.2	39
54	Crying in borderline personality disorder patients. <i>Psychiatry Research</i> , 2019, 273, 100-107.	3.3	3

#	ARTICLE	IF	CITATIONS
55	Being accurate about accuracy in verbal deception detection. <i>PLoS ONE</i> , 2019, 14, e0220228.	2.5	18
56	The effectiveness of individual schema therapy in older adults with borderline personality disorder: Protocol of a multiple-baseline study. <i>Contemporary Clinical Trials Communications</i> , 2019, 14, 100330.	1.1	12
57	Biased Attention to Facial Expressions of Ambiguous Emotions in Borderline Personality Disorder: An Eye-Tracking Study. <i>Journal of Personality Disorders</i> , 2019, 33, 671-88.	1.4	19
58	Mediators of Change in Imagery Rescripting and Imaginal Exposure for Nightmares: Evidence From a Randomized Wait-List Controlled Trial. <i>Behavior Therapy</i> , 2019, 50, 978-993.	2.4	26
59	Positive cognitive behavior therapy in the treatment of depression: A randomized order within-subject comparison with traditional cognitive behavior therapy. <i>Behaviour Research and Therapy</i> , 2019, 116, 119-130.	3.1	46
60	Subjective emotional responses to IAPS pictures in patients with borderline personality disorder, cluster-C personality disorders, and non-patients. <i>Psychiatry Research</i> , 2019, 273, 712-718.	3.3	2
61	Case Formulation in Schema Therapy. , 2019, , 77-94.		7
62	Schema therapy for Dissociative Identity Disorder (DID): rationale and study protocol. <i>HÅ¶gre Utbildning</i> , 2019, 10, 1571377.	3.0	27
63	An integrative perspective on the interplay between early maladaptive schemas and mental health: The role of self-compassion and emotion regulation. <i>Journal of Clinical Psychology</i> , 2019, 75, 1098-1113.	1.9	24
64	Schema therapy for Dissociative Identity Disorder (DID): further explanation about the rationale and study protocol. <i>HÅ¶gre Utbildning</i> , 2019, 10, 1684629.	3.0	7
65	Hypothalamic-pituitary-adrenal axis functioning in borderline personality disorder: A meta-analysis. <i>Neuroscience and Biobehavioral Reviews</i> , 2019, 96, 316-334.	6.1	56
66	Intimate stimuli result in fronto-parietal activation changes in anorexia nervosa. <i>Eating and Weight Disorders</i> , 2019, 24, 1155-1164.	2.5	4
67	Cognitieve therapie bij posttraumatische stressstoornis. , 2019, , 207-227.		0
68	Automated verbal credibility assessment of intentions: The model statement technique and predictive modeling. <i>Applied Cognitive Psychology</i> , 2018, 32, 354-366.	1.6	22
69	The influence of comorbid anxiety on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2018, 232, 52-60.	4.1	15
70	Internalizing and Externalizing Behaviors Share a Common Predictor: the Effects of Early Maladaptive Schemas Are Mediated by Coping Responses and Schema Modes. <i>Journal of Abnormal Child Psychology</i> , 2018, 46, 907-920.	3.5	45
71	The Development and Psychometric Evaluation of the Group Schema Therapy Rating Scale â€œ Revised. <i>Behavioural and Cognitive Psychotherapy</i> , 2018, 46, 601-618.	1.2	4
72	Temperament, Character, and Personality Disorders in Adults with Autism Spectrum Disorder: a Systematic Literature Review and Meta-analysis. <i>Review Journal of Autism and Developmental Disorders</i> , 2018, 5, 176-197.	3.4	18

#	ARTICLE	IF	CITATIONS
73	Schema therapy for personality disorders in older adults: a multiple-baseline study. <i>Aging and Mental Health</i> , 2018, 22, 738-747.	2.8	70
74	The Italian Version of the Borderline Personality Disorder Severity Index IV: Psychometric Properties, Clinical Usefulness, and Possible Diagnostic Implications. <i>Journal of Personality Disorders</i> , 2018, 32, 207-219.	1.4	5
75	Validation of Schema Coping Inventory and Schema Mode Inventory in Adolescents. <i>Journal of Personality Disorders</i> , 2018, 32, 220-241.	1.4	18
76	Exploring mechanisms of change in schema therapy for chronic depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2018, 58, 97-105.	1.2	25
77	Different aspects of emotional intelligence of borderline personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, e51-e59.	2.7	3
78	Using Named Entities for Computer-Automated Verbal Deception Detection. <i>Journal of Forensic Sciences</i> , 2018, 63, 714-723.	1.6	33
79	Validation of the Spanish version of the Borderline Personality Disorder Checklist (BPD Checklist) in a sample of BPD patients: Study of psychometric properties. <i>European Journal of Psychiatry</i> , 2018, 32, 26-35.	1.3	2
80	The impact of personality disorder pathology on the effectiveness of Cognitive Therapy and Interpersonal Psychotherapy for Major Depressive Disorder. <i>Journal of Affective Disorders</i> , 2018, 225, 530-538.	4.1	15
81	Schema therapy for borderline personality disorder: A qualitative study of patients' perceptions. <i>PLoS ONE</i> , 2018, 13, e0206039.	2.5	24
82	Always on guard: emotion regulation in women with. <i>Journal of Psychiatry and Neuroscience</i> , 2018, 43, 37-47.	2.4	22
83	Optimizing psychotherapy dosage for comorbid depression and personality disorders (PsyDos): a pragmatic randomized factorial trial using schema therapy and short-term psychodynamic psychotherapy. <i>BMC Psychiatry</i> , 2018, 18, 252.	2.6	15
84	PRO*BPD: effectiveness of outpatient treatment programs for borderline personality disorder: a comparison of Schema therapy and dialectical behavior therapy: study protocol for a randomized trial. <i>BMC Psychiatry</i> , 2018, 18, 341.	2.6	19
85	Cognitive predictors of reactive and proactive aggression in a forensic sample: A comparison with a non-clinical sample. <i>Psychiatry Research</i> , 2018, 269, 610-620.	3.3	2
86	Detecting Concealed Information on a Large Scale. , 2018, , 377-403.		2
87	The first direct replication on using verbal credibility assessment for the detection of deceptive intentions. <i>Applied Cognitive Psychology</i> , 2018, 32, 592-599.	1.6	4
88	Specialized psychotherapies for adults with borderline personality disorder: A systematic review and meta-analysis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 949-961.	2.3	79
89	Responses to dominance challenge are a function of psychopathy level: A multimethod study.. <i>Personality Disorders: Theory, Research, and Treatment</i> , 2018, 9, 305-314.	1.3	8
90	How to Train Experienced Therapists in a New Method: A Qualitative Study into Therapists' Views. <i>Clinical Psychology and Psychotherapy</i> , 2017, 24, 359-372.	2.7	6

#	ARTICLE	IF	CITATIONS
91	Schema therapy as treatment for adults with autism spectrum disorder and comorbid personality disorder: Protocol of a multiple-baseline case series study testing cognitive-behavioral and experiential interventions. <i>Contemporary Clinical Trials Communications</i> , 2017, 5, 80-85.	1.1	16
92	Schema Therapy for Personality Disorders: a Qualitative Study of Patientsâ€™ and Therapistsâ€™ Perspectives. <i>Behavioural and Cognitive Psychotherapy</i> , 2017, 45, 31-45.	1.2	19
93	Evoking emotional states in personality disordered offenders: An experimental pilot study of experiential drama therapy techniques. <i>Arts in Psychotherapy</i> , 2017, 53, 80-88.	1.2	18
94	Imagery rescripting and eye movement desensitisation and reprocessing for treatment of adults with childhood trauma-related post-traumatic stress disorder: IREM study design. <i>BMC Psychiatry</i> , 2017, 17, 165.	2.6	27
95	Exploring mechanisms of change in cognitive therapy and interpersonal psychotherapy for adult depression. <i>Behaviour Research and Therapy</i> , 2017, 94, 81-92.	3.1	56
96	Anger provocation in violent offenders leads to emotion dysregulation. <i>Scientific Reports</i> , 2017, 7, 3583.	3.3	27
97	Efficacy of imagery rescripting and imaginal exposure for nightmares: A randomized wait-list controlled trial. <i>Behaviour Research and Therapy</i> , 2017, 97, 14-25.	3.1	35
98	Deficient amygdalaâ€“prefrontal intrinsic connectivity after effortful emotion regulation in borderline personality disorder. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2017, 267, 551-565.	3.2	52
99	Unblending Borderline Personality and Bipolar Disorders. <i>Journal of Psychiatric Research</i> , 2017, 91, 90-97.	3.1	19
100	Validation of the schema mode concept in personality disordered offenders. <i>Legal and Criminological Psychology</i> , 2017, 22, 420-441.	2.0	30
101	Negative mood-induction modulates default mode network resting-state functional connectivity in chronic depression. <i>Journal of Affective Disorders</i> , 2017, 208, 590-596.	4.1	27
102	Imagery rescripting as a clinical intervention for aversive memories: A meta-analysis. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2017, 55, 6-15.	1.2	162
103	An Investigation on the Detectability of Deceptive Intent about Flying through Verbal Deception Detection. <i>Collabra: Psychology</i> , 2017, 3, .	1.8	8
104	Treatment of Intrusive Suicidal Imagery Using Eye Movements. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 714.	2.6	10
105	The Borderline Personality Disorder Checklist: Psychometric evaluation and factorial structure in clinical and nonclinical samples. <i>Roczniki Psychologiczne</i> , 2017, 20, 311-336.	0.1	11
106	Schematherapie: theorie, praktijk en onderzoek. , 2017, , 363-392.		0
107	Schema modes in criminal and violent behaviour of forensic cluster B <sc>PD</sc> patients: A retrospective and prospective study. <i>Legal and Criminological Psychology</i> , 2016, 21, 56-76.	2.0	51
108	Emotion Regulation in Schema Therapy and Dialectical Behavior Therapy. <i>Frontiers in Psychology</i> , 2016, 7, 1373.	2.1	67

#	ARTICLE	IF	CITATIONS
109	Feasibility of Group Schema Therapy for Outpatients with Severe Borderline Personality Disorder in Germany: A Pilot Study with Three Year Follow-Up. <i>Frontiers in Psychology</i> , 2016, 7, 1851.	2.1	24
110	Executive (Dys)Functioning and Impulsivity as Possible Vulnerability Factors for Aggression in Forensic Patients. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 280-286.	1.0	21
111	Modeling Impulsivity in Forensic Patients: A Three-Dimensional Model of Impulsivity. <i>American Journal of Psychology</i> , 2016, 129, 429-441.	0.3	8
112	Special issue in honour of Marcel van den Hout, former Co-Editor of BTEP. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 53, 1.	1.2	1
113	Efficacy and mechanisms of imagery rescripting and imaginal exposure for nightmares: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 469.	1.6	6
114	Group schema therapy versus group cognitive behavioral therapy for social anxiety disorder with comorbid avoidant personality disorder: study protocol for a randomized controlled trial. <i>Trials</i> , 2016, 17, 487.	1.6	19
115	A Group-Administered social Skills Training for 8- to 12- Year-Old, high-Functioning Children With Autism Spectrum Disorders: An Evaluation of its Effectiveness in a Naturalistic Outpatient Treatment Setting. <i>Journal of Autism and Developmental Disorders</i> , 2016, 46, 3493-3504.	2.7	34
116	Mechanisms of change in psychotherapy for depression: An empirical update and evaluation of research aimed at identifying psychological mediators. <i>Clinical Psychology Review</i> , 2016, 50, 95-107.	11.4	144
117	Attentional Bias for Emotional Stimuli in Borderline Personality Disorder: A Meta-Analysis. <i>Psychopathology</i> , 2016, 49, 383-396.	1.5	45
118	Cognitive predictors of violent incidents in forensic psychiatric inpatients. <i>Psychiatry Research</i> , 2016, 237, 229-237.	3.3	25
119	The Mask of Sanity: Facial Expressive, Self-Reported, and Physiological Consequences of Emotion Regulation in Psychopathic Offenders. <i>Journal of Personality Disorders</i> , 2016, 30, 828-838.	1.4	9
120	Sudden gains in Cognitive Therapy and Interpersonal Psychotherapy for adult depression. <i>Behaviour Research and Therapy</i> , 2016, 77, 170-176.	3.1	27
121	Schema therapy for chronic depression: Results of a multiple single case series. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2016, 51, 66-73.	1.2	73
122	Imagery rescripting: Is incorporation of the most aversive scenes necessary?. <i>Memory</i> , 2016, 24, 683-695.	1.7	43
123	The Role of the Insular Cortex in Retaliation. <i>PLoS ONE</i> , 2016, 11, e0152000.	2.5	25
124	Integration of eHealth Tools Into Face-to-Face Psychotherapy for Borderline Personality Disorder: A Chance to Close the Gap Between Demand and Supply?. <i>Journal of Clinical Psychology</i> , 2015, 71, 764-777.	1.9	18
125	Theory of Mind, Social Desirability, and Unlikely Symptom Reporting in Offenders With and Without Psychopathy. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 596-603.	1.0	15
126	Sex Bias in Classifying Borderline and Narcissistic Personality Disorder. <i>Journal of Nervous and Mental Disease</i> , 2015, 203, 804-808.	1.0	19

#	ARTICLE	IF	CITATIONS
127	Resilience as a predictor for emotional response to the diagnosis and surgery in breast cancer patients. <i>Psycho-Oncology</i> , 2015, 24, 1639-1645.	2.3	75
128	Emotional hyperreactivity in response to childhood abuse by primary caregivers in patients with borderline personality disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 48, 125-132.	1.2	8
129	Prediction of treatment discontinuation and recovery from Borderline Personality Disorder: Results from an RCT comparing Schema Therapy and Transference Focused Psychotherapy. <i>Behaviour Research and Therapy</i> , 2015, 74, 60-71.	3.1	55
130	Emotional sensitivity, emotion regulation and impulsivity in borderline personality disorder: A critical review of fMRI studies. <i>Neuroscience and Biobehavioral Reviews</i> , 2015, 51, 64-76.	6.1	128
131	Identifying cognitive predictors of reactive and proactive aggression. <i>Aggressive Behavior</i> , 2015, 41, 51-64.	2.4	56
132	Clinical effectiveness of cognitive therapy <i>v.</i> interpersonal psychotherapy for depression: results of a randomized controlled trial. <i>Psychological Medicine</i> , 2015, 45, 2095-2110.	4.5	56
133	Neural correlates of self-referential processing and implicit self-associations in chronic depression. <i>Journal of Affective Disorders</i> , 2015, 186, 40-47.	4.1	23
134	Examining the influence of psychopathy, hostility biases, and automatic processing on criminal offenders' Theory of Mind. <i>International Journal of Law and Psychiatry</i> , 2015, 38, 92-99.	0.9	23
135	The influence of patients' attributions of the immediate effects of treatment of depression on long-term effectiveness of behavioural activation and antidepressant medication. <i>Behaviour Research and Therapy</i> , 2015, 69, 83-92.	3.1	4
136	Frequency and change mechanisms of psychotherapy among depressed patients: study protocol for a multicenter randomized trial comparing twice-weekly versus once-weekly sessions of CBT and IPT. <i>BMC Psychiatry</i> , 2015, 15, 137.	2.6	30
137	Reducing proactive aggression through non-invasive brain stimulation. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 1303-1309.	3.0	93
138	Fear conditioning with film clips: A complex associative learning paradigm. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2015, 47, 42-50.	1.2	24
139	The influence of stress on social cognition in patients with borderline personality disorder. <i>Psychoneuroendocrinology</i> , 2015, 52, 119-129.	2.7	80
140	Case-based reasoning for predicting the success of therapy. <i>Expert Systems</i> , 2015, 32, 165-177.	4.5	14
141	Out of control: Evidence for anterior insula involvement in motor impulsivity and reactive aggression. <i>Social Cognitive and Affective Neuroscience</i> , 2015, 10, 508-516.	3.0	91
142	The Structured Clinical Interview for DSM-IV Childhood Diagnoses (Kid-SCID): First Psychometric Evaluation in a Dutch Sample of Clinically Referred Youths. <i>Child Psychiatry and Human Development</i> , 2015, 46, 367-375.	1.9	19
143	No Effects of Bilateral tDCS over Inferior Frontal Gyrus on Response Inhibition and Aggression. <i>PLoS ONE</i> , 2015, 10, e0132170.	2.5	58
144	Predicting Optimal Outcomes in Cognitive Therapy or Interpersonal Psychotherapy for Depressed Individuals Using the Personalized Advantage Index Approach. <i>PLoS ONE</i> , 2015, 10, e0140771.	2.5	131

#	ARTICLE	IF	CITATIONS
145	Economic Evaluation of Schema Therapy and Clarification-Oriented Psychotherapy for Personality Disorders. <i>Journal of Clinical Psychiatry</i> , 2015, 76, e1432-e1440.	2.2	21
146	Results of a Multicenter Randomized Controlled Trial of the Clinical Effectiveness of Schema Therapy for Personality Disorders. <i>American Journal of Psychiatry</i> , 2014, 171, 305-322.	7.2	371
147	The Role of Right Prefrontal and Medial Cortex in Response Inhibition: Interfering with Action Restraint and Action Cancellation Using Transcranial Magnetic Brain Stimulation. <i>Journal of Cognitive Neuroscience</i> , 2014, 26, 1775-1784.	2.3	65
148	A network approach to response inhibition: dissociating functional connectivity of neural components involved in action restraint and action cancellation. <i>European Journal of Neuroscience</i> , 2014, 39, 821-831.	2.6	56
149	Design of an international multicentre RCT on group schema therapy for borderline personality disorder. <i>BMC Psychiatry</i> , 2014, 14, 319.	2.6	41
150	Subclinical psychotic experiences and bipolar spectrum features in depression: association with outcome of psychotherapy. <i>Psychological Medicine</i> , 2014, 44, 325-336.	4.5	46
151	Responding to the Treatment Challenge of Patients with Severe BPD: Results of Three Pilot Studies of Inpatient Schema Therapy. <i>Behavioural and Cognitive Psychotherapy</i> , 2014, 42, 355-367.	1.2	38
152	Combined group and individual schema therapy for borderline personality disorder: A pilot study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 242-251.	1.2	72
153	The influence of patients' preference/attitude towards psychotherapy and antidepressant medication on the treatment of major depressive disorder. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 170-177.	1.2	28
154	Predicting response to cognitive therapy and interpersonal therapy, with or without antidepressant medication, for major depression: A pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2014, 152-154, 146-154.	4.1	16
155	The impact of comorbid depression on recovery from personality disorders and improvements in psychosocial functioning: Results from a randomized controlled trial. <i>Behaviour Research and Therapy</i> , 2014, 63, 55-62.	3.1	13
156	The value of an implicit self-associative measure specific to core beliefs of depression. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 196-202.	1.2	13
157	Schema therapy for patients with chronic depression: A single case series study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2014, 45, 319-329.	1.2	75
158	Schema therapy for borderline personality disorder: A comprehensive review of its empirical foundations, effectiveness and implementation possibilities. <i>Clinical Psychology Review</i> , 2013, 33, 426-447.	11.4	116
159	Norms for the Beck Depression Inventory (BDI-II) in a Large Dutch Community Sample. <i>Journal of Psychopathology and Behavioral Assessment</i> , 2013, 35, 93-98.	1.2	61
160	Behavioural activation <i>v.</i> antidepressant medication for treating depression in Iran: randomised trial. <i>British Journal of Psychiatry</i> , 2013, 202, 204-211.	2.8	60
161	The clinical effectiveness of evidence-based interventions for depression: A pragmatic trial in routine practice. <i>Journal of Affective Disorders</i> , 2013, 145, 349-355.	4.1	28
162	Short-term group schema cognitive-behavioral therapy for young adults with personality disorders and personality disorder features: Associations with changes in symptomatic distress, schemas, schema modes and coping styles. <i>Behaviour Research and Therapy</i> , 2013, 51, 487-492.	3.1	51

#	ARTICLE	IF	CITATIONS
163	The influence of comorbid personality disorder on the effects of behavioural activation vs. antidepressant medication for major depressive disorder: Results from a randomized trial in Iran. <i>Behaviour Research and Therapy</i> , 2013, 51, 499-506.	3.1	19
164	Initial Validation of the Spanish Childhood Trauma Questionnaire-Short Form. <i>Journal of Interpersonal Violence</i> , 2013, 28, 1498-1518.	2.0	117
165	Treatment for chronic depression using schema therapy.. <i>Clinical Psychology: Science and Practice</i> , 2013, 20, 166-180.	0.9	50
166	Imagery Rescripting as treatment for complicated PTSD in refugees: A multiple baseline case series study. <i>Behaviour Research and Therapy</i> , 2013, 51, 274-283.	3.1	82
167	Brief Communication: Investigating the Relationship Between Psychopathy and Interoceptive Awareness. <i>Journal of Personality Disorders</i> , 2013, 27, 617-624.	1.4	21
168	Rejection Sensitivity Is a Mediator Between Borderline Personality Disorder Features and Facial Trust Appraisal. <i>Journal of Personality Disorders</i> , 2013, 27, 442-456.	1.4	80
169	A Commentary on the Study on Dual-Focused vs. Single-Focused Therapy for Personality Disorders and Substance Dependence by Ball et al. (2011). <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 712-713.	1.0	4
170	The Relationship Between Adult Reactive and Proactive Aggression, Hostile Interpretation Bias, and Antisocial Personality Disorder. <i>Journal of Personality Disorders</i> , 2013, 27, 53-66.	1.4	88
171	Neither Dichotomous nor Split, but Schema-Related Negative Interpersonal Evaluations Characterize Borderline Patients. <i>Journal of Personality Disorders</i> , 2013, 27, 36-52.	1.4	21
172	Psychometric Properties of the German Version of the Borderline Personality Disorder Severity Index - Version IV. <i>Psychopathology</i> , 2013, 46, 396-403.	1.5	19
173	Reducing emotional reasoning: An experimental manipulation in individuals with fear of spiders. <i>Cognition and Emotion</i> , 2013, 27, 1504-1512.	2.0	9
174	Preliminary evaluation of psychometric properties of the Finnish Borderline Personality Disorder Severity Index: Oulu-BPD-Study. <i>Nordic Journal of Psychiatry</i> , 2013, 67, 312-319.	1.3	12
175	Schema Therapy for Personality Disorders – A Review. <i>International Journal of Cognitive Therapy</i> , 2013, 6, 171-185.	2.2	108
176	Borderline Personality Disorder and Emotional Intelligence. <i>Journal of Nervous and Mental Disease</i> , 2013, 201, 99-104.	1.0	19
177	A randomized clinical trial of cognitive behavioral therapy and interpersonal psychotherapy for panic disorder with agoraphobia. <i>Psychological Medicine</i> , 2012, 42, 2661-2672.	4.5	28
178	Relationships Between Childhood Maltreatment, Parenting Style, and Borderline Personality Disorder Criteria. <i>Journal of Personality Disorders</i> , 2012, 26, 727-736.	1.4	39
179	Emotion-Focused Techniques in Schema Therapy and the Role of Exposure Techniques. , 2012, , 167-181.		2
180	The state dependency of cognitive schemas in antisocial patients. <i>Psychiatry Research</i> , 2012, 198, 452-456.	3.3	5

#	ARTICLE	IF	CITATIONS
181	Consistency of reporting sexual and physical abuse during psychological treatment of personality disorder: An explorative study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012, 43, S43-S50.	1.2	8
182	Adding imagery rescripting during extinction leads to less ABA renewal. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012, 43, 614-624.	1.2	60
183	Reduced intrusion development after post-trauma imagery rescripting; an experimental study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2012, 43, 808-814.	1.2	86
184	Changes in natural language use as an indicator of psychotherapeutic change in personality disorders. <i>Behaviour Research and Therapy</i> , 2012, 50, 191-202.	3.1	40
185	The effectiveness of long-term psychoanalytic psychotherapy – A meta-analysis of randomized controlled trials. <i>Clinical Psychology Review</i> , 2012, 32, 81-92.	11.4	58
186	Social cognition in borderline personality disorder: Evidence for dichotomous thinking but no evidence for less complex attributions. <i>Behaviour Research and Therapy</i> , 2012, 50, 707-718.	3.1	49
187	Effectiveness Studies. , 2012, , 493-510.		9
188	Imagery Rescripting as a Therapeutic Technique: Review of Clinical Trials, Basic Studies, and Research Agenda. <i>Journal of Experimental Psychopathology</i> , 2012, 3, 189-208.	0.8	253
189	EXPERIMENTAL INVESTIGATION OF TARGETING RESPONSIBILITY VERSUS DANGER IN COGNITIVE THERAPY OF OBSESSIVE-COMPULSIVE DISORDER. <i>Depression and Anxiety</i> , 2012, 29, 629-637.	4.1	17
190	Assessing callous – unemotional traits across different groups of youths: Further cross-cultural validation of the Inventory of Callous – Unemotional Traits. <i>International Journal of Law and Psychiatry</i> , 2012, 35, 251-262.	0.9	92
191	Early maladaptive schemas in depressed patients: Stability and relation with depressive symptoms over the course of treatment. <i>Journal of Affective Disorders</i> , 2012, 136, 581-590.	4.1	108
192	Design of a multicentered randomized controlled trial on the clinical and cost effectiveness of schema therapy for personality disorders. <i>BMC Public Health</i> , 2012, 12, 75.	2.9	19
193	The Effects of Experimentally Induced Rumination, Positive Reappraisal, Acceptance, and Distancing When Thinking About a Stressful Event on Affect States in Adolescents. <i>Journal of Abnormal Child Psychology</i> , 2012, 40, 73-84.	3.5	72
194	Games as personality profiling tools. , 2011, , .		54
195	Extended Schema Mode Conceptualizations for Specific Personality Disorders: An Empirical Study. <i>Journal of Personality Disorders</i> , 2011, 25, 41-58.	1.4	86
196	Comparison of different strategies to decrease negative affect and increase positive affect in women with borderline personality disorder. <i>Behaviour Research and Therapy</i> , 2011, 49, 68-73.	3.1	28
197	Interpretation bias in Cluster-C and borderline personality disorders. <i>Behaviour Research and Therapy</i> , 2011, 49, 472-481.	3.1	40
198	One-year follow-up results of unsupported online computerized cognitive behavioural therapy for depression in primary care: A randomized trial. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2011, 42, 89-95.	1.2	34

#	ARTICLE	IF	CITATIONS
199	Positive erotic picture stimuli for emotion research in heterosexual females. <i>Psychiatry Research</i> , 2011, 190, 348-351.	3.3	14
200	Modulation of responses to emotional information in pathological anxiety. <i>Journal of Experimental Psychopathology</i> , 2011, 2, 371-385.	0.8	4
201	Improving adherence and effectiveness of computerised cognitive behavioural therapy without support for depression: A qualitative study on patient experiences. <i>Journal of Affective Disorders</i> , 2011, 129, 117-125.	4.1	120
202	Early Maladaptive Schemas in the risk for bipolar spectrum disorders. <i>Journal of Affective Disorders</i> , 2011, 133, 428-436.	4.1	37
203	Personality Disorder Patients' Perspectives on the Introduction of Imagery Within Schema Therapy: A Qualitative Study of Patients' Experiences. <i>Cognitive and Behavioral Practice</i> , 2011, 18, 482-490.	1.5	24
204	Imagery Rescripting for Personality Disorders. <i>Cognitive and Behavioral Practice</i> , 2011, 18, 466-481.	1.5	95
205	Behavioral Inhibition as a Risk Factor for the Development of Childhood Anxiety Disorders: A Longitudinal Study. <i>Journal of Child and Family Studies</i> , 2011, 20, 157-170.	1.3	131
206	Disrupting the rhythm of depression: design and protocol of a randomized controlled trial on preventing relapse using brief cognitive therapy with or without antidepressants. <i>BMC Psychiatry</i> , 2011, 11, 8.	2.6	16
207	Effectiveness, relapse prevention and mechanisms of change of cognitive therapy vs. interpersonal therapy for depression: Study protocol for a randomised controlled trial. <i>Trials</i> , 2011, 12, 150.	1.6	30
208	Inter-rater reliability of the Structured Clinical Interview for DSM-IV Axis I Disorders (SCID I) and Axis II Disorders (SCID II). <i>Clinical Psychology and Psychotherapy</i> , 2011, 18, 75-79.	2.7	883
209	Patient versus informant reports of personality disorders in forensic patients. <i>Journal of Forensic Psychiatry and Psychology</i> , 2011, 22, 52-71.	1.0	29
210	11 Cognitieve therapie bij posttraumatische stressstoornis. , 2011, , 289-319.		2
211	6 Cognitieve therapie bij gegeneraliseerde angststoornis. , 2011, , 137-165.		0
212	1 Cognitieve verwerking en psychopathologie: theorie en onderzoek. , 2011, , 3-29.		0
213	Positive and Negative Beliefs About Depressive Rumination: A Psychometric Evaluation of Two Self-Report Scales and a Test of a Clinical Metacognitive Model of Rumination and Depression. <i>Cognitive Therapy and Research</i> , 2010, 34, 196-205.	1.9	30
214	The Borderline Personality Disorder Severity Index-IV: Psychometric evaluation and dimensional structure. <i>Personality and Individual Differences</i> , 2010, 49, 136-141.	2.9	90
215	Performance measurement in mental health care: present situation and future possibilities. <i>International Journal of Health Planning and Management</i> , 2010, 25, 198-214.	1.7	23
216	Does illness attribution affect treatment assignment in depression?. <i>Clinical Psychology and Psychotherapy</i> , 2010, 17, 418-426.	2.7	15

#	ARTICLE	IF	CITATIONS
217	Unresolved Issues Regarding Homework Assignments in Cognitive and Behavioural Therapies: An Expert Panel Discussion at AACBT. <i>Behaviour Change</i> , 2010, 27, 119-129.	1.3	11
218	Economic evaluation of online computerised cognitive-behavioural therapy without support for depression in primary care: randomised trial. <i>British Journal of Psychiatry</i> , 2010, 196, 310-318.	2.8	127
219	Reliability and Validity of the Short Schema Mode Inventory (SMI). <i>Behavioural and Cognitive Psychotherapy</i> , 2010, 38, 437-458.	1.2	155
220	Word use of outpatients with a personality disorder and concurrent or previous major depressive disorder. <i>Behaviour Research and Therapy</i> , 2010, 48, 44-51.	3.1	39
221	Emotional, cognitive and physiological correlates of abuse-related stress in borderline and antisocial personality disorder. <i>Behaviour Research and Therapy</i> , 2010, 48, 116-124.	3.1	51
222	Minor and major depression in the general population: does dysfunctional thinking play a role?. <i>Comprehensive Psychiatry</i> , 2010, 51, 266-274.	3.1	21
223	Does the weather make us sad? Meteorological determinants of mood and depression in the general population. <i>Psychiatry Research</i> , 2010, 180, 143-146.	3.3	59
224	Disentangling the Relationship Between Different Types of Childhood Maltreatment and Personality Disorders. <i>Journal of Personality Disorders</i> , 2010, 24, 285-295.	1.4	186
225	Taxometric Evidence for the Dimensional Structure of Cluster-C, Paranoid, and Borderline Personality Disorders. <i>Journal of Personality Disorders</i> , 2009, 23, 606-628.	1.4	67
226	Clinical effectiveness of online computerised cognitive-behavioural therapy without support for depression in primary care: randomised trial. <i>British Journal of Psychiatry</i> , 2009, 195, 73-80.	2.8	171
227	Use and acceptability of unsupported online computerized cognitive behavioral therapy for depression and associations with clinical outcome. <i>Journal of Affective Disorders</i> , 2009, 116, 227-231.	4.1	73
228	A validation study of the Dutch Childhood Trauma Questionnaire-Short Form: Factor structure, reliability, and known-groups validity. <i>Child Abuse and Neglect</i> , 2009, 33, 518-523.	2.6	218
229	Development and psychometric evaluation of a new assessment method for childhood maltreatment experiences: The interview for traumatic events in childhood (ITEC). <i>Child Abuse and Neglect</i> , 2009, 33, 505-517.	2.6	55
230	Implementation of outpatient schema therapy for borderline personality disorder: study design. <i>BMC Psychiatry</i> , 2009, 9, 64.	2.6	21
231	General practitioners' treatment orientations towards low back pain: Influence on treatment behaviour and patient outcome. <i>European Journal of Pain</i> , 2009, 13, 412-418.	2.8	21
232	Psychosocial predictors of chronic Post-Traumatic Stress Disorder in Sri Lankan tsunami survivors. <i>Behaviour Research and Therapy</i> , 2009, 47, 60-65.	3.1	25
233	Mind the gap: Improving the dissemination of CBT. <i>Behaviour Research and Therapy</i> , 2009, 47, 902-909.	3.1	484
234	Three preparatory studies for promoting implementation of outpatient schema therapy for borderline personality disorder in general mental health care. <i>Behaviour Research and Therapy</i> , 2009, 47, 938-945.	3.1	18

#	ARTICLE	IF	CITATIONS
235	Implementation of outpatient schema therapy for borderline personality disorder with versus without crisis support by the therapist outside office hours: A randomized trial. Behaviour Research and Therapy, 2009, 47, 961-973.	3.1	213
236	A comparative study of patients and therapists' reports of schema modes. Journal of Behavior Therapy and Experimental Psychiatry, 2009, 40, 571-579.	1.2	23
237	Effects of induced anger in patients with antisocial personality disorder. Psychological Medicine, 2009, 39, 557-568.	4.5	60
238	How to Deal with Cost Differences at Baseline. Pharmacoeconomics, 2009, 27, 519-528.	3.3	72
239	The EQ-5D: A useful quality of life measure in borderline personality disorder?. European Psychiatry, 2009, 24, 79-85.	0.2	36
240	Theory of Mind in Borderline and Cluster-C Personality Disorder. Journal of Nervous and Mental Disease, 2009, 197, 801-807.	1.0	75
241	Reduced specificity of autobiographical memory in Cluster C personality disorders and the role of depression, worry, and experiential avoidance.. Journal of Abnormal Psychology, 2009, 118, 520-530.	1.9	39
242	17 Schemagerichte therapie. , 2009, , 301-318.		2
243	Can assessors and therapists predict the outcome of long-term psychotherapy in borderline personality disorder?. Journal of Clinical Psychology, 2008, 64, 667-686.	1.9	13
244	Difficulties in Calculating Productivity Costs: Work Disability Associated with Borderline Personality Disorder. Value in Health, 2008, 11, 637-644.	0.3	28
245	Clinical and cost-effectiveness of computerised cognitive behavioural therapy for depression in primary care: Design of a randomised trial. BMC Public Health, 2008, 8, 224.	2.9	31
246	Effects of neuroticism on depression and anxiety: Rumination as a possible mediator. Personality and Individual Differences, 2008, 44, 576-586.	2.9	149
247	Psychometric properties of the Trauma Relevant Assumptions Scale. Journal of Anxiety Disorders, 2008, 22, 1496-1509.	3.2	7
248	The influence of data-driven versus conceptually-driven processing on the development of PTSD-like symptoms. Journal of Behavior Therapy and Experimental Psychiatry, 2008, 39, 546-557.	1.2	29
249	An empirical test of schema mode conceptualizations in personality disorders. Behaviour Research and Therapy, 2008, 46, 854-860.	3.1	123
250	All we need is a cue to remember: The effect of an extinction cue on renewal. Behaviour Research and Therapy, 2008, 46, 1070-1077.	3.1	53
251	Rumination and worrying as possible mediators in the relation between neuroticism and symptoms of depression and anxiety in clinically depressed individuals. Behaviour Research and Therapy, 2008, 46, 1283-1289.	3.1	224
252	How to push someone's buttons: A comparison of four anger-induction methods. Cognition and Emotion, 2008, 22, 353-373.	2.0	105

#	ARTICLE	IF	CITATIONS
253	Out-patient psychotherapy for borderline personality disorder: Cost-effectiveness of schema-focused therapy v. transference-focused psychotherapy. <i>British Journal of Psychiatry</i> , 2008, 192, 450-457.	2.8	142
254	Implicit self- and other-associations in obsessive-compulsive personality disorder traits. <i>Cognition and Emotion</i> , 2008, 22, 1253-1275.	2.0	15
255	11 Schematherapie voor Forensische Patiënten. , 2008, , 123-129.		1
256	3 Theoretisch model: schema's, copingstrategieën en modi. , 2008, , 17-32.		0
257	2 Een beknopte geschiedenis van schematherapie. , 2008, , 9-16.		0
258	21 Effectiviteitsstudies. , 2008, , 235-250.		0
259	Successful Psychotherapy Reduces Hypervigilance in Borderline Personality Disorder. <i>Behavioural and Cognitive Psychotherapy</i> , 2007, 35, 387-402.	1.2	27
260	Deployment-related stress and trauma in Dutch soldiers returning from Iraq. <i>British Journal of Psychiatry</i> , 2007, 191, 140-145.	2.8	171
261	Questions Concerning the Randomized Trial of Schema-Focused Therapy vs Transference-Focused Psychotherapy"Reply. <i>Archives of General Psychiatry</i> , 2007, 64, 610.	12.3	14
262	The context of a noxious stimulus affects the pain it evokes. <i>Pain</i> , 2007, 133, 64-71.	4.2	123
263	Responsibility and obsessive-compulsive disorder: An experimental test. <i>Behaviour Research and Therapy</i> , 2007, 45, 425-435.	3.1	108
264	Hypervigilance in patients with borderline personality disorder: Specificity, automaticity, and predictors. <i>Behaviour Research and Therapy</i> , 2007, 45, 1011-1024.	3.1	74
265	On the links between self-discrepancies, rumination, metacognitions, and symptoms of depression in undergraduates. <i>Behaviour Research and Therapy</i> , 2007, 45, 1295-1305.	3.1	70
266	Effectiveness of treatment of childhood memories in cognitive therapy for personality disorders: A controlled study contrasting methods focusing on the present and methods focusing on childhood memories. <i>Behaviour Research and Therapy</i> , 2007, 45, 2133-2143.	3.1	78
267	Perceptual and conceptual processing as predictors of treatment outcome in PTSD. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2007, 38, 491-506.	1.2	37
268	Treatment of PTSD: A comparison of imaginal exposure with and without imagery rescripting. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2007, 38, 345-370.	1.2	250
269	Imagery rescripting in cognitive behaviour therapy: Images, treatment techniques and outcomes. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2007, 38, 297-305.	1.2	364
270	The cost of borderline personality disorder: societal cost of illness in BPD-patients. <i>European Psychiatry</i> , 2007, 22, 354-361.	0.2	212

#	ARTICLE	IF	CITATIONS
271	The therapeutic alliance in schema-focused therapy and transference-focused psychotherapy for borderline personality disorder.. Journal of Consulting and Clinical Psychology, 2007, 75, 104-115.	2.0	150
272	Schema Focused Therapy in Forensic Settings: Theoretical Model and Recommendations for Best Clinical Practice. International Journal of Forensic Mental Health, 2007, 6, 169-183.	1.0	157
273	Netherlands Journal of Psychology, 2007, number 3 Shedding light on schema modes: a clarification of the mode concept and its current research status. Netherlands Journal of Psychology, 2007, 63, 69-78.	0.5	64
274	Low specificity of symptoms on the post-traumatic stress disorder (PTSD) symptom scale: A comparison of individuals with PTSD, individuals with other anxiety disorders and individuals without psychopathology. British Journal of Clinical Psychology, 2007, 46, 449-456.	3.5	100
275	Schemagerichte therapie. , 2007, , 285-302.		4
276	On the measurement of rumination: A psychometric evaluation of the ruminative response scale and the rumination on sadness scale in undergraduates. Journal of Behavior Therapy and Experimental Psychiatry, 2006, 37, 299-313.	1.2	74
277	Reassurance that there is no serious disease seems essential in the development of benign pain complaints. Journal of Clinical Epidemiology, 2006, 59, 868-869.	5.0	0
278	Can personality disorders be changed?. Netherlands Journal of Psychology, 2006, 62, 8-18.	0.5	9
279	Dependent personality traits and information processing: Assessing the interpretation of ambiguous information using the Thematic Apperception Test. British Journal of Clinical Psychology, 2006, 45, 273-278.	3.5	13
280	Ook angstpatiënten zonder ptss hebben last van ptss-symptomen. Dth, 2006, 26, 28-31.	0.2	0
281	Outpatient Psychotherapy for Borderline Personality Disorder. Archives of General Psychiatry, 2006, 63, 649.	12.3	1,062
282	21 Persoonlijkheidsstoornissen. , 2006, , 443-477.		4
283	Post-traumatic stress after non-traumatic events. British Journal of Psychiatry, 2006, 188, 291-291.	2.8	0
284	Symptoms of post-traumatic stress disorder after non-traumatic events: evidence from an open population study. British Journal of Psychiatry, 2005, 186, 494-499.	2.8	256
285	Influences of beliefs and personality disorders on treatment outcome in anxiety patients.. Journal of Consulting and Clinical Psychology, 2005, 73, 936-944.	2.0	36
286	Pathological dependency: Distinguishing functional from emotional dependency.. Clinical Psychology: Science and Practice, 2005, 12, 411-416.	0.9	14
287	Emotional memory is perceptual. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 19-34.	1.2	82
288	The fallacy of ex-consequencia reasoning and the persistence of PTSD. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 35-42.	1.2	18

#	ARTICLE	IF	CITATIONS
289	World assumptions and the role of trauma in borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 197-208.	1.2	31
290	Evaluations of emotional noninterpersonal situations by patients with borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 209-225.	1.2	35
291	An experimental test of the schema mode model of borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 226-239.	1.2	114
292	Schema modes and childhood abuse in borderline and antisocial personality disorders. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 240-253.	1.2	117
293	Introduction to special issue: Cognition and emotion in borderline personality disorder. Journal of Behavior Therapy and Experimental Psychiatry, 2005, 36, 167-172.	1.2	11
294	Pain patients in a randomized trial did not show a significant effect of a positive consultation. Journal of Clinical Epidemiology, 2005, 58, 708-713.	5.0	22
295	A longitudinal study on the predictive validity of the fear-avoidance model in low back pain. Pain, 2005, 117, 162-170.	4.2	100
296	Behandeling van patiënten met een posttraumatische stress-stoornis met exposure. , 2005, , 76-85.		0
297	Beliefs in personality disorders: a test with the Personality Disorder Belief Questionnaire. Behaviour Research and Therapy, 2004, 42, 1215-1225.	3.1	100
298	The effects of failing to control pain: an experimental investigation. Pain, 2004, 107, 227-233.	4.2	31
299	The meaning of pain influences its experienced intensity. Pain, 2004, 109, 20-25.	4.2	127
300	Protocollaire behandeling van patiënten met een gegeneraliseerde angststoornis. , 2004, , 98-124.		0
301	PMH11 PRODUCTION LOSSES IN BORDERLINE PERSONALITY DISORDER: SHORTCOMINGS IN THE STANDARD METHODS OF VALUATION. Value in Health, 2003, 6, 692.	0.3	0
302	Peritraumatic dissociation and posttraumatic stress after pregnancy loss: a prospective study. Behaviour Research and Therapy, 2003, 41, 67-78.	3.1	98
303	Cognitive therapy versus applied relaxation as treatment of generalized anxiety disorder. Behaviour Research and Therapy, 2003, 41, 633-646.	3.1	119
304	Short-Interval Test-Retest Interrater Reliability of the Dutch Version of the Structured Clinical Interview for DSM-IV Personality Disorders (SCID-II). Journal of Personality Disorders, 2003, 17, 562-567.	1.4	106
305	Reliability and Validity of the Borderline Personality Disorder Severity Index. Journal of Personality Disorders, 2003, 17, 45-59.	1.4	243
306	Traumatic events in a general practice population: the patient's perspective. Family Practice, 2002, 19, 390-396.	1.9	11

#	ARTICLE	IF	CITATIONS
307	PMH7 BOTTOM-UP OR TOP-DOWN? IMPACT OF PATIENT SELECTION ON COST-OF-ILLNESS RESULTS. <i>Value in Health</i> , 2002, 5, 516.	0.3	1
308	Cognitive therapy versus interoceptive exposure as treatment of panic disorder without agoraphobia. <i>Behaviour Research and Therapy</i> , 2002, 40, 325-341.	3.1	79
309	Prolonged exposure in patients with chronic PTSD: predictors of treatment outcome and dropout. <i>Behaviour Research and Therapy</i> , 2002, 40, 439-457.	3.1	322
310	No evidence for overgeneral memories in borderline personality disorder. <i>Behaviour Research and Therapy</i> , 2002, 40, 1063-1068.	3.1	57
311	A longitudinal study of intrusion-based reasoning and posttraumatic stress disorder after exposure to a train disaster. <i>Behaviour Research and Therapy</i> , 2002, 40, 1415-1424.	3.1	79
312	Correlates of autobiographical memory specificity: the role of depression, anxiety and childhood trauma. <i>Behaviour Research and Therapy</i> , 2001, 39, 409-421.	3.1	147
313	Emotion- and intrusion-based reasoning in Vietnam veterans with and without chronic posttraumatic stress disorder. <i>Behaviour Research and Therapy</i> , 2001, 39, 1339-1348.	3.1	55
314	Evaluations of Others by Borderline Patients. <i>Journal of Nervous and Mental Disease</i> , 2001, 189, 513-521.	1.0	96
315	Posttraumatic stress disorder after pregnancy loss. <i>General Hospital Psychiatry</i> , 2001, 23, 62-66.	2.4	186
316	Real-Life Stress and Opioid-Mediated Analgesia in Novice Parachute Jumpers. <i>Journal of Psychophysiology</i> , 2001, 15, 106-113.	0.7	15
317	Multidimensional Dichotomous Thinking Characterizes Borderline Personality Disorder. <i>Cognitive Therapy and Research</i> , 2000, 24, 23-45.	1.9	96
318	Hypervigilance in Borderline Disorder: A Test with the Emotional Stroop Paradigm. <i>Journal of Personality Disorders</i> , 2000, 14, 366-373.	1.4	112
319	Personality disorders have no excessively negative impact on therapist-rated therapy process in the cognitive and behavioural treatment of Axis I anxiety disorders. <i>Clinical Psychology and Psychotherapy</i> , 1999, 6, 384-394.	2.7	12
320	No interactive effects of naltrexone and benzodiazepines on pain during phobic fear. <i>Behaviour Research and Therapy</i> , 1999, 37, 77-86.	3.1	25
321	Psychometric properties of the Multidimensional Pain Inventory, Dutch language version (MPI-DLV). <i>Behaviour Research and Therapy</i> , 1999, 37, 167-182.	3.1	109
322	Assumptions in borderline personality disorder: specificity, stability and relationship with etiological factors. <i>Behaviour Research and Therapy</i> , 1999, 37, 545-557.	3.1	95
323	Avoidant personality disorder and implicit schema-congruent information processing bias: a pilot study with a pragmatic inference task. <i>Behaviour Research and Therapy</i> , 1999, 37, 619-632.	3.1	29
324	Treatment of childhood memories: theory and practice. <i>Behaviour Research and Therapy</i> , 1999, 37, 715-740.	3.1	366

#	ARTICLE	IF	CITATIONS
325	Do personality disorders exist? On the validity of the concept and its cognitive-behavioral formulation and treatment. <i>Behaviour Research and Therapy</i> , 1999, 37, S97-S134.	3.1	69
326	No Threat-Related Processing Bias in Low Trait-Anxious/High State-Anxious Novice Parachuters. <i>Cognitive Therapy and Research</i> , 1998, 22, 125-135.	1.9	3
327	Anxiety and pain: epinephrine-induced hyperalgesia and attentional influences. <i>Pain</i> , 1998, 76, 309-316.	4.2	49
328	The impact of personality disorders on treatment outcome of anxiety disorders: Best-evidence synthesis. <i>Behaviour Research and Therapy</i> , 1998, 36, 483-504.	3.1	101
329	Underpredicted pain disrupts more than correctly predicted pain, but does not hurt more. <i>Behaviour Research and Therapy</i> , 1998, 36, 1121-1129.	3.1	26
330	Short-Interval Test-Retest Interrater Reliability of the Structured Clinical Interview for DSM-III-R Personality Disorders (SCID-II) in Outpatients. <i>Journal of Personality Disorders</i> , 1998, 12, 138-148.	1.4	64
331	Patient-Informant Concordance on the Structured Clinical Interview for DSM-III-R Personality Disorders (SCID-II). <i>Journal of Personality Disorders</i> , 1998, 12, 149-161.	1.4	44
332	Personality disorders do not influence the results of cognitive and behavior therapy for obsessive compulsive disorder. <i>Journal of Anxiety Disorders</i> , 1997, 11, 503-521.	3.2	59
333	Cued UCS rehearsal and the impact of painful conditioned stimuli: UCS rehearsal increases SCRs but reduces experienced pain. <i>Behaviour Research and Therapy</i> , 1997, 35, 591-605.	3.1	11
334	No evidence for opioid-mediated analgesia induced by phobic fear. <i>Behaviour Research and Therapy</i> , 1997, 35, 823-830.	3.1	24
335	Anxiety and pain: attentional and endorphinergic influences. <i>Pain</i> , 1996, 66, 145-150.	4.2	96
336	Psychological treatments of panic disorder without agoraphobia: Cognitive therapy versus applied relaxation. <i>Behaviour Research and Therapy</i> , 1996, 34, 113-121.	3.1	72
337	Why do people tend to overpredict pain? On the asymmetries between underpredictions and overpredictions of pain. <i>Behaviour Research and Therapy</i> , 1996, 34, 545-554.	3.1	20
338	The placebo effect in pain reduction: The influence of conditioning experiences and response expectancies. <i>International Journal of Behavioral Medicine</i> , 1996, 3, 14-29.	1.7	48
339	Efficacy of a self-control therapy program in a psychiatric day-treatment center. <i>Acta Psychiatrica Scandinavica</i> , 1995, 92, 25-29.	4.5	15
340	Covariation bias in phobic women: The relationship between a priori expectancy, on-line expectancy, autonomic responding, and a posteriori contingency judgment.. <i>Journal of Abnormal Psychology</i> , 1995, 104, 55-62.	1.9	56
341	Social Phobia and Personality Disorder: Severity of Complaint and Treatment Effectiveness. <i>Journal of Personality Disorders</i> , 1995, 9, 143-159.	1.4	35
342	Chronic low back pain and inaccurate predictions of pain: Is being too tough a risk factor for the development and maintenance of chronic pain?. <i>Behaviour Research and Therapy</i> , 1995, 33, 49-53.	3.1	26

#	ARTICLE	IF	CITATIONS
343	Stimulus estimation and the overprediction of fear: a reply to Taylor. Behaviour Research and Therapy, 1995, 33, 817-818.	3.1	1
344	“œlf I feel anxious, there must be danger” Ex-consequencia reasoning in inferring danger in anxiety disorders. Behaviour Research and Therapy, 1995, 33, 917-925.	3.1	203
345	The influence of anxiety on pain: attentional and attributional mediators. Pain, 1994, 56, 307-314.	4.2	147
346	Treatment of borderline personality disorder: A challenge for cognitive-behavioural therapy. Behaviour Research and Therapy, 1994, 32, 419-430.	3.1	62
347	Exposure reduced agoraphobia but not panic, and cognitive therapy reduced panic but not agoraphobia. Behaviour Research and Therapy, 1994, 32, 447-451.	3.1	56
348	Overprediction of anxiety, and disconfirmatory processes, in anxiety disorders. Behaviour Research and Therapy, 1994, 32, 709-722.	3.1	35
349	Cognitive therapy for obsessive-compulsive disorder. Behaviour Research and Therapy, 1994, 32, 79-87.	3.1	194
350	Personality disorders do not influence the results of cognitive behavior therapies for anxiety disorders. Comprehensive Psychiatry, 1994, 35, 265-274.	3.1	71
351	Personality disorders and features in social phobia and panic disorder.. Journal of Abnormal Psychology, 1994, 103, 391-395.	1.9	46
352	Dth jaargang 1993, nummer 1 Cognitieve gedragstherapie bij persoonlijkheidsstoornissen. Dth, 1993, 13, 1-11.	0.2	1
353	The role of evaluative learning and disgust sensitivity in the etiology and treatment of spider phobia. Advances in Behaviour Research and Therapy, 1993, 15, 243-255.	3.0	102
354	Negative beliefs of spider phobics: A psychometric evaluation of the spider phobia beliefs questionnaire. Advances in Behaviour Research and Therapy, 1993, 15, 257-277.	3.0	164
355	Attentional bias and facilitated escape: A pictorial test. Advances in Behaviour Research and Therapy, 1993, 15, 279-289.	3.0	13
356	The startle probe response as an instrument for evaluating exposure effects in spider phobia. Advances in Behaviour Research and Therapy, 1993, 15, 301-316.	3.0	16
357	Anxiety, attention and pain. Journal of Psychosomatic Research, 1993, 37, 423-431.	2.6	90
358	Effects of endorphin blocking on conditioned SCR in humans. Behaviour Research and Therapy, 1993, 31, 775-779.	3.1	4
359	Attentional bias and spider phobia: Conceptual and clinical issues. Behaviour Research and Therapy, 1993, 31, 17-24.	3.1	148
360	Endorphins stimulate approach behaviour, but do not reduce subjective fear. A pilot study. Behaviour Research and Therapy, 1993, 31, 403-405.	3.1	10

#	ARTICLE	IF	CITATIONS
361	The role of conditioning in the placebo response: a comment on Voudouris et al., PAIN , 43 (1990) 121-128. Pain, 1993, 54, 232-233.	4.2	8
362	Effects of endorphine blocking on conditioned SCRs. International Journal of Psychophysiology, 1993, 14, 137.	1.0	0
363	Does Stimulus Elaboration Potentiate Exposure <i>in vivo</i> Treatment? Two Forms of One-Session Treatment of Spider Phobia. Behavioural Psychotherapy, 1993, 21, 1-12.	0.5	57
364	Opioid antagonist affects behavioral effects of exposure <i>in vivo</i> .. Journal of Consulting and Clinical Psychology, 1993, 61, 865-870.	2.0	38
365	Covariation detection in treated and untreated spider phobics.. Journal of Abnormal Psychology, 1992, 101, 724-727.	1.9	84
366	Hyperventilation is not diagnostically specific to panic patients.. Psychosomatic Medicine, 1992, 54, 182-191.	2.0	47
367	The interrater reliability of a Dutch version of the Structured Clinical Interview for DSM-III-R Personality Disorders. Acta Psychiatrica Scandinavica, 1992, 85, 394-400.	4.5	82
368	Pathways to spider phobia. Behaviour Research and Therapy, 1992, 30, 543-546.	3.1	62
369	Attention, not anxiety, influences pain. Behaviour Research and Therapy, 1991, 29, 41-50.	3.1	169
370	The overprediction and underprediction of pain. Clinical Psychology Review, 1991, 11, 339-355.	11.4	92
371	The effects of incorrect pain expectations on acquired fear and pain responses. Behaviour Research and Therapy, 1991, 29, 547-560.	3.1	36
372	Avoidance of pain of unpredictable intensity. Behaviour Research and Therapy, 1991, 29, 197-201.	3.1	16
373	Imagery ability and exposure <i>in vivo</i> in spider phobia. Behaviour Research and Therapy, 1991, 29, 203-205.	3.1	16
374	Conditioning experiences in spider phobics. Behaviour Research and Therapy, 1991, 29, 333-335.	3.1	38
375	Eyeblink startle responses in spider phobics before and after treatment: A pilot study. Journal of Psychopathology and Behavioral Assessment, 1991, 13, 213-223.	1.2	31
376	Illusory correlation, on-line probability estimates, and electrodermal responding in a (quasi)-conditioning paradigm. Biological Psychology, 1990, 31, 201-212.	2.2	22
377	Is the match/mismatch model based on a statistical artefact?. Behaviour Research and Therapy, 1990, 28, 249-253.	3.1	11
378	The effects of underestimated pain and their relationship to habituation. Behaviour Research and Therapy, 1990, 28, 15-28.	3.1	45

#	ARTICLE	IF	CITATIONS
379	Predictions of dental pain: The fear of any expected evil, is worse than the evil itself. Behaviour Research and Therapy, 1990, 28, 29-41.	3.1	172
380	Effects of matches and mismatches in agoraphobic and neutral situations. Behaviour Research and Therapy, 1990, 28, 43-50.	3.1	3
381	The relationship between underpredicted pain and escape. Behaviour Research and Therapy, 1990, 28, 87-90.	3.1	17
382	Generalizability of the match/mismatch model of fear. Behaviour Research and Therapy, 1988, 26, 207-223.	3.1	33
383	Psychological research and chronic low back pain: A stand-still or breakthrough?. Social Science and Medicine, 1987, 25, 1095-1104.	3.8	9
384	Some limitations of the attributional learned helplessness model on understanding effects of (non-) contingency: A controlled study in Dutch adolescents. Advances in Behaviour Research and Therapy, 1986, 8, 1-42.	3.0	8
385	Attributional style questioned: Psychometric evaluation of the ASQ in Dutch adolescents. Advances in Behaviour Research and Therapy, 1985, 7, 55-89.	3.0	28