

Robert H Pelton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6226674/publications.pdf>

Version: 2024-02-01

226
papers

11,643
citations

36691

53
h-index

36203

101
g-index

228
all docs

228
docs citations

228
times ranked

11176
citing authors

#	ARTICLE	IF	CITATIONS
1	Purification of monoclonal antibody using cation exchange z2 laterally-fed membrane chromatography " A potential alternative to protein A affinity chromatography. <i>Biochemical Engineering Journal</i> , 2022, 178, 108293.	1.8	11
2	Grafted maleic acid copolymer giving thermosetting kraft pulp. <i>Cellulose</i> , 2022, 29, 3745-3758.	2.4	2
3	Water-Soluble Anionic Polychloramide Biocides Based on Maleic Anhydride Copolymers. <i>Colloids and Surfaces B: Biointerfaces</i> , 2022, 215, 112487.	2.5	4
4	Preventing the release of copper chlorophyllin from crop spray deposits on hydrophobic surfaces. <i>Journal of Colloid and Interface Science</i> , 2021, 582, 1149-1157.	5.0	0
5	High-yield grafting of carboxylated polymers to wood pulp fibers. <i>Cellulose</i> , 2021, 28, 7311-7326.	2.4	5
6	High Yield Poly(ethylene-<i>alt</i>-maleic acid) Grafting to Wood Pulp while Minimizing Fiber/Fiber Wet Adhesion. <i>Biomacromolecules</i> , 2021, 22, 3060-3068.	2.6	4
7	Carboxylated bleached kraft pulp from maleic anhydride copolymers. <i>Nordic Pulp and Paper Research Journal</i> , 2021, .	0.3	2
8	Adsorption of aqueous copper chlorophyllin mixtures on model surfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 592, 124578.	2.3	3
9	On increasing wet-web strength with adhesive polymers. <i>Tappi Journal</i> , 2020, 19, 63-67.	0.2	0
10	Challenges to Achieving Strong but Fully Degradable Adhesive Joints between Wet Cellulose Surfaces. <i>Langmuir</i> , 2019, 35, 13286-13291.	1.6	6
11	Printed Thin Films with Controlled Porosity as Lateral Flow Media. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 21014-21021.	1.8	4
12	Switching off PAE wet strength. <i>Nordic Pulp and Paper Research Journal</i> , 2019, 34, 88-95.	0.3	14
13	Deposited Nanoparticles Can Promote Air Clogging of Piezoelectric Inkjet Printhead Nozzles. <i>Langmuir</i> , 2019, 35, 5517-5524.	1.6	22
14	Increasing wet adhesion between cellulose surfaces with polyvinylamine. <i>Cellulose</i> , 2019, 26, 341-353.	2.4	13
15	Choosing mineral flotation collectors from large nanoparticle libraries. <i>Journal of Colloid and Interface Science</i> , 2018, 516, 423-430.	5.0	24
16	Wet-peel: a tool for comparing wet-strength resins. <i>Nordic Pulp and Paper Research Journal</i> , 2018, 33, 632-646.	0.3	10
17	Optimizing piezoelectric inkjet printing of silica sols for biosensor production. <i>Journal of Sol-Gel Science and Technology</i> , 2018, 87, 657-664.	1.1	13
18	Factors influencing agricultural spray deposit structures on hydrophobic surfaces. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018, 553, 288-294.	2.3	12

#	ARTICLE	IF	CITATIONS
19	Redox Properties of Polyvinylamine- <i>g</i> -TEMPO in Multilayer Films with Sodium Poly(styrenesulfonate). ACS Applied Materials & Interfaces, 2017, 9, 5622-5628.	4.0	7
20	Automating multi-step paper-based assays using integrated layering of reagents. Lab on A Chip, 2017, 17, 943-950.	3.1	20
21	One-Pot Water-Based Hydrophobic Surface Modification of Cellulose Nanocrystals Using Plant Polyphenols. ACS Sustainable Chemistry and Engineering, 2017, 5, 5018-5026.	3.2	171
22	Hydrazide-Derivatized Microgels Bond to Wet, Oxidized Cellulose Giving Adhesion Without Drying or Curing. ACS Applied Materials & Interfaces, 2017, 9, 21000-21009.	4.0	13
23	Degradable Microgel Wet-Strength Adhesives: A Route to Enhanced Paper Recycling. ACS Sustainable Chemistry and Engineering, 2017, 5, 10544-10550.	3.2	11
24	Glass bead-bead collisions abrade adsorbed soft-shell polymeric nanoparticles leaving footprints. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2017, 533, 159-168.	2.3	2
25	Relating Redox Properties of Polyvinylamine- <i>g</i> -TEMPO/Laccase Hydrogel Complexes to Cellulose Oxidation. Langmuir, 2017, 33, 7854-7861.	1.6	11
26	Mineral-mineral particle collisions during flotation remove adsorbed nanoparticle flotation collectors. Journal of Colloid and Interface Science, 2017, 504, 178-185.	5.0	26
27	Stable Aqueous Foams from Cellulose Nanocrystals and Methyl Cellulose. Biomacromolecules, 2016, 17, 4095-4099.	2.6	63
28	A simple assay for azide surface groups on clickable polymeric nanoparticles. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2016, 508, 192-196.	2.3	5
29	Rapid Development of Wet Adhesion between Carboxymethylcellulose Modified Cellulose Surfaces Laminated with Polyvinylamine Adhesive. ACS Applied Materials & Interfaces, 2016, 8, 24161-24167.	4.0	17
30	Relating Nanoparticle Shape and Adhesiveness to Performance as Flotation Collectors. Industrial & Engineering Chemistry Research, 2016, 55, 9633-9638.	1.8	23
31	Phase Behavior of Aqueous Poly(acrylic acid- <i>g</i> -TEMPO). Macromolecules, 2016, 49, 4935-4939.	2.2	20
32	Dried and Redispersible Cellulose Nanocrystal Pickering Emulsions. ACS Macro Letters, 2016, 5, 185-189.	2.3	138
33	A Colloidal Stability Assay Suitable for High-Throughput Screening. Analytical Chemistry, 2016, 88, 2929-2936.	3.2	5
34	Simple and ultrastable all-inclusive pullulan tablets for challenging bioassays. Chemical Science, 2016, 7, 2342-2346.	3.7	36
35	Tools for water quality monitoring and mapping using paper-based sensors and cell phones. Water Research, 2015, 70, 360-369.	5.3	176
36	Design Rules for Fluorocarbon-Free Omniphobic Solvent Barriers in Paper-Based Devices. ACS Applied Materials & Interfaces, 2015, 7, 25434-25440.	4.0	9

#	ARTICLE	IF	CITATIONS
37	Emulsion/Surface Interactions from Quiescent Quartz Crystal Microbalance Measurements with an Inverted Sensor. <i>Langmuir</i> , 2015, 31, 7238-7241.	1.6	4
38	Synergistic Stabilization of Emulsions and Emulsion Gels with Water-Soluble Polymers and Cellulose Nanocrystals. <i>ACS Sustainable Chemistry and Engineering</i> , 2015, 3, 1023-1031.	3.2	151
39	Towards high throughput screening of nanoparticle flotation collectors. <i>Journal of Colloid and Interface Science</i> , 2015, 460, 97-104.	5.0	23
40	Printed Paper Sensors for Serum Lactate Dehydrogenase using Pullulan-Based Inks to Immobilize Reagents. <i>Analytical Chemistry</i> , 2015, 87, 9288-9293.	3.2	66
41	Surfactant-enhanced cellulose nanocrystal Pickering emulsions. <i>Journal of Colloid and Interface Science</i> , 2015, 439, 139-148.	5.0	306
42	Weak Gelation of Hydrophobic Guar by Albumin in Simulated Human Tear Solutions. <i>Biomacromolecules</i> , 2014, 15, 4637-4642.	2.6	12
43	Pullulan Encapsulation of Labile Biomolecules to Give Stable Bioassay Tablets. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 6155-6158.	7.2	75
44	Hydrophobic sol-gel channel patterning strategies for paper-based microfluidics. <i>Lab on A Chip</i> , 2014, 14, 691-695.	3.1	137
45	Paper-based microfluidics with an erodible polymeric bridge giving controlled release and timed flow shutoff. <i>Lab on A Chip</i> , 2014, 14, 229-236.	3.1	89
46	Polyvinylamine-g-galactose is a route to bioactivated silica surfaces. <i>Journal of Colloid and Interface Science</i> , 2014, 413, 86-91.	5.0	8
47	An inkjet-printed bioactive paper sensor that reports ATP through odour generation. <i>Analyst</i> , The, 2014, 139, 4775.	1.7	10
48	Comparing Polymer-Supported TEMPO Mediators for Cellulose Oxidation and Subsequent Polyvinylamine Grafting. <i>Industrial & Engineering Chemistry Research</i> , 2014, 53, 4748-4754.	1.8	20
49	On formulating ophthalmic emulsions. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014, 122, 7-11.	2.5	5
50	Tuning Cellulose Nanocrystal Gelation with Polysaccharides and Surfactants. <i>Langmuir</i> , 2014, 30, 2684-2692.	1.6	118
51	Polyvinylamine: A Tool for Engineering Interfaces. <i>Langmuir</i> , 2014, 30, 15373-15382.	1.6	98
52	Aminated Thermoresponsive Microgels Prepared from the Hofmann Rearrangement of Amides without Side Reactions. <i>Langmuir</i> , 2014, 30, 6763-6767.	1.6	9
53	Morphology and Entrapped Enzyme Performance in Inkjet-Printed Sol-Gel Coatings on Paper. <i>Chemistry of Materials</i> , 2014, 26, 1941-1947.	3.2	33
54	Hypochlorite activated poly(N-isopropylacrylamide)-core poly(N-isopropylmethacrylamide)-shell microgels-An oxidant with the potential to kill cells. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2014, 457, 340-344.	2.3	4

#	ARTICLE	IF	CITATIONS
55	Laccase Complex with Polyvinylamine Bearing Grafted TEMPO is a Cellulose Adhesion Primer. <i>Biomacromolecules</i> , 2013, 14, 2953-2960.	2.6	17
56	Chloramide copolymers from reacting poly(N-isopropylacrylamide) with bleach. <i>European Polymer Journal</i> , 2013, 49, 2196-2201.	2.6	9
57	N-Chlorinated Poly(N-isopropylacrylamide) Microgels. <i>Langmuir</i> , 2013, 29, 12924-12929.	1.6	5
58	Towards nanoparticle flotation collectors for pentlandite separation. <i>International Journal of Mineral Processing</i> , 2013, 123, 137-144.	2.6	41
59	Nanoparticle Flotation Collectors—The Influence of Particle Softness. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 4836-4842.	4.0	32
60	Targeted Disinfection of E. coli via Bioconjugation to Photoreactive TiO ₂ . <i>Bioconjugate Chemistry</i> , 2013, 24, 448-455.	1.8	14
61	Facile Phenylboronate Modification of Silica by a Silaneboronate. <i>Langmuir</i> , 2013, 29, 594-598.	1.6	9
62	Flexographic printability of sol-gel precursor dispersions for bioactive paper. <i>Nordic Pulp and Paper Research Journal</i> , 2013, 28, 450-457.	0.3	5
63	Controlling the Assembly of Nanoparticle Mixtures With Two Orthogonal Polymer Complexation Reactions. <i>Langmuir</i> , 2012, 28, 3112-3119.	1.6	11
64	Nanoparticle Flotation Collectors III: The Role of Nanoparticle Diameter. <i>ACS Applied Materials & Interfaces</i> , 2012, 4, 4882-4890.	4.0	37
65	Effects of Temperature and Relative Humidity on the Stability of Paper-Immobilized Antibodies. <i>Biomacromolecules</i> , 2012, 13, 559-564.	2.6	47
66	DNA Stickers Promote Polymer Adsorption onto Cellulose. <i>Biomacromolecules</i> , 2012, 13, 3173-3180.	2.6	12
67	Creating fast flow channels in paper fluidic devices to control timing of sequential reactions. <i>Lab on A Chip</i> , 2012, 12, 5079.	3.1	118
68	Design Rules for Microgel-Supported Adhesives. <i>Industrial & Engineering Chemistry Research</i> , 2012, 51, 9564-9570.	1.8	4
69	Microgel Adhesives for Wet Cellulose: Measurements and Modeling. <i>Langmuir</i> , 2012, 28, 5450-5457.	1.6	13
70	DISSOLVED AND COLLOIDAL SUBSTANCES (DCS) AND THE CHARGE DEMAND OF PAPERMAKING PROCESS WATERS AND SUSPENSIONS: A REVIEW. <i>BioResources</i> , 2012, 7, .	0.5	28
71	Cationic polyvinylamine binding to anionic microgels yields kinetically controlled structures. <i>Journal of Colloid and Interface Science</i> , 2012, 369, 223-230.	5.0	15
72	PAPER PHYSICS. Paper-based device for pre-concentration of target analytes. <i>Nordic Pulp and Paper Research Journal</i> , 2012, 27, 814-819.	0.3	0

#	ARTICLE	IF	CITATIONS
73	Nanoparticle Flotation Collectors: Mechanisms Behind a New Technology. Langmuir, 2011, 27, 10438-10446.	1.6	62
74	Borate Binding to Polyol-Stabilized Latex. Langmuir, 2011, 27, 2118-2123.	1.6	8
75	Polyvinylamine-graft-TEMPO Adsorbs onto, Oxidizes, and Covalently Bonds to Wet Cellulose. Biomacromolecules, 2011, 12, 942-948.	2.6	25
76	Nanoparticle Flotation Collectors II: The Role of Nanoparticle Hydrophobicity. Langmuir, 2011, 27, 11409-11415.	1.6	43
77	Controlling biotinylation of microgels and modeling streptavidin uptake. Colloid and Polymer Science, 2011, 289, 659-666.	1.0	8
78	Charge regulation enables anionic hydroxypropyl guar-borate adsorption onto anionic and cationic polystyrene latex. Journal of Colloid and Interface Science, 2011, 353, 557-561.	5.0	3
79	The Remarkable Adhesion of Cellulose Hydrogel to Polyvinylamine Bearing Pendent Phenylboronic Acid. Journal of Adhesion Science and Technology, 2011, 25, 543-555.	1.4	0
80	Poly(N-isopropylacrylamide) (PNIPAM) is never hydrophobic. Journal of Colloid and Interface Science, 2010, 348, 673-674.	5.0	256
81	Controlling Deposition and Release of Polyol-Stabilized Latex on Boronic Acid-Derivatized Cellulose. Langmuir, 2010, 26, 17237-17241.	1.6	21
82	Effect of Cross-Linking Fiber Joints on the Tensile and Fracture Behavior of Paper. Industrial & Engineering Chemistry Research, 2010, 49, 6422-6431.	1.8	3
83	Cationic Liposome Colloidal Stability in the Presence of Guar Derivatives Suggests Depletion Interactions May be Operative in Artificial Tears. Biomacromolecules, 2010, 11, 2460-2464.	2.6	4
84	Adhesion to wet cellulose – Comparing adhesive layer-by-layer assembly to coating polyelectrolyte complex suspensions 2nd ICC 2007, Tokyo, Japan, October 25–29, 2007. Holzforschung, 2009, 63, .	0.9	9
85	Bioactive paper provides a low-cost platform for diagnostics. TrAC - Trends in Analytical Chemistry, 2009, 28, 925-942.	5.8	490
86	Reversible Flocculation with Hydroxypropyl Guar-Borate, A Labile Anionic Polyelectrolyte. Langmuir, 2009, 25, 192-195.	1.6	18
87	Polyvinylamine-Phenylboronic Acid Adhesion to Cellulose Hydrogel. Langmuir, 2009, 25, 6863-6868.	1.6	21
88	Solution Properties of Polyvinylamine Derivatized with Phenylboronic Acid. Macromolecules, 2009, 42, 1300-1305.	2.2	16
89	Development of a Bioactive Paper Sensor for Detection of Neurotoxins Using Piezoelectric Inkjet Printing of Sol-Gel-Derived Bioinks. Analytical Chemistry, 2009, 81, 5474-5483.	3.2	247
90	Immobilization of TiO ₂ nanoparticles onto paper modification through bioconjugation. Journal of Materials Chemistry, 2009, 19, 2189.	6.7	30

#	ARTICLE	IF	CITATIONS
91	Not All Anionic Polyelectrolytes Complex with DTAB. <i>Langmuir</i> , 2009, 25, 13712-13717.	1.6	16
92	Macroporous silica using a "sticky" Stober process. <i>Journal of Materials Chemistry</i> , 2009, 19, 1583.	6.7	19
93	Extraordinary Adhesion of Phenylboronic Acid Derivatives of Polyvinylamine to Wet Cellulose: A Colloidal Probe Microscopy Investigation. <i>Langmuir</i> , 2009, 25, 6898-6904.	1.6	28
94	Characterizing charge and crosslinker distributions in polyelectrolyte microgels. <i>Current Opinion in Colloid and Interface Science</i> , 2008, 13, 413-428.	3.4	95
95	Paper-based membranes for hydrophobic interaction chromatography: Purification of monoclonal antibody. <i>Biotechnology and Bioengineering</i> , 2008, 99, 1434-1442.	1.7	24
96	Polyelectrolyte complex characterization with isothermal titration calorimetry and colloid titration. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2008, 317, 535-542.	2.3	61
97	DNA Aptamer Folding on Gold Nanoparticles: From Colloid Chemistry to Biosensors. <i>Journal of the American Chemical Society</i> , 2008, 130, 3610-3618.	6.6	352
98	Microgel-Based Inks for Paper-Supported Biosensing Applications. <i>Biomacromolecules</i> , 2008, 9, 935-941.	2.6	136
99	Charge-Switching, Amphoteric Glucose-Responsive Microgels with Physiological Swelling Activity. <i>Biomacromolecules</i> , 2008, 9, 733-740.	2.6	180
100	Shapes of Polyelectrolyte Titration Curves. 2. The Deviant Behavior of Labile Polyelectrolytes. <i>Macromolecules</i> , 2008, 41, 8198-8203.	2.2	11
101	Impact of Microgel Morphology on Functionalized Microgel-Drug Interactions. <i>Langmuir</i> , 2008, 24, 1005-1012.	1.6	142
102	Photoflocculation of TiO_2 Microgel Mixed Suspensions. <i>Langmuir</i> , 2008, 24, 9341-9343.	1.6	5
103	Enzymatic manipulations of DNA oligonucleotides on microgel: towards development of DNA-microgel bioassays. <i>Chemical Communications</i> , 2007, , 4459.	2.2	43
104	Biotinylation of TiO_2 Nanoparticles and Their Conjugation with Streptavidin. <i>Langmuir</i> , 2007, 23, 5630-5637.	1.6	59
105	Non-destructive horseradish peroxidase immobilization in porous silica nanoparticles. <i>Journal of Materials Chemistry</i> , 2007, 17, 4854.	6.7	31
106	Adhesion of Poly(vinylamine) Microgels to Wet Cellulose. <i>Industrial & Engineering Chemistry Research</i> , 2007, 46, 6486-6493.	1.8	26
107	Functionalized Microgel Swelling: Comparing Theory and Experiment. <i>Journal of Physical Chemistry B</i> , 2007, 111, 11895-11906.	1.2	66
108	Polymer Assembly Exploiting Three Independent Interactions. <i>Langmuir</i> , 2007, 23, 8806-8809.	1.6	14

#	ARTICLE	IF	CITATIONS
109	Adhesion of Colloidal Polyelectrolyte Complexes to Wet Cellulose. <i>Biomacromolecules</i> , 2007, 8, 2161-2166.	2.6	26
110	Colloidal Complexes from Poly(vinyl amine) and Carboxymethyl Cellulose Mixtures. <i>Langmuir</i> , 2007, 23, 2970-2976.	1.6	55
111	Calorimetric Analysis of Thermal Phase Transitions in Functionalized Microgels. <i>Journal of Physical Chemistry B</i> , 2007, 111, 1334-1342.	1.2	33
112	Engineering Glucose Swelling Responses in Poly(N-isopropylacrylamide)-Based Microgels. <i>Macromolecules</i> , 2007, 40, 670-678.	2.2	242
113	Shapes of Polyelectrolyte Titration Curves. 1. Well-Behaved Strong Polyelectrolytes. <i>Analytical Chemistry</i> , 2007, 79, 8114-8117.	3.2	13
114	Adsorption and Covalent Coupling of ATP-Binding DNA Aptamers onto Cellulose. <i>Langmuir</i> , 2007, 23, 1300-1302.	1.6	85
115	Amine-derivatized poly(diallyldimethylammonium chloride) from N-vinylformamide copolymerization. <i>Journal of Applied Polymer Science</i> , 2007, 104, 1068-1075.	1.3	3
116	The role of polymer compatibility in the adhesion between surfaces saturated with modified dextrans. <i>Journal of Colloid and Interface Science</i> , 2007, 310, 312-320.	5.0	3
117	[3-(Propenamido)phenyl]boronic acid. <i>Acta Crystallographica Section E: Structure Reports Online</i> , 2007, 63, o4628-o4628.	0.2	0
118	Carboxymethyl Cellulose:Polyvinylamine Complex Hydrogel Swelling. <i>Macromolecules</i> , 2007, 40, 1624-1630.	2.2	55
119	The role of mild TEMPO- NaBr - NaClO oxidation on the wet adhesion of regenerated cellulose membranes with polyvinylamine. <i>Cellulose</i> , 2007, 14, 257-268.	2.4	42
120	Mechanical Properties of Polyelectrolyte Complex Films Based on Polyvinylamine and Carboxymethyl Cellulose. <i>Industrial & Engineering Chemistry Research</i> , 2006, 45, 6665-6671.	1.8	49
121	Titrametric Characterization of pH-Induced Phase Transitions in Functionalized Microgels. <i>Langmuir</i> , 2006, 22, 7342-7350.	1.6	105
122	Interactions of Hydrophobically Modified Polyvinylamine with Pluronic Triblock Copolymer Micelles. <i>Langmuir</i> , 2006, 22, 4952-4958.	1.6	6
123	Polyvinylamine Boronate Adhesion to Cellulose Hydrogel. <i>Biomacromolecules</i> , 2006, 7, 701-702.	2.6	23
124	Photocatalytic paper from colloidal TiO_2 —fact or fantasy. <i>Advances in Colloid and Interface Science</i> , 2006, 127, 43-53.	7.0	93
125	Dimensionless plot analysis: A new way to analyze functionalized microgels. <i>Journal of Colloid and Interface Science</i> , 2006, 303, 109-116.	5.0	32
126	Bovine Serum Albumin (BSA) as an adhesive for wet cellulose. <i>Cellulose</i> , 2006, 13, 537-545.	2.4	8

#	ARTICLE	IF	CITATIONS
127	Simple Approach for Quantifying the Thermodynamic Potential of Polymer-Polymer Adhesion. Journal of Adhesion, 2006, 82, 121-133.	1.8	10
128	Electrophoresis of functionalized microgels: morphological insights. Polymer, 2005, 46, 1139-1150.	1.8	62
129	Long-term stability of an ambient self-curable latex based on colloidal dispersions in water of two reactive polymers. Journal of Polymer Science Part A, 2005, 43, 2598-2605.	2.5	2
130	Flocculation with Poly(ethylene oxide)/Tyrosine-Rich Polypeptide Complexes. Langmuir, 2005, 21, 3765-3772.	1.6	7
131	Enhancing Wet Cellulose Adhesion with Proteins. Industrial & Engineering Chemistry Research, 2005, 44, 7398-7404.	1.8	21
132	The Reinforcement of Calcium Carbonate Filled Papers with Phosphorus-Containing Polymers. Industrial & Engineering Chemistry Research, 2005, 44, 2078-2085.	1.8	19
133	pH-Dependence of the Properties of Hydrophobically Modified Polyvinylamine. Langmuir, 2005, 21, 11673-11677.	1.6	49
134	Hydroxypropyl Guar-Borate Interactions with Tear Film Mucin and Lysozyme. Langmuir, 2005, 21, 10032-10037.	1.6	29
135	Paper properties affecting pressure-sensitive tape adhesion. Journal of Adhesion Science and Technology, 2004, 18, 1625-1641.	1.4	8
136	N-Vinylformamide as a route to amine-containing latexes and microgels. Colloid and Polymer Science, 2004, 282, 256-263.	1.0	31
137	A new route to poly(N-isopropylacrylamide) microgels supporting a polyvinylamine corona. Journal of Colloid and Interface Science, 2004, 276, 113-117.	5.0	19
138	Factors Influencing the Size of PEO Complexes with a Tyrosine-Rich Polypeptide. Langmuir, 2004, 20, 3962-3968.	1.6	6
139	PEO Penetration into Water-Plasticized Poly(vinylphenol) Thin Films. Macromolecules, 2004, 37, 494-500.	2.2	4
140	Unresolved issues in the preparation and characterization of thermoresponsive microgels. Macromolecular Symposia, 2004, 207, 57-66.	0.4	46
141	Highly pH and Temperature Responsive Microgels Functionalized with Vinylacetic Acid. Macromolecules, 2004, 37, 2544-2550.	2.2	380
142	Functional Group Distributions in Carboxylic Acid Containing Poly(N-isopropylacrylamide) Microgels. Langmuir, 2004, 20, 2123-2133.	1.6	224
143	New analysis of peeling data from paper. Journal of Materials Science Letters, 2003, 22, 265-266.	0.5	3
144	NMR investigations of the structure of water-soluble poly(ethylene oxide) complexes with polystyrene sulfonate copolymers. Colloid and Polymer Science, 2003, 281, 150-156.	1.0	8

#	ARTICLE	IF	CITATIONS
145	The influence of PEO/poly(vinyl phenol-co-styrene sulfonate) aqueous complex structure on flocculation. <i>Journal of Colloid and Interface Science</i> , 2003, 261, 65-73.	5.0	14
146	Defoamers: linking fundamentals to formulations. <i>Polymer International</i> , 2003, 52, 479-485.	1.6	7
147	Factors Affecting the Size of Aqueous Poly(vinylphenol-co-potassium styrenesulfonate)/Poly(ethylene Tj ETQq1 1 0.784314 rgBT /Ov	2.2	18
148	Peel adhesion to paperâ€”interpreting peel curves. <i>Journal of Adhesion Science and Technology</i> , 2003, 17, 815-830.	1.4	19
149	Colloidal Flocculation with Poly(ethylene oxide)/Polypeptide Complexes. <i>Langmuir</i> , 2002, 18, 4536-4538.	1.6	9
150	Mechanisms of Aldehyde-Containing Paper Wet-Strength Resins. <i>Industrial & Engineering Chemistry Research</i> , 2002, 41, 5366-5371.	1.8	20
151	Compactable Porous and Fibrous Beds Formed from Dilute Pulp Suspensions. <i>Industrial & Engineering Chemistry Research</i> , 2002, 41, 572-578.	1.8	3
152	PEO Flocculation with Phenolic Microparticles. <i>Journal of Colloid and Interface Science</i> , 2002, 254, 101-107.	5.0	6
153	The surface tension of aqueous polyvinylamine and copolymers with N -vinylformamide. <i>Colloid and Polymer Science</i> , 2002, 280, 203-205.	1.0	20
154	Preparation and characterization of polystyreneâ€”poly(p-acetoxystyrene) and polystyreneâ€”poly(p-vinylphenol) composite latex particles. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2002, 201, 161-171.	2.3	5
155	Novel Cationic Macromonomers by Living Anionic Polymerization of (Dimethylamino)ethyl Methacrylate. <i>Macromolecules</i> , 2001, 34, 144-150.	2.2	25
156	The Peeling Behavior of Pressure Sensitive Adhesives from Uncoated Papers. <i>Journal of Adhesion</i> , 2001, 77, 285-308.	1.8	10
157	PEO Flocculation of Polystyrene-Core Poly(vinylphenol)-Shell Latex:Â An Example of Ideal Bridging. <i>Langmuir</i> , 2001, 17, 7770-7776.	1.6	21
158	Soluble and Recoverable Support for Copper Bromide-Mediated Living Radical Polymerization. <i>Macromolecules</i> , 2001, 34, 3182-3185.	2.2	66
159	A Capping Method for Nitrogen Anion Initiated Living Anionic Polymerization for Synthesizing Alkyl Methacrylate Macromonomers. <i>Macromolecules</i> , 2001, 34, 376-381.	2.2	2
160	Effect of Ligand Spacer on Silica Gel Supported Atom Transfer Radical Polymerization of Methyl Methacrylate. <i>Macromolecules</i> , 2001, 34, 5812-5818.	2.2	73
161	The Effects of Temperature and Methanol Concentration on the Properties of Poly(N-isopropylacrylamide) at the Air/Solution Interface. <i>Langmuir</i> , 2001, 17, 5118-5120.	1.6	11
162	Supported atom transfer radical polymerization of methyl methacrylate mediated by CuBr-tetraethyldiethylenetriamine grafted onto silica gel. <i>Journal of Polymer Science Part A</i> , 2001, 39, 1051-1059.	2.5	44

#	ARTICLE	IF	CITATIONS
163	The Nature of Crosslinking in N-Vinylformamide Free-Radical Polymerization. <i>Macromolecular Rapid Communications</i> , 2001, 22, 212-214.	2.0	21
164	An NMR investigation of the interaction of polyethylene oxide with water-soluble poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 T 1276-1284.	2.4	17
165	Properties of Poly(N-isopropylacrylamide)-Grafted Colloidal Silica. <i>Journal of Colloid and Interface Science</i> , 2000, 227, 408-411.	5.0	38
166	Packed column reactor for continuous atom transfer radical polymerization: Methyl methacrylate polymerization using silica gel supported catalyst. <i>Macromolecular Rapid Communications</i> , 2000, 21, 956-959.	2.0	95
167	Atom transfer radical polymerization of alkyl methacrylates using T-triazine as ligand. <i>Macromolecular Chemistry and Physics</i> , 2000, 201, 1169-1175.	1.1	22
168	Synthesis of methacrylate macromonomers using silica gel supported atom transfer radical polymerization. <i>Macromolecular Chemistry and Physics</i> , 2000, 201, 1387-1394.	1.1	48
169	Atom transfer radical polymerization of 2-(dimethylamino)ethyl methacrylate in aqueous media. <i>Journal of Polymer Science Part A</i> , 2000, 38, 3821-3827.	2.5	87
170	Temperature-sensitive aqueous microgels. <i>Advances in Colloid and Interface Science</i> , 2000, 85, 1-33.	7.0	1,733
171	The role of surface polymer compability in the formation of fiber/fiber bonds in paper. <i>Nordic Pulp and Paper Research Journal</i> , 2000, 15, 400-406.	0.3	22
172	Novel cofactors/PEO flocculation systems for colloidal suspensions. <i>Nordic Pulp and Paper Research Journal</i> , 2000, 15, 395-399.	0.3	7
173	The effect of charge density and hydrophobic modification on dextran-based paper strength enhancing polymers. <i>Nordic Pulp and Paper Research Journal</i> , 2000, 15, 440-445.	0.3	17
174	Atom Transfer Radical Polymerization of Methyl Methacrylate by Silica Gel Supported Copper Bromide/Multidentate Amine. <i>Macromolecules</i> , 2000, 33, 5427-5431.	2.2	109
175	Versatile Initiators for Macromonomer Syntheses of Acrylates, Methacrylates, and Styrene by Atom Transfer Radical Polymerization. <i>Macromolecules</i> , 2000, 33, 5399-5404.	2.2	75
176	Synthesis and Characterization of Comb-Branched Polyelectrolytes. 1. Preparation of Cationic Macromonomer of 2-(Dimethylamino)ethyl Methacrylate by Atom Transfer Radical Polymerization. <i>Macromolecules</i> , 2000, 33, 1628-1635.	2.2	130
177	A Neutron Reflectivity Study of Poly(N-isopropylacrylamide) at the Air-Water Interface with and without Sodium Dodecyl Sulfate. <i>Macromolecules</i> , 2000, 33, 6269-6274.	2.2	59
178	Sodium dodecyl sulfate binding to poly(N-isopropylacrylamide) microgel latex studied by isothermal titration calorimetry. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1999, 153, 335-340.	2.3	27
179	The influence of phenolic cofactors on the properties of calcium carbonate flocs formed with PEO. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1999, 155, 231-239.	2.3	6
180	The dynamic behavior of poly(N-isopropylacrylamide) at the air/water interface. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1999, 156, 111-122.	2.3	64

#	ARTICLE	IF	CITATIONS
181	The influence of dextran derivatives on polyethylene oxide and polyacrylamide-induced calcium carbonate flocculation and floc strength. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 1999, 159, 31-45.	2.3	11
182	The surface tension of aqueous poly(N-isopropylacrylamide-co-acrylamide). , 1999, 37, 2137-2143.		28
183	On the Role of Hydrophobic Particles and Surfactants in Defoaming. <i>Langmuir</i> , 1999, 15, 2202-2208.	1.6	28
184	Poly(N-isopropylacrylamide) Microgels at the Air-Water Interface. <i>Langmuir</i> , 1999, 15, 8032-8036.	1.6	105
185	Application of Polymer Adsorption Models to Dynamic Surface Tension. <i>Langmuir</i> , 1999, 15, 5662-5669.	1.6	18
186	On the Formation of Colloidally Dispersed Phase-Separated Poly(N-isopropylacrylamide). <i>Langmuir</i> , 1999, 15, 4018-4020.	1.6	70
187	A network of zones model for reactive polymer enhanced miscible displacement in a porous cylinder. <i>Chemical Engineering Science</i> , 1998, 53, 3545-3559.	1.9	2
188	Preparation and characterization of graft copolymers of polyacrylamide and polyethylenimine. <i>European Polymer Journal</i> , 1998, 34, 1199-1205.	2.6	5
189	The synthesis of poly(3,4-dihydroxystyrene) and poly[(sodium) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 427 Td (4-styrenesulfonate) 241-246.	2.0	16
190	Aqueous biphasic formation by mixtures of dextran and hydrophobically modified dextran. <i>Colloid and Polymer Science</i> , 1998, 276, 476-482.	1.0	16
191	The synthesis of poly(3,4-dihydroxystyrene) and poly[(sodium) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 342 Td (4-styrenesulfonate) 1		
192	Kraft Lignin-Poly(DADMAC) Precipitate Formation. <i>Industrial & Engineering Chemistry Research</i> , 1997, 36, 1171-1175.	1.8	19
193	PtO compounds bound in a silsesquioxane layer: active hydrosilation catalysts protected by the gel. <i>Inorganica Chimica Acta</i> , 1997, 264, 125-135.	1.2	21
194	Polyelectrolyte precipitate formation during miscible displacement in porous media. <i>AIChE Journal</i> , 1997, 43, 2415-2423.	1.8	4
195	Effect of Shear on the Strength of Polymer-Induced Flocs. <i>Journal of Colloid and Interface Science</i> , 1997, 196, 113-115.	5.0	58
196	Dependence of in situ precipitate deposition on flow characteristics in multi-permeability porous media. <i>Chemical Engineering Science</i> , 1997, 52, 2963-2975.	1.9	5
197	Flocculation of Polystyrene Latex with Mixtures of Poly(p-vinylphenol) and Poly(ethylene oxide). <i>Langmuir</i> , 1996, 12, 5756-5762.	1.6	31
198	Colloidal Stability of Stober Silica in Acetone. <i>Langmuir</i> , 1996, 12, 1134-1140.	1.6	37

#	ARTICLE	IF	CITATIONS
199	Poly(N-isopropylacrylamide) at the Air/Water Interface. Langmuir, 1996, 12, 2611-2612.	1.6	54
200	Hydrosilanesquioxane Modified Silica-Supported Platinum Nanoparticles. Chemistry of Materials, 1996, 8, 2195-2199.	3.2	21
201	A model of foam growth in the presence of antifoam emulsion. Chemical Engineering Science, 1996, 51, 4437-4442.	1.9	9
202	Temperature-Sensitive Flocculants Based on Poly(N-isopropylacrylamide-co-diallyldimethylammonium) Tj ETQq0 0 0 rgBT /Overlock 10 T	5.0	70
203	Colloidal Stability of StÄber Silica in Acetoneâ€“Water Mixtures. Journal of Colloid and Interface Science, 1996, 179, 600-607.	5.0	16
204	Micromechanics: A New Approach to Studying the Strength and Breakup of Floccs. Journal of Colloid and Interface Science, 1996, 184, 579-585.	5.0	149
205	Preparation and kinetic characterization of copolymers of acrylamide and poly(ethylene glycol) (meth)acrylate macromonomers. Polymer, 1996, 37, 1201-1209.	1.8	25
206	Flocculation of Polystyrene Latex by Polyacrylamide-Copolyethylene Glycol. Journal of Colloid and Interface Science, 1995, 175, 166-172.	5.0	22
207	The association of aqueous phenolic resin with polyethylene oxide and poly(acrylamide-co-ethylene) Tj ETQq1 1 0.784314 rgBT /Overl	2.5	14
208	Sterically stabilized silica colloids: Radical grafting of poly(methyl methacrylate) and hydrosilylative grafting of silicones to functionalized silica. Polymers for Advanced Technologies, 1995, 6, 335-344.	1.6	24
209	Temperature-Dependent Contact Angles of Water on Poly(N-isopropylacrylamide) Gels. Langmuir, 1995, 11, 2301-2302.	1.6	87
210	Colloidal Silica-Bearing Hydrosilane Groups. Chemistry of Materials, 1995, 7, 1376-1383.	3.2	26
211	Synthesis and Solution Properties of Poly(N-isopropylacrylamide-co-diallyldimethylammonium) Tj ETQq1 1 0.784314 rgBT /Overlock 1	2.25	71
212	Synthesis of nonionic flocculants by gamma irradiation of mixtures of polyacrylamide and poly(ethylene oxide). Journal of Applied Polymer Science, 1994, 54, 805-813.	1.3	6
213	The growth of bubbles on pulp fibers and on carbon black dispersed in supersaturated carbon dioxide solutions. Nordic Pulp and Paper Research Journal, 1994, 9, 129-133.	0.3	5
214	Poly(N-isopropylacrylamide) Latices Prepared with Sodium Dodecyl Sulfate. Journal of Colloid and Interface Science, 1993, 156, 24-30.	5.0	314
215	Strategies for improving electrophoresis data from the Coulter DELSA. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 1993, 80, 181-189.	2.3	29
216	Composition and Particle Diameter for Styrene/Methyl Methacrylate Copolymer Latex Using UV and NIR Spectroscopy. Applied Spectroscopy, 1993, 47, 1852-1870.	1.2	50

#	ARTICLE	IF	CITATIONS
217	A model of the external surface of wood pulp fibers. Nordic Pulp and Paper Research Journal, 1993, 8, 113-119.	0.3	41
218	Wood pulp washing 2. Displacement washing of aqueous lignin from model beds with cationic polymer solutions. Colloids and Surfaces, 1992, 64, 223-234.	0.9	6
219	Wood pulp washing 1. Complex formation between kraft lignin and cationic polymers. Colloids and Surfaces, 1992, 64, 217-222.	0.9	15
220	Air bubble holdup in quiescent wood pulp suspensions. Canadian Journal of Chemical Engineering, 1992, 70, 660-663.	0.9	16
221	Silicone stabilized poly(methyl methacrylate) nonaqueous latex. Journal of Colloid and Interface Science, 1991, 147, 523-530.	5.0	15
222	Silicone stabilized poly(methyl methacrylate) nonaqueous latexes. Journal of Colloid and Interface Science, 1990, 137, 120-127.	5.0	26
223	A comparison of chain length distributions of polymers terminally and randomly anchored to a solid/solution interface. Colloids and Surfaces, 1989, 40, 43-48.	0.9	1
224	Factors influencing the adhesion of polystyrene spheres attached to pyrex by polyethyleneimine in aqueous solution. Journal of Colloid and Interface Science, 1984, 99, 387-398.	5.0	25
225	Adhesion measurements of polystyrene spheres attached to pyrex by polymeric flocculents in aqueous solution. Colloids and Surfaces, 1982, 4, 397-400.	0.9	14
226	Control of particle size in the formation of polymer latices. British Polymer Journal, 1978, 10, 173-180.	0.7	186