

# Julia Lawton

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6231740/publications.pdf>

Version: 2024-02-01

119  
papers

4,599  
citations

87888

38  
h-index

128289

60  
g-index

119  
all docs

119  
docs citations

119  
times ranked

5007  
citing authors

#	ARTICLE	IF	CITATIONS
1	Adolescents' and their parents' experiences of using a closed-loop system to manage type 1 diabetes in everyday life: qualitative study. <i>Chronic Illness</i> , 2022, 18, 742-756.	1.5	21
2	Randomized Trial of Closed-Loop Control in Very Young Children with Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2022, 386, 209-219.	27.0	99
3	Parents' experiences of using remote monitoring technology to manage type 1 diabetes in very young children during a clinical trial: Qualitative study. <i>Diabetic Medicine</i> , 2022, 39, e14828.	2.3	12
4	Parents' experiences of using a hybrid closed-loop system (CamAPS FX) to care for a very young child with type 1 diabetes: Qualitative study. <i>Diabetes Research and Clinical Practice</i> , 2022, 187, 109877.	2.8	9
5	Adolescents and young adults' (AYA) views on their cancer knowledge prior to diagnosis: Findings from a qualitative study involving AYA receiving cancer care. <i>Health Expectations</i> , 2021, 24, 307-316.	2.6	8
6	Protocol for a cluster randomised controlled trial of the DAFNE (Dose Adjustment For) self-management in adults with type 1 diabetes. <i>BMJ Open</i> , 2021, 11, e040438.	1.9	6
7	Assessing the efficacy, safety and utility of closed-loop insulin delivery compared with sensor-augmented pump therapy in very young children with type 1 diabetes (KidsAP02 study): an open-label, multicentre, multinational, randomised cross-over study protocol. <i>BMJ Open</i> , 2021, 11, e042790.	1.9	10
8	Data Sharing While Using a Closed-Loop System: Qualitative Study of Adolescents' and Parents' Experiences and Views. <i>Diabetes Technology and Therapeutics</i> , 2021, 23, 500-507.	4.4	9
9	Parents' experiences of caring for a young child with type 1 diabetes: a systematic review and synthesis of qualitative evidence. <i>BMC Pediatrics</i> , 2021, 21, 160.	1.7	41
10	Adolescents' Experiences of Using a Smartphone Application Hosting a Closed-loop Algorithm to Manage Type 1 Diabetes in Everyday Life: Qualitative Study. <i>Journal of Diabetes Science and Technology</i> , 2021, 15, 1042-1051.	2.2	9
11	Feasibility and design of a trial regarding the optimal mode of delivery for preterm birth: the CASSAVA multiple methods study. <i>Health Technology Assessment</i> , 2021, 25, 1-102.	2.8	1
12	The challenges of making informed decisions about treatment and trial participation following a cancer diagnosis: a qualitative study involving adolescents and young adults with cancer and their caregivers. <i>BMC Health Services Research</i> , 2020, 20, 25.	2.2	15
13	Clinicians' researchers and custodians of scarce resources: a qualitative study of health professionals' views on barriers to the involvement of teenagers and young adults in cancer trials. <i>Trials</i> , 2020, 21, 67.	1.6	2
14	Health professionals' views about who would benefit from using a closed-loop system: a qualitative study. <i>Diabetic Medicine</i> , 2020, 37, 1030-1037.	2.3	38
15	The considerations, experiences and support needs of family members making treatment decisions for patients admitted with major stroke: a qualitative study. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 98.	3.0	7
16	What Training, Support, and Resourcing Do Health Professionals Need to Support People Using a Closed-Loop System? A Qualitative Interview Study with Health Professionals Involved in the Closed Loop from Onset in Type 1 Diabetes (CLOuD) Trial. <i>Diabetes Technology and Therapeutics</i> , 2020, 22, 468-475.	4.4	19
17	Maintaining hope after a disabling stroke: A longitudinal qualitative study of patients' experiences, views, information needs and approaches towards making treatment decisions. <i>PLoS ONE</i> , 2019, 14, e0222500.	2.5	22
18	Ambassadors of hope, research pioneers and agents of change: individuals' expectations and experiences of taking part in a randomised trial of an innovative health technology: longitudinal qualitative study. <i>Trials</i> , 2019, 20, 289.	1.6	7

#	ARTICLE	IF	CITATIONS
19	Broadening the Debate About Post-trial Access to Medical Interventions: A Qualitative Study of Participant Experiences at the End of a Trial Investigating a Medical Device to Support Type 1 Diabetes Self-Management. <i>AJOB Empirical Bioethics</i> , 2019, 10, 100-112.	1.6	19
20	Participants' Experiences of, and Views About, Daytime Use of a Day-and-Night Hybrid Closed-Loop System in Real Life Settings: Longitudinal Qualitative Study. <i>Diabetes Technology and Therapeutics</i> , 2019, 21, 119-127.	4.4	52
21	Nitroglycerin for treatment of retained placenta: A randomised, placebo-controlled, multicentre, double-blind trial in the UK. <i>PLoS Medicine</i> , 2019, 16, e1003001.	8.4	0
22	The impact of using a closed-loop system on food choices and eating practices among people with Type 1 diabetes: a qualitative study involving adults, teenagers and parents. <i>Diabetic Medicine</i> , 2019, 36, 753-760.	2.3	32
23	Glyceryl trinitrate to reduce the need for manual removal of retained placenta following vaginal delivery: the GOT-IT RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-72.	2.8	92
24	Title is missing!. , 2019, 16, e1003001.		0
25	Title is missing!. , 2019, 16, e1003001.		0
26	Title is missing!. , 2019, 16, e1003001.		0
27	Title is missing!. , 2019, 16, e1003001.		0
28	Barriers to adopting a Mediterranean diet in Northern European adults at high risk of developing cardiovascular disease. <i>Journal of Human Nutrition and Dietetics</i> , 2018, 31, 451-462.	2.5	42
29	Follow-Up Support for Effective type 1 Diabetes self-management (The FUSED Model): A systematic review and meta-ethnography of the barriers, facilitators and recommendations for sustaining self-management skills after attending a structured education programme. <i>BMC Health Services Research</i> , 2018, 18, 898.	2.2	25
30	Barriers and facilitators to taking on diabetes self-management tasks in pre-adolescent children with type 1 diabetes: a qualitative study. <i>BMC Endocrine Disorders</i> , 2018, 18, 71.	2.2	34
31	Pre-adolescent children's experiences of receiving diabetes-related support from friends and peers: A qualitative study. <i>Health Expectations</i> , 2018, 21, 870-877.	2.6	17
32	Patients'™ and caregivers'™ experiences of using continuous glucose monitoring to support diabetes self-management: qualitative study. <i>BMC Endocrine Disorders</i> , 2018, 18, 12.	2.2	102
33	A qualitative analysis exploring preferred methods of peer support to encourage adherence to a Mediterranean diet in a Northern European population at high risk of cardiovascular disease. <i>BMC Public Health</i> , 2018, 18, 213.	2.9	13
34	Patients'™ Views of Treatment-Focused Genetic Testing (TFGT): Some Lessons for the Mainstreaming of <i>BRCA1</i> and <i>BRCA2</i> Testing. <i>Journal of Genetic Counseling</i> , 2018, 27, 1459-1472.	1.6	21
35	High-risk individuals'™ perceptions of reproductive genetic testing for CDH1 mutations. <i>Familial Cancer</i> , 2017, 16, 531-535.	1.9	7
36	The changing body work of abortion: a qualitative study of the experiences of health professionals. <i>Sociology of Health and Illness</i> , 2017, 39, 78-94.	2.1	27

#	ARTICLE	IF	CITATIONS
37	Children's experiences of managing Type 1 diabetes in everyday life: a thematic synthesis of qualitative studies. <i>Diabetic Medicine</i> , 2017, 34, 1050-1060.	2.3	23
38	Self-management of first trimester medical termination of pregnancy: a qualitative study of women's experiences. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2017, 124, 2001-2008.	2.3	24
39	Assessing the effectiveness of a 3-month day-and-night home closed-loop control combined with pump suspend feature compared with sensor-augmented pump therapy in youths and adults with suboptimally controlled type 1 diabetes: a randomised parallel study protocol. <i>BMJ Open</i> , 2017, 7, e016738.	1.9	13
40	Written versus verbal consent: a qualitative study of stakeholder views of consent procedures used at the time of recruitment into a peripartum trial conducted in an emergency setting. <i>BMC Medical Ethics</i> , 2017, 18, 36.	2.4	35
41	Staff experiences of closing out a clinical trial involving withdrawal of treatment: qualitative study. <i>Trials</i> , 2017, 18, 61.	1.6	16
42	The Psychosocial Impact of Undergoing Prophylactic Total Gastrectomy (PTG) to Manage the Risk of Hereditary Diffuse Gastric Cancer (HDGC). <i>Journal of Genetic Counseling</i> , 2017, 26, 752-762.	1.6	29
43	A qualitative study of patients' perceptions of the value of molecular diagnosis for familial hypercholesterolemia (FH). <i>Journal of Community Genetics</i> , 2017, 8, 45-52.	1.2	14
44	A cluster randomised trial, cost-effectiveness analysis and psychosocial evaluation of insulin pump therapy compared with multiple injections during flexible intensive insulin therapy for type 1 diabetes: the REPOSE Trial. <i>Health Technology Assessment</i> , 2017, 21, 1-278.	2.8	42
45	A pragmatic group sequential, placebo-controlled, randomised trial to determine the effectiveness of glyceryl trinitrate for retained placenta (GOT-IT): a study protocol. <i>BMJ Open</i> , 2017, 7, e017134.	1.9	3
46	Recruiting and consenting into a peripartum trial in an emergency setting: a qualitative study of the experiences and views of women and healthcare professionals. <i>Trials</i> , 2016, 17, 195.	1.6	45
47	Contraceptive care at the time of medical abortion: experiences of women and health professionals in a hospital or community sexual and reproductive health context. <i>Contraception</i> , 2016, 93, 170-177.	1.5	33
48	The role of therapeutic optimism in recruitment to a clinical trial in a peripartum setting: balancing hope and uncertainty. <i>Trials</i> , 2016, 17, 267.	1.6	15
49	An investigation of the factors effecting high-risk individuals' decision-making about prophylactic total gastrectomy and surveillance for hereditary diffuse gastric cancer (HDGC). <i>Familial Cancer</i> , 2016, 15, 665-676.	1.9	28
50	Who gains clinical benefit from using insulin pump therapy? A qualitative study of the perceptions and views of health professionals involved in the Relative Effectiveness of Pumps over MDI and Structured Education (REPOSE) trial. <i>Diabetic Medicine</i> , 2016, 33, 243-251.	2.3	51
51	Parents' information and support needs when their child is diagnosed with type 1 diabetes: a qualitative study. <i>Health Expectations</i> , 2016, 19, 580-591.	2.6	40
52	Attitudes to weight and weight management in the early teenage years: a qualitative study of parental perceptions and views. <i>Health Expectations</i> , 2015, 18, 775-783.	2.6	7
53	Challenges of optimizing glycaemic control in children with Type 1 diabetes: a qualitative study of parents' experiences and views. <i>Diabetic Medicine</i> , 2015, 32, 1063-1070.	2.3	35
54	Barriers to breast-feeding in obese women: A qualitative exploration. <i>Midwifery</i> , 2015, 31, 532-539.	2.3	33

#	ARTICLE	IF	CITATIONS
55	Uncovering the emotional aspects of working on a clinical trial: a qualitative study of the experiences and views of staff involved in a type 1 diabetes trial. <i>Trials</i> , 2015, 16, 3.	1.6	36
56	A cluster randomized controlled non-inferiority trial of 5-day Dose Adjustment for Normal Eating (DAFNE) training delivered over 1 week versus 5-day DAFNE training delivered over 5 weeks: the DAFNE 5A-1A day trial. <i>Diabetic Medicine</i> , 2015, 32, 391-398.	2.3	17
57	Parents' experiences of managing their child's diabetes using an insulin pump: a qualitative study. <i>Diabetic Medicine</i> , 2015, 32, 627-634.	2.3	18
58	Modeling predictors of changes in glycemic control and diabetes-specific quality of life amongst adults with type 1 diabetes 1 year after structured education in flexible, intensive insulin therapy. <i>Journal of Behavioral Medicine</i> , 2015, 38, 817-829.	2.1	15
59	Improving communication and recall of information in paediatric diabetes consultations: a qualitative study of parents' experiences and views. <i>BMC Pediatrics</i> , 2015, 15, 67.	1.7	20
60	Why do young children with type 1 diabetes have poor glycaemic control? A qualitative investigation of parents' experiences of managing their child's condition. <i>European Journal of Public Health</i> , 2014, 24, .	0.3	0
61	Pathways to diagnosis: a qualitative study of the experiences and emotional reactions of parents of children diagnosed with type 1 diabetes. <i>Pediatric Diabetes</i> , 2014, 15, 591-598.	2.9	21
62	Culturally adapting the prevention of diabetes and obesity in South Asians (PODOSA) trial. <i>Health Promotion International</i> , 2014, 29, 768-779.	1.8	35
63	Type 1 diabetes patients' experiences of, and need for, social support after attending a structured education programme: a qualitative longitudinal investigation. <i>Journal of Clinical Nursing</i> , 2014, 23, 2919-2927.	3.0	20
64	The practice of hope: a longitudinal, multi-perspective qualitative study among South Asian Sikhs and Muslims with life-limiting illness in Scotland. <i>Ethnicity and Health</i> , 2014, 19, 1-19.	2.5	28
65	Experiences of hypoglycaemia unawareness amongst people with Type 1 diabetes: A qualitative investigation. <i>Chronic Illness</i> , 2014, 10, 180-191.	1.5	25
66	Experiences, Views, and Support Needs of Family Members of People With Hypoglycemia Unawareness: Interview Study. <i>Diabetes Care</i> , 2014, 37, 109-115.	8.6	70
67	The Relative Effectiveness of Pumps Over MDI and Structured Education (REPOSE): study protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2014, 4, e006204-e006204.	1.9	20
68	Perceptions and experiences of using automated bolus advisors amongst people with type 1 diabetes: A longitudinal qualitative investigation. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, 443-450.	2.8	25
69	Adolescents' views about a proposed rewards intervention to promote healthy food choice in secondary school canteens. <i>Health Education Research</i> , 2014, 29, 799-811.	1.9	15
70	Conducting qualitative research within Clinical Trials Units: Avoiding potential pitfalls. <i>Contemporary Clinical Trials</i> , 2014, 38, 338-343.	1.8	53
71	Improving management of type 1 diabetes in the UK: the Dose Adjustment For Normal Eating (DAFNE) programme as a research test-bed. A mixed-method analysis of the barriers to and facilitators of successful diabetes self-management, a health economic analysis, a cluster randomised controlled trial of different models of delivery of an educational intervention and the potential of insulin pumps and additional educator input to improve outcomes. <i>Programme Grants for Applied Research</i> , 2014, 2, 1-188.	1.0	28
72	Structured Type 1 Diabetes Education Delivered Within Routine Care. <i>Diabetes Care</i> , 2013, 36, 270-272.	8.6	127

#	ARTICLE	IF	CITATIONS
73	Interâ€embodiment and the experience of genetic testing for familial hypercholesterolaemia. <i>Sociology of Health and Illness</i> , 2013, 35, 529-543.	2.1	14
74	Selfâ€treating hypoglycaemia: a longitudinal qualitative investigation of the experiences and views of people with Type 1 diabetes. <i>Diabetic Medicine</i> , 2013, 30, 209-215.	2.3	40
75	Is Consulting Patients About Their Health Service Preferences a Useful Exercise?. <i>Qualitative Health Research</i> , 2013, 23, 876-886.	2.1	15
76	Patientsâ€™ experiences of adjusting insulin doses when implementing flexible intensive insulin therapy: A longitudinal, qualitative investigation. <i>Diabetes Research and Clinical Practice</i> , 2012, 98, 236-242.	2.8	34
77	Supporting self-management after attending a structured education programme: a qualitative longitudinal investigation of type 1 diabetes patientsâ€™ experiences and views. <i>BMC Public Health</i> , 2012, 12, 652.	2.9	48
78	The 5x1 DAFNE study protocol: a cluster randomised trial comparing a standard 5 day DAFNE course delivered over 1 week against DAFNE training delivered over 1 day a week for 5 consecutive weeks. <i>BMC Endocrine Disorders</i> , 2012, 12, 28.	2.2	11
79	Understanding the outcomes of multi-centre clinical trials: A qualitative study of health professional experiences and views. <i>Social Science and Medicine</i> , 2012, 74, 574-581.	3.8	35
80	Experiences of using blood glucose targets when following an intensive insulin regimen: a qualitative longitudinal investigation involving patients with Typeâ€f1 diabetes. <i>Diabetic Medicine</i> , 2012, 29, 1079-1084.	2.3	28
81	Dose Adjustment for Normal Eating: A qualitative longitudinal exploration of the food and eating practices of type 1 diabetes patients converted to flexible intensive insulin therapy in the UK. <i>Diabetes Research and Clinical Practice</i> , 2011, 91, 87-93.	2.8	44
82	Participantsâ€™ experiences of intensifying insulin therapy during the Treating to Target in Typeâ€f2 Diabetes (4â€T) trial: qualitative interview study. <i>Diabetic Medicine</i> , 2011, 28, 543-548.	2.3	25
83	How and why do patients with Typeâ€f1 diabetes sustain their use of flexible intensive insulin therapy? A qualitative longitudinal investigation of patientsâ€™ selfâ€management practices following attendance at a Dose Adjustment for Normal Eating (DAFNE) course. <i>Diabetic Medicine</i> , 2011, 28, 532-538.	2.3	35
84	The Framing of Social Class Distinctions through Family Food and Eating Practices. <i>Sociological Review</i> , 2011, 59, 725-740.	1.6	99
85	A longitudinal qualitative study examining the factors impacting on the ability of persons with T1DM to assimilate the Dose Adjustment for Normal Eating (DAFNE) principles into daily living and how these factors change over time. <i>BMC Public Health</i> , 2011, 11, 672.	2.9	22
86	Recruiting South Asians to a lifestyle intervention trial: experiences and lessons from PODOSA (Prevention of Diabetes & Obesity in South Asians). <i>Trials</i> , 2011, 12, 220.	1.6	59
87	Challenges of maintaining research protocol fidelity in a clinical care setting: A qualitative study of the experiences and views of patients and staff participating in a randomized controlled trial. <i>Trials</i> , 2011, 12, 108.	1.6	26
88	Understanding information and education gaps among people with type 1 diabetes: A qualitative investigation. <i>Patient Education and Counseling</i> , 2011, 83, 87-91.	2.2	39
89	Type 2 diabetes and dog walking: patients' longitudinal perspectives about implementing and sustaining physical activity. <i>British Journal of General Practice</i> , 2010, 60, 570-577.	1.4	51
90	How do structured education programmes work? An ethnographic investigation of the dose adjustment for normal eating (DAFNE) programme for type 1 diabetes patients in the UK. <i>Social Science and Medicine</i> , 2010, 71, 486-493.	3.8	45

#	ARTICLE	IF	CITATIONS
91	Food, eating and taste: Parents's perspectives on the making of the middle class teenager. <i>Social Science and Medicine</i> , 2010, 71, 1316-1323.	3.8	50
92	Initiating Insulin as Part of the Treating To Target in Type 2 Diabetes (4-T) Trial: An interview study of patients' and health professionals' experiences. <i>Diabetes Care</i> , 2010, 33, 2178-2180.	8.6	27
93	Food and family practices: teenagers, eating and domestic life in differing socio-economic circumstances. <i>Children's Geographies</i> , 2010, 8, 303-314.	2.3	50
94	Patients' perceptions and experiences of transitions in diabetes care: a longitudinal qualitative study. <i>Health Expectations</i> , 2009, 12, 138-148.	2.6	20
95	Consuming Fast Food: The Perceptions and Practices of Middle-Class Young Teenagers. , 2009, , 52-68.		10
96	Patients' perceptions and experiences of taking oral glucose-lowering agents: a longitudinal qualitative study. <i>Diabetic Medicine</i> , 2008, 25, 491-495.	2.3	44
97	Shifting accountability: A longitudinal qualitative study of diabetes causation accounts. <i>Social Science and Medicine</i> , 2008, 67, 47-56.	3.8	27
98	"We should change ourselves, but we can't": accounts of food and eating practices amongst British Pakistanis and Indians with type 2 diabetes. <i>Ethnicity and Health</i> , 2008, 13, 305-319.	2.5	115
99	"If the Food Looks Dodgy I Dinnae Eat It": Teenagers' Accounts of Food and Eating Practices in Socio-Economically Disadvantaged Families. <i>Sociological Research Online</i> , 2008, 13, 67-79.	1.1	38
100	Self monitoring of blood glucose in type 2 diabetes: longitudinal qualitative study of patients' perspectives. <i>BMJ: British Medical Journal</i> , 2007, 335, 493.	2.3	148
101	Contextualising accounts of illness: notions of responsibility and blame in white and South Asian respondents' accounts of diabetes causation. <i>Sociology of Health and Illness</i> , 2007, 29, 891-906.	2.1	77
102	Diabetes service provision: a qualitative study of the experiences and views of Pakistani and Indian patients with Type 2 diabetes. <i>Diabetic Medicine</i> , 2006, 23, 1003-1007.	2.3	43
103	Young teenagers' perceptions of their own and others' bodies: A qualitative study of obese, overweight and "normal" weight young people in Scotland. <i>Social Science and Medicine</i> , 2006, 62, 396-406.	3.8	80
104	Making sense of eating, weight and risk in the early teenage years: Views and concerns of parents in poorer socio-economic circumstances. <i>Social Science and Medicine</i> , 2006, 63, 624-635.	3.8	71
105	"It's No Skin off My Nose": Why People Take Part in Qualitative Research. <i>Qualitative Health Research</i> , 2006, 16, 1335-1349.	2.1	66
106	"I can't do any serious exercise": barriers to physical activity amongst people of Pakistani and Indian origin with Type 2 diabetes. <i>Health Education Research</i> , 2006, 21, 43-54.	1.9	244
107	Diabetes service provision: a qualitative study of newly diagnosed Type 2 diabetes patients' experiences and views. <i>Diabetic Medicine</i> , 2005, 22, 1246-1251.	2.3	65
108	Lay perceptions of type 2 diabetes in Scotland: bringing health services back in. <i>Social Science and Medicine</i> , 2005, 60, 1423-1435.	3.8	86



#	ARTICLE	IF	CITATIONS
109	Perceptions and experiences of taking oral hypoglycaemic agents among people of Pakistani and Indian origin: qualitative study. <i>BMJ: British Medical Journal</i> , 2005, 330, 1247.	2.3	74
110	Issues of cause and control in patient accounts of Type 2 diabetes. <i>Health Education Research</i> , 2005, 21, 97-107.	1.9	49
111	Taking the Biscuit? A Discursive Approach to Managing Diet in Type 2 Diabetes. <i>Journal of Health Psychology</i> , 2005, 10, 779-791.	2.3	60
112	Patients in waiting: a qualitative study of type 2 diabetes patients' perceptions of diagnosis. <i>Family Practice</i> , 2004, 21, 131-136.	1.9	56
113	“Urine testing is a waste of time”: newly diagnosed Type 2 diabetes patients' perceptions of self-monitoring. <i>Diabetic Medicine</i> , 2004, 21, 1045-1048.	2.3	40
114	Diagnosis of type 2 diabetes: a qualitative analysis of patients' emotional reactions and views about information provision. <i>Patient Education and Counseling</i> , 2004, 53, 269-275.	2.2	116
115	Blood glucose self-monitoring in non-insulin-treated type 2 diabetes: a qualitative study of patients' perspectives. <i>British Journal of General Practice</i> , 2004, 54, 183-8.	1.4	96
116	Lay experiences of health and illness: past research and future agendas. <i>Sociology of Health and Illness</i> , 2003, 25, 23-40.	2.1	223
117	Participating in the United Kingdom Prospective Diabetes Study (UKPDS): a qualitative study of patients' experiences. <i>British Journal of General Practice</i> , 2003, 53, 394-8.	1.4	40
118	Colonising the future: temporal perceptions and health-relevant behaviours across the adult lifecourse. <i>Sociology of Health and Illness</i> , 2002, 24, 714-733.	2.1	37
119	Contextualising Accounts of Illness: Notions of Responsibility and Blame in White and South Asian Respondents' Accounts of Diabetes Causation. , 0, , 92-107.		0