

Xinglian Xu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6231992/publications.pdf>

Version: 2024-02-01

181
papers

6,004
citations

61984

43
h-index

114465

63
g-index

181
all docs

181
docs citations

181
times ranked

3966
citing authors

#	ARTICLE	IF	CITATIONS
1	Impact of Phytophenols on Myofibrillar Proteins: Revisit the Interaction Scenarios Inspired for Meat Products Innovation. <i>Food Reviews International</i> , 2023, 39, 5637-5665.	8.4	2
2	Trace the difference driven by unfolding-refolding pathway of myofibrillar protein: Emphasizing the changes on structural and emulsion properties. <i>Food Chemistry</i> , 2022, 367, 130688.	8.2	37
3	Effect of stewing time on fatty acid composition, textural properties and microstructure of porcine subcutaneous fat from various anatomical locations. <i>Journal of Food Composition and Analysis</i> , 2022, 105, 104240.	3.9	10
4	The effect of in-package cold plasma on the formation of polycyclic aromatic hydrocarbons in charcoal-grilled beef steak with different oils or fats. <i>Food Chemistry</i> , 2022, 371, 131384.	8.2	15
5	Effect of Sous-vide cooking on the quality and digestion characteristics of braised pork. <i>Food Chemistry</i> , 2022, 375, 131683.	8.2	29
6	Protein Glycosylation and Gut Microbiota Utilization Can Limit the In Vitro and In Vivo Metabolic Cellular Incorporation of Neu5Gc. <i>Molecular Nutrition and Food Research</i> , 2022, 66, e2100615.	3.3	4
7	Effects of quercetin on tenderness, apoptotic and autophagy signalling in chickens during post-mortem ageing. <i>Food Chemistry</i> , 2022, 383, 132409.	8.2	11
8	Effect of oxidation on the process of thermal gelation of chicken breast myofibrillar protein. <i>Food Chemistry</i> , 2022, 384, 132368.	8.2	22
9	The Effect of Breed and Age on the Growth Performance, Carcass Traits and Metabolic Profile in Breast Muscle of Chinese Indigenous Chickens. <i>Foods</i> , 2022, 11, 483.	4.3	20
10	Sequential changes in antioxidant activity and structure of curcumin-myofibrillar protein nanocomplex during in vitro digestion. <i>Food Chemistry</i> , 2022, 382, 132331.	8.2	9
11	Comparison of the interfacial properties of native and refolded myofibrillar proteins subjected to pH-shifting. <i>Food Chemistry</i> , 2022, 380, 131734.	8.2	24
12	Nano Filling Effect of Nonmeat Protein Emulsion on the Rheological Property of Myofibrillar Protein Gel. <i>Foods</i> , 2022, 11, 629.	4.3	10
13	Proteomic Analysis of the Protective Effect of Eriodictyol on Benzo(a)pyrene-Induced Caco-2 Cytotoxicity. <i>Frontiers in Nutrition</i> , 2022, 9, 839364.	3.7	1
14	New insights into the ultrasound impact on covalent reactions of myofibrillar protein. <i>Ultrasonics Sonochemistry</i> , 2022, 84, 105973.	8.2	26
15	Chitosan-sodium alginate-collagen/gelatin three-dimensional edible scaffolds for building a structured model for cell cultured meat. <i>International Journal of Biological Macromolecules</i> , 2022, 209, 668-679.	7.5	31
16	Real meat and plant-based meat analogues have different in vitro protein digestibility properties. <i>Food Chemistry</i> , 2022, 387, 132917.	8.2	45
17	Effect of gastrointestinal alterations mimicking elderly conditions on in vitro digestion of meat and soy proteins. <i>Food Chemistry</i> , 2022, 383, 132465.	8.2	19
18	Phenolic modification of myofibrillar protein enhanced by ultrasound: The structure of phenol matters. <i>Food Chemistry</i> , 2022, 386, 132662.	8.2	34

#	ARTICLE	IF	CITATIONS
19	Comparative study on the in vitro digestibility of chicken protein after different modifications. <i>Food Chemistry</i> , 2022, 385, 132652.	8.2	10
20	Recovery of emulsifying and gelling protein from waste chicken exudate by using a sustainable pH-shifting treatment. <i>Food Chemistry</i> , 2022, 387, 132886.	8.2	4
21	Interactions between the protein-epigallocatechin gallate complex and nanocrystalline cellulose: A systematic study. <i>Food Chemistry</i> , 2022, 387, 132791.	8.2	8
22	A Colorimetric Ag ⁺ Probe for Food Real-Time Visual Monitoring. <i>Nanomaterials</i> , 2022, 12, 1389.	4.1	3
23	Continuous cyclic wet heating glycation to prepare myofibrillar protein-glucose conjugates: A study on the structures, solubility and emulsifying properties. <i>Food Chemistry</i> , 2022, 388, 133035.	8.2	23
24	Synergistic effect of preheating and different power output high-intensity ultrasound on the physicochemical, structural, and gelling properties of myofibrillar protein from chicken wooden breast. <i>Ultrasonics Sonochemistry</i> , 2022, 86, 106030.	8.2	18
25	An injectable antibacterial chitosan-based cryogel with high absorbency and rapid shape recovery for noncompressible hemorrhage and wound healing. <i>Biomaterials</i> , 2022, 285, 121546.	11.4	32
26	Enhanced cytokine expression and upregulation of inflammatory signaling pathways in broiler chickens affected by wooden breast myopathy. <i>Journal of the Science of Food and Agriculture</i> , 2021, 101, 279-286.	3.5	7
27	Effects of pulsed electric fields on the conformation and gelation properties of myofibrillar proteins isolated from pale, soft, exudative (PSE)-like chicken breast meat: A molecular dynamics study. <i>Food Chemistry</i> , 2021, 342, 128306.	8.2	32
28	The gelation properties of myofibrillar proteins prepared with malondialdehyde and (âˆ™)-epigallocatechin-3-gallate. <i>Food Chemistry</i> , 2021, 340, 127817.	8.2	18
29	Modification of myofibrillar protein functional properties prepared by various strategies: A comprehensive review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 458-500.	11.7	52
30	Temperature-dependent in vitro digestion properties of isoelectric solubilization/precipitation (ISP)-isolated PSE-like chicken protein. <i>Food Chemistry</i> , 2021, 343, 128501.	8.2	13
31	Covalent chemical modification of myofibrillar proteins to improve their gelation properties: A systematic review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 924-959.	11.7	34
32	Innovative Characterization Based on Stress Relaxation and Creep to Reveal the Tenderizing Effect of Ultrasound on Wooden Breast. <i>Foods</i> , 2021, 10, 195.	4.3	6
33	iTRAQ-based proteomic analysis of duck muscle related to lipid oxidation. <i>Poultry Science</i> , 2021, 100, 101029.	3.4	11
34	Evaluation of antioxidant property of heat shock protein 90 from duck muscle. <i>Animal Bioscience</i> , 2021, 34, 724-733.	2.0	5
35	Correlation between instrumental stress and oral processing property of chicken broiler breast under wooden breast myopathy. <i>International Journal of Food Science and Technology</i> , 2021, 56, 5518-5532.	2.7	5
36	Effect of high intensity ultrasound on the gelation properties of wooden breast meat with different NaCl contents. <i>Food Chemistry</i> , 2021, 347, 129031.	8.2	28

#	ARTICLE	IF	CITATIONS
37	Stability improvement of reduced-fat reduced-salt meat batter through modulation of secondary and tertiary protein structures by means of high pressure processing. <i>Meat Science</i> , 2021, 176, 108439.	5.5	19
38	Effect of MTGase on silver carp myofibrillar protein gelation behavior after peroxidation induced by peroxy radicals. <i>Food Chemistry</i> , 2021, 349, 129066.	8.2	23
39	Investigation of microbial contamination in a chicken slaughterhouse environment. <i>Journal of Food Science</i> , 2021, 86, 3598-3610.	3.1	8
40	Insight into the effect of charge regulation on the binding mechanism of curcumin to myofibrillar protein. <i>Food Chemistry</i> , 2021, 352, 129395.	8.2	11
41	Dual role (promotion and inhibition) of transglutaminase in mediating myofibrillar protein gelation under malondialdehyde-induced oxidative stress. <i>Food Chemistry</i> , 2021, 353, 129453.	8.2	17
42	Ultrasound-assisted covalent reaction of myofibrillar protein: The improvement of functional properties and its potential mechanism. <i>Ultrasonics Sonochemistry</i> , 2021, 76, 105652.	8.2	45
43	Enhanced heat stability and antioxidant activity of myofibrillar protein-dextran conjugate by the covalent adduction of polyphenols. <i>Food Chemistry</i> , 2021, 352, 129376.	8.2	78
44	Physical properties, compositions and volatile profiles of Chinese dry-cured hams from different regions. <i>Journal of Food Measurement and Characterization</i> , 2020, 14, 492-504.	3.2	31
45	Influence of ultrasound-assisted sodium bicarbonate marination on the curing efficiency of chicken breast meat. <i>Ultrasonics Sonochemistry</i> , 2020, 60, 104808.	8.2	65
46	Application of high-pressure treatment improves the in vitro protein digestibility of gel-based meat product. <i>Food Chemistry</i> , 2020, 306, 125602.	8.2	45
47	Conformational and rheological changes of high-pressure processing treated rabbit myosin subfragments during heating. <i>LWT - Food Science and Technology</i> , 2020, 122, 108994.	5.2	4
48	Water-spraying forced ventilation during holding improves the water holding capacity, impedance, and microstructure of breast meat from summer-transported broiler chickens. <i>Poultry Science</i> , 2020, 99, 1744-1749.	3.4	5
49	Influence of salting process on the structure and in vitro digestibility of actomyosin. <i>Journal of Food Science and Technology</i> , 2020, 57, 1763-1773.	2.8	11
50	High intake of chicken and pork proteins aggravates high-fat-diet-induced inflammation and disorder of hippocampal glutamatergic system. <i>Journal of Nutritional Biochemistry</i> , 2020, 85, 108487.	4.2	7
51	Effects of different ultrasound frequencies on the structure, rheological and functional properties of myosin: Significance of quorum sensing. <i>Ultrasonics Sonochemistry</i> , 2020, 69, 105268.	8.2	35
52	Effects of ultrasound frequency mode on myofibrillar protein structure and emulsifying properties. <i>International Journal of Biological Macromolecules</i> , 2020, 163, 1768-1779.	7.5	55
53	Gallic Acid-Aided Cross-Linking of Myofibrillar Protein Fabricated Soluble Aggregates for Enhanced Thermal Stability and a Tunable Colloidal State. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 11535-11544.	5.2	62
54	Effect of wooden breast myopathy on water-holding capacity and rheological and gelling properties of chicken broiler breast batters. <i>Poultry Science</i> , 2020, 99, 3742-3751.	3.4	18

#	ARTICLE	IF	CITATIONS
55	Processing Properties and Improvement of Pale, Soft, and Exudative-Like Chicken Meat: a Review. <i>Food and Bioprocess Technology</i> , 2020, 13, 1280-1291.	4.7	15
56	pH-shifting encapsulation of curcumin in egg white protein isolate for improved dispersity, antioxidant capacity and thermal stability. <i>Food Research International</i> , 2020, 137, 109366.	6.2	53
57	High-Meat-Protein High-Fat Diet Induced Dysbiosis of Gut Microbiota and Tryptophan Metabolism in Wistar Rats. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 6333-6346.	5.2	45
58	Comparison on the emulsion properties of normal colour and discolouration fresh chicken liver. <i>Italian Journal of Animal Science</i> , 2020, 19, 551-559.	1.9	3
59	â€œRigidâ€-structure is a key determinant for the low digestibility of myoglobin. <i>Food Chemistry: X</i> , 2020, 7, 100094.	4.3	13
60	Influence of extreme alkaline pH induced unfolding and aggregation on PSE-like chicken protein edible film formation. <i>Food Chemistry</i> , 2020, 319, 126574.	8.2	37
61	Physicochemical properties, protein and metabolite profiles of muscle exudate of chicken meat affected by wooden breast myopathy. <i>Food Chemistry</i> , 2020, 316, 126271.	8.2	32
62	Preparation, characterization, physicochemical property and potential application of porous starch: A review. <i>International Journal of Biological Macromolecules</i> , 2020, 148, 1169-1181.	7.5	101
63	Phosphoproteome analysis of sarcoplasmic and myofibrillar proteins in stress-induced dysfunctional broiler pectoralis major muscle. <i>Food Chemistry</i> , 2020, 319, 126531.	8.2	9
64	Physicochemical and microstructural attributes of marinated chicken breast influenced by breathing ultrasonic tumbling. <i>Ultrasonics Sonochemistry</i> , 2020, 64, 105022.	8.2	28
65	Overheating induced structural changes of type I collagen and impaired the protein digestibility. <i>Food Research International</i> , 2020, 134, 109225.	6.2	47
66	Comparative proteomic analysis of proteins associated with water holding capacity in goose muscles. <i>Food Research International</i> , 2019, 116, 354-361.	6.2	39
67	Processed Meat Protein Promoted Inflammation and Hepatic Lipogenesis by Upregulating Nrf2/Keap1 Signaling Pathway in Glrx-Deficient Mice. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 8794-8809.	5.2	31
68	Influence of hydrothermal treatment on the structural and digestive changes of actomyosin. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 6209-6218.	3.5	15
69	Effects of ultrafine comminution treatment on gelling properties of myofibrillar proteins from chicken breast. <i>Food Hydrocolloids</i> , 2019, 97, 105199.	10.7	43
70	Dietary Protein Sources Differentially Affect the Growth of Akkermansia muciniphila and Maintenance of the Gut Mucus Barrier in Mice. <i>Molecular Nutrition and Food Research</i> , 2019, 63, 1900589.	3.3	32
71	A Short-Term Feeding of Dietary Casein Increases Abundance of Lactococcus lactis and Upregulates Gene Expression Involving Obesity Prevention in Cecum of Young Rats Compared With Dietary Chicken Protein. <i>Frontiers in Microbiology</i> , 2019, 10, 2411.	3.5	13
72	High-pressure homogenization combined with sulfhydryl blockage by hydrogen peroxide enhance the thermal stability of chicken breast myofibrillar protein aqueous solution. <i>Food Chemistry</i> , 2019, 285, 31-38.	8.2	58

#	ARTICLE	IF	CITATIONS
73	(-)-Epigallocatechin-3-gallate-mediated formation of myofibrillar protein emulsion gels under malondialdehyde-induced oxidative stress. <i>Food Chemistry</i> , 2019, 285, 139-146.	8.2	55
74	The Effect of μ -Calpain on Protein Degradation of Chicken Breast Meat. <i>Journal of Food Science</i> , 2019, 84, 1054-1059.	3.1	8
75	Phenolic compounds in beer inhibit formation of polycyclic aromatic hydrocarbons from charcoal-grilled chicken wings. <i>Food Chemistry</i> , 2019, 294, 578-586.	8.2	47
76	Effects of Oxidation <i>in Vitro</i> on Structures and Functions of Myofibrillar Protein from Beef Muscles. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 5866-5873.	5.2	74
77	Isoelectric solubilization/precipitation processing modified sarcoplasmic protein from pale, soft, exudative-like chicken meat. <i>Food Chemistry</i> , 2019, 287, 1-10.	8.2	15
78	Effects of Phenolic Acid Marinades on the Formation of Polycyclic Aromatic Hydrocarbons in Charcoal-Grilled Chicken Wings. <i>Journal of Food Protection</i> , 2019, 82, 684-690.	1.7	22
79	Edible quality of soft-boiled chicken processing with chilled carcass was better than that of hot-fresh carcass. <i>Food Science and Nutrition</i> , 2019, 7, 797-804.	3.4	14
80	Specific Microbiota Dynamically Regulate the Bidirectional Gut-Brain Axis Communications in Mice Fed Meat Protein Diets. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 1003-1017.	5.2	34
81	Stress Effects on Meat Quality: A Mechanistic Perspective. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2019, 18, 380-401.	11.7	126
82	Hydrophobic-assembled curcumin-porcine plasma protein complex affected by pH. <i>International Journal of Food Science and Technology</i> , 2019, 54, 891-897.	2.7	5
83	Complete Genome Sequence of <i>Salmonella enterica</i> Serovar Enteritidis NCM 61, with High Potential for Biofilm Formation, Isolated from Meat-Related Sources. <i>Microbiology Resource Announcements</i> , 2019, 8, .	0.6	2
84	Oxidative stability of isoelectric solubilization/precipitation-isolated PSE-like chicken protein. <i>Food Chemistry</i> , 2019, 283, 646-655.	8.2	24
85	Effects of smoking or baking procedures during sausage processing on the formation of heterocyclic amines measured using UPLC-MS/MS. <i>Food Chemistry</i> , 2019, 276, 195-201.	8.2	53
86	Inhibition of interaction between epigallocatechin-3-gallate and myofibrillar protein by cyclodextrin derivatives improves gel quality under oxidative stress. <i>Food Research International</i> , 2018, 108, 8-17.	6.2	34
87	Superchilled storage ($2.5 \pm 1^\circ\text{C}$) extends the retention of taste-active and volatile compounds of yellow-feather chicken soup. <i>Animal Science Journal</i> , 2018, 89, 906-918.	1.4	13
88	Structural and solubility properties of pale, soft and exudative (PSE)-like chicken breast myofibrillar protein: Effect of glycosylation. <i>LWT - Food Science and Technology</i> , 2018, 95, 209-215.	5.2	36
89	Improved gelation functionalities of myofibrillar protein from pale, soft and exudative chicken breast meat by nonenzymatic glycation with glucosamine. <i>International Journal of Food Science and Technology</i> , 2018, 53, 2006-2014.	2.7	21
90	Potential roles for glucagon-like peptide-17-36 amide and cholecystokinin in anorectic response to the trichothecene mycotoxin T-2 toxin. <i>Ecotoxicology and Environmental Safety</i> , 2018, 153, 181-187.	6.0	11

#	ARTICLE	IF	CITATIONS
91	Study on retrogradation of maize starch-flaxseed gum mixture under various storage temperatures. <i>International Journal of Food Science and Technology</i> , 2018, 53, 1287-1293.	2.7	16
92	Use of an isoelectric solubilization/precipitation process to modify the functional properties of PSE (pale, soft, exudative)-like chicken meat protein: A mechanistic approach. <i>Food Chemistry</i> , 2018, 248, 201-209.	8.2	30
93	Raspberry Supplementation Improves Insulin Signaling and Promotes Brown-Like Adipocyte Development in White Adipose Tissue of Obese Mice. <i>Molecular Nutrition and Food Research</i> , 2018, 62, 1701035.	3.3	40
94	Structural modification of myofibrillar proteins by high-pressure processing for functionally improved, value-added, and healthy muscle gelled foods. <i>Critical Reviews in Food Science and Nutrition</i> , 2018, 58, 2981-3003.	10.3	80
95	Applications of high pressure to pre-rigor rabbit muscles affect the water characteristics of myosin gels. <i>Food Chemistry</i> , 2018, 240, 59-66.	8.2	28
96	Chicken breast quality – normal, pale, soft and exudative (PSE) and woody – influences the functional properties of meat batters. <i>International Journal of Food Science and Technology</i> , 2018, 53, 654-664.	2.7	36
97	Dose-dependent effects of rosmarinic acid on formation of oxidatively stressed myofibrillar protein emulsion gel at different NaCl concentrations. <i>Food Chemistry</i> , 2018, 243, 50-57.	8.2	88
98	Gelation properties of goose liver protein recovered by isoelectric solubilisation/precipitation process. <i>International Journal of Food Science and Technology</i> , 2018, 53, 356-364.	2.7	12
99	Influence of stewing time on the texture, ultrastructure and <i>in vitro</i> digestibility of meat from the yellow-feathered chicken breed. <i>Animal Science Journal</i> , 2018, 89, 474-482.	1.4	41
100	Alkaline pH-dependent thermal aggregation of chicken breast myosin: formation of soluble aggregates. <i>CYTA - Journal of Food</i> , 2018, 16, 765-775.	1.9	17
101	Beef, Casein, and Soy Proteins Differentially Affect Lipid Metabolism, Triglycerides Accumulation and Gut Microbiota of High-Fat Diet-Fed C57BL/6J Mice. <i>Frontiers in Microbiology</i> , 2018, 9, 2200.	3.5	81
102	Negative impacts of <i>in vitro</i> oxidative stress on the quality of heat-induced myofibrillar protein gelation during refrigeration. <i>International Journal of Food Properties</i> , 2018, 21, 2205-2217.	3.0	9
103	The effect of meat processing methods on changes in disulfide bonding and alteration of protein structures: impact on protein digestion products. <i>RSC Advances</i> , 2018, 8, 17595-17605.	3.6	56
104	Inhibition of Heat-Induced Flocculation of Myosin-Based Emulsions through Steric Repulsion by Conformational Adaptation-Enhanced Interfacial Protein with an Alkaline pH-Shifting-Driven Method. <i>Langmuir</i> , 2018, 34, 8848-8856.	3.5	10
105	Influence of Gamma Irradiation on Porcine Serum Albumin Structural Properties and Allergenicity. <i>Journal of AOAC INTERNATIONAL</i> , 2018, 101, 529-535.	1.5	5
106	Inhibition of Epigallocatechin-3-gallate/Protein Interaction by Methyl- β -cyclodextrin in Myofibrillar Protein Emulsion Gels under Oxidative Stress. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 8094-8103.	5.2	30
107	Effects of chicken myofibrillar protein concentration on protein oxidation and water holding capacity of its heat-induced gels. <i>Journal of Food Measurement and Characterization</i> , 2018, 12, 2302-2312.	3.2	17
108	Solubilization of myofibrillar proteins in water or low ionic strength media: Classical techniques, basic principles, and novel functionalities. <i>Critical Reviews in Food Science and Nutrition</i> , 2017, 57, 3260-3280.	10.3	96

#	ARTICLE	IF	CITATIONS
109	Application of Nondestructive and Low-Cost Impedance Technology to Determine the Effect of Curing Degree on Meat Quality. <i>Journal of Food Process Engineering</i> , 2017, 40, e12294.	2.9	1
110	Effect of Sodium Chloride on the Properties of Ready-to-Eat Pressure-Induced Gel-Type Chicken Meat Products. <i>Journal of Food Process Engineering</i> , 2017, 40, e12299.	2.9	7
111	Response surface model for the reduction of <i>Salmonella</i> biofilm on stainless steel with lactic acid, ethanol, and chlorine as controlling factors. <i>Journal of Food Safety</i> , 2017, 37, e12332.	2.3	3
112	Emulsifying Properties of Oxidatively Stressed Myofibrillar Protein Emulsion Gels Prepared with (âˆ’)-Epigallocatechin-3-gallate and NaCl. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 2816-2826.	5.2	86
113	Applications of high pressure to pre-rigor rabbit muscles affect the functional properties associated with heat-induced gelation. <i>Meat Science</i> , 2017, 129, 176-184.	5.5	26
114	Contribution of High-Pressure-Induced Protein Modifications to the Microenvironment and Functional Properties of Rabbit Meat Sausages. <i>Journal of Food Science</i> , 2017, 82, 1357-1368.	3.1	9
115	Technological demands of meat processing—An Asian perspective. <i>Meat Science</i> , 2017, 132, 35-44.	5.5	60
116	Incorporated glucosamine adversely affects the emulsifying properties of whey protein isolate polymerized by transglutaminase. <i>Journal of Dairy Science</i> , 2017, 100, 3413-3423.	3.4	12
117	Proteome Analysis Using Isobaric Tags for Relative and Absolute Analysis Quantitation (iTRAQ) Reveals Alterations in Stress-Induced Dysfunctional Chicken Muscle. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 2913-2922.	5.2	43
118	Changes of Molecular Forces During Thermo-Gelling of Protein Isolated from PSE-Like Chicken Breast by Various Isoelectric Solubilization/Precipitation Extraction Strategies. <i>Food and Bioprocess Technology</i> , 2017, 10, 1240-1247.	4.7	16
119	High-pressure processing-induced conformational changes during heating affect water holding capacity of myosin gel. <i>International Journal of Food Science and Technology</i> , 2017, 52, 724-732.	2.7	30
120	In vitro protein digestibility of pork products is affected by the method of processing. <i>Food Research International</i> , 2017, 92, 88-94.	6.2	92
121	Water-soluble myofibrillar proteins prepared by high-pressure homogenisation: a comparison study on the composition and functionality. <i>International Journal of Food Science and Technology</i> , 2017, 52, 2334-2342.	2.7	11
122	Influence of biofilm surface layer protein A (<i>BsLA</i>) on the gel structure of myofibril protein from chicken breast. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 4712-4720.	3.5	14
123	Effect of salt content on gelation of normal and wooden breast myopathy chicken <i>pectoralis major</i> meat batters. <i>International Journal of Food Science and Technology</i> , 2017, 52, 2068-2077.	2.7	27
124	High-pressure effects on the molecular aggregation and physicochemical properties of myosin in relation to heat gelation. <i>Food Research International</i> , 2017, 99, 413-418.	6.2	17
125	A comparative study of functional properties of normal and wooden breast broiler chicken meat with NaCl addition. <i>Poultry Science</i> , 2017, 96, 3473-3481.	3.4	37
126	Structural modification by high-pressure homogenization for improved functional properties of freeze-dried myofibrillar proteins powder. <i>Food Research International</i> , 2017, 100, 193-200.	6.2	124

#	ARTICLE	IF	CITATIONS
127	Bacterial Community and Spoilage Profiles Shift in Response to Packaging in Yellow-Feather Broiler, a Highly Popular Meat in Asia. <i>Frontiers in Microbiology</i> , 2017, 8, 2588.	3.5	43
128	Effect of freezing on electrical properties and quality of thawed chicken breast meat. <i>Asian-Australasian Journal of Animal Sciences</i> , 2017, 30, 569-575.	2.4	30
129	L-histidine improves water retention of heat-induced gel of chicken breast myofibrillar proteins in low ionic strength solution. <i>International Journal of Food Science and Technology</i> , 2016, 51, 1195-1203.	2.7	41
130	Application of near infrared reflectance (NIR) spectroscopy to identify potential PSE meat. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 3148-3156.	3.5	19
131	Near-Freezing Temperature Storage (~2C) for Extension of Shelf Life of Chilled Yellow-Feather Broiler Meat: A Special Breed in Asia. <i>Journal of Food Processing and Preservation</i> , 2016, 40, 340-347.	2.0	21
132	Effects of water-misting sprays with forced ventilation on post mortem glycolysis, AMP-activated protein kinase and meat quality of broilers after transport during summer. <i>Animal Science Journal</i> , 2016, 87, 718-728.	1.4	5
133	Effects of pre-slaughter showering and ventilation on stress, meat quality and metabolite concentrations of broilers in summer. <i>Animal Science Journal</i> , 2016, 87, 293-298.	1.4	5
134	Effect of transportation and pre-slaughter water shower spray with resting on AMP-activated protein kinase, glycolysis and meat quality of broilers during summer. <i>Animal Science Journal</i> , 2016, 87, 299-307.	1.4	29
135	Conformational changes induced by high-pressure homogenization inhibit myosin filament formation in low ionic strength solutions. <i>Food Research International</i> , 2016, 85, 1-9.	6.2	110
136	Colorimetric determination of Salmonella typhimurium based on aptamer recognition. <i>Analytical Methods</i> , 2016, 8, 6560-6565.	2.7	14
137	Effects of water-misting spray combined with forced ventilation on heat induced meat gelation in broiler after summer transport. <i>Poultry Science</i> , 2016, 95, 2441-2448.	3.4	6
138	Effects of sodium tripolyphosphate on functional properties of low-salt single-step high-pressure processed chicken breast sausage. <i>International Journal of Food Science and Technology</i> , 2016, 51, 2106-2113.	2.7	12
139	The gut microbiota in young and middle-aged rats showed different responses to chicken protein in their diet. <i>BMC Microbiology</i> , 2016, 16, 281.	3.3	17
140	Different physicochemical, structural and digestibility characteristics of myofibrillar protein from PSE and normal pork before and after oxidation. <i>Meat Science</i> , 2016, 121, 228-237.	5.5	35
141	A comparative study of heat shock protein 70 in normal and PSE (pale, soft, exudative)-like muscle from broiler chickens. <i>Poultry Science</i> , 2016, 95, 2391-2396.	3.4	11
142	Changes in protein structures to improve the rheology and texture of reduced-fat sausages using high pressure processing. <i>Meat Science</i> , 2016, 121, 79-87.	5.5	37
143	Comparative proteomic analysis of longissimus dorsi muscle in immuno- and surgically castrated male pigs. <i>Food Chemistry</i> , 2016, 199, 885-892.	8.2	14
144	Optimization of textural properties of reduced-fat and reduced-salt emulsion-type sausages treated with high pressure using a response surface methodology. <i>Innovative Food Science and Emerging Technologies</i> , 2016, 33, 162-169.	5.6	13

#	ARTICLE	IF	CITATIONS
145	Effect of protein structure on water and fat distribution during meat gelling. Food Chemistry, 2016, 204, 239-245.	8.2	94
146	Solubilisation of myosin in a solution of low ionic strength l-histidine: Significance of the imidazole ring. Food Chemistry, 2016, 196, 42-49.	8.2	100
147	Evaluation of protein structural changes and water mobility in chicken liver paste batters prepared with plant oil substituting pork back-fat combined with pre-emulsification. Food Chemistry, 2016, 196, 388-395.	8.2	64
148	Meat, dairy and plant proteins alter bacterial composition of rat gut bacteria. Scientific Reports, 2015, 5, 15220.	3.3	130
149	Modeling the Survival of <i>S. almonella</i> on Slice Cooked Ham as a Function of Apple Skin Polyphenols, Acetic Acid, Oregano Essential Oil and Carvacrol. Journal of Food Processing and Preservation, 2015, 39, 2371-2378.	2.0	4
150	Effect of High Hydrostatic Pressure Combined with Moderate Heat to Inactivate Pressure-Resistant Bacteria in Water-Boiled Salted Duck. Journal of Food Science, 2015, 80, M1336-42.	3.1	1
151	Redox Regulation in Cancer Stem Cells. Oxidative Medicine and Cellular Longevity, 2015, 2015, 1-11.	4.0	124
152	The changes and relationship of structure and functional properties of rabbit myosin during heat-induced gelation. CYTA - Journal of Food, 2015, 13, 63-68.	1.9	13
153	A New Method for Characterizing Mechanical Properties of Meat Product under Stress-Relaxation Based on Gaussian Curve-Fitting. International Journal of Food Properties, 2015, 18, 2571-2583.	3.0	2
154	Phosphorproteome Changes of Myofibrillar Proteins at Early Post-mortem Time in Relation to Pork Quality As Affected by Season. Journal of Agricultural and Food Chemistry, 2015, 63, 10287-10294.	5.2	20
155	Potential Biomarker of Myofibrillar Protein Oxidation in Raw and Cooked Ham: 3-Nitrotyrosine Formed by Nitrosation. Journal of Agricultural and Food Chemistry, 2015, 63, 10957-10964.	5.2	42
156	High CO ₂ -modified atmosphere packaging for extension of shelf-life of chilled yellow-feather broiler meat: A special breed in Asia. LWT - Food Science and Technology, 2015, 64, 1123-1129.	5.2	50
157	Discrimination of in vitro and in vivo digestion products of meat proteins from pork, beef, chicken, and fish. Proteomics, 2015, 15, 3688-3698.	2.2	90
158	Effect of Cooking on <i>In Vitro</i> Digestion of Pork Proteins: A Peptidomic Perspective. Journal of Agricultural and Food Chemistry, 2015, 63, 250-261.	5.2	88
159	Phosphoproteome analysis of sarcoplasmic and myofibrillar proteins in bovine longissimus muscle in response to postmortem electrical stimulation. Food Chemistry, 2015, 175, 197-202.	8.2	34
160	High pressure processing alters water distribution enabling the production of reduced-fat and reduced-salt pork sausages. Meat Science, 2015, 102, 69-78.	5.5	59
161	Changes in Chemical-Physical Index and Microstructure During Dry-cured Duck Processing. Journal of Poultry Science, 2014, 51, 220-226.	1.6	9
162	Impact of High Hydrostatic Pressure Treatment on Microbial Communities in Chinese Water-Boiled Salted Duck. Journal of Food Protection, 2014, 77, 1142-1147.	1.7	3

#	ARTICLE	IF	CITATIONS
163	Optimization of an Acidified Sodium Chlorite Solution for Reducing Pathogenic Bacteria and Maintaining Sensory Characteristics of Poultry Meat in Simulation Slaughter Process. <i>Journal of Food Processing and Preservation</i> , 2014, 38, 397-405.	2.0	3
164	Rheological and Nuclear Magnetic Resonance Study on Heat-Induced Gel Properties of Spent-Hen Myofibrillar Protein Affected by Porcine Plasma Protein. <i>Journal of Texture Studies</i> , 2014, 45, 195-205.	2.5	6
165	Analysis of ERIC-PCR genomic polymorphism of Salmonella isolates from chicken slaughter line. <i>European Food Research and Technology</i> , 2014, 239, 543-548.	3.3	10
166	Use of low-field nuclear magnetic resonance to characterize water properties in frozen chicken breasts thawed under high pressure. <i>European Food Research and Technology</i> , 2014, 239, 183-188.	3.3	36
167	High-resolution melting analysis: a promising molecular method for meat traceability. <i>European Food Research and Technology</i> , 2014, 239, 473-480.	3.3	11
168	Development of interspecific competition models for the growth of <i>Listeria monocytogenes</i> and <i>Lactobacillus</i> on vacuum-packaged chilled pork by quantitative real-time PCR. <i>Food Research International</i> , 2014, 64, 626-633.	6.2	22
169	Effect of pH on heat-induced gelation of duck blood plasma protein. <i>Food Hydrocolloids</i> , 2014, 35, 324-331.	10.7	26
170	Effect of plant polyphenols and ascorbic acid on lipid oxidation, residual nitrite and N-nitrosamines formation in dry-cured sausage. <i>International Journal of Food Science and Technology</i> , 2013, 48, 1157-1164.	2.7	78
171	Effects of different cooking regimes on the microstructure and tenderness of duck breast muscle. <i>Journal of the Science of Food and Agriculture</i> , 2013, 93, 1979-1985.	3.5	17
172	Effect of final cooked temperature on tenderness, protein solubility and microstructure of duck breast muscle. <i>LWT - Food Science and Technology</i> , 2013, 51, 266-274.	5.2	65
173	The mechanism of high pressure-induced gels of rabbit myosin. <i>Innovative Food Science and Emerging Technologies</i> , 2012, 16, 41-46.	5.6	130
174	Changes in meat quality of ovine longissimus dorsi muscle in response to repeated freeze and thaw. <i>Meat Science</i> , 2012, 92, 619-626.	5.5	71
175	High post-mortem temperature combined with rapid glycolysis induces phosphorylase denaturation and produces pale and exudative characteristics in broiler Pectoralis major muscles. <i>Meat Science</i> , 2011, 89, 181-188.	5.5	56
176	Influence of heat on protein degradation, ultrastructure and eating quality indicators of pork. <i>Journal of the Science of Food and Agriculture</i> , 2011, 91, 443-448.	3.5	53
177	The effect of active caspase-3 on degradation of chicken myofibrillar proteins and structure of myofibrils. <i>Food Chemistry</i> , 2011, 128, 22-27.	8.2	48
178	Effect of Heat-Induced Changes of Connective Tissue and Collagen on Meat Texture Properties of Beef <i>Semitendinosus</i> Muscle. <i>International Journal of Food Properties</i> , 2011, 14, 381-396.	3.0	44
179	Effect of microbial transglutaminase on NMR relaxometry and microstructure of pork myofibrillar protein gel. <i>European Food Research and Technology</i> , 2009, 228, 665-670.	3.3	157
180	Changes of intramuscular phospholipids and free fatty acids during the processing of Nanjing dry-cured duck. <i>Food Chemistry</i> , 2008, 110, 279-284.	8.2	67

#	ARTICLE	IF	CITATIONS
181	Prediction of yield of retail cuts for native and crossbred Chinese Yellow cattle. <i>Animal Science Journal</i> , 2007, 78, 440-444.	1.4	3