
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6236024/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Can the Mediterranean diet decrease the risk of depression in older persons – a systematic review. Psychiatria Polska, 2023, 57, 339-354.	0.5	3
2	Disparate effects of ankle-brachial index on mortality in the â€~very old' and â€~younger old' populations-the PolSenior survey. Heart and Vessels, 2022, 37, 665-672.	1.2	3
3	Pulse Wave Velocity and Sarcopenia in Older Persons—A Systematic Review and Meta-Analysis. International Journal of Environmental Research and Public Health, 2022, 19, 6477.	2.6	7
4	Unmet needs, health policies, and actions during the COVID-19 pandemic: a report from six European countries. European Geriatric Medicine, 2021, 12, 193-204.	2.8	48
5	SARC-F as a case-finding tool for sarcopenia according to the EWGSOP2. National validation and comparison with other diagnostic standards. Aging Clinical and Experimental Research, 2021, 33, 1821-1829.	2.9	20
6	Application of ultrasound for muscle assessment in sarcopenia: 2020 SARCUS update. European Geriatric Medicine, 2021, 12, 45-59.	2.8	123
7	The usefulness of SARC-F. Aging Clinical and Experimental Research, 2021, 33, 2307-2307.	2.9	5
8	Post-COVID-19 acute sarcopenia: physiopathology and management. Aging Clinical and Experimental Research, 2021, 33, 2887-2898.	2.9	116
9	Acute sarcopenia changes following hospitalization: influence of pre-admission care dependency level. Age and Ageing, 2021, 50, 2140-2146.	1.6	11
10	Sleepless nights mean worse metabolism: a link to cardiovascular risk in older women. European Geriatric Medicine, 2021, , 1.	2.8	0
11	Arterial stiffness and frailty - A systematic review and metaanalysis. Experimental Gerontology, 2021, 153, 111480.	2.8	7
12	High Leukocyte Count and Risk of Poor Outcome After Subarachnoid Hemorrhage: AÂMeta-Analysis. World Neurosurgery, 2020, 135, e541-e547.	1.3	9
13	Toward a geriatric approach to patients with advanced age and cardiovascular diseases: position statement of the EuGMS Special Interest Group on Cardiovascular Medicine. European Geriatric Medicine, 2020, 11, 179-184.	2.8	12
14	<scp>P</scp> ostâ€occlusive reactive hyperemic response of skin microcirculation among extremely obese patients in the short and long term after bariatric surgery. Microcirculation, 2020, 27, e12600.	1.8	3
15	EuGMS 2019 Congress report: evidence-based medicine in geriatrics. European Geriatric Medicine, 2020, 11, 915-918.	2.8	0
16	Increased tortuosity of basilar artery might be associated with higher risk of aneurysm development. European Radiology, 2020, 30, 5625-5632.	4.5	11
17	Cardiovascular risk factors as determinants of cerebral blood flow – a cross-sectional and 6-year follow-up study. Blood Pressure, 2020, 29, 182-190.	1.5	2
18	Risk Factors for Frailty and Cardiovascular Diseases: Are They the Same?. Advances in Experimental Medicine and Biology, 2020, 1216, 39-50.	1.6	25

#	Article	IF	CITATIONS
19	The comparison of the 1972 Hodkinson's Abbreviated Mental Test Score (AMTS) and its variants in screening for cognitive impairment. Aging Clinical and Experimental Research, 2019, 31, 561-566.	2.9	17
20	Highlights of the 14th International Congress of the European Geriatric Medicine Society. European Geriatric Medicine, 2019, 10, 995-998.	2.8	3
21	Author's Reply: Issues regarding ambulatory blood pressure measurement in severely obese population: The guilty upper-arm' Item cover sheet has been updated accordingly. European Journal of Internal Medicine, 2019, 64, e13.	2.2	0
22	Sarcopenia in Acute Care Patients: Protocol for the European Collaboration of Geriatric Surveys: Sarcopenia 9+ EAMA Project. Journal of the American Medical Directors Association, 2019, 20, e1-e3.	2.5	10
23	Increased tortuosity of ACA might be associated with increased risk of ACoA aneurysm development and less aneurysm dome size: a computer-aided analysis. European Radiology, 2019, 29, 6309-6318.	4.5	11
24	Insulin Resistance and Renal Sodium Handling Influence Arterial Stiffness in Hypertensive Patients with Prevailing Sodium Intake. American Journal of Hypertension, 2019, 32, 848-857.	2.0	9
25	Ultrasound assessment of muscle mass and quality: it has never been so easy!. European Geriatric Medicine, 2019, 10, 7-8.	2.8	0
26	Clinical examination of peripheral arterial disease and ankle–brachial index in a nationwide cohort of older subjects: practical implications. Aging Clinical and Experimental Research, 2019, 31, 1443-1449.	2.9	5
27	Analysis of Anterior Cerebral Artery Tortuosity: Association with Anterior Communicating Artery Aneurysm Rupture. World Neurosurgery, 2019, 122, e480-e486.	1.3	10
28	Reduction of 24-h blood pressure variability in extreme obese patients 10â€ [–] days and 6â€ [–] months after bariatric surgery depending on pre-existing hypertension. European Journal of Internal Medicine, 2019, 60, 39-45.	2.2	14
29	Identification of potential prognostic factors for absence of residual disease in the second resection of T1 bladder cancer. Central European Journal of Urology, 2019, 72, 252-257.	0.3	4
30	Vitamin D serum concentration is not related to the activity of spondyloarthritis – preliminary study. Reumatologia, 2018, 56, 388-391.	1.1	11
31	Sera of patients with axial spondyloarthritis (axSpA) enhance osteoclastogenic potential of monocytes isolated from healthy individuals. BMC Musculoskeletal Disorders, 2018, 19, 434.	1.9	6
32	Computer-Assisted Analysis of Intracerebral Hemorrhage Shape and Density. World Neurosurgery, 2018, 120, e863-e869.	1.3	4
33	In Hypertension as Elsewhere in Medicine, One Size Does Not Fit All. Hypertension, 2018, 72, 829-831.	2.7	0
34	Arterial hypertension after age 65: from epidemiology and pathophysiology to therapy Do we know where we stand?. Kardiologia Polska, 2018, 76, 723-730.	0.6	6
35	Safety vs Efficacy of Lowering Blood Pressure. JAMA Cardiology, 2017, 2, 1398.	6.1	0
36	Are ACE inhibitors acceptable ingredients in polypills?. Lancet, The, 2017, 390, 26.	13.7	3

#	Article	IF	CITATIONS
37	The relation between blood pressure components and left atrial volume in the context of left ventricular mass index. Medicine (United States), 2017, 96, e9459.	1.0	8
38	Results from Polish Spondyloarthritis Initiative registry (PolSPI) – methodology and data from – the first year of observation. Reumatologia, 2017, 2, 59-64.	1.1	0
39	Hypertension in the elderly: Change of, or new implications within the existing, paradigm?. European Geriatric Medicine, 2017, 8, 289-292.	2.8	5
40	Number of circulating non-classical (CD14+CD16++) monocytes negatively correlates with DAS28 and swollen joints count in peripheral spondyloarthritis patients. Polish Archives of Internal Medicine, 2017, 127, 846-853.	0.4	9
41	Relationship between gender and clinical characteristics, associated factors, and hypertension treatment in patients with resistant hypertension. Kardiologia Polska, 2017, 75, 421-431.	0.6	6
42	Subclinical Mood and Cognition Impairments and Blood Pressure Control in a Large Cohort of Elderly Hypertensives. Journal of the American Medical Directors Association, 2016, 17, 864.e17-864.e22.	2.5	12
43	Blood pressure, arterial stiffness and endogenous lithium clearance in relation to AGTR1 <i>A1166C</i> and AGTR2 <i>G1675A</i> gene polymorphisms. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2016, 17, 147032031665566.	1.7	7
44	Blood Pressure Target. Hypertension, 2016, 68, 1103-1105.	2.7	5
45	Subclinical arterial and cardiac damage in white-coat and masked hypertension. Blood Pressure, 2016, 25, 249-256.	1.5	17
46	Potentially positive ageing-related variations of medial smooth muscle cells in the saphenous veins used as aortocoronary bypass grafts. Folia Histochemica Et Cytobiologica, 2016, 54, 91-98.	1.5	3
47	The relation between <i>ACE</i> D/l and <i>CYP11B2</i> C-344T polymorphisms and parameters of arterial stiffness in the context of renal sodium handling. Blood Pressure, 2015, 24, 306-316.	1.5	2
48	2015 guidelines for the management of hypertension. Recommendations of the Polish Society of Hypertension — short version. Kardiologia Polska, 2015, 73, 676-700.	0.6	24
49	Factors associated with resistant hypertension in a large cohort of hypertensive patients: the Pol-Fokus study. Polish Archives of Internal Medicine, 2015, 125, 249-259.	0.4	12
50	Trends for beta-blockers use in a large cohort of Polish hypertensive patients — Pol-Fokus Study. Arterial Hypertension, 2015, 19, 120-128.	0.3	0
51	The Relation of Rapid Changes in Obesity Measures to Lipid Profile - Insights from a Nationwide Metabolic Health Survey in 444 Polish Cities. PLoS ONE, 2014, 9, e86837.	2.5	15
52	The FGA Thr312Ala polymorphism and risk of intracerebral haemorrhage in Polish and Greek populations. Neurologia I Neurochirurgia Polska, 2014, 48, 105-110.	1.2	14
53	Pharmacological Management of Hypertension in the Elderly - Certitudes and Controversies. Current Pharmaceutical Design, 2014, 20, 5963-5967.	1.9	1
54	High disease activity in ankylosing spondylitis is associated with increased serum sclerostin level and decreased wingless protein-3a signaling but is not linked with greater structural damage. BMC Musculoskeletal Disorders, 2013, 14, 99.	1.9	42

#	Article	IF	CITATIONS
55	The prevalence of falls and their relation to visual and hearing impairments among a nation-wide cohort of older Poles. Experimental Gerontology, 2013, 48, 140-146.	2.8	43
56	Disparate effects of anti-TNF-α therapies on measures of disease activity and mediators of endothelial damage in ankylosing spondylitis. Pharmacological Reports, 2013, 65, 891-897.	3.3	13
57	There Is More to Salt Than Just a Pinch of Sodium. Hypertension, 2013, 62, 829-830.	2.7	3
58	Breast Cancer, Age, and Hypertension. Hypertension, 2012, 59, 186-188.	2.7	5
59	Hypertension in the elderly: Some practical considerations. Cleveland Clinic Journal of Medicine, 2012, 79, 694-704.	1.3	30
60	Severe frailty and cognitive impairment are related to higher mortality in 12-month follow-up of nursing home residents. Archives of Gerontology and Geriatrics, 2012, 55, 22-24.	3.0	78
61	Heart failure and atrial fibrillation $\hat{a} \in$ Does practice meet the anticoagulation guidelines?. International Journal of Cardiology, 2012, 157, 274-275.	1.7	3
62	Arterial stiffness, central hemodynamics, and cardiovascular risk in hypertension. Vascular Health and Risk Management, 2011, 7, 725.	2.3	86
63	Short-term antihypertensive efficacy of perindopril according to clinical profile of 3,188 patients: A meta-analysis. Cardiology Journal, 2010, 17, 259-66.	1.2	2
64	Twentyâ€fourâ€hour and conventional blood pressure components and risk of preterm delivery or neonatal complications in gestational hypertension. Blood Pressure, 2009, 18, 36-43.	1.5	10
65	Systolic Swing of the Pendulum. Hypertension, 2009, 53, 452-453.	2.7	Ο
66	Antioxidants modify the relationship between endothelin-1 level and glucose metabolism–associated parameters. Metabolism: Clinical and Experimental, 2009, 58, 1229-1233.	3.4	7
67	Conventional and 24-h ambulatory blood pressure as independent predictors of elastic arterial properties. Blood Pressure Monitoring, 2009, 14, 12-19.	0.8	0
68	Is "Usual" Blood Pressure a Proxy for 24-h Ambulatory Blood Pressure in Predicting Cardiovascular Outcomes?. American Journal of Hypertension, 2008, 21, 994-1000.	2.0	18
69	Reference Values in White Europeans for the Arterial Pulse Wave Recorded by Means of the SphygmoCor Device. Hypertension Research, 2006, 29, 475-483.	2.7	65
70	Arterial Characteristics in Normotensive Offspring of Parents With or Without a History of Hypertension. American Journal of Hypertension, 2006, 19, 264-269.	2.0	35
71	Daytime, home and office blood pressures in treated hypertensive patients according to accretion of cardiovascular risk. Blood Pressure, 2006, 15, 354-361.	1.5	2
72	Pulse Wave Velocity in Patients with Coronary Artery Disease or Type 2 Diabetes Mellitus. Acta Cardiologica, 2006, 61, 421-426.	0.9	3

#	Article	IF	CITATIONS
73	Antioxidative Protection in Hypertensive Patients Treated With Diuretics. American Journal of Hypertension, 2005, 18, 1130-1132.	2.0	13
74	Pulsatile blood pressure component as predictor of mortality in hypertension: a meta-analysis of clinical trial control groups. Journal of Hypertension, 2002, 20, 145-151.	0.5	136
75	Benefit of antihypertensive treatment in the diabetic patients enrolled in the Systolic Hypertension in Europe (Syst-Eur) trial. Cardiovascular Drugs and Therapy, 2000, 14, 49-53.	2.6	18
76	Response to Antihypertensive Therapy in Older Patients With Sustained and Nonsustained Systolic Hypertension. Circulation, 2000, 102, 1139-1144.	1.6	271
77	Pulse Pressure Not Mean Pressure Determines Cardiovascular Risk in Older Hypertensive Patients. Archives of Internal Medicine, 2000, 160, 1085.	3.8	502
78	Risks of untreated and treated isolated systolic hypertension in the elderly: meta-analysis of outcome trials. Lancet, The, 2000, 355, 865-872.	13.7	1,136
79	Clinical trials in isolated systolic hypertension. Current Hypertension Reports, 1999, 1, 387-393.	3.5	5
80	Treatment of isolated systolic hypertension in the elderly: evidence from three clinical trials. European Journal of Internal Medicine, 1999, 10, 82-87.	2.2	2
81	Treatment of isolated systolic hypertension in the elderly: further evidence from the Systolic Hypertension in Europe (Syst-Eur) trial. American Journal of Cardiology, 1998, 82, 20-22.	1.6	63