
Elizabeth A Grove

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6236270/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Neocortex Patterning by the Secreted Signaling Molecule FGF8. Science, 2001, 294, 1071-1074.	12.6	681
2	Embryonic signaling centers expressing BMP, WNT and FGF proteins interact to pattern the cerebral cortex. Development (Cambridge), 2004, 131, 5639-5647.	2.5	266
3	Massive loss of Cajal-Retzius cells does not disrupt neocortical layer order. Development (Cambridge), 2006, 133, 537-545.	2.5	247
4	G <scp>ENERATING THE</scp> C <scp>EREBRAL</scp> C <scp>ORTICAL</scp> A <scp>REA</scp> M <scp>AP</scp> . Annual Review of Neuroscience, 2003, 26, 355-380.	10.7	238
5	Dorsoventral Patterning of the Telencephalon Is Disrupted in the Mouse Mutant extra-toesJ. Developmental Biology, 2000, 217, 254-265.	2.0	180
6	Emx2 patterns the neocortex by regulating FGF positional signaling. Nature Neuroscience, 2003, 6, 825-831.	14.8	175
7	Patterning the mammalian cerebral cortex. Current Opinion in Neurobiology, 2001, 11, 50-58.	4.2	169
8	Area and layer patterning in the developing cerebral cortex. Current Opinion in Neurobiology, 2006, 16, 25-34.	4.2	162
9	Identification of a <i>Pax6</i> -Dependent Epidermal Growth Factor Family Signaling Source at the Lateral Edge of the Embryonic Cerebral Cortex. Journal of Neuroscience, 2003, 23, 6399-6403.	3.6	150
10	<i>Emx2</i> Is Required for Growth of the Hippocampus But Not for Hippocampal Field Specification. Journal of Neuroscience, 2000, 20, 2618-2625.	3.6	121
11	Fibroblast Growth Factor 8 Regulates Neocortical Guidance of Area-Specific Thalamic Innervation. Journal of Neuroscience, 2005, 25, 6550-6560.	3.6	100
12	FGF8 acts as a classic diffusible morphogen to pattern the neocortex. Development (Cambridge), 2010, 137, 3439-3448.	2.5	92
13	Patterning the Dorsal Telencephalon: A Role for Sonic Hedgehog?. Journal of Neuroscience, 2007, 27, 11595-11603.	3.6	90
14	The cortical hem regulates the size and patterning of neocortex. Development (Cambridge), 2014, 141, 2855-2865.	2.5	76
15	Bone Morphogenetic Protein Signaling in the Developing Telencephalon Controls Formation of the Hippocampal Dentate Gyrus and Modifies Fear-Related Behavior. Journal of Neuroscience, 2010, 30, 6291-6301.	3.6	55
16	Fibroblast Growth Factor 8 Organizes the Neocortical Area Map and Regulates Sensory Map Topography. Journal of Neuroscience, 2012, 32, 7191-7201.	3.6	45
17	DMRT5, DMRT3, and EMX2 Cooperatively Repress <i>Gsx2</i> at the Pallium–Subpallium Boundary to Maintain Cortical Identity in Dorsal Telencephalic Progenitors. Journal of Neuroscience, 2018, 38, 9105-9121.	3.6	34
18	DMRT5 Together with DMRT3 Directly Controls Hippocampus Development and Neocortical Area Map Formation. Cerebral Cortex, 2018, 28, 493-509.	2.9	32

Elizabeth A Grove

#	Article	IF	CITATIONS
19	Organizing the Source of Memory. Science, 2008, 319, 288-289.	12.6	13
20	Wnt signaling meets internal dissent: Figure 1 Genes and Development, 2011, 25, 1759-1762.	5.9	9
21	A model of neocortical area patterning in the lissencephalic mouse may hold for larger gyrencephalic brains. Journal of Comparative Neurology, 2019, 527, 1461-1477.	1.6	8
22	The Telencephalon Saved by TLC. Neuron, 2002, 35, 215-217.	8.1	6
23	Morphogens, patterning centers, and their mechanisms of action. , 2020, , 3-21.		4
24	Area patterning of the mammalian neocortex. , 2020, , 49-68.		3
25	Local Axon Guidance in Cerebral Cortex and Thalamus: Are We There Yet?. Neuron, 2005, 48, 522-524.	8.1	2