

# Stefan Broer

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6242949/publications.pdf>

Version: 2024-02-01

172  
papers

13,236  
citations

23879

60  
h-index

29333

108  
g-index

183  
all docs

183  
docs citations

183  
times ranked

14838  
citing authors

#	ARTICLE	IF	CITATIONS
1	Amino Acid Homeostasis in Mammalian Cells with a Focus on Amino Acid Transport. <i>Journal of Nutrition</i> , 2022, 152, 16-28.	1.3	29
2	Amino acid transporters as modulators of glucose homeostasis. <i>Trends in Endocrinology and Metabolism</i> , 2022, 33, 120-135.	3.1	21
3	Amino acid metabolism, transport and signalling in the liver revisited. <i>Biochemical Pharmacology</i> , 2022, 201, 115074.	2.0	32
4	Breakdown in membrane asymmetry regulation leads to monocyte recognition of <i>P. falciparum</i> -infected red blood cells. <i>PLoS Pathogens</i> , 2021, 17, e1009259.	2.1	14
5	A GC-MS/Single-Cell Method to Evaluate Membrane Transporter Substrate Specificity and Signaling. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 646574.	1.6	19
6	Basal renal phenotype and response to induction of aristolochic acid nephropathy in mice lacking the neutral amino acid transporter BOAT1 (SLC6A19). <i>FASEB Journal</i> , 2021, 35, .	0.2	1
7	Coordinated action of multiple transporters in the acquisition of essential cationic amino acids by the intracellular parasite <i>Toxoplasma gondii</i> . <i>PLoS Pathogens</i> , 2021, 17, e1009835.	2.1	8
8	Quantitative modelling of amino acid transport and homeostasis in mammalian cells. <i>Nature Communications</i> , 2021, 12, 5282.	5.8	42
9	Knockout of the Amino Acid Transporter SLC6A19 and Autoimmune Diabetes Incidence in Female Non-Obese Diabetic (NOD) Mice. <i>Metabolites</i> , 2021, 11, 665.	1.3	6
10	THE CONCISE GUIDE TO PHARMACOLOGY 2021/22: Transporters. <i>British Journal of Pharmacology</i> , 2021, 178, S412-S513.	2.7	114
11	Heteromeric Solute Carriers: Function, Structure, Pathology and Pharmacology. <i>Advances in Experimental Medicine and Biology</i> , 2020, 21, 13-127.	0.8	29
12	Amino Acid Transporters as Targets for Cancer Therapy: Why, Where, When, and How. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6156.	1.8	62
13	Restriction of essential amino acids dictates the systemic metabolic response to dietary protein dilution. <i>Nature Communications</i> , 2020, 11, 2894.	5.8	71
14	Novel Chemical Scaffolds to Inhibit the Neutral Amino Acid Transporter BOAT1 (SLC6A19), a Potential Target to Treat Metabolic Diseases. <i>Frontiers in Pharmacology</i> , 2020, 11, 140.	1.6	25
15	THE CONCISE GUIDE TO PHARMACOLOGY 2019/20: Transporters. <i>British Journal of Pharmacology</i> , 2019, 176, S397-S493.	2.7	166
16	Mice Lacking the Intestinal and Renal Neutral Amino Acid Transporter SLC6A19 Demonstrate the Relationship between Dietary Protein Intake and Amino Acid Malabsorption. <i>Nutrients</i> , 2019, 11, 2024.	1.7	23
17	The tyrosine transporter of <i>Toxoplasma gondii</i> is a member of the newly defined apicomplexan amino acid transporter (ApiAT) family. <i>PLoS Pathogens</i> , 2019, 15, e1007577.	2.1	39
18	Calpain cleaves phospholipid flippase ATP8A1 during apoptosis in platelets. <i>Blood Advances</i> , 2019, 3, 219-229.	2.5	14

#	ARTICLE	IF	CITATIONS
19	Characterization of a Dopamine Transporter and Its Splice Variant Reveals Novel Features of Dopaminergic Regulation in the Honey Bee. <i>Frontiers in Physiology</i> , 2019, 10, 1375.	1.3	5
20	Ablation of the ASCT2 (SLC1A5) gene encoding a neutral amino acid transporter reveals transporter plasticity and redundancy in cancer cells. <i>Journal of Biological Chemistry</i> , 2019, 294, 4012-4026.	1.6	64
21	SLC6 neurotransmitter transporter family (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. <i>IUPHAR/BPS Guide To Pharmacology CITE</i> , 2019, 2019, .	0.2	1
22	Amino Acid Transporters as Disease Modifiers and Drug Targets. <i>SLAS Discovery</i> , 2018, 23, 303-320.	1.4	41
23	Amino Acid Transport Across the Mammalian Intestine. , 2018, 9, 343-373.		98
24	Development of Biomarkers for Inhibition of SLC6A19 (BOAT1)â€”A Potential Target to Treat Metabolic Disorders. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3597.	1.8	21
25	PKC-Mediated Modulation of Astrocyte SNAT3 Glutamine Transporter Function at Synapses in Situ. <i>International Journal of Molecular Sciences</i> , 2018, 19, 924.	1.8	4
26	Disruption of Amino Acid Homeostasis by Novel ASCT2 Inhibitors Involves Multiple Targets. <i>Frontiers in Pharmacology</i> , 2018, 9, 785.	1.6	91
27	Cationic amino acid transporters play key roles in the survival and transmission of apicomplexan parasites. <i>Nature Communications</i> , 2017, 8, 14455.	5.8	56
28	SNAT3-mediated glutamine transport in perisynaptic astrocytes<i>in situ</i>is regulated by intracellular sodium. <i>Glia</i> , 2017, 65, 900-916.	2.5	38
29	Identification of novel inhibitors of the amino acid transporter B<sup>0</sup>AT1 (SLC6A19), a potential target to induce protein restriction and to treat type 2 diabetes. <i>British Journal of Pharmacology</i> , 2017, 174, 468-482.	2.7	48
30	Amino acid homeostasis and signalling in mammalian cells and organisms. <i>Biochemical Journal</i> , 2017, 474, 1935-1963.	1.7	360
31	THE CONCISE GUIDE TO PHARMACOLOGY 2017/18: Overview. <i>British Journal of Pharmacology</i> , 2017, 174, S1-S16.	2.7	269
32	ASCT2 (SLC1A5)-Deficient Mice Have Normal B-Cell Development, Proliferation, and Antibody Production. <i>Frontiers in Immunology</i> , 2017, 8, 549.	2.2	44
33	Deletion of Amino Acid Transporter ASCT2 (SLC1A5) Reveals an Essential Role for Transporters SNAT1 (SLC38A1) and SNAT2 (SLC38A2) to Sustain Glutaminolysis in Cancer Cells. <i>Journal of Biological Chemistry</i> , 2016, 291, 13194-13205.	1.6	179
34	Brain transporters: From genes and genetic disorders to function and drug discovery. <i>Neurochemistry International</i> , 2016, 98, 1-3.	1.9	0
35	Loss of function mutation of the Slc38a3 glutamine transporter reveals its critical role for amino acid metabolism in the liver, brain, and kidney. <i>Pflugers Archiv European Journal of Physiology</i> , 2016, 468, 213-227.	1.3	42
36	ATP11C Facilitates Phospholipid Translocation across the Plasma Membrane of All Leukocytes. <i>PLoS ONE</i> , 2016, 11, e0146774.	1.1	20

#	ARTICLE	IF	CITATIONS
37	Abstract 1007: The amino acid transporter SNAT4: Potential role as a tumor suppressor in melanoma. , 2016, , .		0
38	The Concise Guide to PHARMACOLOGY 2015/16: Overview. British Journal of Pharmacology, 2015, 172, 5729-5743.	2.7	220
39	<i>Sleeping Beauty</i>Transposon Mutagenesis as a Tool for Gene Discovery in the NOD Mouse Model of Type 1 Diabetes. G3: Genes, Genomes, Genetics, 2015, 5, 2903-2911.	0.8	7
40	Loss of Functional Endothelial Connexin40 Results in Exercise-Induced Hypertension in Mice. Hypertension, 2015, 65, 662-669.	1.3	27
41	Mice lacking neutral amino acid transporter BOAT1 (Slc6a19) have elevated levels of FGF21 and GLP-1 and improved glycaemic control. Molecular Metabolism, 2015, 4, 406-417.	3.0	71
42	Molecular Basis for the Interaction of the Mammalian Amino Acid Transporters BOAT1 and BOAT3 with Their Ancillary Protein Collectrin. Journal of Biological Chemistry, 2015, 290, 24308-24325.	1.6	51
43	Creatine as a booster for human brain function. How might it work?. Neurochemistry International, 2015, 89, 249-259.	1.9	71
44	Mice Deficient in the Putative Phospholipid Flippase ATP11C Exhibit Altered Erythrocyte Shape, Anemia, and Reduced Erythrocyte Life Span*. Journal of Biological Chemistry, 2014, 289, 19531-19537.	1.6	60
45	Expression of Glutamine Transporter Slc38a3 (SNAT3) During Acidosis is Mediated by a Different Mechanism than Tissue-Specific Expression. Cellular Physiology and Biochemistry, 2014, 33, 1591-1606.	1.1	11
46	The SLC38 family of sodium&acircumlacron;amino acid co-transporters. Pflugers Archiv European Journal of Physiology, 2014, 466, 155-172.	1.3	173
47	Amino Acid Transport Defects. , 2014, , 85-99.		2
48	The Concise Guide to PHARMACOLOGY 2013/14: Overview. British Journal of Pharmacology, 2013, 170, 1449-1458.	2.7	153
49	Enterocyte-specific Regulation of the Apical Nutrient Transporter SLC6A19 (BOAT1) by Transcriptional and Epigenetic Networks. Journal of Biological Chemistry, 2013, 288, 33813-33823.	1.6	22
50	Epithelial neutral amino acid transporters. Current Opinion in Nephrology and Hypertension, 2013, 22, 539-544.	1.0	13
51	A Self-defeating Anabolic Program Leads to $\beta$ -Cell Apoptosis in Endoplasmic Reticulum Stress-induced Diabetes via Regulation of Amino Acid Flux. Journal of Biological Chemistry, 2013, 288, 17202-17213.	1.6	105
52	Diseases Associated with General Amino Acid Transporters of the Solute Carrier 6 Family (SLC6). Current Molecular Pharmacology, 2013, 6, 74-87.	0.7	15
53	Anemia, Shortened Erythrocyte Lifespan and Stomatocytosis In a Flippase Mutant Mouse Strain. Blood, 2013, 122, 2183-2183.	0.6	0
54	Up-Regulation of Amino Acid Transporter SLC6A19 Activity and Surface Protein Abundance by PKB/Akt and PIKfyve. Cellular Physiology and Biochemistry, 2012, 30, 1538-1546.	1.1	36

#	ARTICLE	IF	CITATIONS
55	Intestinal peptidases form functional complexes with the neutral amino acid transporter B0AT1. <i>Biochemical Journal</i> , 2012, 446, 135-148.	1.7	61
56	The solute carrier 6 family of transporters. <i>British Journal of Pharmacology</i> , 2012, 167, 256-278.	2.7	192
57	Metabolism, Compartmentation, Transport and Production of Acetate in the Cortical Brain Tissue Slice. <i>Neurochemical Research</i> , 2012, 37, 2541-2553.	1.6	71
58	Significance of Short Chain Fatty Acid Transport by Members of the Monocarboxylate Transporter Family (MCT). <i>Neurochemical Research</i> , 2012, 37, 2562-2568.	1.6	63
59	The role of amino acid transporters in inherited and acquired diseases. <i>Biochemical Journal</i> , 2011, 436, 193-211.	1.7	172
60	The B <sup>0</sup> AT1 amino acid transporter from rat kidney reconstituted in liposomes: Kinetics and inactivation by methylmercury. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011, 1808, 2551-2558.	1.4	15
61	Stimulation of the amino acid transporter SLC6A19 by JAK2. <i>Biochemical and Biophysical Research Communications</i> , 2011, 414, 456-461.	1.0	17
62	ATP11C is critical for the internalization of phosphatidylserine and differentiation of B lymphocytes. <i>Nature Immunology</i> , 2011, 12, 441-449.	7.0	117
63	Impaired Nutrient Signaling and Body Weight Control in a Na <sup>+</sup> Neutral Amino Acid Cotransporter (Slc6a19)-deficient Mouse. <i>Journal of Biological Chemistry</i> , 2011, 286, 26638-26651.	1.6	76
64	Targeting tumour cells at the entrance. <i>Biochemical Journal</i> , 2011, 439, e1-e2.	1.7	4
65	Loss-of-function mutations in the glutamate transporter SLC1A1 cause human dicarboxylic aminoaciduria. <i>Journal of Clinical Investigation</i> , 2011, 121, 446-453.	3.9	117
66	Renal imino acid and glycine transport system ontogeny and involvement in developmental iminoglycinuria. <i>Biochemical Journal</i> , 2010, 428, 397-407.	1.7	56
67	Rapid downregulation of the rat glutamine transporter SNAT3 by a caveolin-dependent trafficking mechanism in <i>Xenopus laevis</i> oocytes. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 299, C1047-C1057.	2.1	19
68	<i>Xenopus laevis</i> Oocytes. <i>Methods in Molecular Biology</i> , 2010, 637, 295-310.	0.4	33
69	Mutation of Asparagine 76 in the Center of Glutamine Transporter SNAT3 Modulates Substrate-induced Conductances and Na <sup>+</sup> Binding. <i>Journal of Biological Chemistry</i> , 2009, 284, 25823-25831.	1.6	19
70	Purine uptake in Plasmodium: transport versus metabolism. <i>Trends in Parasitology</i> , 2009, 25, 246-249.	1.5	32
71	The role of the neutral amino acid transporter B <sup>0</sup> AT1 (SLC6A19) in Hartnup disorder and protein nutrition. <i>IUBMB Life</i> , 2009, 61, 591-599.	1.5	202
72	Metabolic Effects of Blocking Lactate Transport in Brain Cortical Tissue Slices Using an Inhibitor Specific to MCT1 and MCT2. <i>Neurochemical Research</i> , 2009, 34, 1783-1791.	1.6	19

#	ARTICLE	IF	CITATIONS
73	Sodium translocation by the iminoglycinuria associated imino transporter (SLC6A20). <i>Molecular Membrane Biology</i> , 2009, 26, 333-346.	2.0	21
74	Chloroquine Transport via the Malaria Parasite's Chloroquine Resistance Transporter. <i>Science</i> , 2009, 325, 1680-1682.	6.0	256
75	Dicarboxylic Aminoaciduria. , 2009, , 530-532.		0
76	Iminoglycinuria. , 2009, , 1033-1034.		0
77	Further evidence for allelic heterogeneity in Hartnup disorder. <i>Human Mutation</i> , 2008, 29, 1217-1221.	1.1	30
78	MAM 2008 Oral Abstracts. <i>International Journal for Parasitology</i> , 2008, 38, S17-S33.	1.3	2
79	Purine nucleobase transport in the intraerythrocytic malaria parasite. <i>International Journal for Parasitology</i> , 2008, 38, 203-209.	1.3	33
80	Amino Acid Transport Across Mammalian Intestinal and Renal Epithelia. <i>Physiological Reviews</i> , 2008, 88, 249-286.	13.1	787
81	SIT1 is a betaine/proline transporter that is activated in mouse eggs after fertilization and functions until the 2-cell stage. <i>Development (Cambridge)</i> , 2008, 135, 4123-4130.	1.2	46
82	A protein complex in the brush-border membrane explains a Hartnup disorder allele. <i>FASEB Journal</i> , 2008, 22, 2880-2887.	0.2	193
83	Apical Transporters for Neutral Amino Acids: Physiology and Pathophysiology. <i>Physiology</i> , 2008, 23, 95-103.	1.6	84
84	Iminoglycinuria and hyperglycinuria are discrete human phenotypes resulting from complex mutations in proline and glycine transporters. <i>Journal of Clinical Investigation</i> , 2008, 118, 3881-3892.	3.9	101
85	Heterologous Expression of the Glutamine Transporter SNAT3 in <i>Xenopus</i> Oocytes Is Associated with Four Modes of Uncoupled Transport. <i>Journal of Biological Chemistry</i> , 2007, 282, 3788-3798.	1.6	26
86	Lysinuric protein intolerance: one gene, many problems. <i>American Journal of Physiology - Cell Physiology</i> , 2007, 293, C540-C541.	2.1	30
87	Na <sup>+</sup> /H <sup>+</sup> exchanger regulatory factor 1 is a PDZ scaffold for the astroglial glutamate transporter GLAST. <i>Glia</i> , 2007, 55, 119-129.	2.5	41
88	Persistence of the Common Hartnup Disease D173N Allele in Populations of European Origin. <i>Annals of Human Genetics</i> , 2007, 71, 755-761.	0.3	14
89	Alanine metabolism, transport, and cycling in the brain. <i>Journal of Neurochemistry</i> , 2007, 102, 1758-1770.	2.1	48
90	Heme carrier protein 1 (HCP1) expression and functional analysis in the retina and retinal pigment epithelium. <i>Experimental Cell Research</i> , 2007, 313, 1251-1259.	1.2	10

#	ARTICLE	IF	CITATIONS
91	SLC38 Family of Transporters for Neutral Amino Acids. , 2007, , 327-338.		2
92	ALANINE METABOLISM, TRANSPORT AND CYCLING IN THE BRAIN. Journal of Neurochemistry, 2007, , .	2.1	0
93	The SLC6 orphans are forming a family of amino acid transporters. Neurochemistry International, 2006, 48, 559-567.	1.9	97
94	The orphan transporter v7-3 (slc6a15) is a Na <sup>+</sup> -dependent neutral amino acid transporter (BOAT2). Biochemical Journal, 2006, 393, 421-430.	1.7	129
95	Transport of nucleosides across the Plasmodium falciparum parasite plasma membrane has characteristics of PfENT1. Molecular Microbiology, 2006, 60, 738-748.	1.2	51
96	Sodium-dependent uptake of inorganic phosphate by the intracellular malaria parasite. Nature, 2006, 443, 582-585.	13.7	90
97	The molecular basis of neutral aminoacidurias. Pflugers Archiv European Journal of Physiology, 2006, 451, 511-517.	1.3	54
98	Mechanism and Putative Structure of BO-like Neutral Amino Acid Transporters. Journal of Membrane Biology, 2006, 213, 111-118.	1.0	23
99	Mutation of the 4F2 heavy-chain carboxy terminus causes $\gamma$ -LAT2 light-chain dysfunction. Molecular Membrane Biology, 2006, 23, 255-267.	2.0	7
100	Neutral amino acid transport in epithelial cells and its malfunction in Hartnup disorder. Biochemical Society Transactions, 2005, 33, 233-236.	1.6	41
101	Characterization of mouse amino acid transporter BOAT1 (slc6a19). Biochemical Journal, 2005, 389, 745-751.	1.7	137
102	Molecular cloning of the mouse IMINO system: an Na <sup>+</sup> - and Cl <sup>-</sup> -dependent proline transporter. Biochemical Journal, 2005, 386, 417-422.	1.7	95
103	Lactate transportation is required for lymphocyte activation. Nature Chemical Biology, 2005, 1, 356-357.	3.9	12
104	Preferred Stereoselective Transport of the D-isomer of cis-4-[18F]fluoro-proline at the Blood-Brain Barrier. Journal of Cerebral Blood Flow and Metabolism, 2005, 25, 607-616.	2.4	36
105	Preferred stereoselective brain uptake of d-serine is a modulator of glutamatergic neurotransmission. Nuclear Medicine and Biology, 2005, 32, 793-797.	0.3	44
106	Retinal Colocalization and In Vitro Interaction of the Glutamate Receptor EAAT3 and the Serum- and Glucocorticoid-Inducible Kinase SGK1. Investigative Ophthalmology and Visual Science, 2004, 45, 1442-1449.	3.3	52
107	Involvement of OCTN2 and BO,+ in the transport of carnitine through an in vitro model of the blood-brain barrier. Journal of Neurochemistry, 2004, 91, 860-872.	2.1	31
108	Hartnup disorder is caused by mutations in the gene encoding the neutral amino acid transporter SLC6A19. Nature Genetics, 2004, 36, 1003-1007.	9.4	241

#	ARTICLE	IF	CITATIONS
109	Astroglial glutamine transport by system N is upregulated by glutamate. <i>Glia</i> , 2004, 48, 298-310.	2.5	59
110	Stimulation of the EAAT4 glutamate transporter by SGK protein kinase isoforms and PKB. <i>Biochemical and Biophysical Research Communications</i> , 2004, 324, 1242-1248.	1.0	42
111	Molecular Cloning of Mouse Amino Acid Transport System B0, a Neutral Amino Acid Transporter Related to Hartnup Disorder. <i>Journal of Biological Chemistry</i> , 2004, 279, 24467-24476.	1.6	222
112	Facilitated Lactate Transport by MCT1 when Coexpressed with the Sodium Bicarbonate Cotransporter (NBC) in <i>Xenopus</i> Oocytes. <i>Biophysical Journal</i> , 2004, 86, 235-247.	0.2	86
113	Cystinuria-specific rBAT(R365W) mutation reveals two translocation pathways in the amino acid transporter rBAT-b0,+AT. <i>Biochemical Journal</i> , 2004, 377, 665-674.	1.7	47
114	Molecular Mechanisms of Glutamate and Glutamine Transport in Astrocytes. , 2004, , 93-109.		0
115	The serine/threonine kinases SGK2 and SGK3 are potent stimulators of the epithelial Na <sup>+</sup> channel $\beta_1$ , $\beta_2$ , $\beta_3$ -ENaC. <i>Pflugers Archiv European Journal of Physiology</i> , 2003, 445, 693-696.	1.3	71
116	Inhibition of glutamine transport depletes glutamate and GABA neurotransmitter pools: further evidence for metabolic compartmentation. <i>Journal of Neurochemistry</i> , 2003, 85, 503-514.	2.1	149
117	Regulation of the glutamate transporter EAAT1 by the ubiquitin ligase Nedd4 and the serum and glucocorticoid-inducible kinase isoforms SGK1/3 and protein kinase B. <i>Journal of Neurochemistry</i> , 2003, 86, 1181-1188.	2.1	102
118	Glutamine efflux from astrocytes is mediated by multiple pathways. <i>Journal of Neurochemistry</i> , 2003, 87, 127-135.	2.1	115
119	Regulation of cytosolic pH and lactic acid release in mesangial cells overexpressing GLUT1. <i>Kidney International</i> , 2003, 64, 1338-1347.	2.6	8
120	Properties and regulation of glutamine transporter SN1 by protein kinases SGK and PKB. <i>Biochemical and Biophysical Research Communications</i> , 2003, 306, 156-162.	1.0	74
121	Asymmetry of glutamine transporters in cultured neural cells. <i>Neurochemistry International</i> , 2003, 43, 289-298.	1.9	55
122	Comparison of fluorotyrosines and methionine uptake in F98 rat gliomas. <i>Nuclear Medicine and Biology</i> , 2003, 30, 501-508.	0.3	139
123	<i>Xenopus laevis</i> Oocytes. , 2003, 227, 245-258.		53
124	The loop between helix 4 and helix 5 in the monocarboxylate transporter MCT1 is important for substrate selection and protein stability. <i>Biochemical Journal</i> , 2003, 376, 413-422.	1.7	46
125	Expression of the Serine/Threonine Kinase hSGK1 in Chronic Viral Hepatitis. <i>Cellular Physiology and Biochemistry</i> , 2002, 12, 47-54.	1.1	44
126	Influence of rBAT-Mediated Amino Acid Transport on Cytosolic pH. <i>Nephron</i> , 2002, 91, 631-636.	0.9	1



#	ARTICLE	IF	CITATIONS
127	Transport of cis- and trans-4-[18F]fluoro-L-proline in F98 glioma cells. <i>Nuclear Medicine and Biology</i> , 2002, 29, 685-692.	0.3	25
128	Cerebral localization and regulation of the cell volume-sensitive serum- and glucocorticoid-dependent kinase SGK1. <i>Pflugers Archiv European Journal of Physiology</i> , 2002, 443, 617-624.	1.3	75
129	Adaptation of plasma membrane amino acid transport mechanisms to physiological demands. <i>Pflugers Archiv European Journal of Physiology</i> , 2002, 444, 457-466.	1.3	126
130	The Peptide Transporter PepT2 Mediates the Uptake of the Glutathione Precursor CysGly in Astroglia-Rich Primary Cultures. <i>Journal of Neurochemistry</i> , 2002, 71, 388-393.	2.1	59
131	Regulation of the glutamine transporter SN1 by extracellular pH and intracellular sodium ions. <i>Journal of Physiology</i> , 2002, 539, 3-14.	1.3	111
132	Structure-Function Relationships of Heterodimeric Amino Acid Transporters. <i>Cell Biochemistry and Biophysics</i> , 2002, 36, 155-168.	0.9	48
133	Regulation of the glutamine transporter SN1 by extracellular pH and intracellular sodium ions. , 2002, 539, 3.		1
134	3-[123I]iodo- $\beta$ -methyl-L-tyrosine transport and 4F2 antigen expression in human glioma cells. <i>Nuclear Medicine and Biology</i> , 2001, 28, 5-11.	0.3	12
135	Function and structure of heterodimeric amino acid transporters. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 281, C1077-C1093.	2.1	304
136	Association of 4F2hc with light chains LAT1, LAT2 or $\gamma$ -LAT2 requires different domains. <i>Biochemical Journal</i> , 2001, 355, 725-731.	1.7	43
137	Effect of NaPi-mediated phosphate transport on intracellular pH. <i>Pflugers Archiv European Journal of Physiology</i> , 2001, 441, 802-806.	1.3	8
138	Na <sup>+</sup> transport by the neural glutamine transporter ATA1. <i>Pflugers Archiv European Journal of Physiology</i> , 2001, 443, 92-101.	1.3	83
139	Transfer of glutamine between astrocytes and neurons. <i>Journal of Neurochemistry</i> , 2001, 77, 705-719.	2.1	288
140	Serum- and glucocorticoid-dependent kinase, cell volume, and the regulation of epithelial transport. <i>Comparative Biochemistry and Physiology Part A, Molecular &amp; Integrative Physiology</i> , 2001, 130, 367-376.	0.8	20
141	Effects of the Serine/Threonine Kinase SGK1 on the Epithelial Na <sup>+</sup> Channel (ENaC) and CFTR: Implications for Cystic Fibrosis. <i>Cellular Physiology and Biochemistry</i> , 2001, 11, 209-218.	1.1	109
142	Neutral amino acid transporter ASCT2 displays substrate-induced Na <sup>+</sup> exchange and a substrate-gated anion conductance. <i>Biochemical Journal</i> , 2000, 346, 705.	1.7	32
143	The low-affinity monocarboxylate transporter MCT4 is adapted to the export of lactate in highly glycolytic cells. <i>Biochemical Journal</i> , 2000, 350, 219.	1.7	100
144	Neutral amino acid transporter ASCT2 displays substrate-induced Na <sup>+</sup> exchange and a substrate-gated anion conductance. <i>Biochemical Journal</i> , 2000, 346, 705-710.	1.7	124

#	ARTICLE	IF	CITATIONS
145	The heterodimeric amino acid transporter 4F2hc/y+LAT2 mediates arginine efflux in exchange with glutamine. <i>Biochemical Journal</i> , 2000, 349, 787-795.	1.7	177
146	Acute Regulation of the Betaine/GABA Transporter BGT-1 Expressed in <i>Xenopus</i> Oocytes by Extracellular pH. <i>Kidney and Blood Pressure Research</i> , 2000, 23, 356-359.	0.9	3
147	The low-affinity monocarboxylate transporter MCT4 is adapted to the export of lactate in highly glycolytic cells. <i>Biochemical Journal</i> , 2000, 350, 219-227.	1.7	491
148	The heterodimeric amino acid transporter 4F2hc/LAT1 is associated in <i>Xenopus</i> oocytes with a nonselective cation channel that is regulated by the serine/threonine kinase sgk1. <i>Journal of Physiology</i> , 2000, 526, 35-46.	1.3	41
149	Isozyme pattern of glycogen phosphorylase in the rat nervous system and rat astroglia-rich primary cultures: electrophoretic and polymerase chain reaction studies. <i>Neurochemical Research</i> , 2000, 25, 1485-1491.	1.6	20
150	Functional and pharmacological characterization of human Na <sup>+</sup> -carnitine cotransporter hOCTN2. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 279, F584-F591.	1.3	95
151	Deranged transcriptional regulation of cell-volume-sensitive kinase hSKK in diabetic nephropathy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 8157-8162.	3.3	205
152	Swelling-induced taurine release without chloride channel activity in <i>Xenopus laevis</i> oocytes expressing anion channels and transporters. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2000, 1467, 91-100.	1.4	48
153	The Use of <i>Xenopus laevis</i> Oocytes for the Functional Characterization of Heterologously Expressed Membrane Proteins. <i>Cellular Physiology and Biochemistry</i> , 2000, 10, 1-12.	1.1	168
154	Functional Characterization of the Betaine/ <sup>3</sup> -Aminobutyric Acid Transporter BGT-1 Expressed in <i>Xenopus</i> Oocytes. <i>Journal of Biological Chemistry</i> , 1999, 274, 16709-16716.	1.6	61
155	Helix 8 and Helix 10 Are Involved in Substrate Recognition in the Rat Monocarboxylate Transporter MCT1. <i>Biochemistry</i> , 1999, 38, 11577-11584.	1.2	84
156	Characterization of the high-affinity monocarboxylate transporter MCT2 in <i>Xenopus laevis</i> oocytes. <i>Biochemical Journal</i> , 1999, 341, 529-535.	1.7	253
157	Characterization of the high-affinity monocarboxylate transporter MCT2 in <i>Xenopus laevis</i> oocytes. <i>Biochemical Journal</i> , 1999, 341, 529.	1.7	189
158	Chloride Conductance and P <sub>i</sub> Transport are Separate Functions Induced by the Expression of NaPi-1 in <i>Xenopus</i> Oocytes. <i>Journal of Membrane Biology</i> , 1998, 164, 71-77.	1.0	57
159	Expression of aquaporins in <i>Xenopus laevis</i> oocytes and glial cells as detected by diffusion-weighted 1H NMR spectroscopy and photometric swelling assay. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1998, 1448, 27-36.	1.9	21
160	Characterization of the monocarboxylate transporter 1 expressed in <i>Xenopus laevis</i> oocytes by changes in cytosolic pH. <i>Biochemical Journal</i> , 1998, 333, 167-174.	1.7	300
161	Discrimination of two amino acid transport activities in 4F2 heavy chain-expressing <i>Xenopus laevis</i> oocytes. <i>Biochemical Journal</i> , 1998, 333, 549-554.	1.7	30
162	Comparison of Lactate Transport in Astroglial Cells and Monocarboxylate Transporter 1 (MCT 1) Expressing <i>Xenopus laevis</i> Oocytes. <i>Journal of Biological Chemistry</i> , 1997, 272, 30096-30102.	1.6	320

#	ARTICLE	IF	CITATIONS
163	Expression of the surface antigen 4F2hc affects system-L-like neutral-amino-acid-transport activity in mammalian cells. <i>Biochemical Journal</i> , 1997, 324, 535-541.	1.7	43
164	Molecular Identification of Proteins Involved in Transport of Branched-Chain Amino Acids in Glial Cells. , 1997, , 619-623.		0
165	Molecular Identification of Astroglial Neutral Amino Acid Transport Systems. <i>Developmental Neuroscience</i> , 1996, 18, 484-491.	1.0	7
166	Expression of a renal type I sodium/phosphate transporter (NaPi-1) induces a conductance in <i>Xenopus</i> oocytes permeable for organic and inorganic anions.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 5347-5351.	3.3	142
167	Interaction of <i>Serratia marcescens</i> hemolysin (ShIA) with artificial and erythrocyte membranes. Demonstration of the formation of aqueous multistate channels. <i>FEBS Journal</i> , 1994, 223, 655-663.	0.2	30
168	Expression of Na <sup>+</sup> -independent isoleucine transport activity from rat brain in <i>Xenopus laevis</i> oocytes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1994, 1192, 95-100.	1.4	34
169	Orphan enzyme or patriarch of a new tribe: the arsenic resistance ATPase of bacterial plasmids. <i>Molecular Microbiology</i> , 1993, 8, 637-642.	1.2	73
170	Strains of <i>Corynebacterium glutamicum</i> with Different Lysine Productivities May Have Different Lysine Excretion Systems. <i>Applied and Environmental Microbiology</i> , 1993, 59, 316-321.	1.4	56
171	Lysine excretion by <i>Corynebacterium glutamicum</i> . 1. Identification of a specific secretion carrier system. <i>FEBS Journal</i> , 1991, 202, 131-135.	0.2	59
172	Lysine excretion by <i>Corynebacterium glutamicum</i> . 2. Energetics and mechanism of the transport system. <i>FEBS Journal</i> , 1991, 202, 137-143.	0.2	57