
Luitpold Distel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6243033/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | IGF-I and Hyaluronic Acid Mitigate the Negative Effect of Irradiation on Human Skin Keratinocytes. Cancers, 2022, 14, 588. | 3.7 | 9 |
| 2 | Baseline Quality of Life of Physical Function Is Highly Relevant for Overall Survival in Advanced Rectal Cancer. Healthcare (Switzerland), 2022, 10, 141. | 2.0 | 2 |
| 3 | The Prognostic Value of FoxP3+ Tumour-Infiltrating Lymphocytes in Rectal Cancer Depends on Immune Phenotypes Defined by CD8+ Cytotoxic T Cell Density. Frontiers in Immunology, 2022, 13, 781222. | 4.8 | 8 |
| 4 | Intra- and Early Postoperative Evaluation of Malperfused Areas in an Irradiated Random Pattern Skin Flap Model Using Indocyanine Green Angiography and Near-Infrared Reflectance-Based Imaging and Infrared Thermography. Journal of Personalized Medicine, 2022, 12, 237. | 2.5 | 15 |
| 5 | Transient Enlargement in Meningiomas Treated with Stereotactic Radiotherapy. Cancers, 2022, 14, 1547. | 3.7 | 3 |
| 6 | Influence of alectinib and crizotinib on ionizing radiation - in vitro analysis of ALK/ROS1-wildtype lung tissue cells. Neoplasia, 2022, 27, 100780. | 5.3 | 2 |
| 7 | PD-1 and PD-L1 expression predict regression and prognosis following neoadjuvant radiochemotherapy of oesophageal adenocarcinoma. Clinical and Translational Radiation Oncology, 2022, 34, 90-98. | 1.7 | 3 |
| 8 | Influence of Gender on Radiosensitivity during Radiochemotherapy of Advanced Rectal Cancer. Cancers, 2022, 14, 148. | 3.7 | 9 |
| 9 | Kinase inhibitors increase individual radiation sensitivity in normal cells of cancer patients. Strahlentherapie Und Onkologie, 2022, 198, 838-848. | 2.0 | 4 |
| 10 | The Prognostic and Predictive Significance of Tumor-Infiltrating Memory T Cells Is Reversed in High-Risk HNSCC. Cells, 2022, 11, 1960. | 4.1 | 4 |
| 11 | Effects of Hippocampal Sparing Radiotherapy on Brain Microstructure—A Diffusion Tensor Imaging Analysis. Brain Sciences, 2022, 12, 879. | 2.3 | 3 |
| 12 | Increase in non-professional phagocytosis during the progression of cell cycle. PLoS ONE, 2021, 16, e0246402. | 2.5 | 6 |
| 13 | X-ray Dose-Enhancing Impact of Functionalized Au–Fe3O4 Nanoheterodimers on MCF-7 and A549 Multicellular Tumor Spheroids. ACS Applied Bio Materials, 2021, 4, 3113-3123. | 4.6 | 4 |
| 14 | Caffeic Acid, Quercetin and 5-Fluorocytidine-Functionalized Au-Fe3O4 Nanoheterodimers for X-ray-Triggered Drug Delivery in Breast Tumor Spheroids. Nanomaterials, 2021, 11, 1167. | 4.1 | 8 |
| 15 | PARP Inhibitors Talazoparib and Niraparib Sensitize Melanoma Cells to Ionizing Radiation. Genes, 2021, 12, 849. | 2.4 | 10 |
| 16 | Kinase Inhibitors of DNA-PK, ATM and ATR in Combination with Ionizing Radiation Can Increase Tumor Cell Death in HNSCC Cells While Sparing Normal Tissue Cells. Genes, 2021, 12, 925. | 2.4 | 17 |
| 17 | Cell-in-cell phenomenon: leukocyte engulfment by non-tumorigenic cells and cancer cell lines. BMC Molecular and Cell Biology, 2021, 22, 39. | 2.0 | 3 |
| 18 | Free Transplantation of a Tissue Engineered Bone Graft into an Irradiated, Critical-Size Femoral Defect in Rats. Cells, 2021, 10, 2256. | 4.1 | 3 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Pt–Fe ₃ O ₄ , Pd–Fe ₃ O ₄ , and Au–Fe ₃ O ₄ Nanoheterodimers and Their Efficacy as Radiosensitizers in Cancer Therapy. ACS Applied Bio Materials, 2021, 4, 7879-7892. | 4.6 | 4 |
| 20 | Palbociclib Induces Senescence in Melanoma and Breast Cancer Cells and Leads to Additive Growth Arrest in Combination With Irradiation. Frontiers in Oncology, 2021, 11, 740002. | 2.8 | 26 |
| 21 | Differences in and Prognostic Value of Quality of Life Data in Rectal Cancer Patients with and without Distant Metastases. Healthcare (Switzerland), 2021, 9, 1. | 2.0 | 13 |
| 22 | Is There Any Evidence of Monocytes Involvement in Alzheimer's Disease? A Pilot Study on Human Postmortem Brain. Journal of Alzheimer's Disease Reports, 2021, 5, 1-11. | 2.2 | 5 |
| 23 | Is in vivo and ex vivo irradiation equally reliable for individual Radiosensitivity testing by three colour fluorescence in situ hybridization?. Radiation Oncology, 2020, 15, 2. | 2.7 | 5 |
| 24 | High Stroma T-Cell Infiltration is Associated with Better Survival in Stage pT1 Bladder Cancer. International Journal of Molecular Sciences, 2020, 21, 8407. | 4.1 | 14 |
| 25 | TMEM119 as a specific marker of microglia reaction in traumatic brain injury in postmortem examination. International Journal of Legal Medicine, 2020, 134, 2167-2176. | 2.2 | 30 |
| 26 | Deterioration of Health-Related Quality of Life Scores under Treatment Predicts Longer Survival. BioMed Research International, 2020, 2020, 1-10. | 1.9 | 9 |
| 27 | Senescence Induction by Combined Ionizing Radiation and DNA Damage Response Inhibitors in Head and Neck Squamous Cell Carcinoma Cells. Cells, 2020, 9, 2012. | 4.1 | 19 |
| 28 | PARP inhibitors combined with ionizing radiation induce different effects in melanoma cells and healthy fibroblasts. BMC Cancer, 2020, 20, 775. | 2.6 | 20 |
| 29 | Dual mTOR/DNA-PK Inhibitor CC-115 Induces Cell Death in Melanoma Cells and Has Radiosensitizing Potential. International Journal of Molecular Sciences, 2020, 21, 9321. | 4.1 | 15 |
| 30 | Ex vivo radiosensitivity is increased in non-cancer patients taking valproate. BMC Neurology, 2020, 20, 390. | 1.8 | 3 |
| 31 | Encapsulation of Hydrophobic Drugs in Shell-by-Shell Coated Nanoparticles for Radio—and Chemotherapy—An In Vitro Study. Bioengineering, 2020, 7, 126. | 3.5 | 11 |
| 32 | Tumour-Infiltrating Inflammatory Cells in Early Breast Cancer: An Underrated Prognostic and Predictive Factor?. International Journal of Molecular Sciences, 2020, 21, 8238. | 4.1 | 12 |
| 33 | Role of tumor cell senescence in non-professional phagocytosis and cell-in-cell structure formation. BMC Molecular and Cell Biology, 2020, 21, 79. | 2.0 | 8 |
| 34 | Cytotoxic and immunosuppressive inflammatory cells predict regression and prognosis following neoadjuvant radiochemotherapy of oesophageal adenocarcinoma. Radiotherapy and Oncology, 2020, 146, 151-160. | 0.6 | 5 |
| 35 | Accelerated Partial Breast Irradiation: Macrophage Polarisation Shift Classification Identifies High-Risk Tumours in Early Hormone Receptor-Positive Breast Cancer. Cancers, 2020, 12, 446. | 3.7 | 13 |
| 36 | Regulatory T cells and cytotoxic T cells close to the epithelial–stromal interface are associated with a favorable prognosis. Oncolmmunology, 2020, 9, 1746149. | 4.6 | 11 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Non-professional phagocytosis: a general feature of normal tissue cells. Scientific Reports, 2019, 9, 11875. | 3.3 | 45 |
| 38 | Bifunctional Au–Fe ₃ O ₄ Nanoheterodimers Acting as X-ray Protector in Healthy Cells and as X-ray Enhancer in Tumor Cells. ACS Applied Materials & Interfaces, 2019, 11, 39613-39623. | 8.0 | 8 |
| 39 | CD8+ and Regulatory T cells Differentiate Tumor Immune Phenotypes and Predict Survival in Locally Advanced Head and Neck Cancer. Cancers, 2019, 11, 1398. | 3.7 | 65 |
| 40 | Time course of pain response and toxicity after whole-nerve-encompassing LINAC-based stereotactic radiosurgery for trigeminal neuralgia—aÂprospective observational study. Strahlentherapie Und Onkologie, 2019, 195, 745-755. | 2.0 | 7 |
| 41 | A Facile One-Pot Synthesis of Water-Soluble, Patchy Fe3O4-Au Nanoparticles for Application in Radiation Therapy. Applied Sciences (Switzerland), 2019, 9, 15. | 2.5 | 20 |
| 42 | Radiosensitizing performance of uncoated and citrate-coated SPIONs in cancerous and non-cancerous cells. Radiology and Medical Diagnostic Imaging, 2019, , 1-9. | 0.1 | 1 |
| 43 | Cytotoxic effect of Efavirenz in BxPC‑3 pancreatic cancer cells is based on oxidative stress and is synergistic with ionizing radiation. Oncology Letters, 2018, 15, 1728-1736. | 1.8 | 21 |
| 44 | Enhanced In Vitro Biocompatibility and Water Dispersibility of Magnetite and Cobalt Ferrite Nanoparticles Employed as ROS Formation Enhancer in Radiation Cancer Therapy. Small, 2018, 14, e1704111. | 10.0 | 57 |
| 45 | Clinical outcome of concomitant vs interrupted BRAF inhibitor therapy during radiotherapy in melanoma patients. British Journal of Cancer, 2018, 118, 785-792. | 6.4 | 34 |
| 46 | APTES-Terminated ultrasmall and iron-doped silicon nanoparticles as X-Ray dose enhancer for radiation therapy. Biochemical and Biophysical Research Communications, 2018, 498, 855-861. | 2.1 | 9 |
| 47 | Acquired temozolomide resistance in human glioblastoma cell line U251 is caused by mismatch repair deficiency and can be overcome by lomustine. Clinical and Translational Oncology, 2018, 20, 508-516. | 2.4 | 36 |
| 48 | Lethal outcome after pelvic salvage radiotherapy in aÂpatient with prostate cancer due to increased radiosensitivity. Strahlentherapie Und Onkologie, 2018, 194, 60-66. | 2.0 | 6 |
| 49 | Brain volume reduction after whole-brain radiotherapy: quantification and prognostic relevance. Neuro-Oncology, 2018, 20, 268-278. | 1.2 | 14 |
| 50 | Understanding the Role of Surface Charge in Cellular Uptake and X-ray-Induced ROS Enhancing of Au–Fe ₃ O ₄ Nanoheterodimers. ACS Applied Bio Materials, 2018, 1, 2002-2011. | 4.6 | 14 |
| 51 | Older Patients Are Less Affected by Radiochemotherapeutic Treatment than Younger. BioMed Research International, 2018, 2018, 1-8. | 1.9 | 5 |
| 52 | Rate of individuals with clearly increased radiosensitivity rise with age both in healthy individuals and in cancer patients. BMC Geriatrics, 2018, 18, 105. | 2.7 | 19 |
| 53 | NOBF ₄ -Functionalized Au–Fe ₃ O ₄ Nanoheterodimers for Radiation Therapy: Synergy Effect Due to Simultaneous Reactive Oxygen and Nitrogen Species Formation. ACS Applied Materials & Interfaces, 2018, 10, 17071-17080. | 8.0 | 27 |
| 54 | Galectin 3 expression in regional lymph nodes and lymph node metastases of oral squamous cell carcinomas. BMC Cancer, 2018, 18, 823. | 2.6 | 12 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Individual Radiosensitivity in Lung Cancer Patients Assessed by GO and Three Color Fluorescence in Situ Hybridization. OBM Genetics, 2018, 3, 1-1. | 0.4 | 2 |
| 56 | Combination of growth pattern and tumor regression identifies a high-risk group in neoadjuvant treated rectal cancer patients. Journal of Digestive Diseases, 2017, 18, 283-291. | 1.5 | 2 |
| 57 | Influence of Different Irradiation Protocols on Vascularization and Bone Formation Parameters in Rat Femora. Tissue Engineering - Part C: Methods, 2017, 23, 583-591. | 2.1 | 5 |
| 58 | Idelalisib may have the potential to increase radiotherapy side effects. Radiation Oncology, 2017, 12, 109. | 2.7 | 5 |
| 59 | Cell-in-cell structures are more potent predictors of outcome than senescence or apoptosis in head and neck squamous cell carcinomas. Radiation Oncology, 2017, 12, 21. | 2.7 | 36 |
| 60 | Flow Induced Microvascular Network Formation of Therapeutic Relevant Arteriovenous (AV) Loop-Based Constructs in Response to Ionizing Radiation. Medical Science Monitor, 2017, 23, 834-842. | 1.1 | 7 |
| 61 | Galectin 3 expression in primary oral squamous cell carcinomas. BMC Cancer, 2017, 17, 906. | 2.6 | 14 |
| 62 | Ex Vivo Apoptosis in CD8+ Lymphocytes Predicts Rectal Cancer Patient Outcome. Gastroenterology Research and Practice, 2016, 2016, 1-7. | 1.5 | 5 |
| 63 | Cell-to-cell distances between tumor-infiltrating inflammatory cells have the potential to distinguish functionally active from suppressed inflammatory cells. Oncolmmunology, 2016, 5, e1127494. | 4.6 | 29 |
| 64 | Targeted next-generation sequencing identifies molecular subgroups in squamous cell carcinoma of the head and neck with distinct outcome after concurrent chemoradiation. Annals of Oncology, 2016, 27, 2262-2268. | 1.2 | 38 |
| 65 | PD-L1 is upregulated by radiochemotherapy in rectal adenocarcinoma patients and associated with a favourable prognosis. European Journal of Cancer, 2016, 65, 52-60. | 2.8 | 112 |
| 66 | Feasibility of a 12-month-exercise intervention during and after radiation and chemotherapy in cancer patients: impact on quality of life, peak oxygen consumption, and body composition. Radiation Oncology, 2016, 11, 42. | 2.7 | 16 |
| 67 | CD163+ M2c-like macrophages predominate in renal biopsies from patients with lupus nephritis. Arthritis Research and Therapy, 2016, 18, 90. | 3.5 | 92 |
| 68 | Spatial distribution of FoxP3+ and CD8+ tumour infiltrating T cells reflects their functional activity. Oncotarget, 2016, 7, 60383-60394. | 1.8 | 27 |
| 69 | A prospective study on histone $\hat{1}^3$ -H2AX and 53BP1 foci expression in rectal carcinoma patients: correlation with radiation therapy-induced outcome. BMC Cancer, 2015, 15, 856. | 2.6 | 21 |
| 70 | Clearance of primary necrotic cells by nonâ€professional phagocytes. Biology of the Cell, 2015, 107, 372-387. | 2.0 | 28 |
| 71 | Prognostic Value of Homotypic Cell Internalization by Nonprofessional Phagocytic Cancer Cells. BioMed Research International, 2015, 2015, 1-14. | 1.9 | 36 |
| 72 | Radiosensitization by BRAF inhibitor therapy—mechanism and frequency of toxicity in melanoma patients. Annals of Oncology, 2015, 26, 1238-1244. | 1.2 | 101 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Distinct increased outliers among 136 rectal cancer patients assessed by Î ³ H2AX. Radiation Oncology, 2015, 10, 36. | 2.7 | 10 |
| 74 | NNRTI-based antiretroviral therapy may increase risk of radiation induced side effects in HIV-1-infected patients. Radiotherapy and Oncology, 2015, 116, 323-330. | 0.6 | 12 |
| 75 | Efavirenz Has the Highest Anti-Proliferative Effect of Non-Nucleoside Reverse Transcriptase Inhibitors against Pancreatic Cancer Cells. PLoS ONE, 2015, 10, e0130277. | 2.5 | 40 |
| 76 | Low cytoplasmic and nuclear KPNA2 expression in radiotherapy-treated head and neck squamous cell cancer is associated with an adverse outcome. International Journal of Clinical and Experimental Pathology, 2015, 8, 15814-24. | 0.5 | 2 |
| 77 | Critical role of spatial interaction between CD8+ and Foxp3+ cells in human gastric cancer: the distance matters. Cancer Immunology, Immunotherapy, 2014, 63, 111-119. | 4.2 | 62 |
| 78 | Superparamagnetic Iron Oxide Nanoparticles as Novel X-ray Enhancer for Low-Dose Radiation Therapy. Journal of Physical Chemistry B, 2014, 118, 6159-6166. | 2.6 | 105 |
| 79 | DAPK-HSF1 interaction as a new positive feedback loop for TNF-induced apoptosis in colorectal cancer cells. Journal of Cell Science, 2014, 127, 5273-87. | 2.0 | 20 |
| 80 | Increased malignancy of oral squamous cell carcinomas (oscc) is associated with macrophage polarization in regional lymph nodes – an immunohistochemical study. BMC Cancer, 2014, 14, 522. | 2.6 | 46 |
| 81 | PML-nuclear bodies decrease with age and their stress response is impaired in aged individuals. BMC Geriatrics, 2014, 14, 42. | 2.7 | 5 |
| 82 | Increased skin and mucosal toxicity in the combination of vemurafenib with radiation therapy. Strahlentherapie Und Onkologie, 2014, 190, 1169-1172. | 2.0 | 31 |
| 83 | Small oral squamous cell carcinomas with nodal lymphogenic metastasis show increased infiltration of M2 polarized macrophages – An immunohistochemical analysis. Journal of Cranio-Maxillo-Facial Surgery, 2014, 42, 1087-1094. | 1.7 | 72 |
| 84 | Increased Growth-Inhibitory and Cytotoxic Activity of Arsenic Trioxide in Head and Neck Carcinoma Cells with Functional p53 Deficiency and Resistance to ECFR Blockade. PLoS ONE, 2014, 9, e98867. | 2.5 | 9 |
| 85 | Macrophages and Dendritic Cells as Actors in the Immune Reaction of Classical Hodgkin Lymphoma. PLoS ONE, 2014, 9, e114345. | 2.5 | 34 |
| 86 | Individual radiosensitivity in a breast cancer collective is changed with the patients' age. Radiology and Oncology, 2014, 48, 80-86. | 1.7 | 15 |
| 87 | Radiosensitivity in breast cancer assessed by the histone Î ³ -H2AX and 53BP1 foci. Radiation Oncology, 2013, 8, 98. | 2.7 | 62 |
| 88 | B cells in classical Hodgkin lymphoma are important actors rather than bystanders in the local immune reaction. Human Pathology, 2013, 44, 2475-2486. | 2.0 | 24 |
| 89 | Epidermal Growth Factor Receptor Expression As Prognostic Marker in Patients With Anal Carcinoma Treated With Concurrent Chemoradiation Therapy. International Journal of Radiation Oncology Biology Physics, 2013, 86, 901-907. | 0.8 | 8 |
| 90 | Oxidized silicon nanoparticles for radiosensitization of cancer and tissue cells. Biochemical and Biophysical Research Communications, 2013, 434, 217-222. | 2.1 | 59 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | The effect of calyculin A on the dephosphorylation of the histone γ-H2AX after formation of X-ray-induced DNA double-strand breaks in human blood lymphocytes. International Journal of Radiation Biology, 2013, 89, 424-432. | 1.8 | 12 |
| 92 | Cytotoxic effect of efavirenz is selective against cancer cells and associated with the cannabinoid system. Aids, 2013, 27, 2031-2040. | 2.2 | 36 |
| 93 | X-Ray Induced Formation of γ-H2AX Foci after Full-Field Digital Mammography and Digital Breast-Tomosynthesis. PLoS ONE, 2013, 8, e70660. | 2.5 | 11 |
| 94 | Radiochemotherapy fosters a favorable pattern of inflammatory cells in head and neck tumors. Oncolmmunology, 2012, 1, 982-983. | 4.6 | 4 |
| 95 | Circulating regulatory T cells of cancer patients receiving radiochemotherapy may be useful to individualize cancer treatment. Radiotherapy and Oncology, 2012, 104, 131-138. | 0.6 | 22 |
| 96 | Superparamagnetic iron oxide nanoparticles as radiosensitizer via enhanced reactive oxygen species formation. Biochemical and Biophysical Research Communications, 2012, 425, 393-397. | 2.1 | 145 |
| 97 | High survivin expression as a risk factor in patients with anal carcinoma treated with concurrent chemoradiotherapy. Radiation Oncology, 2012, 7, 88. | 2.7 | 13 |
| 98 | Radiochemotherapy induces a favourable tumour infiltrating inflammatory cell profile in head and neck cancer. Oral Oncology, 2012, 48, 594-601. | 1.5 | 45 |
| 99 | Abstract 4673A: DAPK-mediated phosphorylation of HSF1 enhances apoptosis level upon TNF in colorectal carcinoma cells. , 2012, , . | | 0 |
| 100 | Detailed Analysis of DNA Repair and Senescence Marker Kinetics Over the Life Span of a Human Fibroblast Cell Line. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2011, 66A, 367-375. | 3.6 | 27 |
| 101 | Epithelial–mesenchymal-transition induced by EGFR activation interferes with cell migration and response to irradiation and cetuximab in head and neck cancer cells. Radiotherapy and Oncology, 2011, 101, 158-164. | 0.6 | 74 |
| 102 | Inflammation in gastric adenocarcinoma of the cardia: how do EBV infection, Her2 amplification and cancer progression influence tumor-infiltrating lymphocytes?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 458, 403-411. | 2.8 | 21 |
| 103 | Hyperthermia and irradiation of head and neck squamous cancer cells causes migratory profile changes of tumour infiltrating lymphocytes. International Journal of Hyperthermia, 2009, 25, 347-354. | 2.5 | 11 |
| 104 | Tumour infiltrating lymphocytes in squamous cell carcinoma of the oro- and hypopharynx: Prognostic impact may depend on type of treatment and stage of disease. Oral Oncology, 2009, 45, e167-e174. | 1.5 | 93 |
| 105 | Distribution of immune cells in head and neck cancer: CD8+ T-cells and CD20+B-cells in metastatic lymph nodes are associated with favourable outcome in patients with oro- and hypopharyngeal carcinoma. BMC Cancer, 2009, 9, 292. | 2.6 | 157 |
| 106 | Prognostic impact of tumourâ€infiltrating Th2 and regulatory T cells in classical Hodgkin lymphoma. Hematological Oncology, 2009, 27, 31-39. | 1.7 | 153 |
| 107 | Stromal regulatory T-cells are associated with a favourable prognosis in gastric cancer of the cardia. BMC Gastroenterology, 2009, 9, 65. | 2.0 | 130 |
| 108 | Doxorubicin-transferrin conjugate selectively overcomes multidrug resistance in leukaemia cells. Cellular and Molecular Biology Letters, 2009, 14, 113-27. | 7.0 | 38 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Three-Color FISH for the Detection of Individual Radiosensitivity. , 2009, , 231-241. | | 2 |
| 110 | Telomere length in lymphoblast cell lines derived from clinically radiosensitive cancer patients. Cancer Biology and Therapy, 2008, 7, 638-644. | 3.4 | 13 |
| 111 | Time and dose-dependent activation of p53 serine 15 phosphorylation among cell lines with different radiation sensitivity. International Journal of Radiation Biology, 2007, 83, 245-257. | 1.8 | 16 |
| 112 | Potential for the G2/M Arrest Assay to Predict Patient Susceptibility to Severe Reactions Following Radiotherapy. Strahlentherapie Und Onkologie, 2007, 183, 99-106. | 2.0 | 9 |
| 113 | DNA Double-Strand Break Induction and Repair in Irradiated Lymphoblastoid, Fibroblast Cell Lines and White Blood Cells from ATM, NBS and Radiosensitive Patients. Strahlentherapie Und Onkologie, 2007, 183, 447-453. | 2.0 | 23 |
| 114 | Tumor-Infiltrating Cytotoxic T Cells but not Regulatory T Cells Predict Outcome in Anal Squamous Cell Carcinoma. Clinical Cancer Research, 2006, 12, 3355-3360. | 7.0 | 123 |
| 115 | Molecular verification of stereotactic radiotherapy in rats using ATMpS1981 immunofluorescence. Radiotherapy and Oncology, 2006, 79, 109-114. | 0.6 | 7 |
| 116 | Individual differences in chromosomal aberrations after in vitro irradiation of cells from healthy individuals, cancer and cancer susceptibility syndrome patients. Radiotherapy and Oncology, 2006, 81, 257-263. | 0.6 | 47 |
| 117 | Inter-relation of apoptosis and DNA double-strand breaks in patients with multiple primary cancers. European Journal of Cancer Prevention, 2006, 15, 274-282. | 1.3 | 5 |
| 118 | Combined Effect of Tumor Necrosis Factor-alpha and Ionizing Radiation on the Induction of Apoptosis in 5637 Bladder Carcinoma Cells. Strahlentherapie Und Onkologie, 2006, 182, 467-472. | 2.0 | 18 |
| 119 | Radiation-induced DNA double-strand breaks in dependence on protein concentration and under aerobic and anaerobic conditions. Radiation Physics and Chemistry, 2006, 75, 210-217. | 2.8 | 5 |
| 120 | Breakpoint locations within chromosomes 1, 2, and 4 of patients with increased radiosensitivity. Cancer Genetics and Cytogenetics, 2006, 168, 1-10. | 1.0 | 3 |
| 121 | Rate constants for the reactions of DNA with hydrated electrons and with OH-radicals. Radiation Physics and Chemistry, 2005, 73, 163-168. | 2.8 | 11 |
| 122 | Cytogenetic instability in young patients with multiple primary cancers. Cancer Genetics and Cytogenetics, 2005, 157, 25-32. | 1.0 | 19 |
| 123 | Individual Radiosensitivity Does not Correlate with Radiation-Induced Apoptosis in Lymphoblastoid Cell Lines or CD3+ Lymphocytes. Strahlentherapie Und Onkologie, 2005, 181, 326-335. | 2.0 | 21 |
| 124 | Survivin as a Radioresistance Factor, and Prognostic and Therapeutic Target for Radiotherapy in Rectal Cancer. Cancer Research, 2005, 65, 4881-4887. | 0.9 | 248 |
| 125 | Technical report: Radiation sensitivity testing by fluorescenceinâ€situhybridization: how many metaphases have to be analysed?. International Journal of Radiation Biology, 2004, 80, 615-620. | 1.8 | 15 |
| 126 | Impact of Various Parameters in Detecting Chromosomal Aberrations by FISH to Describe Radiosensitivity. Strahlentherapie Und Onkologie, 2004, 180, 289-296. | 2.0 | 27 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Effects of low energy protons on clonogenic survival, DSB repair and cell cycle in human glioblastoma cells and B14 fibroblasts. Radiotherapy and Oncology, 2004, 73, S115-S118. | 0.6 | 17 |
| 128 | Significant Increase in Residual DNA Damage as a Possible Mechanism of Radiosensitization by Gemcitabine. Strahlentherapie Und Onkologie, 2003, 179, 93-98. | 2.0 | 13 |
| 129 | Imbalance between proliferation and apoptosis may be responsible for treatment failure after postoperative radiotherapy in squamous cell carcinoma of the oropharynx. Oral Oncology, 2003, 39, 459-469. | 1.5 | 14 |
| 130 | Fatal toxicity following radio- and chemotherapy of medulloblastoma in a child with unrecognized Nijmegen Breakage Syndrome. Medical and Pediatric Oncology, 2003, 41, 44-48. | 1.0 | 79 |
| 131 | Oxidative damage of Chinese hamster fibroblasts induced by t-butyl hydroperoxide and by X-rays. Biochimica Et Biophysica Acta - General Subjects, 2003, 1621, 285-291. | 2.4 | 13 |
| 132 | Altered DNA repair capacity in young patients suffering from multiple cancers. International Journal of Molecular Medicine, 2003, 11, 669. | 4.0 | 3 |
| 133 | Altered DNA repair capacity in young patients suffering from multiple cancers. International Journal of Molecular Medicine, 2003, 11, 669-74. | 4.0 | 6 |
| 134 | Formation of DNA double-strand breaks and DNA–protein crosslinks by irradiation of DNA in the presence of a protein. Radiation Physics and Chemistry, 2002, 65, 141-149. | 2.8 | 12 |
| 135 | Automation of the particle dosimetry and the dose application for radiobiological experiments at a vertical proton beam. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 489, 503-508. | 1.6 | 3 |
| 136 | Pulse radiolysis studies on histones and serum albumin under different ionic conditions. Radiation Physics and Chemistry, 2001, 61, 123-128. | 2.8 | 14 |
| 137 | Squamous cell carcinoma of the oropharynx: Ki-67 and p53 can identify patients at high risk for local recurrence after surgery and postoperative radiotherapy. International Journal of Radiation Oncology Biology Physics, 2000, 48, 1041-1050. | 0.8 | 44 |
| 138 | Normal V(D)J recombination in cells from patients with Nijmegen breakage syndrome. Molecular Immunology, 2000, 37, 915-929. | 2.2 | 59 |
| 139 | An irradiation facility with a vertical beam for radiobiological studies. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 1999, 430, 154-160. | 1.6 | 10 |
| 140 | CD24 Promotes Invasion of Glioma Cells In Vivo. Journal of Neuropathology and Experimental Neurology, 1999, 58, 795-802. | 1.7 | 92 |
| 141 | Technical Report Analysis of radiation- and 5-FU-induced inhibition of cell proliferation by an automatic colony analyser. International Journal of Radiation Biology, 1998, 74, 139-144. | 1.8 | 7 |
| 142 | Nodal CT density and total tumor volume as prognostic factors after radiation therapy of stage III/IV head and neck cancer. Radiotherapy and Oncology, 1998, 47, 175-183. | 0.6 | 83 |
| 143 | Radiolysis of DNA in the presence of a protein studied by HPL-gel chromatography. International Journal of Radiation Biology, 1997, 71, 543-553. | 1.8 | 10 |
| | | | |