

Asle Hoffart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6244283/publications.pdf>

Version: 2024-02-01

158
papers

4,237
citations

126907

33
h-index

161849

54
g-index

174
all docs

174
docs citations

174
times ranked

3808
citing authors

#	ARTICLE	IF	CITATIONS
1	Emotion regulation difficulties and interpersonal problems during the COVID-19 pandemic: predicting anxiety and depression. <i>Psychological Medicine</i> , 2023, 53, 2181-2185.	4.5	6
2	Viral mitigation and the COVID-19 pandemic: factors associated with adherence to social distancing protocols and hygienic behaviour. <i>Psychology and Health</i> , 2023, 38, 283-306.	2.2	17
3	Editorial perspective: Bayesian statistical methods are useful for researchers in child and adolescent mental health. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2023, 64, 339-342.	5.2	3
4	Exploring the temporal associations between avoidance behavior and cognitions during the course of cognitive behavioral therapy for clients with symptoms of social anxiety disorder. <i>Psychotherapy Research</i> , 2022, 32, 195-208.	1.8	8
5	Treatment Fidelity in Brief Versus Standard-Length School-Based Interventions for Youth with Anxiety. <i>School Mental Health</i> , 2022, 14, 49-62.	2.1	7
6	Loneliness during the COVID-19 pandemic: change and predictors of change from strict to discontinued social distancing protocols. <i>Anxiety, Stress and Coping</i> , 2022, 35, 44-57.	2.9	15
7	Mechanisms associated with the trajectory of depressive and anxiety symptoms: A linear mixed-effects model during the COVID-19 Pandemic. <i>Current Psychology</i> , 2022, , 1-18.	2.8	5
8	Covert therapeutic micro-processes in non-recovered eating disorders with childhood trauma: an interpersonal process recall study. <i>Journal of Eating Disorders</i> , 2022, 10, 42.	2.7	3
9	Acute COVID-19 severity and mental health morbidity trajectories in patient populations of six nations: an observational study. <i>Lancet Public Health</i> , The, 2022, 7, e406-e416.	10.0	99
10	Parental burnout during the COVID-19 pandemic. <i>Family Process</i> , 2022, 61, 1715-1729.	2.6	16
11	Parenting in a Pandemic: Parental stress, anxiety and depression among parents during the government-initiated physical distancing measures following the first wave of COVID-19. <i>Stress and Health</i> , 2022, 38, 637-652.	2.6	33
12	Metacognitive beliefs, maladaptive coping strategies, and depressive symptoms: A two-wave network study of the COVID-19 lockdown and reopening. <i>Journal of Psychiatric Research</i> , 2022, 152, 70-78.	3.1	4
13	Trait Versus State Predictors of Emotional Distress Symptoms. <i>Journal of Nervous and Mental Disease</i> , 2022, 210, 943-950.	1.0	1
14	«In solitude is safeness»: a patient perspective on eating disorders in the context of multiple childhood trauma. <i>Nordic Psychology</i> , 2021, 73, 29-42.	0.8	4
15	Applying Cognitive Behavioral Therapy and Thought Field Therapy in Kurdistan region of Iraq: A retrospective case series study of mental-health interventions in a setting of political instability and armed conflicts. <i>Explore: the Journal of Science and Healing</i> , 2021, 17, 84-91.	1.0	5
16	Circulating cytokine levels in the treatment of comorbid anxiety disorders. <i>Acta Neuropsychiatrica</i> , 2021, 33, 65-71.	2.1	2
17	Pandemic Information Dissemination and Its Associations With the Symptoms of Mental Distress During the COVID-19 Pandemic: Cross-sectional Study. <i>JMIR Formative Research</i> , 2021, 5, e28239.	1.4	4
18	Psychometric Properties of the Norwegian Version of the Cognitive Therapy Adherence and Competence Scale (CTACS) and Its Associations With Outcomes Following Treatment in IAPT Norway. <i>Frontiers in Psychology</i> , 2021, 12, 639225.	2.1	2

#	ARTICLE	IF	CITATIONS
19	Alliance predicting progress in couple therapy.. Psychotherapy, 2021, 58, 391-400.	1.2	1
20	Predicting change through individual symptoms and relationship distress: A study of within- and between-person processes in couple therapy. Clinical Psychology and Psychotherapy, 2021, 28, 1275-1284.	2.7	1
21	Sleep Duration and Insomnia in Adolescents Seeking Treatment for Anxiety in Primary Health Care. Frontiers in Psychology, 2021, 12, 638879.	2.1	5
22	Physical Distancing and Mental Health During the COVID-19 Pandemic: Factors Associated With Psychological Symptoms and Adherence to Pandemic Mitigation Strategies. Clinical Psychological Science, 2021, 9, 489-506.	4.0	75
23	The 17-year outcome of 62 adult patients with longstanding eating disordersâ€”A prospective study. International Journal of Eating Disorders, 2021, 54, 841-850.	4.0	15
24	Effect of early intervention for anxiety on sleep outcomes in adolescents: a randomized trial. European Child and Adolescent Psychiatry, 2021, , 1.	4.7	0
25	Dentist-administered cognitive behavioural therapy versus four habits/midazolam: An RCT study of dental anxiety treatment in primary dental care. European Journal of Oral Sciences, 2021, 129, e12794.	1.5	8
26	Mechanisms of parental distress during and after the first COVID-19 lockdown phase: A two-wave longitudinal study. PLoS ONE, 2021, 16, e0253087.	2.5	31
27	Risk, Trust, and Flawed Assumptions: Vaccine Hesitancy During the COVID-19 Pandemic. Frontiers in Public Health, 2021, 9, 700213.	2.7	74
28	The network of stress-related states and depression and anxiety symptoms during the COVID-19 lockdown. Journal of Affective Disorders, 2021, 294, 671-678.	4.1	39
29	Stabilizing group treatment for childhood-abuse related PTSD: a randomized controlled trial. HÃƒggre Utbildning, 2021, 12, 1859079.	3.0	11
30	Feelings of worthlessness links depressive symptoms and parental stress: A network analysis during the COVID-19 pandemic. European Psychiatry, 2021, 64, e50.	0.2	20
31	Insomnia Symptoms in the General Population During the COVID-19 Pandemic. Frontiers in Psychiatry, 2021, 12, 762799.	2.6	8
32	Within- and across-day patterns of interplay between depressive symptoms and related psychopathological processes: a dynamic network approach during the COVID-19 pandemic. BMC Medicine, 2021, 19, 317.	5.5	12
33	Individual distress and dyadic adjustment over the course of couple therapy and three-year follow-up: A replication study. Psychotherapy Research, 2020, 30, 375-386.	1.8	5
34	Feedback in Couple and Family Therapy: A Randomized Clinical Trial. Family Process, 2020, 59, 36-51.	2.6	11
35	Effectiveness of Brief and Standard School-Based Cognitive-Behavioral Interventions for Adolescents With Anxiety: A Randomized Noninferiority Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 552-564.e2.	0.5	38
36	PTSD symptoms among health workers and public service providers during the COVID-19 outbreak. PLoS ONE, 2020, 15, e0241032.	2.5	172

#	ARTICLE	IF	CITATIONS
37	Psychometric properties of the International Trauma Questionnaire (ITQ) examined in a Norwegian trauma-exposed clinical sample. <i>HÅrre Utbildning</i> , 2020, 11, 1796187.	3.0	24
38	Within-person networks of clinical features of social anxiety disorder during cognitive and interpersonal therapy. <i>Journal of Anxiety Disorders</i> , 2020, 76, 102312.	3.2	5
39	Loneliness and Social Distancing During the COVID-19 Pandemic: Risk Factors and Associations With Psychopathology. <i>Frontiers in Psychiatry</i> , 2020, 11, 589127.	2.6	120
40	Latent Trait, Latent-Trait State, and a Network Approach to Mental Problems and Their Mechanisms of Change. <i>Clinical Psychological Science</i> , 2020, 8, 595-613.	4.0	16
41	The reciprocal relationship between alliance and early treatment symptoms: A two-stage individual participant data meta-analysis.. <i>Journal of Consulting and Clinical Psychology</i> , 2020, 88, 829-843.	2.0	92
42	Change processes related to long-term outcomes in eating disorders with childhood trauma: An explorative qualitative study.. <i>Journal of Counseling Psychology</i> , 2020, 67, 51-65.	2.0	15
43	PTSD symptoms among health workers and public service providers during the COVID-19 outbreak. , 2020, 15, e0241032.		0
44	PTSD symptoms among health workers and public service providers during the COVID-19 outbreak. , 2020, 15, e0241032.		0
45	PTSD symptoms among health workers and public service providers during the COVID-19 outbreak. , 2020, 15, e0241032.		0
46	PTSD symptoms among health workers and public service providers during the COVID-19 outbreak. , 2020, 15, e0241032.		0
47	PTSD symptoms among health workers and public service providers during the COVID-19 outbreak. , 2020, 15, e0241032.		0
48	PTSD symptoms among health workers and public service providers during the COVID-19 outbreak. , 2020, 15, e0241032.		0
49	The Modum-ED Trial Protocol: Comparing Compassion-Focused Therapy and Cognitive-Behavioral Therapy in Treatment of Eating Disorders With and Without Childhood Trauma: Protocol of a Randomized Trial. <i>Frontiers in Psychology</i> , 2019, 10, 1638.	2.1	9
50	Psychometric Properties of the General Anxiety Disorder 7-Item (GAD-7) Scale in a Heterogeneous Psychiatric Sample. <i>Frontiers in Psychology</i> , 2019, 10, 1713.	2.1	301
51	The temporal dynamics of symptoms during exposure therapies of PTSD: a network approach. <i>HÅrre Utbildning</i> , 2019, 10, 1618134.	3.0	17
52	Moderators and predictors of outcome in metacognitive and cognitive behavioural therapy for comorbid anxiety disorders. <i>Clinical Psychology and Psychotherapy</i> , 2019, 26, 399-408.	2.7	4
53	The Mobility Inventory for Agoraphobia Avoidance Alone Scale: Factor Structure and Psychometric Properties of Subscales. <i>Assessment</i> , 2018, 25, 769-776.	3.1	4
54	Metacognition and cognition in inpatient MCT and CBT for comorbid anxiety disorders: A study of within-person effects.. <i>Journal of Counseling Psychology</i> , 2018, 65, 86-97.	2.0	19

#	ARTICLE	IF	CITATIONS
55	Metacognitive Therapy Versus Cognitive Behavioral Therapy:A Network Approach. <i>Frontiers in Psychology</i> , 2018, 9, 2382.	2.1	15
56	Mechanisms of change in metacognitive and cognitive behavioral therapy for treatment-resistant anxiety. <i>Journal of Experimental Psychopathology</i> , 2018, 9, 204380871878741.	0.8	22
57	The interplay between experiential states in first generation schema therapy of Cluster C personality problems: A network approach. <i>Clinical Psychology and Psychotherapy</i> , 2018, 25, 809-817.	2.7	2
58	Five types of clinical difference to monitor in practice.. <i>Psychotherapy</i> , 2018, 55, 241-254.	1.2	14
59	School-based cognitive behavioral interventions for anxious youth: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 100.	1.6	13
60	Negative Life Events, Social Support, and Self-Efficacy in Anxious Adolescents. <i>Psychological Reports</i> , 2017, 120, 609-626.	1.7	24
61	Metacognitive therapy versus disorder-specific CBT for comorbid anxiety disorders: A randomized controlled trial. <i>Journal of Anxiety Disorders</i> , 2017, 50, 103-112.	3.2	44
62	A long-term follow-up of group behavioral therapy for obsessive-compulsive disorder in a general outpatient clinic in Norway. <i>Journal of Obsessive-Compulsive and Related Disorders</i> , 2017, 14, 59-64.	1.5	9
63	Psychodynamic and Cognitive-Behavioral Therapies Are More Different Than You Think: Conceptualizations of Mental Problems and Consequences for Studying Mechanisms of Change. <i>Clinical Psychological Science</i> , 2017, 5, 1070-1086.	4.0	14
64	Short-term efficacy of psychological and psychopharmacological interventions for panic disorder appears not to be different. <i>Evidence-Based Mental Health</i> , 2017, 20, e17-e17.	4.5	1
65	Exposure and non-fear emotions: A randomized controlled study of exposure-based and rescripting-based imagery in PTSD treatment. <i>Behaviour Research and Therapy</i> , 2017, 97, 33-42.	3.1	38
66	Thought Field Therapy Compared to Cognitive Behavioral Therapy and Wait-List for Agoraphobia: A Randomized, Controlled Study with a 12-Month Follow-up. <i>Frontiers in Psychology</i> , 2017, 8, 1027.	2.1	5
67	Quality of life in anxious adolescents. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2017, 11, 33.	2.5	30
68	Metacognitive Therapy for Comorbid Anxiety Disorders: A Case Study. <i>Frontiers in Psychology</i> , 2016, 7, 1515.	2.1	4
69	Within-person process-outcome Relationships in Residential Cognitive and Interpersonal Psychotherapy for Social Anxiety Disorder: A Reanalysis Using Disaggregated Data. <i>Journal of Experimental Psychopathology</i> , 2016, 7, 671-683.	0.8	11
70	Agoraphobia With and Without Panic Disorder. <i>Journal of Nervous and Mental Disease</i> , 2016, 204, 100-107.	1.0	5
71	Cognitive and Guided Mastery Therapies for Panic Disorder with Agoraphobia: 18â€Year Longâ€Term Outcome and Predictors of Longâ€Term Change. <i>Clinical Psychology and Psychotherapy</i> , 2016, 23, 1-13.	2.7	7
72	A survey of clinical psychologistsâ€™ attitudes toward treatment manuals.. <i>Professional Psychology: Research and Practice</i> , 2016, 47, 340-346.	1.0	10

#	ARTICLE	IF	CITATIONS
73	Cognitive models for panic disorder with agoraphobia: A study of disaggregated within-person effects.. Journal of Consulting and Clinical Psychology, 2016, 84, 839-844.	2.0	15
74	Perceived Parental Bonding, Early Maladaptive Schemas and Outcome in Schema Therapy of Cluster C Personality Problems. Clinical Psychology and Psychotherapy, 2016, 23, 107-117.	2.7	14
75	Self-compassion influences PTSD symptoms in the process of change in trauma-focused cognitive-behavioral therapies: a study of within-person processes. Frontiers in Psychology, 2015, 6, 1273.	2.1	53
76	Predictors of short- and long-term avoidance in completers of inpatient group interventions for agoraphobia. Journal of Affective Disorders, 2015, 181, 33-40.	4.1	6
77	Trauma-related shame and guilt as time-varying predictors of posttraumatic stress disorder symptoms during imagery exposure and imagery rescriptingâ€”A randomized controlled trial. Psychotherapy Research, 2015, 25, 518-532.	1.8	92
78	Shifting the Focus of One's Attention Mediates Improvement in Cognitive Therapy for Social Anxiety Disorder. Behavioural and Cognitive Psychotherapy, 2015, 43, 63-73.	1.2	27
79	Orienting patient to affect, sense of self, and the activation of affect over the course of psychotherapy with cluster C patients.. Journal of Counseling Psychology, 2014, 61, 315-324.	2.0	22
80	Experience of affects predicting sense of self and others in short-term dynamic and cognitive therapy.. Psychotherapy, 2014, 51, 246-257.	1.2	13
81	Growth in sense of self and sense of others predicts reduction in interpersonal problems in short-term dynamic but not in cognitive therapy. Psychotherapy Research, 2014, 24, 456-469.	1.8	10
82	The mediational role of panic self-efficacy in cognitive behavioral therapy for panic disorder: A systematic review and meta-analysis. Behaviour Research and Therapy, 2014, 60, 23-33.	3.1	72
83	The Trauma Related Shame Inventory: Measuring Trauma-Related Shame Among Patients with PTSD. Journal of Psychopathology and Behavioral Assessment, 2014, 36, 600-615.	1.2	72
84	Psychotherapy integration through general therapy change principles: Missing the core of psychotherapy?. Journal of Psychotherapy Integration, 2014, 24, 263-274.	1.1	5
85	The Need to Study Within-Person Processes in Psychotherapy: A Discussion of Alliance Studies. SOJ Psychology, 2014, 1, .	0.3	2
86	Mechanisms of change in cognitive behaviour therapy for panic disorder: The role of panic self-efficacy and catastrophic misinterpretations. Behaviour Research and Therapy, 2013, 51, 579-587.	3.1	35
87	Group Climate as Predictor of Short- and Long-Term Outcome in Group Therapy for Social Phobia. International Journal of Group Psychotherapy, 2013, 63, 394-417.	0.6	24
88	Alliance and outcome in varying imagery procedures for PTSD: A study of within-person processes.. Journal of Counseling Psychology, 2013, 60, 471-482.	2.0	55
89	Can two psychotherapy process measures be dependably rated simultaneously? A generalizability study.. Journal of Counseling Psychology, 2012, 59, 638-644.	2.0	9
90	Properties of the Achievement of Therapeutic Objectives Scale (ATOS): A Generalizability Theory study. Psychotherapy Research, 2012, 22, 327-347.	1.8	12

#	ARTICLE	IF	CITATIONS
91	Psychotherapy for social phobia: How do alliance and cognitive process interact to produce outcome?. <i>Psychotherapy Research</i> , 2012, 22, 82-94.	1.8	27
92	Different processes for different therapies: Therapist actions, therapeutic bond, and outcome.. <i>Psychotherapy</i> , 2012, 49, 291-302.	1.2	65
93	Thought Field Therapy (TFT) as a Treatment for Anxiety Symptoms: A Randomized Controlled Trial. <i>Explore: the Journal of Science and Healing</i> , 2012, 8, 331-338.	1.0	5
94	Group climate development in cognitive and interpersonal group therapy for social phobia.. <i>Group Dynamics</i> , 2011, 15, 32-48.	1.2	18
95	Exercise dependence score in patients with longstanding eating disorders and controls: The importance of affect regulation and physical activity intensity. <i>European Eating Disorders Review</i> , 2011, 19, 249-255.	4.1	55
96	The Role of Specific and Common Process Variables in Residential Couple Therapy. <i>Journal of Couple and Relationship Therapy</i> , 2011, 10, 262-278.	0.8	3
97	Pre-treatment predictors and in-treatment factors associated with change in avoidant and dependent personality disorder traits among patients with social phobia. <i>Clinical Psychology and Psychotherapy</i> , 2010, 17, 87-99.	2.7	13
98	Five-year prospective study of personality disorders in adults with longstanding eating disorders. <i>International Journal of Eating Disorders</i> , 2010, 43, 22-28.	4.0	31
99	'I'm not physically active' only go for walks: Physical activity in patients with longstanding eating disorders. <i>International Journal of Eating Disorders</i> , 2010, 43, 88-92.	4.0	82
100	Physical activity and exercise dependence during inpatient treatment of longstanding eating disorders: An exploratory study of excessive and non-excessive exercisers. <i>International Journal of Eating Disorders</i> , 2010, 43, 266-273.	4.0	100
101	Co-occurrence of avoidant personality disorder and child sexual abuse predicts poor outcome in long-standing eating disorder.. <i>Journal of Abnormal Psychology</i> , 2010, 119, 623-629.	1.9	47
102	Associations between Muscular Strength, Physical Activity And Bone Mineral Density In Longstanding Eating Disorders. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 701.	0.4	0
103	The Associations Between Intensive Residential Couple Therapy and Change in a Three-Year Follow-Up Period. <i>Contemporary Family Therapy</i> , 2010, 32, 69-85.	1.3	6
104	A three-year cohort study of the relationships between coping, job stress and burnout after a counselling intervention for help-seeking physicians. <i>BMC Public Health</i> , 2010, 10, 213.	2.9	85
105	Change processes in residential cognitive therapy for bulimia nervosa. <i>European Eating Disorders Review</i> , 2010, 18, 367-375.	4.1	10
106	The Course of Dyadic Adjustment and Depressive Symptoms During and After Couples Therapy: A Prospective Follow-up Study of Inpatient Treatment. <i>Journal of Marital and Family Therapy</i> , 2010, 36, 43-58.	1.1	14
107	Individual distress and dyadic adjustment over a three-year follow-up period in couple therapy: a bidirectional relationship?. <i>Journal of Family Therapy</i> , 2010, 32, 119-141.	1.0	11
108	Predictors of outcome in residential cognitive and interpersonal treatment for social phobia: Do cognitive and social dysfunction moderate treatment outcome?. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2010, 41, 212-219.	1.2	18

#	ARTICLE	IF	CITATIONS
109	Change Processes in Residential Cognitive and Interpersonal Psychotherapy for Social Phobia: A Process-Outcome Study. <i>Behavior Therapy</i> , 2009, 40, 10-22.	2.4	52
110	The role of common factors in residential cognitive and interpersonal therapy for social phobia: A processâ€“outcome study. <i>Psychotherapy Research</i> , 2009, 19, 54-67.	1.8	19
111	The course of illness following inpatient treatment of adults with longstanding eating disorders: A 5â€“year followâ€“up. <i>International Journal of Eating Disorders</i> , 2008, 41, 224-232.	4.0	20
112	Change in interpersonal problems after cognitive agoraphobia and schema-focused therapy versus psychodynamic treatment as usual of inpatients with agoraphobia and Cluster C personality disorders. <i>Scandinavian Journal of Psychology</i> , 2008, 49, 195-199.	1.5	31
113	Residential cognitive therapy versus residential interpersonal therapy for social phobia: A randomized clinical trial. <i>Journal of Anxiety Disorders</i> , 2008, 22, 991-1010.	3.2	65
114	Mechanisms of change in cognitive therapy for panic disorder with agoraphobia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2008, 39, 262-275.	1.2	25
115	Vo2 Max And Physical Activity Highly Correlates In Female Patients With Eating Disorders. <i>Medicine and Science in Sports and Exercise</i> , 2008, 40, S104.	0.4	0
116	Interpersonal Fears among Patients with Panic Disorder with Agoraphobia. <i>Behavioural and Cognitive Psychotherapy</i> , 2006, 34, 359-363.	1.2	9
117	Integrated wilderness therapy for avoidant personality disorder. <i>Nordic Journal of Psychiatry</i> , 2006, 60, 275-281.	1.3	30
118	Therapists' Emotional Reactions to Patients as a Mediator in Cognitive Behavioural Treatment of Panic Disorder with Agoraphobia. <i>Cognitive Behaviour Therapy</i> , 2006, 35, 174-182.	3.5	13
119	Adults with chronic eating disorders. Two-year follow-up after inpatient treatment. <i>European Eating Disorders Review</i> , 2005, 13, 255-263.	4.1	15
120	Two-year prospective study of personality disorders in adults with longstanding eating disorders. <i>International Journal of Eating Disorders</i> , 2005, 37, 112-118.	4.0	38
121	The interaction of personality disorders and eating disorders: A two-year prospective study of patients with longstanding eating disorders. <i>International Journal of Eating Disorders</i> , 2005, 38, 106-111.	4.0	22
122	The Structure of Maladaptive Schemas: A Confirmatory Factor Analysis and a Psychometric Evaluation of Factor-Derived Scales. <i>Cognitive Therapy and Research</i> , 2005, 29, 627-644.	1.9	107
123	Connection between patient and therapist and therapist's competence in schema-focused therapy of personality problems. <i>Psychotherapy Research</i> , 2005, 15, 409-419.	1.8	16
124	The Dimensionality of Dependent Personality Disorder. <i>Journal of Personality Disorders</i> , 2004, 18, 604-610.	1.4	31
125	Shortâ€“term followâ€“up of severe bulimia nervosa after inpatient treatment. <i>European Eating Disorders Review</i> , 2003, 11, 405-417.	4.1	22
126	Sympathetic reactivity in agoraphobic patients with and without personality disorders. <i>Journal of Psychosomatic Research</i> , 2003, 54, 457-463.	2.6	8

#	ARTICLE	IF	CITATIONS
127	The role of optimism in the process of schema-focused cognitive therapy of personality problems. <i>Behaviour Research and Therapy</i> , 2002, 40, 611-623.	3.1	32
128	Title is missing!. <i>Cognitive Therapy and Research</i> , 2002, 26, 199-219.	1.9	51
129	A comparison of cognitive therapy, applied relaxation, and nitrous oxide sedation in the treatment of dental fear. <i>Acta Odontologica Scandinavica</i> , 2001, 59, 290-296.	1.6	45
130	One-year follow-up of patients treated for dental fear: effects of cognitive therapy, applied relaxation, and nitrous oxide sedation. <i>Acta Odontologica Scandinavica</i> , 2001, 59, 335-340.	1.6	17
131	The Change Process in a Cognitive-Behavioral Therapy: Testing a Cognitive, a Behavioral, and an Integrated Model of Panic Disorder With Agoraphobia. <i>Psychotherapy Research</i> , 2001, 11, 401-413.	1.8	4
132	Early Maladaptive Schemas in Patients With Panic Disorder With Agoraphobia. <i>Journal of Cognitive Psychotherapy</i> , 2001, 15, 131-142.	0.4	31
133	The relationship between cognitions and panic attack intensity. <i>Acta Psychiatrica Scandinavica</i> , 2000, 102, 300-302.	4.5	17
134	Effects of Dental Fear Treatment on General Distress. <i>Behavior Modification</i> , 2000, 24, 580-599.	1.6	18
135	Cognitive and Guided Mastery Therapy of Agoraphobia: Long-Term Outcome and Mechanisms of Change. <i>Cognitive Therapy and Research</i> , 1998, 22, 195-207.	1.9	30
136	Tolerance to Intensive Exercise and High Levels of Lactate in Panic Disorder. <i>Journal of Anxiety Disorders</i> , 1998, 12, 333-342.	3.2	27
137	A Schema Model for Examining the Integrity of Psychotherapy: A Theoretical Contribution. <i>Psychotherapy Research</i> , 1997, 7, 127-143.	1.8	6
138	Personality traits among panic disorder with agoraphobia patients before and after symptom-focused treatment. <i>Journal of Anxiety Disorders</i> , 1997, 11, 77-87.	3.2	35
139	In Vivo Cognitive Therapy of Panic Attacks. <i>Journal of Cognitive Psychotherapy</i> , 1996, 10, 281-289.	0.4	3
140	Cognitive mediators of situational fear in agoraphobia. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 1995, 26, 313-320.	1.2	22
141	A comparison of cognitive and guided mastery therapy of agoraphobia. <i>Behaviour Research and Therapy</i> , 1995, 33, 423-434.	3.1	52
142	DSM-III-R Axis I and II disorders in agoraphobic inpatients with and without panic disorder before and after psychosocial treatment. <i>Psychiatry Research</i> , 1995, 56, 1-9.	3.3	30
143	Symptoms and cognitions during situational and hyperventilatory exposure in agoraphobic patients with and without panic. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1994, 16, 15-32.	1.2	4
144	Use of Treatment Manuals in Comparative Outcome Research: A Schema-Based Model. <i>Journal of Cognitive Psychotherapy</i> , 1994, 8, 41-54.	0.4	4

#	ARTICLE	IF	CITATIONS
145	Cognitive treatments of agoraphobia: A critical evaluation of theoretical basis and outcome evidence. <i>Journal of Anxiety Disorders</i> , 1993, 7, 75-91.	3.2	9
146	The Effect of Personality Disorders and Anxious-Depressive Comorbidity On Outcome in Patients with Unipolar Depression and With Panic Disorder and Agoraphobia. <i>Journal of Personality Disorders</i> , 1993, 7, 304-311.	1.4	44
147	Personality disorders in panic with agoraphobia and major depression. <i>British Journal of Clinical Psychology</i> , 1992, 31, 213-214.	3.5	14
148	Assessment of fear of fear among Agoraphobic patients: The Agoraphobic Cognitions Scale. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1992, 14, 175-187.	1.2	21
149	MENTAL HEALTH LOCUS OF CONTROL IN FIRST-DEGREE RELATIVES OF AGORAPHOBIC AND DEPRESSED INPATIENTS. <i>Psychological Reports</i> , 1992, 71, 579.	1.7	0
150	Causal attributions in first-degree relatives of depressed and agoraphobic inpatients. <i>Comprehensive Psychiatry</i> , 1991, 32, 458-464.	3.1	7
151	Causal attributions in clinical subtypes of depression: A longitudinal study of inpatients. <i>Journal of Psychopathology and Behavioral Assessment</i> , 1991, 13, 241-256.	1.2	3
152	Cognitive and Secondary Symptom Variables as Predictive Factors in the Treatment of Agoraphobic In-Patients. <i>Behavioural and Cognitive Psychotherapy</i> , 1991, 19, 267-276.	1.2	4
153	Mental Health Locus of Control in Agoraphobia and Depression: A Longitudinal Study of Inpatients. <i>Psychological Reports</i> , 1991, 68, 1011-1018.	1.7	3
154	Exposure-based integrated vs. pure psychodynamic treatment of agoraphobic inpatients.. <i>Psychotherapy</i> , 1990, 27, 210-218.	1.2	38
155	Agoraphobia, depression, mental health locus of control, and attributional styles. <i>Cognitive Therapy and Research</i> , 1990, 14, 343-351.	1.9	29
156	Aerobic and nonaerobic forms of exercise in the treatment of anxiety disorders. <i>Stress and Health</i> , 1989, 5, 115-120.	0.5	76
157	Comparing aerobic with nonaerobic forms of exercise in the treatment of clinical depression: A randomized trial. <i>Comprehensive Psychiatry</i> , 1989, 30, 324-331.	3.1	200
158	A pilot study of a low-threshold, low-intensity cognitive behavioral intervention for traumatized adolescents. <i>Scandinavian Psychologist</i> , 0, 4, .	0.0	0