
Slawomir Czachowski

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6250334/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Functional disorders – new proposals for definition, psychosomatics, somatization. Psychiatria Polska, 2021, , 1-10.	0.5	0
2	PSYCHLOPS in Polish primary care: how do clients conceptualise their problems on a patient-generated outcome measure?. Heliyon, 2019, 5, e02209.	3.2	1
3	The linguistic validation of the gut feelings questionnaire in three European languages. BMC Family Practice, 2017, 18, 54.	2.9	13
4	Self-Care for Common Colds by Primary Care Patients: A European Multicenter Survey on the Prevalence and Patterns of Practices—The COCO Study. Evidence-based Complementary and Alternative Medicine, 2016, 2016, 1-9.	1.2	10
5	Which positive factors determine the GP satisfaction in clinical practice? A systematic literature review. BMC Family Practice, 2016, 17, 133.	2.9	29
6	How do general practitioners recognize the definition of multimorbidity? A European qualitative study. European Journal of General Practice, 2016, 22, 159-168.	2.0	9
7	Cross-Cultural Validation of the Definition of Multimorbidity in the Bulgarian Language / ĐšÑƒĐ»ÑŒÑ,ÑƒÑ€Đ°Đ> Medica, 2015, 57, 127-132.	ŇŒÐ¹⁄2Ð' 0.5	°Ñ•ВалĐ 2
8	What research agenda could be generated from the European General Practice Research Network concept of Multimorbidity in Family Practice?. BMC Family Practice, 2015, 16, 125.	2.9	12
9	Self-Care Practices for Common Colds by Primary Care Patients: Study Protocol of a European Multicenter Survey—The COCO Study. Evidence-based Complementary and Alternative Medicine, 2015, 2015, 1-6.	1.2	4
10	Association between Genetic Variants on Chromosome 15q25 Locus and Several Nicotine Dependence Traits in Polish Population: A Case-Control Study. BioMed Research International, 2015, 2015, 1-8.	1.9	13
11	The European General Practice Research Network Presents the Translations of Its Comprehensive Definition of Multimorbidity in Family Medicine in Ten European Languages. PLoS ONE, 2015, 10, e0115796.	2.5	41
12	Motivations toward smoking cessation, reasons for relapse, and modes of quitting: results from a qualitative study among former and current smokers. Patient Preference and Adherence, 2014, 8, 1353.	1.8	69
13	"What kind of general practitioner do I need for smoking cessation?―Results from a qualitative study in Poland. BMC Family Practice, 2013, 14, 159.	2.9	12
14	A Research Group from the European General Practice Research Network (EGPRN) Explores the Concept of Multimorbidity for Further Research into Long Term Care. Journal of the American Medical Directors Association, 2013, 14, 132-133.	2.5	14
15	The European General Practice Research Network Presents a Comprehensive Definition of Multimorbidity in Family Medicine and Long Term Care, Following a Systematic Review of Relevant Literature. Journal of the American Medical Directors Association, 2013, 14, 319-325.	2.5	167
16	Evaluating the cross-cultural validity of the Polish version of the Four-Dimensional Symptom Questionnaire (4DSQ) using differential item functioning (DIF) analysis. Family Practice, 2012, 29, 609-615.	1.9	15
17	Challenges in the management of patients with medically unexplained symptoms in Poland: a qualitative study. Family Practice, 2012, 29, 228-234.	1.9	28
18	Measuring Psychological Change during Cognitive Behaviour Therapy in Primary Care: A Polish Study Using †PSYCHI OPS' (Psychological Outcome Profiles), PLoS ONF, 2011, 6, e27378	2.5	24

#	Article	IF	CITATIONS
19	'These reforms killed me': doctors' perceptions of family medicine during the transition from communism to capitalism. Family Practice, 2011, 28, 437-443.	1.9	10