

# Martina Marchetti-Deschmann

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6252822/publications.pdf>

Version: 2024-02-01

131  
papers

2,535  
citations

201674

27  
h-index

276875

41  
g-index

134  
all docs

134  
docs citations

134  
times ranked

3848  
citing authors

#	ARTICLE	IF	CITATIONS
1	Epl1, the major secreted protein of <i>Hypocrea atroviridis</i> on glucose, is a member of a strongly conserved protein family comprising plant defense response elicitors. <i>FEBS Journal</i> , 2006, 273, 4346-4359.	4.7	145
2	Biodegradable, thermoplastic polyurethane grafts for small diameter vascular replacements. <i>Acta Biomaterialia</i> , 2015, 11, 104-113.	8.3	107
3	Evaluation of matrix-assisted laser desorption/ionization (MALDI) preparation techniques for surface characterization of intact <i>Fusarium</i> spores by MALDI linear time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009, 23, 877-884.	1.5	75
4	Biological Variation of the Platelet Proteome in the Elderly Population and Its Implication for Biomarker Research. <i>Molecular and Cellular Proteomics</i> , 2008, 7, 193-203.	3.8	71
5	Green and Rapid Hydrothermal Crystallization and Synthesis of Fully Conjugated Aromatic Compounds. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 12270-12274.	13.8	62
6	Correlated Multimodal Imaging in Life Sciences: Expanding the Biomedical Horizon. <i>Frontiers in Physics</i> , 2020, 8, .	2.1	61
7	Tick attachment cement—reviewing the mysteries of a biological skin plug system. <i>Biological Reviews</i> , 2018, 93, 1056-1076.	10.4	59
8	Characterisation of intact recombinant human erythropoietins applied in doping by means of planar gel electrophoretic techniques and matrix-assisted laser desorption/ionisation linear time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 728-742.	1.5	52
9	Major Role for Cysteine Proteases during the Early Phase of <i>Acanthamoeba castellanii</i> Encystment. <i>Eukaryotic Cell</i> , 2010, 9, 611-618.	3.4	52
10	Application of gold thin-films for internal standardization in LA-ICP-MS imaging experiments. <i>Analyst</i> , 2014, 139, 1521.	3.5	52
11	Development of a MALDI two-layer volume sample preparation technique for analysis of colored conidia spores of <i>Fusarium</i> by MALDI linear TOF mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2009, 395, 1373-1383.	3.7	51
12	Characterization of N- and O-glycopeptides of recombinant human erythropoietins as potential biomarkers for doping analysis by means of microscale sample purification combined with MALDI-TOF and quadrupole IT/RTOF mass spectrometry. <i>Journal of Separation Science</i> , 2005, 28, 1764-1778.	2.5	50
13	Type I allergy to elderberry ( <i>Sambucus nigra</i> ) is elicited by a 33.2 kDa allergen with significant homology to ribosomal inactivating proteins. <i>Clinical and Experimental Allergy</i> , 2003, 33, 1703-1710.	2.9	45
14	Temporal changes guided by mesenchymal stem cells on a 3D microgel platform enhance angiogenesis in vivo at a low-cell dose. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 19033-19044.	7.1	45
15	Vinyl Sulfonate Esters: Efficient Chain Transfer Agents for the 3D Printing of Tough Photopolymers without Retardation. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 9165-9169.	13.8	44
16	Green and highly efficient synthesis of perylene and naphthalene bisimides in nothing but water. <i>Chemical Communications</i> , 2017, 53, 1229-1232.	4.1	41
17	Analysis of a Common Cold Virus and Its Subviral Particles by Gas-Phase Electrophoretic Mobility Molecular Analysis and Native Mass Spectrometry. <i>Analytical Chemistry</i> , 2015, 87, 8709-8717.	6.5	37
18	In Situ Characterization of Tissue-Resident Immune Cells by MALDI Mass Spectrometry Imaging. <i>Journal of Proteome Research</i> , 2017, 16, 65-76.	3.7	37

#	ARTICLE	IF	CITATIONS
19	Epilipidomics of Senescent Dermal Fibroblasts Identify Lysophosphatidylcholines as Pleiotropic Senescence-Associated Secretory Phenotype (SASP) Factors. <i>Journal of Investigative Dermatology</i> , 2021, 141, 993-1006.e15.	0.7	37
20	A carboxysomal carbon concentrating mechanism in the cyanelles of the <i>Coelacanth</i> of the algal world, <i>Cyanophora paradoxa</i> ? <i>Physiologia Plantarum</i> , 2008, 133, 27-32.	5.2	36
21	A new approach in proteomics of wheat gluten: combining chymotrypsin cleavage and matrix-assisted laser desorption/ionization quadrupole ion trap reflectron tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 2725-2728.	1.5	35
22	Visualizing fungal metabolites during mycoparasitic interaction by MALDI mass spectrometry imaging. <i>Proteomics</i> , 2016, 16, 1742-1746.	2.2	34
23	The rhizosphere signature on the cell motility, biofilm formation and secondary metabolite production of a plant-associated <i>Lysobacter</i> strain. <i>Microbiological Research</i> , 2020, 234, 126424.	5.3	33
24	Characterization of the <i>bga1</i> -encoded glycoside hydrolase family 35 $\alpha$ -D-galactosidase of <i>Hypocrea jecorina</i> with galactose-4-epimerase activity. <i>FEBS Journal</i> , 2007, 274, 1691-1700.	4.7	31
25	Modulation of plasma complement by the initial dose of epirubicin/docetaxel therapy in breast cancer and its predictive value. <i>British Journal of Cancer</i> , 2010, 103, 1201-1208.	6.4	31
26	Sizing up large protein complexes by electrospray ionisation-based electrophoretic mobility and native mass spectrometry: morphology selective binding of Fabs to hepatitis B virus capsids. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 1437-1446.	3.7	30
27	Multisensor Imaging: From Sample Preparation to Integrated Multimodal Interpretation of LA-ICPMS and MALDI MS Imaging Data. <i>Analytical Chemistry</i> , 2018, 90, 8831-8837.	6.5	30
28	Optimization of MALDI-TOF mass spectrometry imaging for the visualization and comparison of peptide distributions in dry-cured ham muscle fibers. <i>Food Chemistry</i> , 2019, 283, 275-286.	8.2	30
29	Multimodal imaging of undecalcified tissue sections by MALDI MS and $\mu$ XRF. <i>Analyst, The</i> , 2018, 143, 2587-2595.	3.5	29
30	A proteomic study reveals unspecific apoptosis induction and reduction of glycolytic enzymes by the phosphorothioate antisense oligonucleotide oblimersen in human melanoma cells. <i>Journal of Proteomics</i> , 2009, 72, 1019-1030.	2.4	28
31	Lectin bioconjugates trigger urothelial cytoinvasion: A glycotargeted approach for improved intravesical drug delivery. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2012, 82, 367-375.	4.3	28
32	Sample preparation of bone tissue for MALDI-MSI for forensic and (pre)clinical applications. <i>Analytical and Bioanalytical Chemistry</i> , 2021, 413, 2683-2694.	3.7	27
33	Tyrosine Kinase 2 Controls IL-1 $\beta$ Production at the Translational Level. <i>Journal of Immunology</i> , 2010, 185, 3544-3553.	0.8	24
34	Detection of isoforms of recombinant human erythropoietin by various plant lectins after isoelectric focusing. <i>Electrophoresis</i> , 2005, 26, 1633-1645.	2.4	23
35	Matrix assisted laser desorption ionization mass spectrometry linear time-of-flight method for white wine fingerprinting and classification. <i>Food Control</i> , 2016, 64, 157-164.	5.5	22
36	Monitoring the neurotransmitter release of human midbrain organoids using a redox cycling microsensor as a novel tool for personalized Parkinson's disease modelling and drug screening. <i>Analyst, The</i> , 2021, 146, 2358-2367.	3.5	22

#	ARTICLE	IF	CITATIONS
37	MALDI-based intact spore mass spectrometry of downy and powdery mildews. <i>Journal of Mass Spectrometry</i> , 2012, 47, 978-986.	1.6	21
38	Substituted triphenylamines as building blocks for star shaped organic electronic materials. <i>New Journal of Chemistry</i> , 2015, 39, 1840-1851.	2.8	21
39	Determination of benzylpenicillin, oxacillin, cloxacillin, and dicloxacillin in cows' milk by ion-pair high-performance liquid chromatography after precolumn derivatization. <i>Fresenius' Journal of Analytical Chemistry</i> , 2001, 371, 64-67.	1.5	20
40	GEMMA and MALDI-TOF MS of reactive PEGs for pharmaceutical applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2010, 52, 432-437.	2.8	20
41	Chemical characterization of the adhesive secretions of the salamander <i>Plethodon shermani</i> (Caudata, Plethodontidae). <i>Scientific Reports</i> , 2017, 7, 6647.	3.3	20
42	Combining light microscopy, dielectric spectroscopy, MALDI intact cell mass spectrometry, FTIR spectromicroscopy and multivariate data mining for morphological and physiological bioprocess characterization of filamentous organisms. <i>Fungal Genetics and Biology</i> , 2013, 51, 1-11.	2.1	19
43	Proteome of tolerance fine-tuning in the human pathogen black yeast <i>Exophiala dermatitidis</i> . <i>Journal of Proteomics</i> , 2015, 128, 39-57.	2.4	19
44	Combining gas-phase electrophoretic mobility molecular analysis (GEMMA), light scattering, field flow fractionation and cryo electron microscopy in a multidimensional approach to characterize liposomal carrier vesicles. <i>International Journal of Pharmaceutics</i> , 2016, 513, 309-318.	5.2	19
45	Ammodytagin, a heterodimeric metalloproteinase from <i>Vipera ammodytes ammodytes</i> venom with strong hemorrhagic activity. <i>Toxicon</i> , 2011, 58, 570-582.	1.6	18
46	Comprehensive Size-Determination of Whole Virus Vaccine Particles Using Gas-Phase Electrophoretic Mobility Macromolecular Analyzer, Atomic Force Microscopy, and Transmission Electron Microscopy. <i>Analytical Chemistry</i> , 2015, 87, 8657-8664.	6.5	18
47	A comparative proteome analysis links tyrosine kinase 2 (Tyk2) to the regulation of cellular glucose and lipid metabolism in response to poly(I:C). <i>Journal of Proteomics</i> , 2011, 74, 2866-2880.	2.4	17
48	Identification of proteins interacting with ammodytotoxins in <i>Vipera ammodytes ammodytes</i> venom by immuno-affinity chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 293-304.	3.7	17
49	Refinement strategy for antivenom preparation of high yield and quality. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007431.	3.0	17
50	Characterization of cross-linked gelatin nanoparticles by electrophoretic techniques in the liquid and the gas phase. <i>Electrophoresis</i> , 2013, 34, 3267-3276.	2.4	16
51	Challenges of glycoprotein analysis by microchip capillary gel electrophoresis. <i>Electrophoresis</i> , 2015, 36, 1754-1758.	2.4	16
52	Synthesis, characterization and printing application of alkylated indolo[3,2-b]carbazoles. <i>Synthetic Metals</i> , 2017, 228, 9-17.	3.9	16
53	Characterisation of the Antibiotic Profile of <i>Lysobacter capsici</i> AZ78, an Effective Biological Control Agent of Plant Pathogenic Microorganisms. <i>Microorganisms</i> , 2021, 9, 1320.	3.6	16
54	Mixed volume sample preparation method for intact cell mass spectrometry of <i>Fusarium</i> spores. <i>Journal of Mass Spectrometry</i> , 2009, 44, 1622-1624.	1.6	15

#	ARTICLE	IF	CITATIONS
55	A fluorescent derivatization method of proteins for the detection of low-level impurities by microchip capillary gel electrophoresis. <i>Electrophoresis</i> , 2010, 31, 611-617.	2.4	15
56	Nano electrospray gas-phase electrophoretic mobility molecular analysis (nES GEMMA) of liposomes: applicability of the technique for nano vesicle batch control. <i>Analyst, The</i> , 2016, 141, 6042-6050.	3.5	15
57	Color Fine-Tuning of Optical Materials Through Rational Design. <i>ChemPhysChem</i> , 2017, 18, 549-563.	2.1	15
58	The Skin Epilipidome in Stress, Aging, and Inflammation. <i>Frontiers in Endocrinology</i> , 2020, 11, 607076.	3.5	15
59	Comparison of planar SDS-PAGE, CGE-on-a-chip, and MALDI-TOF mass spectrometry for analysis of the enzymatic de-N-glycosylation of antithrombin III and coagulation factor IX with PNGase F. <i>Analytical and Bioanalytical Chemistry</i> , 2007, 389, 1859-1868.	3.7	14
60	Proteomics imaging and the kidney. <i>Journal of Nephrology</i> , 2013, 26, 430-436.	2.0	14
61	Biomimetic Delivery Strategies at the Urothelium: Targeted Cytoinvasion in Bladder Cancer Cells via Lectin Bioconjugates. <i>Pharmaceutical Research</i> , 2014, 31, 819-832.	3.5	14
62	Development of a bio-analytical strategy for characterization of vaccine particles combining SEC and nanoES GEMMA. <i>Analyst, The</i> , 2014, 139, 1412-1419.	3.5	14
63	MALDI-TOF Mass Spectrometry Imaging Reveals Molecular Level Changes in Ultrahigh Molecular Weight Polyethylene Joint Implants in Correlation with Lipid Adsorption. <i>Analytical Chemistry</i> , 2014, 86, 9723-9732.	6.5	14
64	Phosphonate coating of SiO <sub>2</sub> nanoparticles abrogates inflammatory effects and local changes of the lipid composition in the rat lung: a complementary bioimaging study. <i>Particle and Fibre Toxicology</i> , 2018, 15, 31.	6.2	14
65	The impact of tyrosine kinase 2 (Tyk2) on the proteome of murine macrophages and their response to lipopolysaccharide (LPS). <i>Proteomics</i> , 2008, 8, 3469-3485.	2.2	13
66	Diastereoselective synthesis of d-xylo-isoxazolidinyl nucleosides. <i>Tetrahedron</i> , 2008, 64, 3111-3118.	1.9	13
67	Grüne und rasche hydrothermale Kristallisation und Synthese vollständig konjugierter aromatischer Verbindungen. <i>Angewandte Chemie</i> , 2018, 130, 12450-12454.	2.0	13
68	Characterization of the Fishing Lines in Titiwai (=Arachnocampa luminosa Skuse, 1890) from New Zealand and Australia. <i>PLoS ONE</i> , 2016, 11, e0162687.	2.5	13
69	Allergenic compounds on the inner and outer surfaces of natural latex gloves: MALDI mass spectrometry and imaging of proteinous allergens. <i>Journal of Mass Spectrometry</i> , 2009, 44, 61-70.	1.6	12
70	Comparing standard and microwave assisted staining protocols for SDS-PAGE of glycoproteins followed by subsequent PMF with MALDI MS. <i>Journal of Proteomics</i> , 2009, 72, 628-639.	2.4	12
71	Liquid phase separation of proteins based on electrophoretic effects in an electrospray setup during sample introduction into a gas-phase electrophoretic mobility molecular analyzer (CE-GEMMA/CE-ES-DMA). <i>Analytica Chimica Acta</i> , 2014, 841, 91-98.	5.4	12
72	Size and molecular weight determination of polysaccharides by means of nano electrospray gas-phase electrophoretic mobility molecular analysis (nES GEMMA). <i>Electrophoresis</i> , 2018, 39, 1142-1150.	2.4	12

#	ARTICLE	IF	CITATIONS
73	Intraspecies variability in <i>Vipera ammodytes ammodytes</i> venom related to its toxicity and immunogenic potential. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2011, 153, 223-230.	2.6	11
74	Microchip capillary gel electrophoresis of multiply PEGylated high-molecular-mass glycoproteins. <i>Biotechnology Journal</i> , 2012, 7, 635-641.	3.5	11
75	Biomechanical properties of fishing lines of the glowworm <i>Arachnocampa luminosa</i> (Diptera); Tj ETQq1 1 0.784314 rgBT /Overlock 10	3.5	11
76	Improved identification of hordeins by cysteine alkylation with 2-bromoethylamine, SDS-PAGE and subsequent in-gel tryptic digestion. <i>Journal of Mass Spectrometry</i> , 2009, 44, 1613-1621.	1.6	10
77	Proteomic aspects of <i>Parachlamydia acanthamoebae</i> infection in <i>Acanthamoeba</i> spp.. <i>ISME Journal</i> , 2010, 4, 1366-1374.	9.8	10
78	Fast wheat variety classification by capillary gel electrophoresis-on-a-chip after single-step one-grain high molecular weight glutenin extraction. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 2403-2414.	3.7	10
79	Studying disulfide bond rearrangement by MALDI-TOF PSD and MALDI-TOF/RTOF high-energy CID (20 keV) experiments of peptides derived from ammodytoxins. <i>Journal of Mass Spectrometry</i> , 2011, 46, 153-162.	1.6	10
80	Sensitive detection of C-reactive protein in serum by immunoprecipitation-microchip capillary gel electrophoresis. <i>Analytical Biochemistry</i> , 2015, 478, 102-106.	2.4	10
81	<i>Trichoderma reesei</i> xylanase 5 is defective in the reference strain QM6a but functional alleles are present in other wild-type strains. <i>Applied Microbiology and Biotechnology</i> , 2017, 101, 4139-4149.	3.6	10
82	Examples of Bioadhesives for Defence and Predation. <i>Biologically-inspired Systems</i> , 2017, , 141-191.	0.2	10
83	Mass spectrometry-based investigation of measles and mumps virus proteome. <i>Virology Journal</i> , 2018, 15, 160.	3.4	10
84	FT-ICR Mass Spectrometry Imaging at Extreme Mass Resolving Power Using a Dynamically Harmonized ICR Cell with 1% or 2% Detection. <i>Analytical Chemistry</i> , 2022, 94, 9316-9326.	6.5	10
85	A comparison of nano-electrospray gas-phase electrophoretic mobility macromolecular analysis and matrix-assisted laser desorption/ionization linear time-of-flight mass spectrometry for the characterization of the recombinant coagulation glycoprotein von W. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 761-767.	1.5	9
86	Mass spectrometric imaging of in vivo protein and lipid adsorption on biodegradable vascular replacement systems. <i>Analyst, The</i> , 2015, 140, 6089-6099.	3.5	9
87	Identification of mumps virus protein and lipid composition by mass spectrometry. <i>Virology Journal</i> , 2016, 13, 9.	3.4	9
88	Critical considerations for trimethylsilyl derivatives of 24 primary metabolites measured by gas chromatography-tandem mass spectrometry. <i>Separation Science Plus</i> , 2020, 3, 407-418.	0.6	9
89	Near-Infrared Spectroscopic Study on Guest-Host Interactions Among G0-G7 Amine-Terminated Poly(amidoamine) Dendrimers and Porous Silica Materials for Simultaneously Determining the Molecular Weight and Particle Diameter by Multivariate Calibration Techniques. <i>Analytical Chemistry</i> , 2009, 81, 5655-5662.	6.5	8
90	Immunoprecipitation combined with microchip capillary gel electrophoresis: Detection and quantification of $\beta$ -galactosidase from crude <i>E. coli</i> cell lysate. <i>Biotechnology Journal</i> , 2011, 6, 420-427.	3.5	8

#	ARTICLE	IF	CITATIONS
91	Chip electrophoresis of gelatin-based nanoparticles. <i>Electrophoresis</i> , 2013, 34, 2152-2161.	2.4	8
92	VaSP1, catalytically active serine proteinase from <i>Vipera ammodytes ammodytes</i> venom with unconventional active site triad. <i>Toxicon</i> , 2014, 77, 93-104.	1.6	8
93	Synovial fluid protein adsorption on polymer-based artificial hip joint material investigated by MALDI-TOF mass spectrometry imaging. <i>EuPA Open Proteomics</i> , 2014, 4, 70-80.	2.5	8
94	nES GEMMA Analysis of Lectins and Their Interactions with Glycoproteins – Separation, Detection, and Sampling of Noncovalent Biospecific Complexes. <i>Journal of the American Society for Mass Spectrometry</i> , 2017, 28, 77-86.	2.8	8
95	Comparing the applicability of CGE-on-a-chip and SDS-PAGE for fast pre-screening of mouse serum samples prior to proteomics analysis. <i>Electrophoresis</i> , 2008, 29, 4332-4340.	2.4	7
96	Molecular weight determination of high molecular mass (glyco)proteins using CGE-on-a-chip, planar SDS-PAGE and MALDI-TOF-MS. <i>Electrophoresis</i> , 2010, 31, 3850-3862.	2.4	7
97	Tremendous progress in proteomics and metabolomics in Central and Eastern Europe. <i>Expert Review of Proteomics</i> , 2015, 12, 9-11.	3.0	7
98	Microchip capillary gel electrophoresis combined with lectin affinity enrichment employing magnetic beads for glycoprotein analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2017, 409, 6625-6634.	3.7	7
99	Quality-Related Properties of Equine Immunoglobulins Purified by Different Approaches. <i>Toxins</i> , 2020, 12, 798.	3.4	7
100	Evaluation of Pseudotrypsin Cleavage Specificity Towards Proteins by MALDI-TOF Mass Spectrometry. <i>Protein and Peptide Letters</i> , 2015, 22, 1123-1132.	0.9	7
101	Identification of <i>Bremia lactucae</i> and <i>Oidium neolycopersici</i> proteins extracted for intact spore MALDI mass spectrometric biotyping. <i>Electrophoresis</i> , 2016, 37, 2940-2952.	2.4	6
102	Light-Triggered Radical Silane-Ene Chemistry Using a Monosubstituted Bis(trimethylsilyl)silane. <i>Macromolecular Chemistry and Physics</i> , 2017, 218, 1600563.	2.2	6
103	Revisiting amino acid analyses for bioadhesives including a direct comparison of tick attachment cement ( <i>Dermacentor marginatus</i> ) and barnacle cement ( <i>Lepas anatifera</i> ). <i>International Journal of Adhesion and Adhesives</i> , 2021, 105, 102798.	2.9	6
104	Autophagy protects murine preputial glands against premature aging, and controls their sebum phospholipid and pheromone profile. <i>Autophagy</i> , 2022, 18, 1005-1019.	9.1	6
105	How many spots with missing values can be tolerated in quantitative two-dimensional gel electrophoresis when applying univariate statistics?. <i>Journal of Proteomics</i> , 2012, 75, 1792-1802.	2.4	5
106	Optimization of tetanus toxoid ammonium sulfate precipitation process using response surface methodology. <i>Preparative Biochemistry and Biotechnology</i> , 2016, 46, 695-703.	1.9	5
107	Mass spectrometry – One of the pillars of proteomics. <i>Journal of Proteomics</i> , 2011, 74, 915-919.	2.4	4
108	Chromatography, mass spectrometry, and molecular modeling studies on ammodytoxins. <i>Analytical and Bioanalytical Chemistry</i> , 2012, 402, 2737-2748.	3.7	4

#	ARTICLE	IF	CITATIONS
109	Improved sample preparation for intact cell mass spectrometry (biotyping) of mycelium samples taken from a batch fermentation process of <i>Penicillium chrysogenum</i> . <i>Rapid Communications in Mass Spectrometry</i> , 2014, 28, 957-964.	1.5	4
110	Characterization of on-target generated tryptic peptides from <i>Gibberella zeae</i> conidia spore proteins by means of matrix-assisted laser desorption/ionization mass spectrometry. <i>Molecular and Cellular Probes</i> , 2014, 28, 91-98.	2.1	4
111	Intact cell mass spectrometry as a progress tracking tool for batch and fed-batch fermentation processes. <i>Analytical Biochemistry</i> , 2015, 470, 25-33.	2.4	4
112	Determining and characterizing hapten loads for carrier proteins by MALDI-TOF MS and MALDI-TOF/RTOF MS. <i>Methods</i> , 2016, 104, 55-62.	3.8	4
113	Vinylsulfonatester: Effiziente Kettenübertragungsreagenzien für verzweigungsfreien 3D-Druck schlagzähler Photopolymere. <i>Angewandte Chemie</i> , 2018, 130, 9305-9310.	2.0	4
114	Nano electrospray differential mobility analysis based size-selection of liposomes and very-low density lipoprotein particles for offline hyphenation to MALDI mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2020, 179, 112998.	2.8	4
115	Intact Cell/Spore Mass Spectrometry of <i>Fusarium Macro Conidia</i> for Fast Isolate and Species Differentiation. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , 2011, , 47-63.	0.5	4
116	Streamlined downstream process for efficient and sustainable (Fab') <sub>2</sub> antivenom preparation. <i>Journal of Venomous Animals and Toxins Including Tropical Diseases</i> , 2020, 26, e20200025.	1.4	4
117	Research Techniques Made Simple: Lipidomic Analysis in Skin Research. <i>Journal of Investigative Dermatology</i> , 2022, 142, 4-11.e1.	0.7	4
118	Renopathological Microstructure Visualization From Formalin Fixed Kidney Tissue by Matrix-assisted Laser/Desorption Ionization-Time-Of-flight Mass Spectrometry Imaging. <i>Balkan Journal of Medical Genetics</i> , 2012, 15, 13-16.	0.5	3
119	Inhibition of extracellular lipase from <i>Streptomyces rimosus</i> with 3,4-dichloroisocoumarin. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2013, 28, 1094-1104.	5.2	3
120	Proteome profiling illustrated by a large-scale fed-batch fermentation of <i>Penicillium chrysogenum</i> . <i>EuPA Open Proteomics</i> , 2014, 4, 113-120.	2.5	3
121	Soft X-ray Radiation Applied in the Analysis of Intact Viruses and Antibodies by Means of Nano Electrospray Differential Mobility Analysis. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , 2017, , 149-157.	0.5	3
122	Protein functional analysis data in support of comparative proteomics of the pathogenic black yeast <i>Exophiala dermatitidis</i> under different temperature conditions. <i>Data in Brief</i> , 2015, 5, 372-375.	1.0	2
123	Optimization of sample preparation for intact cell mass spectrometry (matrix-assisted laser) <i>Journal of Mass Spectrometry</i> , 2018, 32, 815-823.	1.5	2
124	Toolbox for the Extraction and Quantification of Ochratoxin A and Ochratoxin Alpha Applicable for Different Pig and Poultry Matrices. <i>Toxins</i> , 2022, 14, 432.	3.4	2
125	Online hyphenation of size-exclusion chromatography and gas-phase electrophoresis facilitates the characterization of protein aggregates. <i>Electrophoresis</i> , 2021, 42, 1202-1208.	2.4	1
126	nES-DMA with Charge-reduction based on Soft X-ray Radiation: Analysis of a Recombinant Monoclonal Antibody. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021, 1182, 122925.	2.3	1



#	ARTICLE	IF	CITATIONS
127	Chip electrophoretic separation of highly homologous ammodytoxin isoforms: Three neurotoxic phospholipases A <sub>2</sub> of <i>Vipera ammodytes ammodytes</i> venom. <i>Electrophoresis</i> , 2014, 35, 2137-2145.	2.4	0
128	EuPA News from the EuPA Conference and Communication Committee (CCC). <i>EuPA Open Proteomics</i> , 2016, 11, 30.	2.5	0
129	Horseradish esterases: detection, purification and identification. <i>Plant Cell, Tissue and Organ Culture</i> , 2017, 130, 13-24.	2.3	0
130	Innentitelbild: Grone und rasche hydrothermale Kristallisation und Synthese vollstandig konjugierter aromatischer Verbindungen ( <i>Angew. Chem.</i> 38/2018). <i>Angewandte Chemie</i> , 2018, 130, 12358-12358.	2.0	0
131	Analysis of Bio-nanoparticles by Means of Nano ES in Combination with DMA and PDMA: Intact Viruses, Virus-Like-Particles and Vaccine Particles. <i>NATO Science for Peace and Security Series A: Chemistry and Biology</i> , 2014, , 133-147.	0.5	0