Maria do Sameiro Faria

List of Publications by Year
in descending order

74 papers	952 citations	516710 16 h-index	501196 28 g-index
75 all docs	75 docs citations	75 times ranked	1275 citing authors

#	Article	IF	Citations
1	Clinical practice recommendations for native vitamin D therapy in children with chronic kidney disease Stages 2â€“5 and on dialysis. Nephrology Dialysis Transplantation, 2017, 32, 1098-1113.	0.7	84
2	Inflammation, T-Cell Phenotype, and Inflammatory Cytokines in Chronic Kidney Disease Patients Under Hemodialysis and its Relationship to Resistance to Recombinant Human Erythropoietin Therapy. Journal of Clinical Immunology, 2008, 28, 268-275.	3.8	77
3	Nephropathy associated with heroin abuse in Caucasian patients. Nephrology Dialysis Transplantation, 2003, 18, 2308-2313.	0.7	54
4	Clinical practice recommendations for treatment with active vitamin D analogues in children with chronic kidney disease Stages 2â€“5 and on dialysis. Nephrology Dialysis Transplantation, 2017, 32, 1114-1127.	0.7	51
5	Risk Factors for Mortality in Hemodialysis Patients: Two-Year Follow-Up Study. Disease Markers, 2013, 35, 791-798.	1.3	45
6	Neutrophil Activation and Resistance to Recombinant Human Erythropoietin Therapy in Hemodialysis Patients. American Journal of Nephrology, 2008, 28, 935-940.	3.1	42
7	Hepcidin Serum Levels and Resistance to Recombinant Human Erythropoietin Therapy in Haemodialysis Patients. Acta Haematologica, 2009, 122, 226-229.	1.4	41
8	Role of Prohepcidin, Inflammatory Markers and Iron Status in Resistance to rhEPO Therapy in Hemodialysis Patients. American Journal of Nephrology, 2008, 28, 677-683.	3.1	36
9	Management of children with congenital nephrotic syndrome: challenging treatment paradigms. Nephrology Dialysis Transplantation, 2019, 34, 1369-1377.	0.7	32
10	Neutrophil and monocyte activation in chronic kidney disease patients under hemodialysis and its relationship with resistance to recombinant human erythropoietin and to the hemodialysis procedure. Hemodialysis International, 2010, 14, 295-301.	0.9	26
11	Apoptosis of Peripheral CD4⁺T-Lymphocytes in End-Stage Renal Disease Patients Under Hemodialysis and rhEPO Therapies. Renal Failure, 2011, 33, 138-143.	2.1	25
12	Predictors of health-related quality of life perceived by end-stage renal disease patients under online hemodiafiltration. Quality of Life Research, 2015, 24, 1327-1335.	3.1	25
13	Impact of Pediatric Kidney Transplantation on Long-Term Professional and Social Outcomes. Transplantation Proceedings, 2011, 43, 120-124.	0.6	22
14	Oxidized lowâ€density lipoprotein and lipoprotein(a) levels in chronic kidney disease patients under hemodialysis: Influence of adiponectin and of a polymorphism in the apolipoprotein(a) gene. Hemodialysis International, 2012, 16, 481-490.	0.9	21
15	Type of Vascular access and Location in Online Hemodiafiltration and its Association with Patient's Perception of Health-Related Quality of Life. Journal of Vascular Access, 2014, 15, 175-182.	0.9	21
16	Altered Erythrocyte Membrane Protein Composition in Chronic Kidney Disease Stage 5 Patients under Haemodialysis and Recombinant Human Erythropoietin Therapy. Blood Purification, 2008, 26, 267-273.	1.8	18
17	Changes in Red Blood Cells Membrane Protein Composition during Hemodialysis Procedure. Renal Failure, 2008, 30, 971-975.	2.1	16
18	Main Determinants of PON1 Activity in Hemodialysis Patients. American Journal of Nephrology, 2012, 36, 317-323.	3.1	16

#	Article	IF	Citations
19	Infants with congenital nephrotic syndrome have comparable outcomes to infants with other renal diseases. Pediatric Nephrology, 2019, 34, 649-655.	1.7	16
20	Long Pentraxin 3 as a Broader Biomarker for Multiple Risk Factors in End-Stage Renal Disease: Association with All-Cause Mortality. Mediators of Inflammation, 2019, 2019, 1-12.	3.0	15
21	The Protective Role of Adiponectin for Lipoproteins in End-Stage Renal Disease Patients: Relationship with Diabetes and Body Mass Index. Oxidative Medicine and Cellular Longevity, 2019, 2019, 1-11.	4.0	15
22	Post-transplantation encapsulating peritoneal sclerosis in a pediatric patient. Pediatric Nephrology, 2012, 27, 1583-1588.	1.7	13
23	Interleukin 6 (rs1800795) and pentraxin 3 (rs2305619) polymorphisms-association with inflammation and all-cause mortality in end-stage-renal disease patients on dialysis. Scientific Reports, 2021, 11, 14768.	3.3	13
24	Assessment of renal dopaminergic system activity during the recovery of renal function in human kidney transplant recipients. Nephrology Dialysis Transplantation, 1997, 12, 2667-2672.	0.7	12
25	Potential Cardiovascular Risk Protection of Bilirubin in End-Stage Renal Disease Patients under Hemodialysis. BioMed Research International, 2014, 2014, 1-9.	1.9	12
26	Circulating cell-free DNA levels in hemodialysis patients and its association with inflammation, iron metabolism, and rhEPO doses. Hemodialysis International, 2013, 17, n/a-n/a.	0.9	11
27	The role of biomarkers in dilated cardiomyopathy: Assessment of clinical severity and reverse remodeling. Revista Portuguesa De Cardiologia, 2017, 36, 709-716.	0.5	11
28	Cell-free DNA as a marker for the outcome of end-stage renal disease patients on haemodialysis. CKJ: Clinical Kidney Journal, 2021, 14, 1371-1378.	2.9	11
29	Band 3 Profile as a Marker of Erythrocyte Changes in Chronic Kidney Disease Patients. The Open Clinical Chemistry Journal, 2008, 1, 57-63.	0.7	11
30	Body mass index and resistance to recombinant human erythropoietin therapy in maintenance hemodialysis patients. Renal Failure, 2013, 35, 1392-1398.	2.1	10
31	Hepcidin and diabetes are independently related with soluble transferrin receptor levels in chronic dialysis patients. Renal Failure, 2019, 41, 662-672.	2.1	10
32	HAEMODIALYSIS FOR CHILDREN UNDER THE AGE OF TWO YEARS. Journal of Renal Care, 2008, 34, 9-13.	1.2	9
33	Correlation between plasma calcium and coronary artery disease burden in patients with preserved renal function. International Journal of Cardiology, 2005, 98, 363-366.	1.7	8
34	Glomerular Filtration Rate and Coronary Artery Disease Burden in Patients with Acute Coronary Syndrome. Clinical Cardiology, 2007, 30, 464-468.	1.8	8
35	Partially Reversible Cardiomyopathy after Renal Transplant Associated with Anti-Troponin I Antibodies. Cardiology, 2013, 126, 173-174.	1.4	8
36	<scp>BK</scp> virus nephropathy complicated with meningoencephalitis after kidney transplantation. Pediatric Transplantation, 2014, 18, E48-51.	1.0	8

#	Article	IF	Citations
37	Predictive Factors of Graft-Censored Failure in Pediatric Kidney Transplantation. Transplantation Proceedings, 2014, 46, 1723-1726.	0.6	8
38	Hyperinsulinaemic Hypoglycaemia and Polycystic Kidney Disease â€“ A Rare Case Concerning PMM2 Gene Pleiotropy. European Endocrinology, 2020, 16, 66.	1.5	7
39	Haemolytic uraemic syndrome, cardiomyopathy, cutaneous vasculopathy and antiâ€phospholipid activity. Nephrology Dialysis Transplantation, 2000, 15, 1891-1892.	0.7	6
40	Apnea/hypopnea index and benzodiazepine use in patients with arterial hypertension and excessive weight. International Journal of Cardiology, 2007, 114, 416-418.	1.7	6
41	Effect of Aging in the Perception of Health-Related Quality of Life in End-Stage Renal Disease Patients under Online-Hemodiafiltration. , 2015, 6, 17.		6
42	Genetic atypical hemolytic uremic syndrome in children: a 20-year experience from a tertiary center. Jornal Brasileiro De Nefrologia: Orgao Oficial De Sociedades Brasileira E Latino-Americana De Nefrologia, 2021, 43, 311-317.	0.9	6
43	Non-Hodgkin lymphoma and glomerulonephritis. What kind of relation?. Nephrology Dialysis Transplantation, 1996, 11, 854-856.	0.7	5
44	IgA Nephropathy and Antiphospholipid Syndrome. Nephron, 1999, 83, 95-96.	1.8	5
45	Cardiac Fabry's disease: an unusual cause of left ventricular hypertrophy. Nature Clinical Practice Cardiovascular Medicine, 2007, 4, 630-633.	3.3	5
46	Membranoproliferative Glomerulonephritis and X-Linked Agammaglobulinemia: An Uncommon Association. Case Reports in Pediatrics, 2014, 2014, 1-3.	0.4	5
47	IL-7 serum levels and lymphopenia in hemodialysis patients, non-responders to recombinant human erythropoietin therapy. Blood Cells, Molecules, and Diseases, 2008, 41, 134-135.	1.4	4
48	DMT1 (NRAMP2/DCT1) Genetic Variability and Resistance to Recombinant Human Erythropoietin Therapy in Chronic Kidney Disease Patients under Haemodialysis. Acta Haematologica, 2008, 120, 11-13.	1.4	4
49	Elastase release during the hemodialysis procedure seems to induce changes in red blood cell membrane proteins. Hemodialysis International, 2011, 15, 429-431.	0.9	4
50	Major Determinants of BMP-2 Serum Levels in Hemodialysis Patients. Renal Failure, 2012, 34, 1355-1358.	2.1	4
51	TLR4 and TLR9 Polymorphisms Effect on Inflammatory Response in End-Stage Renal Disease Patients. European Journal of Inflammation, 2014, 12, 521-529.	0.5	4
52	Acute ischaemic stroke during ambulatory blood pressure monitoring. Lancet, The, 1992, 339, 1113-1114.	13.7	3
53	Vascular Access versus the Effect of Statins on Inflammation and Fibrinolysis in Renal Dialysis Patients. Journal of Vascular Access, 2013, 14, 335-341.	0.9	3
54	Risk factors for mortality in end-stage kidney disease patients under online-hemodiafiltration: three-year follow-up study. Biomarkers, 2016, 21, 544-550.	1.9	3

#	Article	IF	Citations
55	Subpopulations of High-Density Lipoprotein: Friends or Foes in Cardiovascular Disease Risk in Chronic Kidney Disease?. Biomedicines, 2021, 9, 554.	3.2	2
56	Infections Following Kidney Transplant in Children: A Single-Center Study. Open Journal of Nephrology, 2014, 04, 117-124.	0.1	2
57	Hydrocephalus, Hypertension and Renal Failure: Ambulatory Blood Pressure Data. Nephron, 1994, 67, 237-239.	1.8	1
58	Reversible renal failure and SZ alpha1-antitrypsin phenotype. Association with liver disease and ethanol abuse. Nephrology Dialysis Transplantation, 1995, 10, 2340-2342.	0.7	1
59	Comparison of Bio-Plex measurements with standard techniques. Clinical Chemistry and Laboratory Medicine, 2012, 50, 399-402.	2.3	1
60	Adiponectin is an independent predictor of tissue plasminogen activator levels in patients under haemodialysis. Scandinavian Journal of Urology and Nephrology, 2012, 46, 461-465.	1.4	1
61	Haptoglobin 2â€“2 phenotype is associated with decreased serum iron levels in endstage renal disease patients resistant to rhEPO therapy. British Journal of Biomedical Science, 2014, 71, 79-81.	1.3	1
62	SP342HEPCIDIN-25 AND TREATMENT WITH ERYTHROPOIESIS STIMULATING AGENTS ARE INDEPENDENTLY RELATED WITH ERYTHROPOIESIS IN CHRONIC HEMODIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2018, 33, i460-i460.	0.7	1
63	Homocysteine levels in pediatric renal transplant recipients. Transplantation Proceedings, 2003, 35, 1093-1095.	0.6	0
64	Tratamento de hiperparatiroidismo secundÃ¡rio grave com paricalcitol em crianÃ§a de 3 anos em diÃ¡lise. Revista Portuguesa De Endocrinologia Diabetes E Metabolismo, 2015, 10, 152-155.	0.1	0
65	Cardiovascular Risk Factors in End-Stage Renal Disease Patients: The Impact of Conventional Dialysis versus Online-Hemodiafiltration. , 2018, , .		0
66	SP666MACHINE LEARNING IN PREDICTION OF VULNERABLE OR RESILIENT END-STAGE RENAL DISEASE PATIENTS. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
67	SP637INFLAMMATION AND CELL-FREE DNA AS BIOMARKERS FOR THE OUTCOME OF END STAGE RENAL DISEASE PATIENTS. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
68	SP543ASSOCIATION OF PTX3, NT-proBNP AND LEFT VENTRICULAR HYPERTROPHY IN PATIENTS ON DIALYSIS. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
69	FP725PENTRAXIN 3 IN END-STAGE RENAL DISEASE: MULTIPLE RISK BIOMARKER AND PREDICTOR OF ALL-CAUSE MORTALITY. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
70	FP730EFFECTS OF STATINS THERAPY ON LDL SUBFRACTIONS AND INFLAMMATION, IN END-STAGE RENAL DISEASE PATIENTS ON DIALYSIS. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
71	MO1023BARDET-BIEDL SYNDROME OR SENIOR-LOKEN SYNDROME? GOING BEYOND THE OBVIOUS. Nephrology Dialysis Transplantation, 2021, 36, .	0.7	0
72	MO1022CENTRAL VENOUS CATHETERS FIRST - THE ACHILLESâ€™ HEEL IN PEDIATRIC HEMODIALYSIS VASCULAR ACCESS. Nephrology Dialysis Transplantation, 2021, 36, .	0.7	0

#	Article	IF	Citations
73	Hemodialysis vascular access in children â€“ A retrospective study in a pediatric dialysis unit. Portuguese Journal of Nephrology & Hypertension, 2021, 35, .	0.1	0
74	Effect of hemodialysis procedure in prohepcidin serum levels in regular hemodialysis patients. Clinical Nephrology, 2009, 71, 233-235.	0.7	0