

# Gerald T Nepom

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6253941/publications.pdf>

Version: 2024-02-01

230  
papers

11,820  
citations

24978

57  
h-index

32761

100  
g-index

246  
all docs

246  
docs citations

246  
times ranked

11279  
citing authors

#	ARTICLE	IF	CITATIONS
1	Kv1.3 channels are a therapeutic target for T cell-mediated autoimmune diseases. Proceedings of the National Academy of Sciences of the United States of America, 2006, 103, 17414-17419.	3.3	470
2	Narcolepsy is strongly associated with the T-cell receptor alpha locus. Nature Genetics, 2009, 41, 708-711.	9.4	445
3	Genetics of Type 1A Diabetes. New England Journal of Medicine, 2009, 360, 1646-1654.	13.9	437
4	MHC class II tetramers identify peptide-specific human CD4+ T cells proliferating in response to influenza A antigen. Journal of Clinical Investigation, 1999, 104, R63-R67.	3.9	342
5	HLA Genes associated with rheumatoid Arthritis. Identification of susceptibility alleles using specific oligonucleotide probes. Arthritis and Rheumatism, 1989, 32, 15-21.	6.7	329
6	Systems Scale Interactive Exploration Reveals Quantitative and Qualitative Differences in Response to Influenza and Pneumococcal Vaccines. Immunity, 2013, 38, 831-844.	6.6	284
7	Prediction and Pathogenesis in Type 1 Diabetes. Immunity, 2010, 32, 468-478.	6.6	270
8	De novo generation of antigen-specific CD4+CD25+ regulatory T cells from human CD4+CD25- cells. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 4103-4108.	3.3	266
9	Functional inflammatory profiles distinguish myelin-reactive T cells from patients with multiple sclerosis. Science Translational Medicine, 2015, 7, 287ra74.	5.8	246
10	Alefacept provides sustained clinical and immunological effects in new-onset type 1 diabetes patients. Journal of Clinical Investigation, 2015, 125, 3285-3296.	3.9	228
11	Common variants in P2RY11 are associated with narcolepsy. Nature Genetics, 2011, 43, 66-71.	9.4	215
12	Recurrence of Type 1 Diabetes After Simultaneous Pancreas-Kidney Transplantation, Despite Immunosuppression, Is Associated With Autoantibodies and Pathogenic Autoreactive CD4 T-Cells. Diabetes, 2010, 59, 947-957.	0.3	210
13	The insulin A-chain epitope recognized by human T cells is posttranslationally modified. Journal of Experimental Medicine, 2005, 202, 1191-1197.	4.2	201
14	Detection of GAD65-Specific T-Cells by Major Histocompatibility Complex Class II Tetramers in Type 1 Diabetic Patients and At-Risk Subjects. Diabetes, 2002, 51, 1375-1382.	0.3	189
15	Antibiotic-refractory Lyme arthritis is associated with HLA-DR molecules that bind a Borrelia burgdorferi peptide. Journal of Experimental Medicine, 2006, 203, 961-971.	4.2	187
16	A Unified Hypothesis for the Complex Genetics of HLA Associations With IDDM. Diabetes, 1990, 39, 1153-1157.	0.3	183
17	Targeting of memory T cells with alefacept in new-onset type 1 diabetes (T1DAL study): 12 month results of a randomised, double-blind, placebo-controlled phase 2 trial. Lancet Diabetes and Endocrinology, 2013, 1, 284-294.	5.5	169
18	Partial exhaustion of CD8 T cells and clinical response to teplizumab in new-onset type 1 diabetes. Science Immunology, 2016, 1, .	5.6	169

#	ARTICLE	IF	CITATIONS
19	Association of HLA-Dw16 with rheumatoid arthritis in Yakima Indians. Further evidence for the shared epitope hypothesis. <i>Arthritis and Rheumatism</i> , 1991, 34, 43-47.	6.7	161
20	Cutting Edge: High Molecular Weight Hyaluronan Promotes the Suppressive Effects of CD4+CD25+ Regulatory T Cells. <i>Journal of Immunology</i> , 2007, 179, 744-747.	0.4	156
21	Successful Prospective Prediction of Type 1 Diabetes in Schoolchildren Through Multiple Defined Autoantibodies: An 8-year follow-up of the Washington State Diabetes Prediction Study. <i>Diabetes Care</i> , 2002, 25, 505-511.	4.3	151
22	The molecular basis for HLA class II associations with rheumatoid arthritis. <i>Journal of Clinical Immunology</i> , 1987, 7, 1-7.	2.0	145
23	Tetramer-Guided Epitope Mapping: Rapid Identification and Characterization of Immunodominant CD4+ T Cell Epitopes from Complex Antigens. <i>Journal of Immunology</i> , 2001, 166, 6665-6670.	0.4	135
24	CD44 Costimulation Promotes FoxP3+ Regulatory T Cell Persistence and Function via Production of IL-2, IL-10, and TGF-β. <i>Journal of Immunology</i> , 2009, 183, 2232-2241.	0.4	134
25	Intact extracellular matrix and the maintenance of immune tolerance: high molecular weight hyaluronan promotes persistence of induced CD4+CD25+ regulatory T cells. <i>Journal of Leukocyte Biology</i> , 2009, 86, 567-572.	1.5	131
26	Identification and functional characterization of T cells reactive to citrullinated vimentin in HLA-DRB1*0401-positive humanized mice and rheumatoid arthritis patients. <i>Arthritis and Rheumatism</i> , 2011, 63, 2873-2883.	6.7	128
27	Hyaluronan and versican in the control of human T-lymphocyte adhesion and migration. <i>Matrix Biology</i> , 2012, 31, 90-100.	1.5	126
28	ECM components guide IL-10 producing regulatory T-cell (TR1) induction from effector memory T-cell precursors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 7938-7943.	3.3	122
29	HLA-DQ Tetramers Identify Epitope-Specific T Cells in Peripheral Blood of Herpes Simplex Virus Type 2-Infected Individuals: Direct Detection of Immunodominant Antigen-Responsive Cells. <i>Journal of Immunology</i> , 2000, 164, 4244-4249.	0.4	118
30	MHC Class II Tetramers. <i>Journal of Immunology</i> , 2012, 188, 2477-2482.	0.4	105
31	GAD65-Specific CD4+ T-Cells with High Antigen Avidity Are Prevalent in Peripheral Blood of Patients With Type 1 Diabetes. <i>Diabetes</i> , 2004, 53, 1987-1994.	0.3	100
32	Animal models of human type 1 diabetes. <i>Nature Immunology</i> , 2009, 10, 129-132.	7.0	100
33	Evidence for Molecular Mimicry between Human T Cell Epitopes in Rotavirus and Pancreatic Islet Autoantigens. <i>Journal of Immunology</i> , 2010, 184, 2204-2210.	0.4	100
34	Autoreactive CD8+ T cell exhaustion distinguishes subjects with slow type 1 diabetes progression. <i>Journal of Clinical Investigation</i> , 2019, 130, 480-490.	3.9	99
35	Recognition of HLA Class I-Restricted A-Cell Epitopes in Type 1 Diabetes. <i>Diabetes</i> , 2006, 55, 3068-3074.	0.3	95
36	Binding of outer surface protein A and human lymphocyte function-associated antigen 1 peptides to HLA-DR molecules associated with antibiotic treatment-resistant Lyme arthritis. <i>Arthritis and Rheumatism</i> , 2003, 48, 534-540.	6.7	94

#	ARTICLE	IF	CITATIONS
37	Investigating the HLA component in rheumatoid arthritis: An additive (dominant) mode of inheritance is rejected, a recessive mode is preferred. <i>Genetic Epidemiology</i> , 1991, 8, 153-175.	0.6	93
38	Analysis of T-Cell Assays to Measure Autoimmune Responses in Subjects With Type 1 Diabetes. <i>Diabetes</i> , 2006, 55, 2588-2594.	0.3	91
39	Six variants of HLA-1327 identified by isoelectric focusing. <i>Immunogenetics</i> , 1986, 23, 24-29.	1.2	90
40	Major Histocompatibility Complex-Directed Susceptibility to Rheumatoid Arthritis. <i>Advances in Immunology</i> , 1998, 68, 315-332.	1.1	89
41	Restoring the balance: immunotherapeutic combinations for autoimmune disease. <i>DMM Disease Models and Mechanisms</i> , 2014, 7, 503-513.	1.2	84
42	Identification of Novel HLA-A*0201-Restricted Epitopes in Recent-Onset Type 1 Diabetic Subjects and Antibody-Positive Relatives. <i>Diabetes</i> , 2006, 55, 3061-3067.	0.3	83
43	Characterization of a <i>Mycobacterium tuberculosis</i> Peptide That Is Recognized by Human CD4+ and CD8+ T Cells in the Context of Multiple HLA Alleles. <i>Journal of Immunology</i> , 2004, 173, 1966-1977.	0.4	82
44	GAD65- and proinsulin-specific CD4+ T-cells detected by MHC class II tetramers in peripheral blood of type 1 diabetes patients and at-risk subjects. <i>Journal of Autoimmunity</i> , 2005, 25, 235-243.	3.0	82
45	PREDICTION OF SUSCEPTIBILITY TO RHEUMATOID ARTHRITIS BY HUMAN LEUKOCYTE ANTIGEN GENOTYPING. <i>Rheumatic Disease Clinics of North America</i> , 1992, 18, 785-792.	0.8	79
46	Self-reactive human CD4 T cell clones form unusual immunological synapses. <i>Journal of Experimental Medicine</i> , 2012, 209, 335-352.	4.2	77
47	Recurrence of autoreactive antigen-specific CD4+ T cells in autoimmune diabetes after pancreas transplantation. <i>Clinical Immunology</i> , 2008, 128, 23-30.	1.4	75
48	HLA tetramer-based artificial antigen-presenting cells for stimulation of CD4+ T cells. <i>Clinical Immunology</i> , 2003, 106, 16-22.	1.4	70
49	HLA class II tetramers: Tools for direct analysis of antigen-specific CD4+ T cells. <i>Arthritis and Rheumatism</i> , 2002, 46, 5-12.	6.7	69
50	Th1 cytokines promote T-cell binding to antigen-presenting cells via enhanced hyaluronan production and accumulation at the immune synapse. <i>Cellular and Molecular Immunology</i> , 2010, 7, 211-220.	4.8	65
51	Beta cell-specific CD8+ T cells maintain stem cell memory-associated epigenetic programs during type 1 diabetes. <i>Nature Immunology</i> , 2020, 21, 578-587.	7.0	63
52	Activated human epitope-specific T cells identified by class II tetramers reside within a CD4 <sup>high</sup> , proliferating subset. <i>International Immunology</i> , 2001, 13, 799-806.	1.8	62
53	Low-avidity recognition by CD4+ T cells directed to self-antigens. <i>European Journal of Immunology</i> , 2003, 33, 1409-1417.	1.6	62
54	Single-Cell RNA Sequencing Reveals Expanded Clones of Islet Antigen-Reactive CD4+ T Cells in Peripheral Blood of Subjects with Type 1 Diabetes. <i>Journal of Immunology</i> , 2017, 199, 323-335.	0.4	62

#	ARTICLE	IF	CITATIONS
55	Distinct T Cell Interactions with HLA Class II Tetramers Characterize a Spectrum of TCR Affinities in the Human Antigen-Specific T Cell Response. <i>Journal of Immunology</i> , 2000, 165, 6994-6998.	0.4	61
56	Increased Frequencies of Myelin Oligodendrocyte Glycoprotein/MHC Class II-Binding CD4 Cells in Patients with Multiple Sclerosis. <i>Journal of Immunology</i> , 2011, 187, 1039-1046.	0.4	61
57	Synchronous immune alterations mirror clinical response during allergen immunotherapy. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1750-1760.e1.	1.5	61
58	MHC Class II tetramers and the pursuit of antigen-specific T cells: define, deviate, delete. <i>Clinical Immunology</i> , 2004, 110, 232-242.	1.4	59
59	Functional avidity directs T-cell fate in autoreactive CD4+ T cells. <i>Blood</i> , 2005, 106, 2798-2805.	0.6	59
60	High Affinity Presentation of an Autoantigenic Peptide in Type I Diabetes by an HLA Class II Protein Encoded in a Haplotype Protecting From Disease. <i>Journal of Autoimmunity</i> , 1997, 10, 375-386.	3.0	57
61	Differential presentation of group A streptococcal superantigens by HLA class II DQ and DR alleles. <i>European Journal of Immunology</i> , 2002, 32, 2570-2577.	1.6	57
62	Academic, Foundation, and Industry Collaboration in Finding New Therapies. <i>New England Journal of Medicine</i> , 2017, 376, 1762-1769.	13.9	57
63	Anti-cytokine therapies in T1D: Concepts and strategies. <i>Clinical Immunology</i> , 2013, 149, 279-285.	1.4	56
64	The Immune Tolerance Network at 10 years: tolerance research at the bedside. <i>Nature Reviews Immunology</i> , 2010, 10, 797-803.	10.6	55
65	CLASS II ANTIGENS AND DISEASE SUSCEPTIBILITY. <i>Annual Review of Medicine</i> , 1995, 46, 17-25.	5.0	54
66	Multiple Ia-like molecules characterize HLA-DR2-associated haplotypes which differ in HLA-D. <i>Human Immunology</i> , 1984, 10, 143-151.	1.2	52
67	Rapid epitope identification from complex class-II-restricted T-cell antigens. <i>Trends in Immunology</i> , 2001, 22, 583-588.	2.9	52
68	Association of tumor necrosis factor $\pm$ polymorphism, but not the shared epitope, with increased radiographic progression in a seropositive rheumatoid arthritis inception cohort. <i>Arthritis and Rheumatism</i> , 2006, 54, 1105-1116.	6.7	49
69	A Structural Model for TCR Recognition of the HLA Class II Shared Epitope Sequence Implicated in Susceptibility to Rheumatoid Arthritis. <i>Journal of Autoimmunity</i> , 1996, 9, 287-293.	3.0	47
70	Allelic Variation in Key Peptide-Binding Pockets Discriminates between Closely Related Diabetes-Protective and Diabetes-Susceptible HLA-DQB1*06 Alleles. <i>Journal of Immunology</i> , 2006, 176, 1988-1998.	0.4	47
71	Extensive Replicative Capacity of Human Central Memory T Cells. <i>Journal of Immunology</i> , 2004, 172, 6675-6683.	0.4	46
72	Abatacept Targets T Follicular Helper and Regulatory T Cells, Disrupting Molecular Pathways That Regulate Their Proliferation and Maintenance. <i>Journal of Immunology</i> , 2019, 202, 1373-1382.	0.4	46

#	ARTICLE	IF	CITATIONS
73	Detection of CD4+Autoreactive T Cells in T1D Using HLA Class II Tetramers. <i>Annals of the New York Academy of Sciences</i> , 2003, 1005, 82-87.	1.8	44
74	Differential Recognition and Activation Thresholds in Human Autoreactive GAD-Specific T-Cells. <i>Diabetes</i> , 2004, 53, 971-977.	0.3	44
75	Functional islet-specific Treg can be generated from CD4 <sup>+</sup> CD25 <sup>+</sup> T cells of healthy and type 1 diabetic subjects. <i>European Journal of Immunology</i> , 2009, 39, 612-620.	1.6	44
76	Interaction between RANKL and HLA-DRB1 genotypes may contribute to younger age at onset of seropositive rheumatoid arthritis in an inception cohort. <i>Arthritis and Rheumatism</i> , 2004, 50, 3093-3103.	6.7	42
77	HLA-DR antigens on lymphoid cells differ from those on myeloid cells. <i>Nature</i> , 1983, 305, 541-543.	13.7	41
78	Exon-specific oligonucleotide probes localize HLA-DQ ? allelic polymorphisms. <i>Immunogenetics</i> , 1986, 24, 251-258.	1.2	41
79	DRB1*0401-restricted human T cell clone specific for the major proinsulin73-90 epitope expresses a down-regulatory T helper 2 phenotype. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11683-11688.	3.3	40
80	The Toll-Like Receptor Signaling Molecule Myd88 Contributes to Pancreatic Beta-Cell Homeostasis in Response to Injury. <i>PLoS ONE</i> , 2009, 4, e5063.	1.1	39
81	Î²57-Asp Plays an Essential Role in the Unique SDS Stability of HLA-DQA1*0102/DQB1*0602 Î±Î² Protein Dimer, the Class II MHC Allele Associated with Protection from Insulin-Dependent Diabetes Mellitus. <i>Journal of Immunology</i> , 2000, 165, 3232-3238.	0.4	37
82	Genetics of rheumatoid arthritis: is there a scientific explanation for the human leukocyte antigen association?. <i>Current Opinion in Rheumatology</i> , 2002, 14, 254-259.	2.0	37
83	Exhausted-like CD8+ T cell phenotypes linked to C-peptide preservation in alefacept-treated T1D subjects. <i>JCI Insight</i> , 2021, 6, .	2.3	37
84	Reversal of Diabetes in Mice with a Bioengineered Islet Implant Incorporating a Type I Collagen Hydrogel and Sustained Release of Vascular Endothelial Growth Factor. <i>Cell Transplantation</i> , 2012, 21, 2099-2110.	1.2	36
85	A functional <i>RANKL</i> polymorphism associated with younger age at onset of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2010, 62, 2864-2875.	6.7	35
86	Low HERV-K(C4) Copy Number Is Associated With Type 1 Diabetes. <i>Diabetes</i> , 2014, 63, 1789-1795.	0.3	34
87	A Preclinical Consortium Approach for Assessing the Efficacy of Combined Anti-CD3 Plus IL-1 Blockade in Reversing New-Onset Autoimmune Diabetes in NOD Mice. <i>Diabetes</i> , 2016, 65, 1310-1316.	0.3	34
88	Human homologues of a Borrelia T cell epitope associated with antibiotic-refractory Lyme arthritis. <i>Molecular Immunology</i> , 2008, 45, 180-189.	1.0	33
89	Transient B-Cell Depletion with Anti-CD20 in Combination with Proinsulin DNA Vaccine or Oral Insulin: Immunologic Effects and Efficacy in NOD Mice. <i>PLoS ONE</i> , 2013, 8, e54712.	1.1	33
90	Searching for borrelial T cell epitopes associated with antibiotic-refractory Lyme arthritis. <i>Molecular Immunology</i> , 2008, 45, 2323-2332.	1.0	32

#	ARTICLE	IF	CITATIONS
91	On-Chip Activation and Subsequent Detection of Individual Antigen-Specific T Cells. <i>Analytical Chemistry</i> , 2010, 82, 473-477.	3.2	32
92	Further DNA sequence microheterogeneity of the HLA-DR4/Dw13 haplotype group: Importance of amino acid position 86 of the DR $\beta$ 1 chain for T-cell recognition. <i>Human Immunology</i> , 1990, 27, 378-389.	1.2	30
93	Gene therapy in the treatment of autoimmune diseases. <i>Journal of Clinical Investigation</i> , 2000, 106, 181-183.	3.9	30
94	Increased frequency of HLA class II alleles DRB1 $\alpha$ -0301 and DQB1 $\alpha$ -0201 in Lambert-Eaton myasthenic syndrome without associated cancer. <i>Human Immunology</i> , 2000, 61, 828-833.	1.2	29
95	Therapy of autoimmune diseases: clinical trials and new biologics. <i>Current Opinion in Immunology</i> , 2002, 14, 812-815.	2.4	29
96	Remodeling rodent models to mimic human type 1 diabetes. <i>European Journal of Immunology</i> , 2009, 39, 2049-2054.	1.6	29
97	THE ROLE OF THE DR4 SHARED EPITOPE IN SELECTION AND COMMITMENT OF AUTOACTIVE T CELLS IN RHEUMATOID ARTHRITIS. <i>Rheumatic Disease Clinics of North America</i> , 2001, 27, 305-315.	0.8	28
98	Decline in the Frequencies of <i>Borrelia burgdorferi</i> OspA161 $\alpha$ -175-Specific T Cells after Antibiotic Therapy in HLA-DRB1*0401-Positive Patients with Antibiotic-Responsive or Antibiotic-Refractory Lyme Arthritis. <i>Journal of Immunology</i> , 2007, 179, 6336-6342.	0.4	28
99	Changes in autoreactive T cell avidity during type 1 diabetes development. <i>Clinical Immunology</i> , 2009, 132, 312-320.	1.4	28
100	Rebranding asymptomatic type 1 diabetes: the case for autoimmune beta cell disorder as a pathological and diagnostic entity. <i>Diabetologia</i> , 2017, 60, 35-38.	2.9	28
101	Electrophoretic variation between class II molecules expressed on HLA-DRw8 homozygous typing cells reveals multiple distinct haplotypes. <i>Immunogenetics</i> , 1985, 21, 49-60.	1.2	27
102	Differential Antigen Sensitivity and Costimulatory Requirements in Human Th1 and Th2 Antigen-Specific CD4+ Cells with Similar TCR Avidity. <i>Journal of Immunology</i> , 2003, 170, 1218-1223.	0.4	27
103	Alteration of Cellular and Humoral Immunity by Mutant p53 Protein and Processed Mutant Peptide in Head and Neck Cancer. <i>Clinical Cancer Research</i> , 2007, 13, 7199-7206.	3.2	27
104	Antigen-Specific CD4 + T Cells Recognize Epitopes of Protective Antigen following Vaccination with an Anthrax Vaccine. <i>Infection and Immunity</i> , 2007, 75, 1852-1860.	1.0	27
105	HLA and type I diabetes. <i>Trends in Immunology</i> , 1990, 11, 314-315.	7.5	26
106	Glutamic acid decarboxylase and other autoantigens in IDDM. <i>Current Opinion in Immunology</i> , 1995, 7, 825-830.	2.4	26
107	Autoreactive human T-cell receptor initiates insulinitis and impaired glucose tolerance in HLA DR4 transgenic mice. <i>Journal of Autoimmunity</i> , 2008, 30, 197-206.	3.0	26
108	Use of T cell receptor/HLA-DRB1*04 molecular modeling to predict site-specific interactions for the DR shared epitope associated with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1997, 40, 1316-1326.	6.7	26



#	ARTICLE	IF	CITATIONS
109	Targeting T Lymphocytes for Immune Monitoring and Intervention in Autoimmune Diabetes. <i>American Journal of Therapeutics</i> , 2005, 12, 534-550.	0.5	24
110	Defining antigen-specific responses with human MHC class II tetramers. <i>Journal of Allergy and Clinical Immunology</i> , 2002, 110, 199-208.	1.5	23
111	A real-time PCR approach for rapid high resolution subtyping of HLA-DRB1*04. <i>Journal of Immunological Methods</i> , 2006, 317, 64-70.	0.6	23
112	Challenges in the pursuit of immune tolerance. <i>Immunological Reviews</i> , 2011, 241, 49-62.	2.8	23
113	Adult-onset type 1 diabetes patients display decreased IGRP-specific Tr1 cells in blood. <i>Clinical Immunology</i> , 2015, 161, 270-277.	1.4	23
114	Correlation Among Hypoglycemia, Glycemic Variability, and C-Peptide Preservation After Alefacept Therapy in Patients with Type 1 Diabetes Mellitus: Analysis of Data from the Immune Tolerance Network T1DAL Trial. <i>Clinical Therapeutics</i> , 2016, 38, 1327-1339.	1.1	23
115	Molecular analysis of DQ*3.1 genes. <i>Human Immunology</i> , 1988, 21, 183-192.	1.2	22
116	Modulation of T cell response to hGAD65 peptide epitopes. <i>Tissue Antigens</i> , 2002, 59, 101-112.	1.0	21
117	A Contra Capture Protein Array Platform for Studying Post-translationally Modified (PTM) Auto-antigenomes. <i>Molecular and Cellular Proteomics</i> , 2016, 15, 2324-2337.	2.5	21
118	Anti-idiotypic antibodies and the induction of specific tumor immunity. <i>Cancer and Metastasis Reviews</i> , 1987, 6, 489-502.	2.7	20
119	T Cell Selection and Differential Activation on Structurally Related HLA-DR4 Ligands. <i>Journal of Immunology</i> , 2001, 167, 3250-3256.	0.4	20
120	Mutational analysis of critical residues determining antigen presentation and activation of HLA-DQ0602 restricted T-cell clones. <i>Human Immunology</i> , 2002, 63, 185-193.	1.2	20
121	Antigen-Specific T Cell Analysis Reveals That Active Immune Responses to $\beta$ Cell Antigens Are Focused on a Unique Set of Epitopes. <i>Journal of Immunology</i> , 2017, 199, 91-96.	0.4	20
122	Uncovering Pathways to Personalized Therapies in Type 1 Diabetes. <i>Diabetes</i> , 2021, 70, 831-841.	0.3	20
123	The Effects of Variations in Human Immune-Response Genes. <i>New England Journal of Medicine</i> , 1989, 321, 751-752.	13.9	19
124	Analysis of overlapping T- and B-Cell antigenic sites on rubella virus E1 envelope protein influence of HLA-DR4 polymorphism on T-cell clonal recognition. <i>Human Immunology</i> , 1994, 39, 177-187.	1.2	19
125	Genetic and Immunological Markers of Insulin Dependent Diabetes in Black Americans. <i>Autoimmunity</i> , 1995, 22, 27-32.	1.2	19
126	Allelic variation in transcription modulates MHC class II expression and function. <i>Microbes and Infection</i> , 1999, 1, 919-927.	1.0	19



#	ARTICLE	IF	CITATIONS
127	Restricted Autoantigen Recognition Associated with Deletional and Adaptive Regulatory Mechanisms. <i>Journal of Immunology</i> , 2009, 183, 59-65.	0.4	19
128	Short-term IL-1 $\beta$ blockade reduces monocyte CD11b integrin expression in an IL-8 dependent fashion in patients with type 1 diabetes. <i>Clinical Immunology</i> , 2010, 136, 170-173.	1.4	19
129	T-cell receptor V $\beta$ 2 selectivity in T-cell clones alloreactive to HLA-Dw14. <i>Human Immunology</i> , 1992, 33, 57-64.	1.2	18
130	Obstacles and opportunities for targeting the effector T cell response in type 1 diabetes. <i>Journal of Autoimmunity</i> , 2016, 71, 44-50.	3.0	18
131	Sequence analysis of HLA class II domains: characterization of the DQw3 family of DQB genes. <i>Immunogenetics</i> , 1989, 29, 186-190.	1.2	17
132	SELECTIVE T-CELL-RECEPTOR GENE USAGE IN ALLORECOGNITION AND GRAFT-VERSUS-HOST DISEASE. <i>Transplantation</i> , 1993, 55, 1167-1175.	0.5	17
133	Polyplot and polymorphism. An HLA update. <i>Arthritis and Rheumatism</i> , 1995, 38, 1715-1721.	6.7	16
134	Characterization of the HLA-restrictive elements of a rubella virus-specific cytotoxic T cell clone: influence of HLA-DR4 $\beta$ 2 chain residue 74 polymorphism on antigenic peptide-T cell interaction. <i>International Immunology</i> , 1996, 8, 1577-1586.	1.8	16
135	Promiscuous T-Cell Recognition of a Rubella Capsid Protein Epitope Restricted by DRB1 $\beta$ -0403 and DRB1 $\beta$ -0901 Molecules Sharing an HLA DR Supertype. <i>Human Immunology</i> , 1998, 59, 149-157.	1.2	16
136	Determinants of genetic susceptibility in HLA-associated autoimmune disease. <i>Clinical Immunology and Immunopathology</i> , 1989, 53, S53-S62.	2.1	15
137	Recognition of altered self major histocompatibility complex molecules modulated by specific peptide interactions. <i>European Journal of Immunology</i> , 1996, 26, 949-952.	1.6	15
138	Tetramer Analysis of Human Autoreactive CD4 $\beta$ Positive T Cells. <i>Advances in Immunology</i> , 2005, 88, 51-71.	1.1	15
139	Discriminative T cell recognition of cross-reactive islet-antigens is associated with HLA-DQ8 transdimer $\beta$ 2-mediated autoimmune diabetes. <i>Science Advances</i> , 2019, 5, eaaw9336.	4.7	15
140	A composite immune signature parallels disease progression across T1D subjects. <i>JCI Insight</i> , 2019, 4, .	2.3	15
141	Immune-Directed Therapy for Type 1 Diabetes at the Clinical Level: The Immune Tolerance Network (ITN) Experience. <i>Review of Diabetic Studies</i> , 2012, 9, 359-371.	0.5	15
142	Structural variation among major histocompatibility complex class-II genes which predispose to autoimmunity. <i>Immunologic Research</i> , 1989, 8, 16-38.	1.3	14
143	Ultrastructural allelic variation in HLA-DQB1 promoter elements. <i>Human Immunology</i> , 1995, 43, 251-258.	1.2	14
144	MHC multimers: expanding the clinical toolkit. <i>Clinical Immunology</i> , 2003, 106, 1-4.	1.4	14

#	ARTICLE	IF	CITATIONS
145	Age-dependent loss of tolerance to an immunodominant epitope of glutamic acid decarboxylase in diabetic-prone RIP-B7/DR4 mice. <i>Clinical Immunology</i> , 2006, 121, 294-304.	1.4	14
146	Characterization of effector functions of human peptide-specific CD4+ T-cell clones for an intracellular pathogen. <i>Human Immunology</i> , 2008, 69, 475-483.	1.2	14
147	Antigen-specific immunomodulation for type 1 diabetes by novel recombinant antibodies directed against diabetes-associated auto-reactive T cell epitope. <i>Journal of Autoimmunity</i> , 2013, 47, 83-93.	3.0	14
148	Autoreactive T cell receptors with shared germline-like $\hat{\pm}$ chains in type 1 diabetes. <i>JCI Insight</i> , 2021, 6, .	2.3	14
149	DQw3 variants defined by cloned alloreactive T cells. <i>Human Immunology</i> , 1988, 21, 63-73.	1.2	13
150	HLA DQ $\hat{2}$ 3.2 identifies subtypes of DR4 + haplotypes permissive for IDDM. <i>Genetic Epidemiology</i> , 1989, 6, 149-154.	0.6	13
151	Structural and functional constraints on HLA class II dimers implicated in susceptibility to insulin dependent diabetes mellitus. <i>Bailliere's Clinical Endocrinology and Metabolism</i> , 1991, 5, 375-393.	1.0	13
152	Radioimmunoassay for Glutamic Acid Decarboxylase-65. <i>Diabetes Technology and Therapeutics</i> , 1999, 1, 13-20.	2.4	13
153	MHC-peptide ligand interactions establish a functional threshold for antigen-specific T cell recognition. <i>Human Immunology</i> , 1999, 60, 608-618.	1.2	13
154	Low-Dose Streptozotocin Induces Sustained Hyperglycemia in <i>Macaca nemestrina</i> . <i>Autoimmunity</i> , 2001, 33, 103-114.	1.2	13
155	Inhibition of altered peptide ligand-mediated antagonism of human GAD65-responsive CD4+ T $\hat{?}$ cells by non-antagonizable T $\hat{?}$ cells. <i>European Journal of Immunology</i> , 2004, 34, 3337-3345.	1.6	13
156	SPECIFIC ALLELIC VARIATION AMONG LINKED HLA CLASS II GENES. <i>Transplantation</i> , 1987, 44, 831-835.	0.5	12
157	Differential Transcription Elements Direct Expression of HLA-DQ Genes. <i>Clinical Immunology and Immunopathology</i> , 1995, 74, 119-126.	2.1	12
158	Biomarkers for antigen immunotherapy in allergy and type 1 diabetes. <i>Clinical Immunology</i> , 2015, 161, 44-50.	1.4	12
159	Clinical trial data access: Opening doors with TrialShare. <i>Journal of Allergy and Clinical Immunology</i> , 2016, 138, 724-726.	1.5	12
160	Investigating the Role of T-Cell Avidity and Killing Efficacy in Relation to Type 1 Diabetes Prediction. <i>PLoS ONE</i> , 2011, 6, e14796.	1.1	12
161	DNA restriction fragment length polymorphism of HLA-DR2: Correlation with HLA-DR2-associated functions. <i>Journal of Neuroimmunology</i> , 1986, 12, 195-203.	1.1	11
162	Tryptic peptide mapping identifies structural heterogeneity among six variants of HLA-B27. <i>Immunogenetics</i> , 1986, 23, 409-412.	1.2	11

#	ARTICLE	IF	CITATIONS
163	Functional polymorphisms among HLA-DR4+ DR beta chains associated with limited peptide diversity. <i>Molecular Immunology</i> , 1987, 24, 471-477.	1.0	11
164	HLA Class II Variants: Structural Studies and Disease Associations. <i>Annals of the New York Academy of Sciences</i> , 1986, 475, 1-11.	1.8	10
165	Analysis of differential HLA-DQB expression in autologous B cell lines. <i>Journal of Leukocyte Biology</i> , 1993, 53, 697-706.	1.5	10
166	Modulation of Peptide-Dependent Allospecific Epitopes on HLA-DR4 Molecules by HLA-DM. <i>Human Immunology</i> , 1998, 59, 77-86.	1.2	10
167	Idiotypic interactions in immune responses to tumor-associated antigens. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 1986, 865, 127-139.	3.3	9
168	Locus- and allele-specific DNA-protein interactions in the HLA-DQB1 X box. <i>Immunologic Research</i> , 1993, 12, 317-329.	1.3	9
169	A functional framework for interpretation of genetic associations in T1D. <i>Current Opinion in Immunology</i> , 2012, 24, 516-521.	2.4	9
170	Genetically modified human CD4 <sup>+</sup> T cells can be evaluated <i>in vivo</i> without lethal graft-versus-host disease. <i>Immunology</i> , 2016, 148, 339-351.	2.0	9
171	Autoreactive T cells from a type I diabetic recognize multiple class II products. <i>Human Immunology</i> , 1993, 36, 219-226.	1.2	8
172	How important is GAD in the etiology of spontaneous disease in human and murine type 1 diabetes?. <i>Journal of Autoimmunity</i> , 2003, 20, 193-194.	3.0	8
173	Enhanced detection of immunoglobulin binding by a modified ELISA. <i>Journal of Immunological Methods</i> , 1983, 60, 47-52.	0.6	7
174	A deletion mutant defines DQ <sup>2</sup> variants within DR4 positive DQw3 positive haplotypes. <i>Human Immunology</i> , 1986, 17, 87-93.	1.2	7
175	Recognition of contiguous allele-specific peptide elements in the Rubella virus E1 envelope protein. <i>Vaccine</i> , 1997, 15, 648-652.	1.7	7
176	Conversations with GAD. <i>Journal of Autoimmunity</i> , 2003, 20, 195-198.	3.0	7
177	H5N1 strain-specific Hemagglutinin CD4+ T cell epitopes restricted by HLA DR4. <i>Vaccine</i> , 2009, 27, 3862-3869.	1.7	7
178	Approaches to Establishing Tolerance in Immune Mediated Diseases. <i>Frontiers in Immunology</i> , 2021, 12, 744804.	2.2	7
179	Structural and genetic features of human leukocytic antigen class II elements associated with rheumatoid arthritis. <i>American Journal of Medicine</i> , 1988, 85, 12-13.	0.6	6
180	T-cell clones identify three distinct epitopes associated with HLA-Dw14. <i>Human Immunology</i> , 1991, 32, 229-233.	1.2	6

#	ARTICLE	IF	CITATIONS
181	Alloreactive T-cell clones identify multiple HLA-DQw3 variants. <i>Human Immunology</i> , 1991, 30, 32-40.	1.2	6
182	Complexity of Human Immune Response Profiles for CD4 <sup>+</sup> T Cell Epitopes from the Diabetes Autoantigen GAD65. <i>Autoimmunity</i> , 2001, 34, 231-240.	1.2	6
183	IL-10 Induction from Implants Delivering Pancreatic Islets and Hyaluronan. <i>Journal of Diabetes Research</i> , 2013, 2013, 1-9.	1.0	6
184	Characterization of a Novel Reverse-orientation Model for a Peptide/MHC Complex Putatively Associated with Type I Diabetes Mellitus. <i>Journal of Molecular Modeling</i> , 1996, 2, 205-216.	0.8	5
185	Autoreactive T Cells in a Partially Humanized Murine Model of T1D. <i>Annals of the New York Academy of Sciences</i> , 2007, 1103, 69-76.	1.8	5
186	Avidity-Dependent Programming of Autoreactive T Cells in T1D. <i>PLoS ONE</i> , 2014, 9, e98074.	1.1	5
187	Immunogenetics of Disease Susceptibility: New Perspectives in HLA. <i>Pathology and Immunopathology Research</i> , 1986, 5, 37-46.	0.8	4
188	HLA class II typing using oligonucleotide probes. <i>Genetic Epidemiology</i> , 1989, 6, 27-30.	0.6	4
189	Allele-Specific Dna-Protein Interactions Associated with the X-Box Regulatory Region of the DQB1*0302 Gene. <i>Autoimmunity</i> , 1993, 15, 8-11.	1.2	4
190	Antigen recognition. <i>Current Opinion in Immunology</i> , 2000, 12, 77-79.	2.4	4
191	Class II peptide multimers: promise for type 1A diabetes?. <i>Nature Immunology</i> , 2002, 3, 344-345.	7.0	4
192	Molecular Genetics of Autoimmunity. , 1992, , 127-152.		4
193	Allorecognition of HLAâ€DQw8 molecules: Influence of single amino acid substitutions. <i>Tissue Antigens</i> , 1992, 39, 95-98.	1.0	3
194	Allelic variants of MHC class II Molecules can ACT as partial agonists of antigen-specific T cell responses. <i>Human Immunology</i> , 1996, 47, 149.	1.2	3
195	Use of T cell receptor/HLA-DRB1*04 molecular modeling to predict site-specific interactions for the DR shared epitope associated with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 1997, 40, 1316-1326.	6.7	3
196	Peptide binding affinity and pH variation establish functional thresholds for activation of HLA-DQ-restricted T cell recognition. <i>Human Immunology</i> , 1999, 60, 619-626.	1.2	3
197	Mucosal matters. <i>Nature Reviews Immunology</i> , 2008, 8, 409-409.	10.6	3
198	Mutagenesis and Expression of Putative Class II Susceptibility Genes: a â€œReverse Immunogeneticsâ€ Approach to Analysis of HLA and Disease. <i>Autoimmunity</i> , 1990, 7, 189-199.	1.2	2

#	ARTICLE	IF	CITATIONS
199	The Major Histocompatibility Complex. <i>BioDrugs</i> , 1994, 2, 79-83.	0.7	2
200	Role of HLA Susceptibility in Predisposing to Insulin-Dependent Diabetes mellitus. <i>Frontiers of Hormone Research</i> , 1997, 22, 46-67.	1.0	2
201	Major Histocompatibility Complex and Autoimmunity. , 2006, , 47-58.		2
202	Human Immune Response Genes. , 1985, , 3-19.		2
203	Is DQB2 Functional Among Nonhuman Primates?. , 1991, , 221-229.		2
204	HLA and Rheumatoid Arthritis. , 2000, , 181-185.		2
205	Molecular biology of immune diseases and immune response. <i>Trends in Immunology</i> , 1990, 11, 150-151.	7.5	1
206	Allele-specific transcriptional regulation of HLA-DQB1 genes. <i>Human Immunology</i> , 1996, 47, 12.	1.2	1
207	Interactions of peptide side chains with structurally complementary pockets in DQ molecules are critical for allele-specific peptide binding and T cell reactivity. <i>Human Immunology</i> , 1996, 47, 17.	1.2	1
208	Transcript array analysis in rheumatology. <i>Rheumatic Disease Clinics of North America</i> , 2002, 28, 151-176.	0.8	1
209	HLA-DQ heterogeneity among HLA-DRw11(5) haplotypes. <i>Tissue Antigens</i> , 1986, 28, 278-287.	1.0	1
210	A nexus of science and clinical immunology: The Federation of Clinical Immunology Societies and the FOCIS Centers of Excellence. <i>Clinical Immunology</i> , 2008, 127, 119-120.	1.4	1
211	Insulin Gene VNTR Genotype Associates with Frequency and Phenotype of the Autoimmune Response to Proinsulin. <i>Clinical Immunology</i> , 2010, 135, S6-S7.	1.4	1
212	Looking behind the data curtain. <i>Cellular Immunology</i> , 2017, 319, 1-2.	1.4	1
213	HLA-DR4-Associated Disease: Oligonucleotide Probes Identify Specific Class II Susceptibility Genes in Type I Diabetes and Rheumatoid Arthritis. , 1989, , 404-406.		1
214	Reversal of Diabetes in Mice with a Bioengineered Islet Implant Incorporating a Type I Collagen Hydrogel and Sustained Release of Vascular Endothelial Growth Factor. <i>Cell Transplantation</i> , 2012, , .	1.2	1
215	HLA and Type I Diabetes. , 2000, , 231-237.		1
216	DISEASE MARKERS AND NEW THERAPEUTICS. <i>Rheumatic Disease Clinics of North America</i> , 1992, 18, 719-727.	0.8	1

#	ARTICLE	IF	CITATIONS
217	Biochemical definition of distinct HLA haplotypes associated with juvenile rheumatoid arthritis. <i>Clinical Immunology Newsletter</i> , 1985, 6, 5-7.	0.1	0
218	The HLA genetic contribution to rheumatoid arthritis. <i>Clinical Immunology Newsletter</i> , 1990, 10, 127-131.	0.1	0
219	Molecular autoimmunity. <i>Trends in Immunology</i> , 1992, 13, 332.	7.5	0
220	Su.20. Analysis of the Cd4 Effector T-Cell Response to Regulation in Diabetes Mellitus. <i>Clinical Immunology</i> , 2006, 119, S166.	1.4	0
221	OR.45. Induction of Autoantigen-Specific Cd4+Cd25+ Regulatory Tâ€‘Cells In Vitro. <i>Clinical Immunology</i> , 2006, 119, S20-S21.	1.4	0
222	Su.36. Gad-Reactive, Effector Memory Cd4+ T-Cells Cultured from Type 1 Diabetic Patients Express Increased Levels of the Voltage-Gated Potassium Channel Kv1.3: a Potential Therapeutic Target. <i>Clinical Immunology</i> , 2006, 119, S172.	1.4	0
223	Protective Versus Aggressive T Cell Responses to the Major Proinsulin73â€‘90 Epitope in Beta-Islet Cell Autoimmunity. <i>Clinical Immunology</i> , 2007, 123, S27.	1.4	0
224	Evidence for an Increase in the Functional Avidity of the GAD-reactive CD4+ T Cell Population Prior to Diabetes Onset. <i>Clinical Immunology</i> , 2007, 123, S67.	1.4	0
225	F.69. Selection of Antigen Specific Autoreactive T Cells is Influenced by INS-VNTR Genotype. <i>Clinical Immunology</i> , 2009, 131, S112.	1.4	0
226	Characterizing T-Cell Autoimmunity. , 2011, , 53-68.		0
227	DQw3 (DQw7, DQw8, DQw9): 2-D Gel Patterns. , 1989, , 412-415.		0
228	Transfer and Expression of an IDDM Susceptibility Gene into Lymphoblastoid Cell Lines by Retroviral Vectors. , 1989, , 406-408.		0
229	Evolution of DQw2-Related Haplotypes. , 1989, , 283-285.		0
230	HLA-DQ and Diabetes Mellitus: A Genetic and Structural Paradigm for Models of Disease Susceptibility. , 1990, , 251-262.		0