
Cristina Rebordosa

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6254656/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Data Resource Profile: The Danish National Prescription Registry. International Journal of Epidemiology, 2017, 46, dyw213.	0.9	649
2	Arterial events, venous thromboembolism, thrombocytopenia, and bleeding after vaccination with Oxford-AstraZeneca ChAdOx1-S in Denmark and Norway: population based cohort study. BMJ, The, 2021, 373, n1114.	3.0	298
3	Characteristics and predictors of hospitalization and death in the first 11Â122 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. International Journal of Epidemiology, 2020, 49, 1468-1481.	0.9	219
4	Post-acute effects of SARS-CoV-2 infection in individuals not requiring hospital admission: a Danish population-based cohort study. Lancet Infectious Diseases, The, 2021, 21, 1373-1382.	4.6	194
5	Association of Antithrombotic Drug Use With Subdural Hematoma Risk. JAMA - Journal of the American Medical Association, 2017, 317, 836.	3.8	121
6	Use of Antibiotics and Risk of Type 2 Diabetes: A Population-Based Case-Control Study. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 3633-3640.	1.8	118
7	Primary non-adherence in general practice: a Danish register study. European Journal of Clinical Pharmacology, 2014, 70, 757-763.	0.8	108
8	Use of proton-pump inhibitors among adults: a Danish nationwide drug utilization study. Therapeutic Advances in Gastroenterology, 2016, 9, 671-678.	1.4	105
9	Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Use—A Descriptive Cross-Sectional Study. PLoS ONE, 2015, 10, e0140197.	1.1	95
10	A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European Longitudinal Lymphoma and Skin Cancer Evaluation –) Tj ETQq(00 0.5 gBT	/Oværlock 10
11	Improving Medication Adherence in Patients with Hypertension: A Randomized Trial. American Journal of Medicine, 2015, 128, 1351-1361.	0.6	78
12	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. PLoS Medicine, 2020, 17, e1003308.	3.9	76
13	The use of medication against attention deficit hyperactivity disorder in Denmark: a drug use study from a national perspective. European Journal of Clinical Pharmacology, 2012, 68, 1443-1450.	0.8	74
14	Considerations for Pharmacoepidemiological Studies of Drug–Cancer Associations. Basic and Clinical Pharmacology and Toxicology, 2018, 122, 451-459.	1.2	70
15	Effect of Allopurinol on Cardiovascular Outcomes in Hyperuricemic Patients: A Cohort Study. American Journal of Medicine, 2016, 129, 299-306.e2.	0.6	63
16	New use of prescription drugs prior to a cancer diagnosis. Pharmacoepidemiology and Drug Safety, 2017, 26, 223-227.	0.9	63
17	Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. BMJ: British Medical Journal, 2018, 362, k3851.	2.4	60
18	Assigning exposure duration to single prescriptions by use of the waiting time distribution. Pharmacoepidemiology and Drug Safety, 2013, 22, 803-809.	0.9	59

#	Article	IF	CITATIONS
19	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. European Journal of Epidemiology, 2017, 32, 567-582.	2.5	58
20	Use of Antibiotics in Children. Pediatric Infectious Disease Journal, 2015, 34, e16-e22.	1.1	53
21	Antidepressant use in Denmark, Germany, Spain, and Sweden between 2009 and 2014: Incidence and comorbidities of antidepressant initiators. Journal of Affective Disorders, 2019, 249, 242-252.	2.0	47
22	First-Trimester Exposure to Methylphenidate. Journal of Clinical Psychiatry, 2014, 75, e88-e93.	1.1	45
23	The use of medication against attention deficit/hyperactivity disorder in Denmark: a drug use study from a patient perspective. European Journal of Clinical Pharmacology, 2013, 69, 589-598.	0.8	44
24	Association of Potent and Very Potent Topical Corticosteroids and the Risk of Osteoporosis and Major Osteoporotic Fractures. JAMA Dermatology, 2021, 157, 275.	2.0	42
25	Use of benzodiazepines or benzodiazepine related drugs and the risk of cancer: a populationâ€based caseâ€control study. British Journal of Clinical Pharmacology, 2013, 75, 1356-1364.	1.1	38
26	Children's relative age in class and use of medication for <scp>ADHD</scp> : a Danish Nationwide Study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 1244-1250.	3.1	38
27	Significant association between the use of different proton pump inhibitors and microscopic colitis: a nationwide Danish caseâ€control study. Alimentary Pharmacology and Therapeutics, 2018, 48, 618-625.	1.9	38
28	Use of proton pump inhibitors after antireflux surgery: a nationwide register-based follow-up study. Gut, 2014, 63, 1544-1549.	6.1	37
29	<p>Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort</p> . Clinical Epidemiology, 2020, Volume 12, 875-881.	1.5	37
30	Multifaceted Intervention Including Motivational Interviewing to Support Medication Adherence after Stroke/Transient Ischemic Attack: A Randomized Trial. Cerebrovascular Diseases Extra, 2014, 4, 221-234.	0.5	36
31	Treatment Changes among Users of Nonâ€Vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 187-194.	1.2	35
32	Use of sildenafil or other phosphodiesterase inhibitors and risk of melanoma. British Journal of Cancer, 2016, 115, 895-900.	2.9	34
33	Long-Term Lithium Use and Risk of Renal and Upper Urinary Tract Cancers. Journal of the American Society of Nephrology: JASN, 2016, 27, 249-255.	3.0	34
34	Metformin treatment does not affect the risk of ruptured abdominal aortic aneurysms. Journal of Vascular Surgery, 2017, 66, 768-774.e2.	0.6	32
35	Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. PLoS ONE, 2018, 13, e0196122.	1.1	32
36	Increased risk of major adverse cardiac events following the onset of acute exacerbations of COPD. Respirology, 2019, 24, 1183-1190.	1.3	32

CRISTINA REBORDOSA

#	Article	IF	CITATIONS
37	Validity of the Prescriber Information in the Danish National Prescription Registry. Basic and Clinical Pharmacology and Toxicology, 2016, 119, 376-380.	1.2	31
38	Identification of Associations Between Prescribed Medications and Cancer: A Nationwide Screening Study. EBioMedicine, 2016, 7, 73-79.	2.7	29
39	Clinical events preceding switching and discontinuation of oral anticoagulant treatment in patients with atrial fibrillation. Europace, 2017, 19, euw241.	0.7	29
40	Determining prescription durations based on the parametric waiting time distribution. Pharmacoepidemiology and Drug Safety, 2016, 25, 1451-1459.	0.9	28
41	Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. Pharmacoepidemiology and Drug Safety, 2016, 25, 1253-1262.	0.9	28
42	Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. European Journal of Epidemiology, 2018, 33, 545-555.	2.5	27
43	Using the "proportion of patients covered―and the Kaplanâ€Meier survival analysis to describe treatment persistence. Pharmacoepidemiology and Drug Safety, 2018, 27, 867-871.	0.9	27
44	Phthalate exposure from drugs during pregnancy and possible risk of preterm birth and small for gestational age. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2019, 240, 293-299.	0.5	27
45	Angiotensin II receptor blockers are safe in patients with prior angioedema related to angiotensin onverting enzyme inhibitors – a nationwide registryâ€based cohort study. Journal of Internal Medicine, 2019, 285, 553-561.	2.7	27
46	Risk Factors for Hospitalization Due to Community-Acquired Sepsis – A Population-Based Case-Control Study. PLoS ONE, 2015, 10, e0124838.	1.1	27
47	Cancer risk in longâ€ŧerm users of vitamin K antagonists: A populationâ€based case–control study. International Journal of Cancer, 2013, 132, 2606-2612.	2.3	25
48	Odense Pharmacoepidemiological Database: A Review of Use and Content. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 419-425.	1.2	24
49	Antihistamines and Ovarian Cancer Survival: Nationwide Cohort Study and in Vitro Cell Viability Assay. Journal of the National Cancer Institute, 2020, 112, 964-967.	3.0	24
50	Sodium–glucose cotransporter 2 inhibitors and risk of nephrolithiasis. Diabetologia, 2021, 64, 1563-1571.	2.9	24
51	Persistence and adherence to non-vitamin K antagonist oral anticoagulant treatment in patients with atrial fibrillation across five Western European countries. Europace, 2021, 23, 1722-1730.	0.7	24
52	Risk of Acute Liver Injury in Agomelatine and Other Antidepressant Users in Four European Countries: A Cohort and Nested Case–Control Study Using Automated Health Data Sources. CNS Drugs, 2019, 33, 383-395.	2.7	23
53	Urinary tract infections and risk of squamous cell carcinoma bladder cancer: A Danish nationwide case–control study. International Journal of Cancer, 2020, 146, 1930-1936.	2.3	22
54	Oral anticoagulants in patients with atrial fibrillation at low stroke risk: a multicentre observational study. European Heart Journal, 2022, 43, 3528-3538.	1.0	22

#	Article	IF	CITATIONS
55	Use of SSRIs among Danish children: a nationwide study. European Child and Adolescent Psychiatry, 2014, 23, 1211-1218.	2.8	21
56	Refining estimates of prescription durations by using observed covariates in pharmacoepidemiological databases: an application of the reverse waiting time distribution. Pharmacoepidemiology and Drug Safety, 2017, 26, 900-908.	0.9	21
57	GOLD assessment of COPD severity in the Clinical Practice Research Datalink (CPRD). Pharmacoepidemiology and Drug Safety, 2019, 28, 126-133.	0.9	20
58	Performance of the Highâ€dimensional Propensity Score in a Nordic Healthcare Model. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 312-317.	1.2	19
59	Long-term Use of Statins and Risk of Renal Cell Carcinoma: A Population-based Case–Control Study. European Urology, 2016, 69, 877-882.	0.9	18
60	Validity of ICDâ€9 and ICDâ€10 codes used to identify acute liver injury: A study in three European data sources. Pharmacoepidemiology and Drug Safety, 2019, 28, 965-975.	0.9	18
61	The Validity of Danish Prescription Data to Measure Use of Aspirin and Other Non-Steroidal Anti-Inflammatory Drugs and Quantification of Bias Due to Non-Prescription Drug Use. Clinical Epidemiology, 2021, Volume 13, 569-579.	1.5	18
62	Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case-Control Study. PLoS ONE, 2016, 11, e0146172.	1.1	18
63	Topical Antimycotics for Oral Candidiasis in Warfarin Users. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 368-372.	1.2	17
64	Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. JAMA Network Open, 2020, 3, e2013880.	2.8	17
65	Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. JAMA Network Open, 2021, 4, e218380.	2.8	17
66	The effect of immunosuppressants on the prognosis of SARS-CoV-2 infection. European Respiratory Journal, 2022, 59, 2100769.	3.1	17
67	Long-term use of lithium and risk of colorectal adenocarcinoma: a nationwide case–control study. British Journal of Cancer, 2016, 114, 571-575.	2.9	16
68	Phenobarbital compared to benzodiazepines in alcohol withdrawal treatment: A register-based cohort study of subsequent benzodiazepine use, alcohol recidivism and mortality. Drug and Alcohol Dependence, 2016, 161, 258-264.	1.6	16
69	Pharmaceutical interventions on prescription problems in a Danish pharmacy setting. International Journal of Clinical Pharmacy, 2011, 33, 1019-1027.	1.0	15
70	Concurrent use of tramadol and oral vitamin K antagonists and the risk of excessive anticoagulation: a register-based nested case–control study. European Journal of Clinical Pharmacology, 2013, 69, 641-646.	0.8	15
71	Pharmacoepidemiological assessment of drug interactions with vitamin K antagonists. Pharmacoepidemiology and Drug Safety, 2014, 23, 1160-1167.	0.9	15
72	Patterns of use of antimuscarinic drugs to treat overactive bladder in Denmark, Sweden, and the United Kingdom. PLoS ONE, 2018, 13, e0204456.	1.1	15

#	Article	IF	CITATIONS
73	Validity of Antineoplastic Procedure Codes in the Danish National Patient Registry. Epidemiology, 2020, 31, 599-603.	1.2	15
74	SARS-CoV-2 infection and adverse outcomes in users of ACE inhibitors and angiotensin-receptor blockers: a nationwide case-control and cohort analysis. Thorax, 2021, 76, 370-379.	2.7	15
75	Who prescribes drugs to patients: A Danish registerâ€based study. British Journal of Clinical Pharmacology, 2021, 87, 2982-2987.	1.1	15
76	<congenital care<br="" considerations="" danish="" denmark:="" for="" health="" in="" malformations="" of="" the="" use="">Registries. Clinical Epidemiology, 2020, Volume 12, 1371-1380.</congenital>	1.5	15
77	Cumulative exposure to phthalates from phthalateâ€containing drug products: a Danish populationâ€wide study. British Journal of Clinical Pharmacology, 2018, 84, 1798-1805.	1.1	14
78	SearCh for humourIstic and Extravagant acroNyms and Thoroughly Inappropriate names For Important Clinical trials (SCIENTIFIC): qualitative and quantitative systematic study. BMJ, The, 2014, 349, g7092-g7092.	3.0	13
79	Cardiovascular drugs and erectile dysfunction – a symmetry analysis. British Journal of Clinical Pharmacology, 2015, 80, 1219-1223.	1.1	13
80	Population Exposure to Phthalateâ€containing Drugs. Basic and Clinical Pharmacology and Toxicology, 2017, 121, 153-158.	1.2	13
81	Perioperative Tranexamic Acid Treatment and Risk of Cardiovascular Events or Death After Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2018, 100, 1742-1749.	1.4	13
82	Effectiveness and safety of direct oral anticoagulants in atrial fibrillation patients switched from vitamin K antagonists: A systematic review and metaâ€analysis. Basic and Clinical Pharmacology and Toxicology, 2020, 126, 21-31.	1.2	13
83	Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE). Clinical Epidemiology, 2021, Volume 13, 1141-1153.	1.5	13
84	Estimating medication stopping fraction and realâ€time prevalence of drug use in pharmacoâ€epidemiologic databases. An application of the reverse waiting time distribution. Pharmacoepidemiology and Drug Safety, 2017, 26, 909-916.	0.9	12
85	Impact of EMA regulatory label changes on systemic diclofenac initiation, discontinuation, and switching to other pain medicines in Scotland, England, Denmark, and The Netherlands. Pharmacoepidemiology and Drug Safety, 2020, 29, 296-305.	0.9	12
86	Using the Symmetry Analysis Design to Screen for Adverse Effects of Non-vitamin K Antagonist Oral Anticoagulants. Drug Safety, 2018, 41, 685-695.	1.4	11
87	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions. Clinical Epidemiology, 2022, Volume 14, 567-579.	1.5	11
88	Use of exenatide and liraglutide in Denmark: a drug utilization study. European Journal of Clinical Pharmacology, 2014, 70, 205-214.	0.8	10
89	Deviant patterns of methylphenidate use in adults: a Danish nationwide registry-based drug utilization study. Pharmacoepidemiology and Drug Safety, 2015, 24, 1189-1196.	0.9	10
90	Treatment Failure of TNF-α Inhibitors in Obese Patients With Inflammatory Bowel Disease—A Cohort Study. Inflammatory Bowel Diseases, 2018, 24, 2628-2633.	0.9	10

CRISTINA REBORDOSA

#	Article	IF	CITATIONS
91	Postponement of Death by Statin Use: a Systematic Review and Meta-analysis of Randomized Clinical Trials. Journal of General Internal Medicine, 2019, 34, 1607-1614.	1.3	10
92	Bias in caseâ€crossover studies of medications due to persistent use: A simulation study. Pharmacoepidemiology and Drug Safety, 2020, 29, 1079-1085.	0.9	10
93	Identifying signals of interest when screening for drugâ€outcome associations in health care data. British Journal of Clinical Pharmacology, 2018, 84, 1865-1867.	1.1	9
94	ls urate crystal precipitation a predictor of cardiovascular risk in hyperuricemic patients? A Danish cohort study. Arthritis Research and Therapy, 2015, 17, 304.	1.6	8
95	Early Discontinuation of Metformin in Individuals Treated with Inhibitors of Transporters of Metformin. Basic and Clinical Pharmacology and Toxicology, 2016, 118, 487-495.	1.2	8
96	Ophthalmic nepafenac use in the Netherlands and Denmark. Acta Ophthalmologica, 2017, 95, 509-517.	0.6	8
97	Ischemic Stroke and Systemic Embolism in Warfarin Users With Atrial Fibrillation or Heart Valve Replacement Exposed to Dicloxacillin or Flucloxacillin. Clinical Pharmacology and Therapeutics, 2020, 107, 607-616.	2.3	8
98	Antidepressant drug use and subdural hematoma risk. Journal of Thrombosis and Haemostasis, 2020, 18, 318-327.	1.9	8
99	Montelukast use—a 19-year nationwide drug utilisation study. European Journal of Clinical Pharmacology, 2017, 73, 1297-1304.	0.8	7
100	Drug use among complete responders, partial responders and non-responders in a longitudinal survey of nonagenarians: analysis of prescription register data. Pharmacoepidemiology and Drug Safety, 2017, 26, 152-161.	0.9	7
101	Empirical validation of the reverse parametric waiting time distribution and standard methods to estimate prescription durations for warfarin. Pharmacoepidemiology and Drug Safety, 2018, 27, 1011-1018.	0.9	7
102	Antihistamine use and risk of ovarian cancer: A population-based case-control study. Maturitas, 2019, 120, 47-52.	1.0	7
103	Using the waiting time distribution with random index dates to estimate prescription durations in the presence of seasonal stockpiling. Pharmacoepidemiology and Drug Safety, 2020, 29, 1072-1078.	0.9	7
104	Description of a practice model for pharmacist medication review in a general practice setting. Pharmacy Practice, 2014, 12, 0-0.	0.8	7
105	External adjustment of unmeasured confounders in a case–control study of benzodiazepine use and cancer risk. British Journal of Clinical Pharmacology, 2017, 83, 2517-2527.	1.1	6
106	Where to begin? Thirty mustâ€read papers for newcomers to pharmacoepidemiology. Pharmacoepidemiology and Drug Safety, 2022, 31, 257-259.	0.9	6
107	Physicians' and pharmacies' overview of patients' medication. An analysis of fidelity coefficients. European Journal of Clinical Pharmacology, 2011, 67, 919-924.	0.8	5
108	Use of aclidinium did not increase the risk of death in a noninterventional cohort study in the Clinical Practice Research Datalink (CPRD), United Kingdom. Respiratory Medicine, 2019, 152, 37-43.	1.3	5

#	Article	IF	CITATIONS
109	Hydrochlorothiazide Use and Increased Squamous Cell Carcinoma Burden in a High-Risk Mohs Population: A Cross-Sectional Study. Dermatologic Surgery, 2020, 46, 704-708.	0.4	5
110	Cardiovascular events and allâ€cause mortality in patients with chronic obstructive pulmonary disease using olodaterol and other longâ€acting beta2â€agonists. Pharmacoepidemiology and Drug Safety, 2022, 31, 827-839.	0.9	5
111	Individual-level drug utilization analyses. , 2016, , 68-76.		4
112	Use of prescription drugs among women diagnosed with epithelial ovarian cancer in Denmark. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 1332-1338.	1.3	4
113	Use of phthalate-containing prescription drugs and the risk of gastric cancer: a Danish nationwide case-control study. Acta Oncológica, 2019, 58, 852-858.	0.8	4
114	Risk of Renal Cell Carcinoma Associated with Calcium Channel Blockers. Epidemiology, 2020, 31, 860-871.	1.2	4
115	Using probability of drug use as independent variable in a registerâ€based pharmacoepidemiological causeâ€effect study—An application of the reverse waiting time distribution. Pharmacoepidemiology and Drug Safety, 2017, 26, 1520-1526.	0.9	3
116	Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. Clinical Epidemiology, 2017, Volume 9, 591-600.	1.5	3
117	Use of Dicloxacillin and Risk of Pregnancy among Users of Oral Contraceptives. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 288-293.	1.2	3
118	Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. Cancer Causes and Control, 2020, 31, 139-151.	0.8	3
119	Postponement of Death by Pharmacological Heart Failure Treatment: A Meta-Analysis of Randomized Clinical Trials. American Journal of Medicine, 2020, 133, e280-e289.	0.6	3
120	Prophylactic anticoagulation with low molecular weight heparin in COVID-19: cohort studies in Denmark and Sweden. Clinical Microbiology and Infection, 2022, 28, 1291.e1-1291.e5.	2.8	3
121	Use of Topical Tacrolimus and Topical Pimecrolimus in Four European Countries: A Multicentre Database Cohort Study. Drugs - Real World Outcomes, 2018, 5, 109-116.	0.7	2
122	The International Society for Pharmacoepidemiology's Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) ―EMA Joint Big Data Task Force. Pharmacoepidemiology and Drug Safety, 2019, 28, 1640-1641.	0.9	2
123	Exposure to phthalateâ€containing prescription drugs and the risk of colorectal adenocarcinoma: A Danish nationwide caseâ€control study. Pharmacoepidemiology and Drug Safety, 2019, 28, 528-535.	0.9	2
124	Time for integrating clinical, lifestyle and molecular data to predict drug responses — Authors' reply. EBioMedicine, 2016, 7, 11.	2.7	1
125	Use of beta-blockers and risk of serious upper gastrointestinal bleeding: a population-based case-control study. Therapeutic Advances in Gastroenterology, 2017, 10, 919-929.	1.4	1
126	No Evidence of Off-label Use of Olodaterol and Indacaterol in Denmark, France, and the Netherlands: A Drug Utilization Study. Scientific Reports, 2020, 10, 586.	1.6	1

#	Article	IF	CITATIONS
127	Bottleneck analysis: Simple prediction of the precision of a planned case–control or cohort study based on healthcare registers. Pharmacoepidemiology and Drug Safety, 2021, 30, 619-625.	0.9	1
128	A Cohort Study to Evaluate the Risk of Hospitalisation for Congestive Heart Failure Associated with the Use of Aclidinium and Other Chronic Obstructive Pulmonary Disease Medications in the UK Clinical Practice Research Datalink. International Journal of COPD, 2021, Volume 16, 1461-1475.	0.9	1
129	Prevalence and quality of antihypertensive therapy among hypertension patients enrolled in the Ghana National Health Insurance Scheme. Pharmacoepidemiology and Drug Safety, 2021, 30, 1566-1575.	0.9	1
130	Title is missing!. , 2020, 17, e1003308.		1
131	Characteristics of New Users of Aclidinium Bromide, Aclidinium/Formoterol, and Other COPD Medications in the United Kingdom, Denmark, and Germany. Clinical Drug Investigation, 2022, 42, 319-331.	1.1	1
132	Enough Power to Build a Strong Case for Clinical Pharmacy Services?—Reply. JAMA Internal Medicine, 2018, 178, 864.	2.6	0
133	Postponement of cardiovascular outcomes by statin use: A systematic review and metaâ€analysis of randomized clinical trials. Basic and Clinical Pharmacology and Toxicology, 2021, 128, 286-296.	1.2	0
134	A new likelihood model for analyses of pharmacoepidemiologic case–control studies which avoids decision rules for determining latent exposure status. BMC Medical Research Methodology, 2021, 21, 144.	1.4	0
135	Title is missing!. , 2020, 17, e1003308.		0
136	Title is missing!. , 2020, 17, e1003308.		0
137	Title is missing!. , 2020, 17, e1003308.		0
138	Title is missing!. , 2020, 17, e1003308.		0
139	Identification of Drug–Cancer Associations: A Nationwide Screening Study. Cancer Research Communications, 2022, 2, 552-560.	0.7	0