

# Cristina Rebordosa

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6254656/publications.pdf>

Version: 2024-02-01

139  
papers

4,446  
citations

147726

31  
h-index

133188

59  
g-index

141  
all docs

141  
docs citations

141  
times ranked

6916  
citing authors

#	ARTICLE	IF	CITATIONS
1	The effect of immunosuppressants on the prognosis of SARS-CoV-2 infection. <i>European Respiratory Journal</i> , 2022, 59, 2100769.	3.1	17
2	Where to begin? Thirty must-read papers for newcomers to pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 257-259.	0.9	6
3	Oral anticoagulants in patients with atrial fibrillation at low stroke risk: a multicentre observational study. <i>European Heart Journal</i> , 2022, 43, 3528-3538.	1.0	22
4	Cardiovascular events and all-cause mortality in patients with chronic obstructive pulmonary disease using olodaterol and other long-acting beta <sub>2</sub> -agonists. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 827-839.	0.9	5
5	Prophylactic anticoagulation with low molecular weight heparin in COVID-19: cohort studies in Denmark and Sweden. <i>Clinical Microbiology and Infection</i> , 2022, 28, 1291.e1-1291.e5.	2.8	3
6	Characteristics of New Users of Acclidinium Bromide, Acclidinium/Formoterol, and Other COPD Medications in the United Kingdom, Denmark, and Germany. <i>Clinical Drug Investigation</i> , 2022, 42, 319-331.	1.1	1
7	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions. <i>Clinical Epidemiology</i> , 2022, Volume 14, 567-579.	1.5	11
8	Identification of Drug-Cancer Associations: A Nationwide Screening Study. <i>Cancer Research Communications</i> , 2022, 2, 552-560.	0.7	0
9	SARS-CoV-2 infection and adverse outcomes in users of ACE inhibitors and angiotensin-receptor blockers: a nationwide case-control and cohort analysis. <i>Thorax</i> , 2021, 76, 370-379.	2.7	15
10	Postponement of cardiovascular outcomes by statin use: A systematic review and meta-analysis of randomized clinical trials. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 128, 286-296.	1.2	0
11	Who prescribes drugs to patients: A Danish register-based study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2982-2987.	1.1	15
12	Bottleneck analysis: Simple prediction of the precision of a planned case-control or cohort study based on healthcare registers. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 619-625.	0.9	1
13	Sodium-glucose cotransporter 2 inhibitors and risk of nephrolithiasis. <i>Diabetologia</i> , 2021, 64, 1563-1571.	2.9	24
14	Association of Potent and Very Potent Topical Corticosteroids and the Risk of Osteoporosis and Major Osteoporotic Fractures. <i>JAMA Dermatology</i> , 2021, 157, 275.	2.0	42
15	A Cohort Study to Evaluate the Risk of Hospitalisation for Congestive Heart Failure Associated with the Use of Acclidinium and Other Chronic Obstructive Pulmonary Disease Medications in the UK Clinical Practice Research Datalink. <i>International Journal of COPD</i> , 2021, Volume 16, 1461-1475.	0.9	1
16	Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. <i>JAMA Network Open</i> , 2021, 4, e218380.	2.8	17
17	Arterial events, venous thromboembolism, thrombocytopenia, and bleeding after vaccination with Oxford-AstraZeneca ChAdOx1-S in Denmark and Norway: population based cohort study. <i>BMJ</i> , The, 2021, 373, n1114.	3.0	298
18	Persistence and adherence to non-vitamin K antagonist oral anticoagulant treatment in patients with atrial fibrillation across five Western European countries. <i>Europace</i> , 2021, 23, 1722-1730.	0.7	24

#	ARTICLE	IF	CITATIONS
19	Prevalence and quality of antihypertensive therapy among hypertension patients enrolled in the Ghana National Health Insurance Scheme. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1566-1575.	0.9	1
20	A new likelihood model for analyses of pharmacoepidemiologic case-control studies which avoids decision rules for determining latent exposure status. <i>BMC Medical Research Methodology</i> , 2021, 21, 144.	1.4	0
21	The Validity of Danish Prescription Data to Measure Use of Aspirin and Other Non-Steroidal Anti-Inflammatory Drugs and Quantification of Bias Due to Non-Prescription Drug Use. <i>Clinical Epidemiology</i> , 2021, Volume 13, 569-579.	1.5	18
22	Post-acute effects of SARS-CoV-2 infection in individuals not requiring hospital admission: a Danish population-based cohort study. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1373-1382.	4.6	194
23	Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE). <i>Clinical Epidemiology</i> , 2021, Volume 13, 1141-1153.	1.5	13
24	Effectiveness and safety of direct oral anticoagulants in atrial fibrillation patients switched from vitamin K antagonists: A systematic review and meta-analysis. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 21-31.	1.2	13
25	Ischemic Stroke and Systemic Embolism in Warfarin Users With Atrial Fibrillation or Heart Valve Replacement Exposed to Dicloxacillin or Flucloxacillin. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 107, 607-616.	2.3	8
26	Antihistamines and Ovarian Cancer Survival: Nationwide Cohort Study and in Vitro Cell Viability Assay. <i>Journal of the National Cancer Institute</i> , 2020, 112, 964-967.	3.0	24
27	Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 318-327.	1.9	8
28	Urinary tract infections and risk of squamous cell carcinoma bladder cancer: A Danish nationwide case-control study. <i>International Journal of Cancer</i> , 2020, 146, 1930-1936.	2.3	22
29	Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. <i>Cancer Causes and Control</i> , 2020, 31, 139-151.	0.8	3
30	Hydrochlorothiazide Use and Increased Squamous Cell Carcinoma Burden in a High-Risk Mohs Population: A Cross-Sectional Study. <i>Dermatologic Surgery</i> , 2020, 46, 704-708.	0.4	5
31	Impact of EMA regulatory label changes on systemic diclofenac initiation, discontinuation, and switching to other pain medicines in Scotland, England, Denmark, and The Netherlands. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 296-305.	0.9	12
32	Using the waiting time distribution with random index dates to estimate prescription durations in the presence of seasonal stockpiling. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1072-1078.	0.9	7
33	Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. <i>JAMA Network Open</i> , 2020, 3, e2013880.	2.8	17
34	Risk of Renal Cell Carcinoma Associated with Calcium Channel Blockers. <i>Epidemiology</i> , 2020, 31, 860-871.	1.2	4
35	Characteristics and predictors of hospitalization and death in the first 11122 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. <i>International Journal of Epidemiology</i> , 2020, 49, 1468-1481.	0.9	219
36	<p></p>Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort<p></p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 875-881.	1.5	37

#	ARTICLE	IF	CITATIONS
37	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003308.	3.9	76
38	Bias in caseâ€crossover studies of medications due to persistent use: A simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1079-1085.	0.9	10
39	Validity of Antineoplastic Procedure Codes in the Danish National Patient Registry. <i>Epidemiology</i> , 2020, 31, 599-603.	1.2	15
40	Postponement of Death by Pharmacological Heart Failure Treatment: A Meta-Analysis of Randomized Clinical Trials. <i>American Journal of Medicine</i> , 2020, 133, e280-e289.	0.6	3
41	No Evidence of Off-label Use of Olodaterol and Indacaterol in Denmark, France, and the Netherlands: A Drug Utilization Study. <i>Scientific Reports</i> , 2020, 10, 586.	1.6	1
42	<p>Congenital Malformations in Denmark: Considerations for the Use of Danish Health Care Registries</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1371-1380.	1.5	15
43	Title is missing!. , 2020, 17, e1003308.		1
44	Title is missing!. , 2020, 17, e1003308.		0
45	Title is missing!. , 2020, 17, e1003308.		0
46	Title is missing!. , 2020, 17, e1003308.		0
47	Title is missing!. , 2020, 17, e1003308.		0
48	GOLD assessment of COPD severity in the Clinical Practice Research Datalink (CPRD). <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 126-133.	0.9	20
49	Phthalate exposure from drugs during pregnancy and possible risk of preterm birth and small for gestational age. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2019, 240, 293-299.	0.5	27
50	Validity of ICDâ€9 and ICDâ€10 codes used to identify acute liver injury: A study in three European data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 965-975.	0.9	18
51	The International Society for Pharmacoepidemiology's Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) â€EMA Joint Big Data Task Force. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1640-1641.	0.9	2
52	Increased risk of major adverse cardiac events following the onset of acute exacerbations of COPD. <i>Respirology</i> , 2019, 24, 1183-1190.	1.3	32
53	Use of aclidinium did not increase the risk of death in a noninterventional cohort study in the Clinical Practice Research Datalink (CPRD), United Kingdom. <i>Respiratory Medicine</i> , 2019, 152, 37-43.	1.3	5
54	Postponement of Death by Statin Use: a Systematic Review and Meta-analysis of Randomized Clinical Trials. <i>Journal of General Internal Medicine</i> , 2019, 34, 1607-1614.	1.3	10

#	ARTICLE	IF	CITATIONS
55	Use of phthalate-containing prescription drugs and the risk of gastric cancer: a Danish nationwide case-control study. <i>Acta Oncologica</i> , 2019, 58, 852-858.	0.8	4
56	Risk of Acute Liver Injury in Agomelatine and Other Antidepressant Users in Four European Countries: A Cohort and Nested Case-Control Study Using Automated Health Data Sources. <i>CNS Drugs</i> , 2019, 33, 383-395.	2.7	23
57	Exposure to phthalate-containing prescription drugs and the risk of colorectal adenocarcinoma: A Danish nationwide case-control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 528-535.	0.9	2
58	Antidepressant use in Denmark, Germany, Spain, and Sweden between 2009 and 2014: Incidence and comorbidities of antidepressant initiators. <i>Journal of Affective Disorders</i> , 2019, 249, 242-252.	2.0	47
59	Antihistamine use and risk of ovarian cancer: A population-based case-control study. <i>Maturitas</i> , 2019, 120, 47-52.	1.0	7
60	Angiotensin II receptor blockers are safe in patients with prior angioedema related to angiotensin-converting enzyme inhibitors: a nationwide registry-based cohort study. <i>Journal of Internal Medicine</i> , 2019, 285, 553-561.	2.7	27
61	Using the Symmetry Analysis Design to Screen for Adverse Effects of Non-vitamin K Antagonist Oral Anticoagulants. <i>Drug Safety</i> , 2018, 41, 685-695.	1.4	11
62	Considerations for Pharmacoepidemiological Studies of Drug-Cancer Associations. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 451-459.	1.2	70
63	Cumulative exposure to phthalates from phthalate-containing drug products: a Danish population-wide study. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1798-1805.	1.1	14
64	Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. <i>European Journal of Epidemiology</i> , 2018, 33, 545-555.	2.5	27
65	Use of Dicloxacillin and Risk of Pregnancy among Users of Oral Contraceptives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 288-293.	1.2	3
66	Identifying signals of interest when screening for drug-outcome associations in health care data. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1865-1867.	1.1	9
67	Patterns of use of antimuscarinic drugs to treat overactive bladder in Denmark, Sweden, and the United Kingdom. <i>PLoS ONE</i> , 2018, 13, e0204456.	1.1	15
68	Perioperative Tranexamic Acid Treatment and Risk of Cardiovascular Events or Death After Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 1742-1749.	1.4	13
69	Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k3851.	2.4	60
70	Treatment Failure of TNF-Î± Inhibitors in Obese Patients With Inflammatory Bowel Disease: A Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 2628-2633.	0.9	10
71	Risk of lactic acidosis in type 2 diabetes patients using metformin: A case control study. <i>PLoS ONE</i> , 2018, 13, e0196122.	1.1	32
72	A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European Longitudinal Lymphoma and Skin Cancer Evaluation &ndash;)	0.5	10

#	ARTICLE	IF	CITATIONS
73	Empirical validation of the reverse parametric waiting time distribution and standard methods to estimate prescription durations for warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1011-1018.	0.9	7
74	Use of prescription drugs among women diagnosed with epithelial ovarian cancer in Denmark. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 1332-1338.	1.3	4
75	Significant association between the use of different proton pump inhibitors and microscopic colitis: a nationwide Danish case-control study. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 618-625.	1.9	38
76	Using the proportion of patients covered and the Kaplan-Meier survival analysis to describe treatment persistence. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 867-871.	0.9	27
77	Use of Topical Tacrolimus and Topical Pimecrolimus in Four European Countries: A Multicentre Database Cohort Study. <i>Drugs - Real World Outcomes</i> , 2018, 5, 109-116.	0.7	2
78	Enough Power to Build a Strong Case for Clinical Pharmacy Services? Reply. <i>JAMA Internal Medicine</i> , 2018, 178, 864.	2.6	0
79	Clinical events preceding switching and discontinuation of oral anticoagulant treatment in patients with atrial fibrillation. <i>Europace</i> , 2017, 19, euw241.	0.7	29
80	Data Resource Profile: The Danish National Prescription Registry. <i>International Journal of Epidemiology</i> , 2017, 46, dyw213.	0.9	649
81	Association of Antithrombotic Drug Use With Subdural Hematoma Risk. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 836.	3.8	121
82	Odense Pharmacoepidemiological Database: A Review of Use and Content. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 419-425.	1.2	24
83	Ophthalmic nepafenac use in the Netherlands and Denmark. <i>Acta Ophthalmologica</i> , 2017, 95, 509-517.	0.6	8
84	Metformin treatment does not affect the risk of ruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017, 66, 768-774.e2.	0.6	32
85	Population Exposure to Phthalate-containing Drugs. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 153-158.	1.2	13
86	Topical Antimycotics for Oral Candidiasis in Warfarin Users. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 368-372.	1.2	17
87	External adjustment of unmeasured confounders in a case-control study of benzodiazepine use and cancer risk. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2517-2527.	1.1	6
88	Using probability of drug use as independent variable in a register-based pharmacoepidemiological cause-effect study: An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1520-1526.	0.9	3
89	Use of beta-blockers and risk of serious upper gastrointestinal bleeding: a population-based case-control study. <i>Therapeutic Advances in Gastroenterology</i> , 2017, 10, 919-929.	1.4	1
90	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017, 32, 567-582.	2.5	58

#	ARTICLE	IF	CITATIONS
91	Refining estimates of prescription durations by using observed covariates in pharmacoepidemiological databases: an application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 900-908.	0.9	21
92	Estimating medication stopping fraction and real-time prevalence of drug use in pharmacoepidemiologic databases. An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 909-916.	0.9	12
93	Montelukast use—a 19-year nationwide drug utilisation study. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 1297-1304.	0.8	7
94	Drug use among complete responders, partial responders and non-responders in a longitudinal survey of nonagenarians: analysis of prescription register data. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 152-161.	0.9	7
95	Treatment Changes among Users of Non-vitamin K Antagonist Oral Anticoagulants in Atrial Fibrillation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 187-194.	1.2	35
96	New use of prescription drugs prior to a cancer diagnosis. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 223-227.	0.9	63
97	Performance of the High-dimensional Propensity Score in a Nordic Healthcare Model. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 312-317.	1.2	19
98	Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. <i>Clinical Epidemiology</i> , 2017, Volume 9, 591-600.	1.5	3
99	Early Discontinuation of Metformin in Individuals Treated with Inhibitors of Transporters of Metformin. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 487-495.	1.2	8
100	Validity of the Prescriber Information in the Danish National Prescription Registry. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 119, 376-380.	1.2	31
101	Determining prescription durations based on the parametric waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1451-1459.	0.9	28
102	Identification of Associations Between Prescribed Medications and Cancer: A Nationwide Screening Study. <i>EBioMedicine</i> , 2016, 7, 73-79.	2.7	29
103	Use of proton-pump inhibitors among adults: a Danish nationwide drug utilization study. <i>Therapeutic Advances in Gastroenterology</i> , 2016, 9, 671-678.	1.4	105
104	Use of sildenafil or other phosphodiesterase inhibitors and risk of melanoma. <i>British Journal of Cancer</i> , 2016, 115, 895-900.	2.9	34
105	Individual-level drug utilization analyses. , 2016, , 68-76.		4
106	Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1253-1262.	0.9	28
107	Time for integrating clinical, lifestyle and molecular data to predict drug responses — Authors' reply. <i>EBioMedicine</i> , 2016, 7, 11.	2.7	1
108	Long-term Use of Statins and Risk of Renal Cell Carcinoma: A Population-based Case-Control Study. <i>European Urology</i> , 2016, 69, 877-882.	0.9	18

#	ARTICLE	IF	CITATIONS
109	Long-term use of lithium and risk of colorectal adenocarcinoma: a nationwide case-control study. <i>British Journal of Cancer</i> , 2016, 114, 571-575.	2.9	16
110	Phenobarbital compared to benzodiazepines in alcohol withdrawal treatment: A register-based cohort study of subsequent benzodiazepine use, alcohol recidivism and mortality. <i>Drug and Alcohol Dependence</i> , 2016, 161, 258-264.	1.6	16
111	Long-Term Lithium Use and Risk of Renal and Upper Urinary Tract Cancers. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 249-255.	3.0	34
112	Effect of Allopurinol on Cardiovascular Outcomes in Hyperuricemic Patients: A Cohort Study. <i>American Journal of Medicine</i> , 2016, 129, 299-306.e2.	0.6	63
113	Impact of Urate Level on Cardiovascular Risk in Allopurinol Treated Patients. A Nested Case-Control Study. <i>PLoS ONE</i> , 2016, 11, e0146172.	1.1	18
114	Is urate crystal precipitation a predictor of cardiovascular risk in hyperuricemic patients? A Danish cohort study. <i>Arthritis Research and Therapy</i> , 2015, 17, 304.	1.6	8
115	Deviant patterns of methylphenidate use in adults: a Danish nationwide registry-based drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1189-1196.	0.9	10
116	Cardiovascular drugs and erectile dysfunction - a symmetry analysis. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 1219-1223.	1.1	13
117	Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Use - A Descriptive Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0140197.	1.1	95
118	Use of Antibiotics in Children. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, e16-e22.	1.1	53
119	Use of Antibiotics and Risk of Type 2 Diabetes: A Population-Based Case-Control Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 3633-3640.	1.8	118
120	Improving Medication Adherence in Patients with Hypertension: A Randomized Trial. <i>American Journal of Medicine</i> , 2015, 128, 1351-1361.	0.6	78
121	Risk Factors for Hospitalization Due to Community-Acquired Sepsis - A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2015, 10, e0124838.	1.1	27
122	Search for humorous and Extravagant acronyms and Thoroughly Inappropriate names For Important Clinical trials (SCIENTIFIC): qualitative and quantitative systematic study. <i>BMJ</i> , The, 2014, 349, g7092-g7092.	3.0	13
123	Use of proton pump inhibitors after antireflux surgery: a nationwide register-based follow-up study. <i>Gut</i> , 2014, 63, 1544-1549.	6.1	37
124	Children's relative age in class and use of medication for ADHD: a Danish Nationwide Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1244-1250.	3.1	38
125	Multifaceted Intervention Including Motivational Interviewing to Support Medication Adherence after Stroke/Transient Ischemic Attack: A Randomized Trial. <i>Cerebrovascular Diseases Extra</i> , 2014, 4, 221-234.	0.5	36
126	Use of exenatide and liraglutide in Denmark: a drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 205-214.	0.8	10



#	ARTICLE	IF	CITATIONS
127	Use of SSRIs among Danish children: a nationwide study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1211-1218.	2.8	21
128	Primary non-adherence in general practice: a Danish register study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 757-763.	0.8	108
129	Pharmacoepidemiological assessment of drug interactions with vitamin K antagonists. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1160-1167.	0.9	15
130	First-Trimester Exposure to Methylphenidate. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e88-e93.	1.1	45
131	Description of a practice model for pharmacist medication review in a general practice setting. <i>Pharmacy Practice</i> , 2014, 12, 0-0.	0.8	7
132	The use of medication against attention deficit/hyperactivity disorder in Denmark: a drug use study from a patient perspective. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 589-598.	0.8	44
133	Concurrent use of tramadol and oral vitamin K antagonists and the risk of excessive anticoagulation: a register-based nested caseâ€“control study. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 641-646.	0.8	15
134	Use of benzodiazepines or benzodiazepine related drugs and the risk of cancer: a populationâ€“based caseâ€“control study. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 1356-1364.	1.1	38
135	Cancer risk in longâ€“term users of vitamin K antagonists: A populationâ€“based caseâ€“control study. <i>International Journal of Cancer</i> , 2013, 132, 2606-2612.	2.3	25
136	Assigning exposure duration to single prescriptions by use of the waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 803-809.	0.9	59
137	The use of medication against attention deficit hyperactivity disorder in Denmark: a drug use study from a national perspective. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1443-1450.	0.8	74
138	Pharmaceutical interventions on prescription problems in a Danish pharmacy setting. <i>International Journal of Clinical Pharmacy</i> , 2011, 33, 1019-1027.	1.0	15
139	Physiciansâ€™ and pharmaciesâ€™ overview of patientsâ€™ medication. An analysis of fidelity coefficients. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 919-924.	0.8	5