

Neil Scott

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6256272/publications.pdf>

Version: 2024-02-01

56
papers

3,797
citations

236925

25
h-index

175258

52
g-index

57
all docs

57
docs citations

57
times ranked

5678
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Predictors of recruitment and retention in randomized controlled trials of behavioural smoking cessation interventions: a systematic review and meta-analysis. <i>Addiction</i> , 2022, 117, 299-311. | 3.3 | 22 |
| 2 | Reducing asthma attacks in children using exhaled nitric oxide (RAACENO) as a biomarker to inform treatment strategy: a multicentre, parallel, randomised, controlled, phase 3 trial. <i>Lancet Respiratory Medicine</i> , 2022, 10, 584-592. | 10.7 | 11 |
| 3 | OUP accepted manuscript. <i>BJS Open</i> , 2022, 6, . | 1.7 | 2 |
| 4 | Open versus laparoscopic repair of inguinal hernia: an overview of systematic reviews of randomised controlled trials. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022, 36, 4685-4700. | 2.4 | 15 |
| 5 | Mesh fixation techniques for inguinal hernia repair: an overview of systematic reviews of randomised controlled trials. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2022, 26, 973-987. | 2.0 | 10 |
| 6 | Treatment guided by fractional exhaled nitric oxide in addition to standard care in 6- to 15-year-olds with asthma: the RAACENO RCT. <i>Efficacy and Mechanism Evaluation</i> , 2022, 9, 1-154. | 0.7 | 1 |
| 7 | Screen detection is a survival predictor independent of pathological grade in colorectal cancer. A prospective cohort study. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2021, 19, 20-26. | 1.8 | 7 |
| 8 | Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAMMOTH Study). <i>Annals of the Rheumatic Diseases</i> , 2021, 80, 903-911. | 0.9 | 10 |
| 9 | The data we have: Pregnancy and birth related data collection in Australia, Canada, Europe and the USA- A web-based survey of practice. <i>International Journal of Population Data Science</i> , 2021, 6, 1378. | 0.1 | 0 |
| 10 | The Ambulance Cardiac Chest Pain Evaluation in Scotland Study (ACCESS): A Prospective Cohort Study. <i>Annals of Emergency Medicine</i> , 2021, 77, 575-588. | 0.6 | 14 |
| 11 | Reproductive Pattern of Parous Women and the Risk of Cancer in Later Life. <i>Cancers</i> , 2021, 13, 3731. | 3.7 | 2 |
| 12 | Cross-Cultural Differences and Psychometric Properties of the Japanese Actions and Feelings Questionnaire (J-AFQ). <i>Frontiers in Psychology</i> , 2021, 12, 722108. | 2.1 | 0 |
| 13 | A 19-year population-based cohort study analysing reoperation for recurrence following laparoscopic and open inguinal hernia repairs. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2020, 24, 793-800. | 2.0 | 9 |
| 14 | Interventions for treating people with symptoms of bladder pain syndrome: a network meta-analysis. <i>The Cochrane Library</i> , 2020, 7, CD013325. | 2.8 | 8 |
| 15 | Maintaining musculoskeletal health: a randomised controlled trial of cognitive behaviour therapy among people at high risk of developing chronic widespread pain. <i>Rheumatology</i> , 2020, 59, . | 1.9 | 0 |
| 16 | Using the behaviour change technique taxonomy v1 (BCTTv1) to identify the active ingredients of pharmacist interventions to improve non-hospitalised patient health outcomes. <i>BMJ Open</i> , 2020, 10, e036500. | 1.9 | 14 |
| 17 | Laparoscopic supracervical hysterectomy versus endometrial ablation for women with heavy menstrual bleeding (HEALTH): a parallel-group, open-label, randomised controlled trial. <i>Lancet</i> , 2019, 394, 1425-1436. | 13.7 | 33 |
| 18 | Do pharmacy intervention reports adequately describe their interventions? A template for intervention description and replication analysis of reports included in a systematic review. <i>BMJ Open</i> , 2019, 9, e025511. | 1.9 | 20 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Long-term survival and five year hospital resource usage following traumatic brain injury in Scotland from 1997 to 2015: A population-based retrospective cohort study. <i>Injury</i> , 2019, 50, 82-89. | 1.7 | 3 |
| 20 | Laparoscopic supracervical hysterectomy compared with second-generation endometrial ablation for heavy menstrual bleeding: the HEALTH RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-108. | 2.8 | 7 |
| 21 | Component network meta-analysis identifies the most effective components of psychological preparation for adults undergoing surgery under general anesthesia. <i>Journal of Clinical Epidemiology</i> , 2018, 98, 105-116. | 5.0 | 46 |
| 22 | The prevalence of sarcopaenia in a vascular surgical patient cohort and its impact on outcome. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2018, 16, 325-332. | 1.8 | 14 |
| 23 | Medication adherence among patients with Type 2 diabetes: A mixed methods study. <i>PLoS ONE</i> , 2018, 13, e0207583. | 2.5 | 56 |
| 24 | Clinical response of pigment epithelial detachment associated with neovascular age-related macular degeneration in switching treatment from Ranibizumab to Aflibercept. <i>BMC Ophthalmology</i> , 2018, 18, 148. | 1.4 | 10 |
| 25 | HEALTH: laparoscopic supracervical hysterectomy versus second-generation endometrial ablation for the treatment of heavy menstrual bleeding: study protocol for a randomised controlled trial. <i>Trials</i> , 2018, 19, 63. | 1.6 | 5 |
| 26 | The Epidemiology of Stargardt Disease in the United Kingdom. <i>Ophthalmology Retina</i> , 2017, 1, 508-513. | 2.4 | 19 |
| 27 | Clinical Prediction Model and Tool for Assessing Risk of Persistent Pain After Breast Cancer Surgery. <i>Journal of Clinical Oncology</i> , 2017, 35, 1660-1667. | 1.6 | 80 |
| 28 | Pathological nature of renal tumors - does size matter?. <i>Urology Annals</i> , 2017, 9, 330. | 0.6 | 8 |
| 29 | Motor complications in an incident Parkinson's disease cohort. <i>European Journal of Neurology</i> , 2016, 23, 304-312. | 3.3 | 58 |
| 30 | Replication and validation of higher order models demonstrated that a summary score for the EORTC QLQ-C30 is robust. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 79-88. | 5.0 | 306 |
| 31 | Hypertensive disorders of pregnancy and adult offspring cardiometabolic outcomes: a systematic review of the literature and meta-analysis. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, 414-422. | 3.7 | 46 |
| 32 | Prognostic value of lymph node ratio and extramural vascular invasion on survival for patients undergoing curative colon cancer resection. <i>British Journal of Cancer</i> , 2015, 113, 212-219. | 6.4 | 58 |
| 33 | Risk of recurrent stillbirth: systematic review and meta-analysis. <i>BMJ</i> , The, 2015, 350, h3080-h3080. | 6.0 | 153 |
| 34 | Cataract extraction and patient vision-related quality of life: a cohort study. <i>Eye</i> , 2015, 29, 921-925. | 2.1 | 23 |
| 35 | The clinical effectiveness and cost-effectiveness of open mesh repairs in adults presenting with a clinically diagnosed primary unilateral inguinal hernia who are operated in an elective setting: systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2015, 19, 1-142. | 2.8 | 16 |
| 36 | Age-, and gender-specific incidence of vascular parkinsonism, progressive supranuclear palsy, and parkinsonian-type multiple system atrophy in North East Scotland: The PINE study. <i>Parkinsonism and Related Disorders</i> , 2014, 20, 834-839. | 2.2 | 39 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Vitrectomy with Internal Limiting Membrane Peeling versus No Peeling for Idiopathic Full-Thickness Macular Hole. <i>Ophthalmology</i> , 2014, 121, 649-655. | 5.2 | 149 |
| 38 | A comparison of three methods of assessing differential item functioning (DIF) in the Hospital Anxiety Depression Scale: ordinal logistic regression, Rasch analysis and the Mantel chi-square procedure. <i>Quality of Life Research</i> , 2014, 23, 2883-2888. | 3.1 | 34 |
| 39 | A Randomized Controlled Trial of Platelet Activity Before and After Cessation of Clopidogrel Therapy in Patients With Stable Cardiovascular Disease. <i>Journal of the American College of Cardiology</i> , 2014, 63, 233-239. | 2.8 | 16 |
| 40 | An evaluation of the response category translations of the EORTC QLQ-C30 questionnaire. <i>Quality of Life Research</i> , 2013, 22, 1483-1490. | 3.1 | 5 |
| 41 | Differential item functioning (DIF) analyses of health-related quality of life instruments using logistic regression. <i>Health and Quality of Life Outcomes</i> , 2010, 8, 81. | 2.4 | 92 |
| 42 | Interpretation of differential item functioning analyses using external review. <i>Expert Review of Pharmacoeconomics and Outcomes Research</i> , 2010, 10, 253-258. | 1.4 | 6 |
| 43 | Differential item functioning (DIF) in the EORTC QLQ-C30: a comparison of baseline, on-treatment and off-treatment data. <i>Quality of Life Research</i> , 2009, 18, 381-388. | 3.1 | 32 |
| 44 | The practical impact of differential item functioning analyses in a health-related quality of life instrument. <i>Quality of Life Research</i> , 2009, 18, 1125-1130. | 3.1 | 31 |
| 45 | A simulation study provided sample size guidance for differential item functioning (DIF) studies using short scales. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 288-295. | 5.0 | 110 |
| 46 | The relationship between overall quality of life and its subdimensions was influenced by culture: analysis of an international database. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 788-795. | 5.0 | 65 |
| 47 | Translation procedures for standardised quality of life questionnaires: The European Organisation for Research and Treatment of Cancer (EORTC) approach. <i>European Journal of Cancer</i> , 2007, 43, 1810-1820. | 2.8 | 222 |
| 48 | The use of differential item functioning analyses to identify cultural differences in responses to the EORTC QLQ-C30. <i>Quality of Life Research</i> , 2007, 16, 115-129. | 3.1 | 63 |
| 49 | Comparing translations of the EORTC QLQ-C30 using differential item functioning analyses. <i>Quality of Life Research</i> , 2006, 15, 1103-1115. | 3.1 | 64 |
| 50 | Response to Commentary on Comparing translations of the EORTC QLQ-C30 using differential item functioning analyses. <i>Quality of Life Research</i> , 2006, 15, 1119-1120. | 3.1 | 5 |
| 51 | Randomized Comparison of Reduction and Fixation, Bipolar Hemiarthroplasty, and Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 249-260. | 3.0 | 307 |
| 52 | RANDOMIZED COMPARISON OF REDUCTION AND FIXATION, BIPOLAR HEMIARTHROPLASTY, AND TOTAL HIP ARTHROPLASTY. <i>Journal of Bone and Joint Surgery - Series A</i> , 2006, 88, 249-260. | 3.0 | 110 |
| 53 | Low Back Pain: Influence of Early MR Imaging or CT on Treatment and Outcome—Multicenter Randomized Trial. <i>Radiology</i> , 2004, 231, 343-351. | 7.3 | 140 |
| 54 | Laparoscopic techniques versus open techniques for inguinal hernia repair. <i>The Cochrane Library</i> , 2003, , CD001785. | 2.8 | 488 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The method of minimization for allocation to clinical trials. Contemporary Clinical Trials, 2002, 23, 662-674. | 1.9 | 539 |
| 56 | Open Mesh versus non-Mesh for groin hernia repair. The Cochrane Library, 2001, , CD002197. | 2.8 | 191 |