

Catherine E Housecroft

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6259245/publications.pdf>

Version: 2024-02-01

541
papers

13,398
citations

26630

56
h-index

62596

80
g-index

557
all docs

557
docs citations

557
times ranked

8278
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | TADF: Enabling luminescent copper(<i>scpi</i>) coordination compounds for light-emitting electrochemical cells. <i>Journal of Materials Chemistry C</i> , 2022, 10, 4456-4482. | 5.5 | 66 |
| 2 | Solar energy conversion using first row d-block metal coordination compound sensitizers and redox mediators. <i>Chemical Science</i> , 2022, 13, 1225-1262. | 7.4 | 35 |
| 3 | Stars and stripes: hexatopic tris(3,2- <i>6</i> ,3- <i>2</i> -terpyridine) ligands that unexpectedly form one-dimensional coordination polymers. <i>CrystEngComm</i> , 2022, 24, 491-503. | 2.6 | 2 |
| 4 | The surprising effects of sulfur: achieving long excited-state lifetimes in heteroleptic copper(<i>scpi</i>) emitters. <i>Journal of Materials Chemistry C</i> , 2022, 10, 3089-3102. | 5.5 | 10 |
| 5 | Attraction in Action: Reduction of Water to Dihydrogen Using Surface-Functionalized TiO ₂ Nanoparticles. <i>Nanomaterials</i> , 2022, 12, 789. | 4.1 | 2 |
| 6 | Positive Cooperativity Induced by Interstrand Interactions in Silver(I) Complexes with <i>1,1'-</i> Diimine Ligands. <i>Chemistry - A European Journal</i> , 2022, 28, . | 3.3 | 3 |
| 7 | Versatility within (4,4) networks assembled from 1,4-bis(<i>n</i> -alkyloxy)-2,5-bis(3,2- <i>6</i> ,3- <i>2</i> -terpyridin-4-yl)benzene and [Cu(hfacac) ₂] (Hhfacac = 1,1,1,5,5,5-hexafluoropentane-2,4-dione). <i>Polyhedron</i> , 2022, 224, 116005. | 2.2 | 4 |
| 8 | Borane and Carbaborane Clusters Meet Coordination Polymers and Networks: In the Hole or in the Backbone?. <i>Structure and Bonding</i> , 2021, , 1. | 1.0 | 0 |
| 9 | Turning over on sticky balls: preparation and catalytic studies of surface-functionalized TiO ₂ nanoparticles. <i>RSC Advances</i> , 2021, 11, 5537-5547. | 3.6 | 4 |
| 10 | Manipulating the Conformation of 3,2- <i>6</i> ,3- <i>2</i> -Terpyridine in [Cu ₂ (<i>1/4</i> -OAc) ₄ (3,2- <i>6</i> ,3- <i>2</i> -tpy)] _n 1D-Polymers. <i>Chemistry</i> , 2021, 3, 182-198. | 2.2 | 8 |
| 11 | Heteroleptic [Cu(P [^] P)(N [^] N)][PF ₆] Complexes: Effects of Isomer Switching from 2,2- <i>2</i> -biquinoline to 1,1- <i>2</i> -biisoquinoline. <i>Crystals</i> , 2021, 11, 185. | 2.2 | 5 |
| 12 | Modeling Enhanced Performances by Optical Nanostructures in Water-Splitting Photoelectrodes. <i>Journal of Physical Chemistry C</i> , 2021, 125, 7010-7021. | 3.1 | 3 |
| 13 | 1,4-Dibromo-2,5-bis(phenylalkoxy)benzene Derivatives: <i>C</i> – <i>Br</i> (arene) Versus <i>C</i> – <i>H</i> ... <i>Br</i> and <i>Br</i> ... <i>Br</i> Interactions in the Solid State. <i>Crystals</i> , 2021, 11, 325. | 2.2 | 2 |
| 14 | 1,1- <i>2</i> -Biisoquinolines – Neglected Ligands in the Heterocyclic Diimine Family That Provoke Stereochemical Reflections. <i>Molecules</i> , 2021, 26, 1584. | 3.8 | 8 |
| 15 | Coordination-Driven Monolayer-to-Bilayer Transition in Two-Dimensional Metal–Organic Networks. <i>Journal of Physical Chemistry B</i> , 2021, 125, 4204-4211. | 2.6 | 1 |
| 16 | Supramolecular Chemistry in the 3rd Millennium. <i>Chemistry</i> , 2021, 3, 509-510. | 2.2 | 3 |
| 17 | Isomers of Terpyridine as Ligands in Coordination Polymers and Networks Containing Zinc(II) and Cadmium(II). <i>Molecules</i> , 2021, 26, 3110. | 3.8 | 12 |
| 18 | Electrolyte Tuning in Iron(II)-Based Dye-Sensitized Solar Cells: Different Ionic Liquids and I ₂ Concentrations. <i>Materials</i> , 2021, 14, 3053. | 2.9 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | SCNAT Platform Chemistry. <i>Chimia</i> , 2021, 75, 559-560. | 0.6 | 0 |
| 20 | Isomeric 4,2,6- and 3,2,6-Terpyridines with Isomeric 4-Trifluoromethylphenyl Substituents: Effects on the Assembly of Coordination Polymers with [Cu(hfacac) ₂] (Hhfacac =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 6927Td (Hexafluoropen | 2.2 | 0 |
| 21 | Memorial Issue Dedicated to Dr. Howard D. Flack: The Man behind the Flack Parameter. <i>Chemistry</i> , 2021, 3, 818-820. | 2.2 | 0 |
| 22 | Coordination Polymers and Metal-Organic Frameworks: Structures and Applications – A Themed Issue in Honor of Professor Christoph Janiak on the Occasion of His 60th Birthday. <i>Chemistry</i> , 2021, 3, 831-833. | 2.2 | 0 |
| 23 | Coordination networks assembled from Co(NCS) ₂ and 4-[4-(naphthalen-1-yl)phenyl]-3,2,6-terpyridine: Role of lattice solvents. <i>Polyhedron</i> , 2021, 208, 115445. | 2.2 | 1 |
| 24 | Desymmetrizing Heteroleptic [Cu(P [∧] P)(N [∧] N)][PF ₆] Compounds: Effects on Structural and Photophysical Properties, and Solution Dynamic Behavior. <i>Molecules</i> , 2021, 26, 125. | 3.8 | 9 |
| 25 | The influence of alkyl chains on the performance of DSCs employing iron(II) N-heterocyclic carbene sensitizers. <i>Dalton Transactions</i> , 2021, 50, 16961-16969. | 3.3 | 7 |
| 26 | Adapting (4,4) Networks through Substituent Effects and Conformationally Flexible 3,2,6-Terpyridines. <i>Molecules</i> , 2021, 26, 6337. | 3.8 | 2 |
| 27 | A counterion study of a series of [Cu(P [∧] P)(N [∧] N)][A] compounds with bis(phosphane) and 6-methyl and 6,6-dimethyl-substituted 2,2-bipyridine ligands for light-emitting electrochemical cells. <i>Dalton Transactions</i> , 2021, 50, 17920-17934. | 3.3 | 17 |
| 28 | What Goes in Must Come out: The Story of Uric Acid. <i>Chimia</i> , 2021, 75, 891-893. | 0.6 | 0 |
| 29 | Brushing the surface: cascade reactions between immobilized nanoreactors. <i>Nanoscale</i> , 2020, 12, 1551-1562. | 5.6 | 14 |
| 30 | Porphyrim Containing Polymersomes with Enhanced ROS Generation Efficiency: In Vitro Evaluation. <i>Macromolecular Bioscience</i> , 2020, 20, e1900291. | 4.1 | 5 |
| 31 | Plant Toxins: Poison or Therapeutic?. <i>Chimia</i> , 2020, 74, 421. | 0.6 | 0 |
| 32 | Simple Oligopyridine Complexes – Sources of Unexpected Structural Diversity. <i>Australian Journal of Chemistry</i> , 2020, 73, 390. | 0.9 | 12 |
| 33 | Switching the Conformation of 3,2,6-terpy Domains in 4-(4-n-Alkyloxyphenyl)-3,2,6-Terpyridines. <i>Molecules</i> , 2020, 25, 3162. | 3.8 | 8 |
| 34 | The terpyridine isomer game: from chelate to coordination network building block. <i>Chemical Communications</i> , 2020, 56, 10786-10794. | 4.1 | 32 |
| 35 | Straight Versus Branched Chain Substituents in 4-(Butoxyphenyl)-3,2,6-terpyridines: Effects on (4,4) Coordination Network Assemblies. <i>Polymers</i> , 2020, 12, 1823. | 4.5 | 3 |
| 36 | Halide Ion Embraces in Tris(2,2-bipyridine)metal Complexes. <i>Crystals</i> , 2020, 10, 671. | 2.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | When Stereochemistry Raised Its Ugly Head in Coordination Chemistry—An Appreciation of Howard Flack. <i>Chemistry</i> , 2020, 2, 759-776. | 2.2 | 7 |
| 38 | Before Radicals Were Free — the Radical Particulier of de Morveau. <i>Chemistry</i> , 2020, 2, 293-304. | 2.2 | 4 |
| 39 | Chemical Bonding: The Journey from Miniature Hooks to Density Functional Theory. <i>Molecules</i> , 2020, 25, 2623. | 3.8 | 11 |
| 40 | The shiny side of copper: bringing copper(⁺) light-emitting electrochemical cells closer to application. <i>RSC Advances</i> , 2020, 10, 22631-22644. | 3.6 | 18 |
| 41 | Transferring photocatalytic CO ₂ reduction mediated by Cu(N [^] N)(P [^] P) ⁺ complexes from organic solvents into ionic liquid media. <i>Green Chemistry</i> , 2020, 22, 4541-4549. | 9.0 | 12 |
| 42 | Chimera Diimine Ligands in Emissive [Cu(P [^] P)(N [^] N)][PF ₆] Complexes. <i>Inorganics</i> , 2020, 8, 33. | 2.7 | 6 |
| 43 | Positional Isomerism in the N [^] N Ligand: How Much Difference Does a Methyl Group Make in [Cu(P [^] P)(N [^] N)] ⁺ Complexes?. <i>Molecules</i> , 2020, 25, 2760. | 3.8 | 8 |
| 44 | Intra-Cation versus Inter-Cation π -Contacts in [Cu(P [^] P)(N [^] N)][PF ₆] Complexes. <i>Crystals</i> , 2020, 10, 1. | 2.2 | 31 |
| 45 | Schiff Base Ancillary Ligands in Bis(diimine) Copper(I) Dye-Sensitized Solar Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1735. | 4.1 | 10 |
| 46 | Remote Modification of Bidentate Phosphane Ligands Controlling the Photonic Properties in Their Complexes: Enhanced Performance of [Cu(RN [^] xantphos)(N [^] N)][PF ₆] in Light-Emitting Electrochemical Cells. <i>Advanced Optical Materials</i> , 2020, 8, 1901689. | 7.3 | 12 |
| 47 | The SALSAC approach: comparing the reactivity of solvent-dispersed nanoparticles with nanoparticulate surfaces. <i>Nanoscale Advances</i> , 2020, 2, 679-690. | 4.6 | 6 |
| 48 | Are Alkynyl Spacers in Ancillary Ligands in Heteroleptic Bis(diimine)copper(I) Dyes Beneficial for Dye Performance in Dye-Sensitized Solar Cells?. <i>Molecules</i> , 2020, 25, 1528. | 3.8 | 15 |
| 49 | The Role of Percent Volume Buried in the Characterization of Copper(I) Complexes for Lighting Purposes. <i>Molecules</i> , 2020, 25, 2647. | 3.8 | 13 |
| 50 | Single and Double-Stranded 1D-Coordination Polymers with 4 ⁺ -(4-Alkyloxyphenyl)-3,2,6-terpyridines and {Cu ₂ (^{1/4} -OAc) ₄ } or {Cu ₄ (^{1/4} -OH) ₂ (^{1/4} -OAc) ₂ (^{1/4} -OAc) ₂ (AcO- ^{1/2} O) ₂ } Motifs. <i>Polymers</i> , 2020, 12, 318. | 4.5 | 12 |
| 51 | Extended π -Systems in Diimine Ligands in [Cu(P [^] P)(N [^] N)][PF ₆] Complexes: From 2,2'-Bipyridine to 2-(Pyridin-2-yl)Quinoline. <i>Crystals</i> , 2020, 10, 255. | 2.2 | 20 |
| 52 | How Reproducible are Electrochemical Impedance Spectroscopic Data for Dye-Sensitized Solar Cells?. <i>Materials</i> , 2020, 13, 1547. | 2.9 | 6 |
| 53 | Directing 2D-Coordination Networks: Combined Effects of a Conformationally Flexible 3,2,6-Terpyridine and Chain Length Variation in 4 ⁺ -(4-n-Alkyloxyphenyl) Substituents. <i>Molecules</i> , 2020, 25, 1663. | 3.8 | 8 |
| 54 | Silicates, Aluminosilicates and Biogenic Silica. <i>Chimia</i> , 2020, 74, 1022-1023. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Heteroleptic [Cu(P [^] P)(N [^] N)][PF ₆] Compounds with Isomeric Dibromo-1,10-Phenanthroline Ligands. <i>Inorganics</i> , 2020, 8, 4. | 2.7 | 9 |
| 56 | Ice and Beyond: Tetrahedral Building Blocks in Crystals. <i>Chimia</i> , 2020, 74, 735. | 0.6 | 2 |
| 57 | Ditopic and Tetratopic 4,2':6',4''-Terpyridines as Structural Motifs in 2D- and 3D-Coordination Assemblies. <i>Chimia</i> , 2019, 73, 462. | 0.6 | 14 |
| 58 | Competition in Coordination Assemblies: 1D-Coordination Polymer or 2D-Nets Based on Co(NCS) ₂ and 4-((4-methoxyphenyl)-3,2-((6-((3-terpyridine. <i>Polymers</i> , 2019, 11, 1224. | 4.5 | 12 |
| 59 | The central role of the d-block metals in the periodic table. <i>Dalton Transactions</i> , 2019, 48, 9405-9407. | 3.3 | 2 |
| 60 | The Early Years of 2,2'-Bipyridine: A Ligand in Its Own Lifetime. <i>Molecules</i> , 2019, 24, 3951. | 3.8 | 87 |
| 61 | The Colour Violet: Chemistry or Physics?. <i>Chimia</i> , 2019, 73, 760-762. | 0.6 | 0 |
| 62 | Trinodal Self-Penetrating Nets from Reactions of 1,4-Bis(alkoxy)-2,5-bis(3,2-((6-((3-terpyridin-4-yl)benzene Ligands with Cobalt(II) Thiocyanate. <i>Crystals</i> , 2019, 9, 529. | 2.2 | 6 |
| 63 | Softening the Donor-Set: From [Cu(P [^] P)(N [^] N)][PF ₆] to [Cu(P [^] P)(N [^] S)][PF ₆]. <i>Inorganics</i> , 2019, 7, 11. | 2.7 | 3 |
| 64 | Phosphane tuning in heteroleptic [Cu(N [^] N)(P [^] P)] ⁺ complexes for light-emitting electrochemical cells. <i>Dalton Transactions</i> , 2019, 48, 446-460. | 3.3 | 44 |
| 65 | Synthesis of Terpyridines: Simple Reactions—What Could Possibly Go Wrong?. <i>Molecules</i> , 2019, 24, 1799. | 3.8 | 16 |
| 66 | Comparing a porphyrin- and a coumarin-based dye adsorbed on NiO(001). <i>Beilstein Journal of Nanotechnology</i> , 2019, 10, 874-881. | 2.8 | 4 |
| 67 | [Cu(POP)(N [^] S)][PF ₆] and [Cu(xantphos)(N [^] S)][PF ₆] compounds with 2-(thiophen-2-yl)pyridines. <i>RSC Advances</i> , 2019, 9, 13646-13657. | 3.6 | 11 |
| 68 | Heteroatom substitution effects in spin crossover dinuclear complexes. <i>Dalton Transactions</i> , 2019, 48, 7337-7343. | 3.3 | 5 |
| 69 | Substituent Effects in the Crystal Packing of Derivatives of 4-Phenyl-2,6-terpyridine. <i>Crystals</i> , 2019, 9, 110. | 2.2 | 3 |
| 70 | Hinged and Wide: A New P [^] P Ligand for Emissive [Cu(P [^] P)(N [^] N)][PF ₆] Complexes. <i>Molecules</i> , 2019, 24, 3934. | 3.8 | 10 |
| 71 | There Is a Future for N-Heterocyclic Carbene Iron(II) Dyes in Dye-Sensitized Solar Cells: Improving Performance through Changes in the Electrolyte. <i>Materials</i> , 2019, 12, 4181. | 2.9 | 9 |
| 72 | The Sting's the Thing. <i>Chimia</i> , 2019, 73, 1037-1038. | 0.6 | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Non-immunological toxicological mechanisms of metamizole-associated neutropenia in HL60 cells. <i>Biochemical Pharmacology</i> , 2019, 163, 345-356. | 4.4 | 14 |
| 74 | Cuprophilia: Dye-sensitized solar cells with copper(I) dyes and copper(I)/(II) redox shuttles. <i>Dyes and Pigments</i> , 2018, 156, 410-416. | 3.7 | 40 |
| 75 | Copper(I) and silver(I) complexes of 9,9-dimethyl-4,5-bis(di-tert-butylphosphino)xanthene: photophysical properties and structural rigidity under pressure. <i>Photochemical and Photobiological Sciences</i> , 2018, 17, 375-385. | 2.9 | 24 |
| 76 | The influence of phosphonic acid protonation state on the efficiency of bis(diimine)copper(II) dye-sensitized solar cells. <i>Sustainable Energy and Fuels</i> , 2018, 2, 786-794. | 4.9 | 11 |
| 77 | CF ₃ Substitution of [Cu(P [^] P)(bpy)] [PF ₆] ⁻ Complexes: Effects on Photophysical Properties and Light-Emitting Electrochemical Cell Performance. <i>ChemPlusChem</i> , 2018, 83, 217-229. | 2.8 | 45 |
| 78 | The Different Faces of 4 ⁺ -Pyrimidinyl-Functionalized 4,2 ⁺ :6 ⁺ ,4 ⁺ -Terpyridines: Metal ⁺ -Organic Assemblies from Solution and on Au(111) and Cu(111) Surface Platforms. <i>Journal of the American Chemical Society</i> , 2018, 140, 2933-2939. | 13.7 | 13 |
| 79 | Self-assembly of heteroleptic dinuclear silver(I) complexes bridged by bis(diphenylphosphino)ethyne. <i>Dalton Transactions</i> , 2018, 47, 946-957. | 3.3 | 5 |
| 80 | Refining the anchor: Optimizing the performance of cyclometallated ruthenium(II) dyes in p-type dye sensitized solar cells. <i>Polyhedron</i> , 2018, 140, 122-128. | 2.2 | 6 |
| 81 | CF ₃ Substitution of [Cu(P [^] P)(bpy)] [PF ₆] ⁻ Complexes: Effects on Photophysical Properties and Light-Emitting Electrochemical Cell Performance. <i>ChemPlusChem</i> , 2018, 83, 143-143. | 2.8 | 2 |
| 82 | Tetratopic bis(4,2 ⁺ :6 ⁺ ,4 ⁺ -terpyridine) and bis(3,2 ⁺ :6 ⁺ ,3 ⁺ -terpyridine) Ligands as 4-Connecting Nodes in 2D-Coordination Networks and 3D-Frameworks. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2018, 28, 414-427. | 3.7 | 17 |
| 83 | Porphyrim-polymer nanocompartments: singlet oxygen generation and antimicrobial activity. <i>Journal of Biological Inorganic Chemistry</i> , 2018, 23, 109-122. | 2.6 | 24 |
| 84 | Electrolyte tuning in dye-sensitized solar cells with N-heterocyclic carbene (NHC) iron(II) sensitizers. <i>Beilstein Journal of Nanotechnology</i> , 2018, 9, 3069-3078. | 2.8 | 13 |
| 85 | Sometimes the Same, Sometimes Different: Understanding Self-Assembly Algorithms in Coordination Networks. <i>Polymers</i> , 2018, 10, 1369. | 4.5 | 5 |
| 86 | Protecting the Eggs of a Praying Mantis: Natural Biomaterials. <i>Chimia</i> , 2018, 72, 819. | 0.6 | 1 |
| 87 | Carnivores' Teeth: Inorganic Materials in Action. <i>Chimia</i> , 2018, 72, 650-651. | 0.6 | 1 |
| 88 | Exploring the effect of the cyclometallating ligand in 2-(pyridine-2-yl)benzo[d]thiazole-containing iridium(III) complexes for stable light-emitting electrochemical cells. <i>Journal of Materials Chemistry C</i> , 2018, 6, 12679-12688. | 5.5 | 15 |
| 89 | Where Are the tpy Embraces in [Zn{4 ⁺ -(EtO)2OPC6H4tpy}2][CF ₃ SO ₃] ⁻ ? <i>Crystals</i> , 2018, 8, 461. | 2.2 | 2 |
| 90 | Transoid-to-Cisoid Conformation Changes of Single Molecules on Surfaces Triggered by Metal Coordination. <i>ACS Omega</i> , 2018, 3, 12851-12856. | 3.5 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 91 | A Phosphonic Acid Anchoring Analogue of the Sensitizer P1 for p-Type Dye-Sensitized Solar Cells. Crystals, 2018, 8, 389. | 2.2 | 12 |
| 92 | Anchoring of a dye precursor on NiO(001) studied by non-contact atomic force microscopy. Beilstein Journal of Nanotechnology, 2018, 9, 242-249. | 2.8 | 10 |
| 93 | Luminescent copper(<i>scpi</i>) complexes with bisphosphane and halogen-substituted 2,2'-bipyridine ligands. Dalton Transactions, 2018, 47, 14263-14276. | 3.3 | 63 |
| 94 | [Cu(P ^P)(N ^N)]PF ₆ compounds with bis(phosphane) and 6-alkoxy, 6-alkylthio, 6-phenyloxy and 6-phenylthio-substituted 2,2'-bipyridine ligands for light-emitting electrochemical cells. Journal of Materials Chemistry C, 2018, 6, 8460-8471. | 5.5 | 53 |
| 95 | Effects of Introducing Methoxy Groups into the Ancillary Ligands in Bis(diimine) Copper(I) Dyes for Dye-Sensitized Solar Cells. Inorganics, 2018, 6, 40. | 2.7 | 14 |
| 96 | The Versatile SALSAC Approach to Heteroleptic Copper(I) Dye Assembly in Dye-Sensitized Solar Cells. Inorganics, 2018, 6, 57. | 2.7 | 20 |
| 97 | Geckos, Ceilings and van der Waals. Chimia, 2018, 72, 428. | 0.6 | 0 |
| 98 | Guest-Responsive Elastic Frustration – Switching in Flexible, Two-Dimensional Spin Crossover Frameworks. Inorganic Chemistry, 2018, 57, 11068-11076. | 4.0 | 25 |
| 99 | Tolerating Toxins: Grasshoppers that Feast on Pyrrolizidine Alkaloids. Chimia, 2018, 72, 156. | 0.6 | 1 |
| 100 | Homoleptic complexes of a porphyrinatozinc(ii)-2,2':6''-2''-terpyridine ligand. Photochemical and Photobiological Sciences, 2017, 16, 585-595. | 2.9 | 0 |
| 101 | Highly Stable Red-Light-Emitting Electrochemical Cells. Journal of the American Chemical Society, 2017, 139, 3237-3248. | 13.7 | 95 |
| 102 | Exploring simple ancillary ligands in copper-based dye-sensitized solar cells: effects of a heteroatom switch and of co-sensitization. Journal of Materials Chemistry A, 2017, 5, 4671-4685. | 10.3 | 27 |
| 103 | The effects of introducing sterically demanding aryl substituents in [Cu(N ^N)(P ^P)] ⁺ complexes. Dalton Transactions, 2017, 46, 6379-6391. | 3.3 | 36 |
| 104 | Sweetness and light: Sugar-functionalized C ₂ N and N ₂ N ligands in [Ir(C ₂ N) ₂ (N ₂ N)]Cl complexes. Journal of Organometallic Chemistry, 2017, 849-850, 54-62. | 1.8 | 0 |
| 105 | Coordination behavior of 1-(3,2':6''-3'''-terpyridin-4''-yl)ferrocene: Structure and magnetic and electrochemical properties of a tetracopper dimetallomacrocyclic. Polyhedron, 2017, 129, 71-76. | 2.2 | 9 |
| 106 | What a difference a tail makes: 2D → 2D parallel interpenetration of sheets to interpenetrated <i>nbo</i> networks using ditopic-4,2':6''-4'''-terpyridine ligands. CrystEngComm, 2017, 19, 2894-2902. | 2.6 | 12 |
| 107 | More hydra than Janus – Non-classical coordination modes in complexes of oligopyridine ligands. Coordination Chemistry Reviews, 2017, 350, 84-104. | 18.8 | 45 |
| 108 | The way to panchromatic copper(<i>scpi</i>)-based dye-sensitized solar cells: co-sensitization with the organic dye SQ2. Journal of Materials Chemistry A, 2017, 5, 13717-13729. | 10.3 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | Optimization of performance and long-term stability of p-type dye-sensitized solar cells with a cycloruthenated dye through electrolyte solvent tuning. <i>Sustainable Energy and Fuels</i> , 2017, 1, 626-635. | 4.9 | 12 |
| 110 | Coordination Behaviour of 1-(4,2,6-tris(4-terpyridin-4-yl)ferrocene and 1-(3,2,6-tris(4-terpyridin-4-yl)ferrocene Predictable and Unpredictable Assembly Algorithms. <i>Australian Journal of Chemistry</i> , 2017, 70, 468. | 0.9 | 13 |
| 111 | Over the LEC rainbow: Colour and stability tuning of cyclometallated iridium(III) complexes in light-emitting electrochemical cells. <i>Coordination Chemistry Reviews</i> , 2017, 350, 155-177. | 18.8 | 117 |
| 112 | Design and Characterization of an Electrically Powered Single Molecule on Gold. <i>ACS Nano</i> , 2017, 11, 9930-9940. | 14.6 | 44 |
| 113 | Absolute ion hydration enthalpies and the role of volume within hydration thermodynamics. <i>RSC Advances</i> , 2017, 7, 27881-27894. | 3.6 | 26 |
| 114 | 4,2,6- and 3,2,6-Terpyridines: The Conflict between Well-Defined Vectorial Properties and Serendipity in the Assembly of 1D-, 2D- and 3D-Architectures. <i>Materials</i> , 2017, 10, 728. | 2.9 | 9 |
| 115 | Development of Cyclometallated Iridium(III) Complexes for Light-Emitting Electrochemical Cells. , 2017, , 167-202. | | 1 |
| 116 | Structure and Magnetic Properties of the Spin Crossover Linear Trinuclear Complex [Fe3(furtrz)6(ptol)2(MeOH)4]·4(ptol)·4(MeOH) (furtrz: furanylidene-4H-1,2,4-triazol-4-amine ptol:) Tj ETQq0 0 OrgBT /Overdlock 10 T | 0.6 | 1 |
| 117 | Bis-Sulfone and Bis-Sulfoxide Spirobifluorenes: Polar Acceptor Hosts with Tunable Solubilities for Blue Phosphorescent Light-Emitting Devices. <i>European Journal of Organic Chemistry</i> , 2016, 2016, 2037-2047. | 2.4 | 10 |
| 118 | 'Active Surfaces' as Possible Functional Systems in Detection and Chemical (Bio) Reactivity. <i>Chimia</i> , 2016, 70, 402. | 0.6 | 1 |
| 119 | 4-Functionalized 2,2,6-tris(4-terpyridines as the N ₃ domain in [Ir(C ⁺ N) ₂ (N ⁻ N)] [PF ₆] complexes. <i>Journal of Organometallic Chemistry</i> , 2016, 812, 272-279. | 1.8 | 11 |
| 120 | Constructing chiral MOFs by functionalizing 4,2,6-tris(4-terpyridine with long-chain alkoxy domains: rare examples of <i>neb</i> nets. <i>CrystEngComm</i> , 2016, 18, 4704-4707. | 2.6 | 16 |
| 121 | Improving performance of copper(I)-based dye sensitized solar cells through I ³ /I ⁻ electrolyte manipulation. <i>Dyes and Pigments</i> , 2016, 132, 72-78. | 3.7 | 22 |
| 122 | Regioisomerism in cationic sulfonyl-substituted [Ir(C ⁺ N) ₂ (N ⁻ N)] ⁺ complexes: its influence on photophysical properties and LEC performance. <i>Dalton Transactions</i> , 2016, 45, 11668-11681. | 3.3 | 21 |
| 123 | Cyanoacrylic- and (1-cyanovinyl)phosphonic acid anchoring ligands for application in copper-based dye-sensitized solar cells. <i>RSC Advances</i> , 2016, 6, 86220-86231. | 3.6 | 11 |
| 124 | Probing the mystery of Liesegang band formation: revealing the origin of self-organized dual-frequency micro and nanoparticle arrays. <i>Soft Matter</i> , 2016, 12, 8367-8374. | 2.7 | 18 |
| 125 | Modular synthesis of simple cycloruthenated complexes with state-of-the-art performance in p-type DSCs. <i>Journal of Materials Chemistry C</i> , 2016, 4, 9823-9833. | 5.5 | 21 |
| 126 | [Ir(C ⁺ N) ₂ (N ⁻ N)] ⁺ emitters containing a naphthalene unit within a linker between the two cyclometallating ligands. <i>Dalton Transactions</i> , 2016, 45, 16379-16392. | 3.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 127 | Understanding why replacing I_{3^-} by cobalt(<i>ii</i>)/(<i>iii</i>) electrolytes in bis(diimine)copper(<i>i</i>)-based dye-sensitized solar cells improves performance. <i>Journal of Materials Chemistry A</i> , 2016, 4, 12995-13004. | 10.3 | 24 |
| 128 | Peripheral halo-functionalization in $[Cu(N^N)(P^P)]^{+}$ emitters: influence on the performances of light-emitting electrochemical cells. <i>Dalton Transactions</i> , 2016, 45, 15180-15192. | 3.3 | 61 |
| 129 | A double-stranded 1D-coordination polymer assembled using the tetravergent ligand 1,1'-bis(4,2'-bis(6-terpyridin-4-yl)ferrocene). <i>Inorganic Chemistry Communication</i> , 2016, 70, 118-120. ^{3,9} | | 9 |
| 130 | 2,2'-bis(6-terpyridine)-functionalized redox-responsive hydrogels as a platform for multi responsive amphiphilic polymer membranes. <i>RSC Advances</i> , 2016, 6, 97921-97930. | 3.6 | 11 |
| 131 | Copper-based dye-sensitized solar cells with quasi-solid nano cellulose composite electrolytes. <i>RSC Advances</i> , 2016, 6, 56571-56579. | 3.6 | 16 |
| 132 | Shine bright or live long: substituent effects in $[Cu(N^N)(P^P)]^{+}$ -based light-emitting electrochemical cells where N^N is a 6-substituted 2,2'-bipyridine. <i>Journal of Materials Chemistry C</i> , 2016, 4, 3857-3871. | 5.5 | 83 |
| 133 | Combining phosphonic acid-functionalized anchoring ligands with asymmetric ancillary ligands in bis(diimine)copper(<i>i</i>) dyes for dye-sensitized solar cells. <i>RSC Advances</i> , 2016, 6, 5205-5213. | 3.6 | 22 |
| 134 | Improved light absorbance does not lead to better DSC performance: studies on a ruthenium porphyrin-terpyridine conjugate. <i>RSC Advances</i> , 2016, 6, 15370-15381. | 3.6 | 4 |
| 135 | A self-assembled, multicomponent water oxidation device. <i>Chemical Communications</i> , 2016, 52, 2940-2943. | 4.1 | 5 |
| 136 | Dinuclear $[Cu_2(N^N)(P^P)_2][PF_6]_2$ complexes containing bridging 2,3,5,6-tetra(pyridin-2-yl)pyrazine or 2,4,6-tri(pyridin-2-yl)-1,3,5-triazine ligands. <i>Polyhedron</i> , 2016, 116, 3-11. | 2.2 | 10 |
| 137 | Positional isomerism makes a difference: phosphonic acid anchoring ligands with thienyl spacers in copper(<i>i</i>)-based dye-sensitized solar cells. <i>Dalton Transactions</i> , 2016, 45, 4659-4672. | 3.3 | 29 |
| 138 | Understanding the formation of aligned, linear arrays of Ag nanoparticles. <i>RSC Advances</i> , 2016, 6, 28388-28392. | 3.6 | 8 |
| 139 | Redox cycling of iridium(III) complexes gives versatile materials for photonics applications. <i>Polyhedron</i> , 2016, 106, 51-57. | 2.2 | 4 |
| 140 | 2-Dimensional networks assembled using 4'-functionalized 4,2'-bis(6-terpyridines) and $Co(NCS)_2$. <i>Polyhedron</i> , 2016, 103, 58-65. | 2.2 | 16 |
| 141 | Tuning peripheral π -stacking motifs in $\{Cr(tpy)_2\}^{3+}$ domains (tpy=2,2'-bis(6-terpyridine)). <i>Inorganic Chemistry Communication</i> , 2015, 53, 80-83. | 3.9 | 10 |
| 142 | Alkyl chain-functionalized hole-transporting domains in zinc(II) dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2015, 116, 124-130. | 3.7 | 7 |
| 143 | Homoleptic and heteroleptic complexes of chromium(III) containing 4'-diphenylamino-2,2'-bis(6-terpyridine) ligands. <i>Polyhedron</i> , 2015, 89, 182-188. | 2.2 | 17 |
| 144 | π -Surfaces-as-ligands, surfaces-as-complexes™ strategies for copper(I) dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2015, 115, 154-165. | 3.7 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 145 | Exceptionally long-lived light-emitting electrochemical cells: multiple intra-cation π -stacking interactions in $[\text{Ir}(\text{C}^{\wedge}\text{N})_2(\text{N}^{\wedge}\text{N})][\text{PF}_6]$ emitters. <i>Chemical Science</i> , 2015, 6, 2843-2852. | 7.4 | 79 |
| 146 | Programmed assembly of 4,2,6,4-terpyridine derivatives into porous, on-surface networks. <i>Chemical Communications</i> , 2015, 51, 12297-12300. | 4.1 | 9 |
| 147 | Hexafluoridophosphate partial hydrolysis leading to the one-dimensional coordination polymer $[\{\text{Cu}(\text{xantphos})(\frac{1}{4}\text{-PO}_2\text{F}_2)\}_n]$. <i>Inorganic Chemistry Communication</i> , 2015, 58, 64-66. | 3.9 | 6 |
| 148 | Colour tuning by the ring roundabout: $[\text{Ir}(\text{C}^{\wedge}\text{N})_2(\text{N}^{\wedge}\text{N})]$ emitters with sulfonyl-substituted cyclometallating ligands. <i>RSC Advances</i> , 2015, 5, 42815-42827. | 3.6 | 29 |
| 149 | Incorporation of a FRET dye pair into mesoporous materials: a comparison of fluorescence spectra, FRET activity and dye accessibility. <i>Analyst</i> , 2015, 140, 5324-5334. | 3.5 | 20 |
| 150 | Engineering 2D ⁺ 2D parallel interpenetration using long alkoxy-chain substituents. <i>Polyhedron</i> , 2015, 92, 77-83. | 2.2 | 20 |
| 151 | Dye-sensitized solar cells with hole-stabilizing surfaces: inorganic versus organic strategies. <i>RSC Advances</i> , 2015, 5, 37906-37915. | 3.6 | 10 |
| 152 | $[\text{Cu}(\text{N}^{\wedge}\text{N})(\text{P}^{\wedge}\text{P})]$ complexes with 2,2,6,2-terpyridine ligands as the $\text{N}^{\wedge}\text{N}$ domain. <i>Dalton Transactions</i> , 2015, 44, 7626-7633. | 3.3 | 36 |
| 153 | Carboranes as guests, counterions and linkers in coordination polymers and networks. <i>Journal of Organometallic Chemistry</i> , 2015, 798, 218-228. | 1.8 | 40 |
| 154 | Copper-based dye-sensitized solar cells with sterically demanding anchoring ligands: bigger is not always better. <i>RSC Advances</i> , 2015, 5, 48516-48525. | 3.6 | 29 |
| 155 | Manipulating connecting nodes through remote alkoxy chain variation in coordination networks with 4-alkoxy-4,2,6,4-terpyridine linkers. <i>CrystEngComm</i> , 2015, 17, 6483-6492. | 2.6 | 14 |
| 156 | The beneficial effects of trifluoromethyl-substituents on the photoconversion efficiency of copper dyes in dye-sensitized solar cells. <i>RSC Advances</i> , 2015, 5, 58694-58703. | 3.6 | 26 |
| 157 | Heteroleptic copper sensitizers with one versus two hole-transporting units in functionalized 2,9-dimethyl-1,10-phenanthroline ancillary ligands. <i>RSC Advances</i> , 2015, 5, 69430-69440. | 3.6 | 15 |
| 158 | The emergence of copper-based dye sensitized solar cells. <i>Chemical Society Reviews</i> , 2015, 44, 8386-8398. | 38.1 | 200 |
| 159 | Divergent 4,2,6,4- and 3,2,6,3-terpyridines as linkers in 2- and 3-dimensional architectures. <i>CrystEngComm</i> , 2015, 17, 7461-7468. | 2.6 | 47 |
| 160 | A 3-dimensional $\{4^2 \cdot 8^4\}$ net built from a ditopic bis(3,2,6,3-terpyridine) tecton bearing long alkyl tails. <i>CrystEngComm</i> , 2015, 17, 2070-2073. | 2.6 | 25 |
| 161 | Heteroleptic chromium(III) tris(diimine) $[\text{Cr}(\text{N}^{\wedge}\text{N})_2(\text{N}^{\wedge}\text{N}^{\wedge}\text{N})]^{3+}$ complexes. <i>Inorganic Chemistry Communication</i> , 2015, 51, 75-77. | 3.9 | 10 |
| 162 | Sticking and patching: tuning and anchoring cyclometallated ruthenium complexes. <i>Dalton Transactions</i> , 2015, 44, 1557-1570. | 3.3 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 163 | Concentration effects on the performance of bis(diimine) copper(I) dyes in dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2015, 113, 447-450. | 3.7 | 16 |
| 164 | Phosphonate-functionalized heteroleptic ruthenium(II) bis(2,2',6',6'-terpyridine) complexes. <i>Canadian Journal of Chemistry</i> , 2014, 92, 724-730. | 1.1 | 6 |
| 165 | Kenneth Wade (1932-2014). <i>Angewandte Chemie - International Edition</i> , 2014, 53, 5742-5743. | 13.8 | 1 |
| 166 | Assembling chiral salen copper(II) complexes into a 2D-network with carboxylic acid functionalization. <i>Inorganic Chemistry Communication</i> , 2014, 43, 51-55. | 3.9 | 4 |
| 167 | Chloride ion impact on materials for light-emitting electrochemical cells. <i>Dalton Transactions</i> , 2014, 43, 1961-1964. | 3.3 | 41 |
| 168 | Influence of a co-adsorbent on the performance of bis(diimine) copper(i)-based dye-sensitized solar cells. <i>RSC Advances</i> , 2014, 4, 62728-62736. | 3.6 | 24 |
| 169 | Halos show the path to perfection: peripheral iodo-substituents improve the efficiencies of bis(diimine)copper(I) dyes in DSCs. <i>RSC Advances</i> , 2014, 4, 48712-48723. | 3.6 | 43 |
| 170 | Greasy tails switch 1D-coordination polymers to discrete complexes. <i>CrystEngComm</i> , 2014, 16, 9915-9929. | 2.6 | 39 |
| 171 | 2D π - π Parallel interpenetration of (4,4) sheets constructed from a ditopic bis(4,2',6',6'-terpyridine) _{2,6} . <i>CrystEngComm</i> , 2014, 16, 3494-3497. | | 28 |
| 172 | Spin crossover intermediate plateau stabilization in a flexible 2-D Hofmann-type coordination polymer. <i>Chemical Communications</i> , 2014, 50, 3838-3840. | 4.1 | 80 |
| 173 | Red emitting [Ir(C ^N) ₂ (N ^N)] ⁺ complexes employing bidentate 2,2',6',6'-terpyridine ligands for light-emitting electrochemical cells. <i>Dalton Transactions</i> , 2014, 43, 4653-4667. | 3.3 | 40 |
| 174 | Assembling model tris(bipyridine)ruthenium(II) photosensitizers into ordered monolayers in the presence of the polyoxometallate anion [Co ₄ (H ₂ O) ₂ (μ -PW ₉ O ₃₄) ₂] ¹⁰⁻ . <i>RSC Advances</i> , 2014, 4, 11766-11775. | 3.6 | 4 |
| 175 | Thienylpyridine-based cyclometallated iridium(III) complexes and their use in solid state light-emitting electrochemical cells. <i>Dalton Transactions</i> , 2014, 43, 738-750. | 3.3 | 35 |
| 176 | Coumarin meets fluorescein: a Förster resonance energy transfer enhanced optical ammonia gas sensor. <i>Analyst</i> , 2014, 139, 4335-4342. | 3.5 | 41 |
| 177 | Factors controlling the photoresponse of copper(I) diimine dyes containing hole-transporting dendrons in dye-sensitized solar cells: substituent and solvent effects. <i>RSC Advances</i> , 2014, 4, 34801-34815. | 3.6 | 28 |
| 178 | The surprising lability of bis(2,2',6',6'-terpyridine)chromium(III) complexes. <i>Dalton Transactions</i> , 2014, 43, 7227-7235. | 3.3 | 38 |
| 179 | Metallohexacycles containing 4-aryl-4,2',6',6'-terpyridines: conformational preferences and fullerene capture. <i>CrystEngComm</i> , 2014, 16, 328-338. | 2.6 | 21 |
| 180 | Environmental control in the assembly of metallomacrocycles and one-dimensional polymers with 4,2',6':4,6'-terpyridine linkers and zinc(II) nodes. <i>CrystEngComm</i> , 2014, 16, 8691-8699. | 2.6 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 181 | 4,2- $\text{C}^2\text{:}6\text{-}4\text{-}\text{C}^2$ -Terpyridines: diverging and diverse building blocks in coordination polymers and metallomacrocycles. <i>Dalton Transactions</i> , 2014, 43, 6594-6604. | 3.3 | 89 |
| 182 | Green-emitting iridium(C^3) complexes containing sulfanyl- or sulfone-functionalized cyclometallating 2-phenylpyridine ligands. <i>Dalton Transactions</i> , 2014, 43, 5343-5356. | 3.3 | 36 |
| 183 | Bright and stable light-emitting electrochemical cells based on an intramolecularly π -stacked, 2-naphthyl-substituted iridium complex. <i>Journal of Materials Chemistry C</i> , 2014, 2, 7047-7055. | 5.5 | 38 |
| 184 | Using Scanning Electrochemical Microscopy to Examine Copper(I) Sensitizers for Dye-Sensitized Solar Cells. <i>Journal of Physical Chemistry C</i> , 2014, 118, 16912-16918. | 3.1 | 12 |
| 185 | Chiral tetranuclear and dinuclear copper(C^2) complexes for TEMPO-mediated aerobic oxidation of alcohols: are four metal centres better than two?. <i>Dalton Transactions</i> , 2014, 43, 12313. | 3.3 | 27 |
| 186 | Assembling coordination ladders with 4- C^2 -(4-methoxyphenyl)-4,2- $\text{C}^2\text{:}6\text{-}4\text{-}\text{C}^3$ -terpyridine as rails and rungs. <i>Inorganic Chemistry Communication</i> , 2014, 49, 41-43. | 3.9 | 14 |
| 187 | [Cu(bpy)(P^P)] $^+$ containing light-emitting electrochemical cells: improving performance through simple substitution. <i>Dalton Transactions</i> , 2014, 43, 16593-16596. | 3.3 | 80 |
| 188 | Development of scanning electrochemical microscopy (SECM) techniques for the optimization of dye sensitized solar cells. <i>Electrochimica Acta</i> , 2014, 119, 86-91. | 5.2 | 13 |
| 189 | 4- C^2 -(Pyrimidin-5-yl)- and 4- C^2 -(2-methylpyrimidin-5-yl)-4,2- $\text{C}^2\text{:}6\text{-}4\text{-}\text{C}^3$ -terpyridines: Selective coordination to zinc(II) through the 4,2- $\text{C}^2\text{:}6\text{-}4\text{-}\text{C}^3$ -terpyridine domain. <i>Polyhedron</i> , 2014, 81, 98-104. | 2.2 | 15 |
| 190 | To deprotect or not to deprotect: Phosphonate ester versus phosphonic acid anchor ligands in copper(I)-based dye-sensitized solar cells. <i>Polyhedron</i> , 2014, 82, 116-121. | 2.2 | 23 |
| 191 | Light harvesting with Earth abundant d-block metals: Development of sensitizers in dye-sensitized solar cells (DSCs). <i>Coordination Chemistry Reviews</i> , 2013, 257, 3089-3106. | 18.8 | 162 |
| 192 | Copper(I) dye-sensitized solar cells with [Co(bpy) $_3$] $^{2+}$ /3 $^+$ electrolyte. <i>Chemical Communications</i> , 2013, 49, 7222. | 4.1 | 52 |
| 193 | A homage to Alfred Werner: Exploring the stereochemical complexity of cyclometallated [Ir(ppy) $_2$ XY] n complexes (Hppy=2-phenylpyridine). <i>Polyhedron</i> , 2013, 52, 530-537. | 2.2 | 4 |
| 194 | Molecular recognition between 4- C^2 -(4-biphenyl)-4,2- $\text{C}^2\text{:}6\text{-}4\text{-}\text{C}^3$ -terpyridine domains in the assembly of d9 and d10 metal ion-containing one-dimensional coordination polymers. <i>Polyhedron</i> , 2013, 60, 120-129. | 2.2 | 30 |
| 195 | Improving the photoresponse of copper(I) dyes in dye-sensitized solar cells by tuning ancillary and anchoring ligand modules. <i>Dalton Transactions</i> , 2013, 42, 12293. | 3.3 | 78 |
| 196 | Do perfluoroarene \cdots arene and Ca \cdots H \cdots F interactions make a difference to the structures of 4,2- $\text{C}^2\text{:}6\text{-}4\text{-}\text{C}^2$ -terpyridine-based coordination polymers?. <i>CrystEngComm</i> , 2013, 15, 10068. | 2.6 | 25 |
| 197 | Solution, structural and photophysical aspects of substituent effects in the N^N ligand in [Ir(C^N) $_2$ (N^N)] $^+$ complexes. <i>Dalton Transactions</i> , 2013, 42, 8086. | 3.3 | 18 |
| 198 | 6-(Thien-2-yl)-2,2- C^2 -bipyridine: Presenting an N^N or N^N^S donor set to silver(I). <i>Inorganic Chemistry Communication</i> , 2013, 27, 159-162. | 3.9 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 199 | Ligand-Based Charge-Transfer Luminescence in Ionic Cyclometalated Iridium(III) Complexes Bearing a Pyrene-Functionalized Bipyridine Ligand: A Joint Theoretical and Experimental Study. <i>Inorganic Chemistry</i> , 2013, 52, 885-897. | 4.0 | 56 |
| 200 | Coordination chemistry: the scientific legacy of Alfred Werner. <i>Chemical Society Reviews</i> , 2013, 42, 1429-1439. | 38.1 | 83 |
| 201 | Coordination polymers with 4 ⁺ -(4-(anthracen-9-yl)phenyl)- and 4 ⁺ -(4-(naphthalen-1-yl)phenyl)-4,2 ⁺ :6 ⁺ ,4 ⁺ -terpyridines: Mono-, di- and heptazinc(II) nodes. <i>Polyhedron</i> , 2013, 32, 260-267. | 2.2 | 15 |
| 202 | Water-soluble bis(4 ⁺ -[2,2,2-tris(hydroxymethyl)ethoxy]-2,2 ⁺ :6 ⁺ ,2 ⁺ -terpyridine)metal complexes. <i>Polyhedron</i> , 2013, 32, 110-118. | 2.2 | 8 |
| 203 | Monomer, dimer or cyclic helicate? Coordination diversity with hard ⁺ soft P,N-donor ligands. <i>Dalton Transactions</i> , 2013, 42, 4970. | 3.3 | 16 |
| 204 | Investigating the effects of supramolecularly caging ligands in [Ru(bpy) ₂ L] ²⁺ complexes. <i>Polyhedron</i> , 2013, 32, 38-44. | 2.2 | 2 |
| 205 | Hole-transport functionalized copper(i) dye sensitized solar cells. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 4500. | 2.8 | 60 |
| 206 | Tuning the photophysical properties of cationic iridium(III) complexes containing cyclometalated 1-(2,4-difluorophenyl)-1H-pyrazole through functionalized 2,2 ⁺ -bipyridine ligands: blue but not blue enough. <i>Dalton Transactions</i> , 2013, 42, 1073-1087. | 3.3 | 54 |
| 207 | Bis(4 ⁺ -(4-pyridyl)-2,2 ⁺ :6 ⁺ ,2 ⁺ -terpyridine)ruthenium(II) complexes and their N-alkylated derivatives in catalytic light-driven water oxidation. <i>RSC Advances</i> , 2013, 3, 20647. | 3.6 | 18 |
| 208 | Efficient Green ⁺ Light ⁺ Emitting Electrochemical Cells Based on Ionic Iridium Complexes with Sulfone ⁺ Containing Cyclometalating Ligands. <i>Chemistry - A European Journal</i> , 2013, 19, 8597-8609. | 3.3 | 56 |
| 209 | Kelvin probe force microscopy of nanocrystalline TiO ₂ photoelectrodes. <i>Beilstein Journal of Nanotechnology</i> , 2013, 4, 418-428. | 2.8 | 49 |
| 210 | Bucky-blocks: templating a coordination network with C ₆₀ . <i>CrystEngComm</i> , 2012, 14, 1770-1774. | 2.6 | 16 |
| 211 | 2,2 ⁺ :6 ⁺ ,2 ⁺ -Terpyridine substituted in the 4 ⁺ -position by the solubilizing and sterically demanding tert-butyl group: a surprisingly new ligand. <i>Dalton Transactions</i> , 2012, 41, 2890. | 3.3 | 9 |
| 212 | Stereochemistry controlled by an asymmetric sulfur atom, and a rare example of a kryptoracemate. <i>Dalton Transactions</i> , 2012, 41, 10276. | 3.3 | 6 |
| 213 | Multinuclear zinc(II) complexes with {Zn ₆ (^{1/4} -O) ₆ (^{1/3} -O) ₂ }- and {Zn ₅ (^{1/4} -O) ₃ (^{1/3} -O) ₃ }-cluster cores. <i>Polyhedron</i> , 2012, 31, 150-155. | 2.2 | 17 |
| 214 | Exploring copper(i)-based dye-sensitized solar cells: a complementary experimental and TD-DFT investigation. <i>Dalton Transactions</i> , 2012, 41, 14157. | 3.3 | 67 |
| 215 | Coordination polymers with divergent 4 ⁺ -tert-butyl-4,2 ⁺ :6 ⁺ ,4 ⁺ -terpyridine linkers: from aryl-aryl to ball-and-socket packing. <i>CrystEngComm</i> , 2012, 14, 446-452. | 2.6 | 31 |
| 216 | Gold-decorated 2,2 ⁺ -bipyridine ligands with sterically demanding phosphanes. <i>Journal of Organometallic Chemistry</i> , 2012, 721-722, 49-52. | 1.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 217 | The d10 route to dye-sensitized solar cells: step-wise assembly of zinc(ii) photosensitizers on TiO ₂ surfaces. <i>Chemical Communications</i> , 2012, 48, 5727. | 4.1 | 34 |
| 218 | Fine-Tuning of Photophysical and Electronic Properties of Materials for Photonic Devices Through Remote Functionalization. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 3780-3788. | 2.0 | 17 |
| 219 | Cobalt(ii) coordination polymers with 4- <i>tert</i> -butyl-2,6-bis(2- <i>tert</i> -butylphenyl)-4-methylpyridine- and 3,2,6-tris(2- <i>tert</i> -butylphenyl)-6-methylpyridine-terpyridines: engineering a switch from planar to undulating chains and sheets. <i>CrystEngComm</i> , 2012, 14, 3554. | 2.6 | 37 |
| 220 | A matter of greasy tails: Interdigitation of alkyl chains in free and coordinated 4-(4-dodecyloxyphenyl)-2,6-bis(2- <i>tert</i> -butylphenyl)-4-methylpyridine-terpyridines. <i>Inorganic Chemistry Communication</i> , 2012, 15, 113-116. | 3.9 | 12 |
| 221 | [Fe(4- <i>tert</i> -butylphenylthio)2][PF ₆] ₂ (4- <i>tert</i> -butylphenylthio)-2,6-bis(2- <i>tert</i> -butylphenyl)-4-methylpyridine): A centrosymmetric embrace. <i>Inorganic Chemistry Communication</i> , 2012, 20, 180-183. | 3.9 | 2 |
| 222 | Iron(II) and ruthenium(II) complexes of 4-amino-2,6-bis(2- <i>tert</i> -butylphenyl)-4-methylpyridine-terpyridines. <i>Polyhedron</i> , 2012, 33, 267-272. | 2.2 | 4 |
| 223 | Softening the donor set for light-emitting electrochemical cells: [Ir(ppy) ₂ (N^N)] ⁺ , [Ir(ppy) ₂ (P^P)] ⁺ and [Ir(ppy) ₂ (P^S)] ⁺ salts. <i>Polyhedron</i> , 2012, 35, 154-160. | 2.2 | 16 |
| 224 | When is a metallopolymer not a metallopolymer? When it is a metallomacrocycle. <i>Dalton Transactions</i> , 2011, 40, 1524. | 3.3 | 36 |
| 225 | 9-Anthracenyl-substituted pyridyl enones revisited: photoisomerism in ligands and silver(i) complexes. <i>Dalton Transactions</i> , 2011, 40, 12146. | 3.3 | 9 |
| 226 | Environmental control of solution speciation in cobalt(ii) 2,6-bis(2- <i>tert</i> -butylphenyl)-4-methylpyridine-terpyridine complexes: anion and solvent dependence. <i>Dalton Transactions</i> , 2011, 40, 11441. | 3.3 | 22 |
| 227 | Water-soluble alkylated bis{4-(4-pyridyl)-2,6-bis(2- <i>tert</i> -butylphenyl)-4-methylpyridine}ruthenium(ii) complexes for use as photosensitizers in water oxidation: a complementary experimental and TD-DFT investigation. <i>Dalton Transactions</i> , 2011, 40, 5505. | 3.3 | 10 |
| 228 | Light-emitting electrochemical cells based on a supramolecularly-caged phenanthroline-based iridium complex. <i>Chemical Communications</i> , 2011, 47, 3207. | 4.1 | 70 |
| 229 | Copper(i) complexes for sustainable light-emitting electrochemical cells. <i>Journal of Materials Chemistry</i> , 2011, 21, 16108. | 6.7 | 184 |
| 230 | Zinc(ii) coordination polymers, metallohexacycles and metallocapsules – do we understand self-assembly in metallosupramolecular chemistry: algorithms or serendipity?. <i>CrystEngComm</i> , 2011, 13, 6864. | 2.6 | 67 |
| 231 | The intramolecular aryl embrace: from light emission to light absorption. <i>Dalton Transactions</i> , 2011, 40, 12584. | 3.3 | 64 |
| 232 | Photoactive building blocks for coordination complexes: Gilding 2,6-bis(2- <i>tert</i> -butylphenyl)-4-methylpyridine. <i>Polyhedron</i> , 2011, 30, 2704-2710. | 2.2 | 22 |
| 233 | Disulfide struts: Assembly motifs supporting a cuprocapsule. <i>Inorganic Chemistry Communication</i> , 2011, 14, 1703-1705. | 3.9 | 6 |
| 234 | Metallohosts with a Heart of Carbon. <i>Journal of the American Chemical Society</i> , 2011, 133, 10776-10779. | 13.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 235 | Restricting the geometrical relaxation in four-coordinate copper(i) complexes using face-to-face and edge-to-face π -interactions. <i>CrystEngComm</i> , 2011, 13, 2742. | 2.6 | 34 |
| 236 | Stable and Efficient Solid-State Light-Emitting Electrochemical Cells Based on a Series of Hydrophobic Iridium Complexes. <i>Advanced Energy Materials</i> , 2011, 1, 282-290. | 19.5 | 84 |
| 237 | Bioorganic and Bioinorganic Chemistry. <i>Chimia</i> , 2010, 64, 846. | 0.6 | 3 |
| 238 | Tuning Coordination Environments Through Ligand Redox Chemistry: the Thiol - Disulfide Reaction. <i>Australian Journal of Chemistry</i> , 2010, 63, 1334. | 0.9 | 9 |
| 239 | Supramolecular and Nanochemistry. <i>Chimia</i> , 2010, 64, 877-884. | 0.6 | 0 |
| 240 | Redox addressable ligands in copper(i) coordination chemistry: thione and oligosulfide-bridged 6-methyl-2,2'-bipyridines. <i>CrystEngComm</i> , 2010, 12, 2928. | 2.6 | 6 |
| 241 | A hexadentate Schiff base ligand which undergoes reversible, diastereoselective addition of methanol. <i>Journal of Molecular Structure</i> , 2010, 975, 367-371. | 3.6 | 2 |
| 242 | Diastereoselective Assembly of Helicates Incorporating a Hexadentate Chiral Scaffold. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 2000-2011. | 2.0 | 38 |
| 243 | Efficient and Long-Living Light-Emitting Electrochemical Cells. <i>Advanced Functional Materials</i> , 2010, 20, 1511-1520. | 14.9 | 147 |
| 244 | The mononuclear-dinuclear dance: Twisting the backbone in metalloligands operates a coordination switch. <i>Inorganica Chimica Acta</i> , 2010, 363, 4207-4213. | 2.4 | 24 |
| 245 | Fe-only hydrogenase active site mimics: Fe ₂ (CO) ₆ ($\frac{1}{4}$ -ADT) (ADT=azadithiolate) clusters bearing pendant 2,2':6''-terpyridine domains and containing alkynylthiénylene or alkynylphenylene spacers. <i>Inorganic Chemistry Communication</i> , 2010, 13, 457-460. | 3.9 | 7 |
| 246 | Aldehyde-decorated 2,2'-bipyridine and 2,2':6''-terpyridine ruthenium(II) complexes: Convenient scaffolds for supramolecular chemistry. <i>Inorganic Chemistry Communication</i> , 2010, 13, 70-73. | 3.9 | 4 |
| 247 | A strategy for controlling charge and conformation in 2,2'-bipyridine complexes for use in photonic applications. <i>Inorganic Chemistry Communication</i> , 2010, 13, 74-76. | 3.9 | 6 |
| 248 | First example of a CLICK reaction of a coordinated 4-azido-2,2':6''-terpyridine ligand. <i>Inorganic Chemistry Communication</i> , 2010, 13, 495-497. | 3.9 | 17 |
| 249 | Capturing copper(II) ions using {Cu(tpy)(bpy)} domains. <i>Inorganic Chemistry Communication</i> , 2010, 13, 683-685. | 3.9 | 9 |
| 250 | Clicking not cooking: Functionalization of 2,2':6''-terpyridines by diol-boric acid interactions. <i>Inorganic Chemistry Communication</i> , 2010, 13, 878-881. | 3.9 | 3 |
| 251 | Host-guest chemistry of a chiral Schiff base copper(ii) complex: can chiral information be transferred to the guest cation?. <i>CrystEngComm</i> , 2010, 12, 1764. | 2.6 | 41 |
| 252 | Assembling and disassembling zinc-containing coordination polymers of 4-phenyl-4,2':6''-terpyridine. <i>CrystEngComm</i> , 2010, 12, 2146. | 2.6 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 253 | Sheet, ladder or chain? Small substituents in 4-phenyl-2,6-bipyridines control dimensionality in cadmium(ii) coordination polymers. <i>CrystEngComm</i> , 2010, 12, 3733. | 2.6 | 23 |
| 254 | Insights into Photoinduced Electron Transfer Between [Ru(mptpy) ₂] ⁴⁺ (mptpy) Tj ETQqO O O rgBT /Overlock Computational and Experimental Studies. <i>Journal of Physical Chemistry A</i> , 2010, 114, 6284-6297. | 2.5 | 27 |
| 255 | Towards catenanes using π -stacking interactions and their influence on the spin-state of a bis(2,6-bipyridine)iron(ii) domain. <i>Dalton Transactions</i> , 2010, 39, 10739. | 3.3 | 26 |
| 256 | Not just size and shape: spherically symmetrical d5 and d10 metal ions give different coordination nets with 2,6-bipyridines. <i>CrystEngComm</i> , 2010, 12, 2139. | 2.6 | 44 |
| 257 | Half a grid is better than no grid: competition between 2,2'-bipyridine and 3,6-di(pyrid-2-yl)pyridazine for copper(ii). <i>Dalton Transactions</i> , 2010, 39, 2337. | 3.3 | 19 |
| 258 | Turning {M(tpy) ₂ } ⁿ⁺ embraces and CH \cdots π interactions on and off in homoleptic cobalt(ii) and cobalt(iii) bis(2,6-bipyridine) complexes. <i>CrystEngComm</i> , 2010, 12, 2949. | 2.6 | 42 |
| 259 | Intramolecular π -Stacking in a Phenylpyrazole-Based Iridium Complex and Its Use in Light-Emitting Electrochemical Cells. <i>Journal of the American Chemical Society</i> , 2010, 132, 5978-5980. | 13.7 | 116 |
| 260 | Dual-Emissive Photoluminescent Langmuir-Blodgett Films of Decatungstoeuropate and an Amphiphilic Iridium Complex. <i>Langmuir</i> , 2010, 26, 1316-1324. | 3.5 | 26 |
| 261 | Sticky complexes: carboxylic acid-functionalized N-phenylpyridin-2-ylmethanimine ligands as anchoring domains for copper and ruthenium dye-sensitized solar cells. <i>Dalton Transactions</i> , 2010, 39, 3585. | 3.3 | 50 |
| 262 | When five are six: the myth of five-coordinate copper(ii) in supramolecular chemistry. <i>CrystEngComm</i> , 2010, 12, 3163. | 2.6 | 19 |
| 263 | Mix and match: templating chiral Schiff base ligands to suit the needs of the metal ion. <i>Dalton Transactions</i> , 2010, 39, 5332. | 3.3 | 18 |
| 264 | Clicking hard-core sugar balls. <i>Chemical Communications</i> , 2010, 46, 1628. | 4.1 | 14 |
| 265 | π -Stacking and hydrogen bonding direct diastereoselectivity in one-pot syntheses of octahedral iron(ii) complexes. <i>Chemical Communications</i> , 2010, 46, 3077. | 4.1 | 27 |
| 266 | Amalgamating metalloligands with coordination networks. <i>Dalton Transactions</i> , 2010, 39, 1941. | 3.3 | 19 |
| 267 | Same head, different scaffold: a plethora of structural motifs assembled from silver(i) and ditopic 2,2'-bipyridine ligands. <i>CrystEngComm</i> , 2010, 12, 3724. | 2.6 | 12 |
| 268 | Archetype Cationic Iridium Complexes and Their Use in Solid-State Light-Emitting Electrochemical Cells. <i>Advanced Functional Materials</i> , 2009, 19, 3456-3463. | 14.9 | 239 |
| 269 | All-Optical Integrated Logic Operations Based on Chemical Communication between Molecular Switches. <i>Chemistry - A European Journal</i> , 2009, 15, 178-185. | 3.3 | 124 |
| 270 | Metallomacrocycles with a Difference: Macrocyclic Complexes with Exocyclic Ruthenium(II)-Containing Domains. <i>Chemistry - A European Journal</i> , 2009, 15, 11746-11757. | 3.3 | 16 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 271 | Structural and Photophysical Properties of (Phosphane)gold(I)-Decorated 4,4'-Diethynyl-2,2'-bipyridine Ligands. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 4710-4717. | 2.0 | 11 |
| 272 | Preparation and photophysical studies of copper(I) and ruthenium(II) complexes of 4,4'-bis(3,5-dimethoxyphenyl)-6,6'-dimethyl-2,2'-bipyridine. <i>Inorganica Chimica Acta</i> , 2009, 362, 1825-1830. | 2.4 | 9 |
| 273 | Substituent effects in homoleptic iron(II) and ruthenium(II) complexes of 4'-hydrazone derivatives of 2,2':6'-terpyridine. <i>Polyhedron</i> , 2009, 28, 3828-3838. | 2.2 | 3 |
| 274 | Ditopic, flexible hydrazone-based building blocks with pendant 2,2':6'-terpyridine metal-binding domains. <i>Inorganic Chemistry Communication</i> , 2009, 12, 898-901. | 3.9 | 7 |
| 275 | In search of enantioselective catalysts for the Henry reaction: are two metal centres better than one?. <i>New Journal of Chemistry</i> , 2009, 33, 1064. | 2.8 | 58 |
| 276 | Phase-separated hydrogen-bonded chloride ion "water" oxonium ion sheets and protonated 4-(4-bromophenyl)-2,2':6',2''-terpyridine stacks, and condensation products of 2-acetylpyridine and benzaldehydes revisited. <i>CrystEngComm</i> , 2009, 11, 1014. | 2.6 | 13 |
| 277 | Towards Sustainable Dyes for Dye-Sensitized Solar Cells. <i>Chimia</i> , 2009, 63, 205-207. | 0.6 | 38 |
| 278 | Conformationally-locked metallomacrocycles "prototypes for a novel type of axial chirality. <i>New Journal of Chemistry</i> , 2009, 33, 376. | 2.8 | 24 |
| 279 | Adding the second dimension with cadmium: two-dimensional sheets assembled from cadmium(ii) and 4'-phenyl-4,2':6',4''-terpyridine and locked by π -stacked interactions. <i>CrystEngComm</i> , 2009, 11, 2279. | 2.6 | 34 |
| 280 | Structural diversity in the reactions of 4'-pyridyl-2,2':6',2''-terpyridine ligands and bis{4'-pyridyl-2,2':6',2''-terpyridine}iron(II) with copper(II) salts. <i>CrystEngComm</i> , 2009, 11, 2406. | 2.6 | 34 |
| 281 | Hierarchical multicomponent assembly utilizing sequential metal "ligand and hydrogen-bonding interactions. <i>CrystEngComm</i> , 2009, 11, 657. | 2.6 | 25 |
| 282 | Copper(i) complexes of 6,6'-disubstituted 2,2'-bipyridine dicarboxylic acids: new complexes for incorporation into copper-based dye sensitized solar cells (DSCs). <i>Dalton Transactions</i> , 2009, , 6634. | 3.3 | 84 |
| 283 | Diversification of ligand families through ferrocene "neocuproin metal-binding domain manipulation. <i>Dalton Transactions</i> , 2009, , 4918. | 3.3 | 7 |
| 284 | Two are not always better than one: ligand optimisation for long-living light-emitting electrochemical cells. <i>Chemical Communications</i> , 2009, , 2029. | 4.1 | 78 |
| 285 | Photochemical switching of luminescence and singlet oxygen generation by chemical signal communication. <i>Chemical Communications</i> , 2009, , 1484. | 4.1 | 60 |
| 286 | Enantioselective catalysts for the Henry reaction: fine-tuning the catalytic components. <i>New Journal of Chemistry</i> , 2009, 33, 2166. | 2.8 | 40 |
| 287 | Diastereoselective complex formation with a simple C ₂ -symmetric hexadentate ligand based on a 1,1'-binaphthalene scaffold. <i>Dalton Transactions</i> , 2009, , 8165. | 3.3 | 18 |
| 288 | Evaluation of polynuclear dendrons as photosensitizers for dye-sensitized solar cells. <i>Energy and Environmental Science</i> , 2009, 2, 299. | 30.8 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 289 | Substituent Effects in the Solid-State Assembly of Silver(I) Complexes of 4-Substituted 3,6-Di(2-pyridyl)pyridazines. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 3540-3548. | 2.0 | 17 |
| 290 | 4-Substituted and 4,5-Disubstituted 3,6-Di(2-pyridyl)pyridazines: Ligands for Supramolecular Assemblies. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 1597-1607. | 2.4 | 24 |
| 291 | The Introduction of Asymmetry into Alkyl-Decorated Fractal-Type Dendrons. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 2644-2651. | 2.4 | 6 |
| 292 | 4-Hydrazone Derivatives of 2,6,2"-Terpyridine: Protonation and Substituent Effects. <i>European Journal of Organic Chemistry</i> , 2008, 2008, 3569-3581. | 2.4 | 13 |
| 293 | Quantification of single-stranded nucleic acid and oligonucleotide interactions with metal ions by affinity capillary electrophoresis - Part II. <i>Electrophoresis</i> , 2008, 29, 3342-3348. | 2.4 | 8 |
| 294 | Long-Living Light-Emitting Electrochemical Cells - Control through Supramolecular Interactions. <i>Advanced Materials</i> , 2008, 20, 3910-3913. | 21.0 | 185 |
| 295 | Inside Front Cover: Long-Living Light-Emitting Electrochemical Cells - Control through Supramolecular Interactions (<i>Adv. Mater.</i> 20/2008). <i>Advanced Materials</i> , 2008, 20, . | 21.0 | 0 |
| 296 | Gold(I) phosphine-decorated 2,6,2-terpyridine ligands. <i>Polyhedron</i> , 2008, 27, 65-70. | 2.2 | 9 |
| 297 | A pyrazolyl-terminated 2,6,2-terpyridine ligand: Iron(II), ruthenium(II) and palladium(II) complexes of 4-(3,5-dimethylpyrazol-1-yl)-2,6,2-terpyridine. <i>Polyhedron</i> , 2008, 27, 2395-2401. | 2.2 | 21 |
| 298 | Approaches to wired terpyridine: Bithienyl alkynyl derivatives of 2,6,2-terpyridine and their ruthenium(II) complexes. <i>Polyhedron</i> , 2008, 27, 3601-3606. | 2.2 | 5 |
| 299 | New chiral oligopyridines - 4,4-bis(disaccharide)-functionalised 2,6-bipyridines and 4-(disaccharide)-functionalised 2,6,2-terpyridines. <i>Carbohydrate Research</i> , 2008, 343, 2567-2575. | 2.3 | 5 |
| 300 | The first complex of 4-(4-methylthiophenyl)-2,6,2-terpyridine - A model for terpylated self-assembled monolayers. <i>Inorganic Chemistry Communication</i> , 2008, 11, 518-520. | 3.9 | 13 |
| 301 | Diastereoselective formation of a complex with an atropisomeric 4,4-biquinazoline ligand: The solid-state structure of cis-bis(4,4-biquinazoline)dichloroiridium(III) hexafluoridophosphate. <i>Inorganic Chemistry Communication</i> , 2008, 11, 564-567. | 3.9 | 4 |
| 302 | Bis(4-phenyl-2,6,2-terpyridine)ruthenium(II): Holding the {Ru(tpy) ₂ } ²⁺ embraces at bay. <i>Inorganic Chemistry Communication</i> , 2008, 11, 805-808. | 3.9 | 25 |
| 303 | 4-Chloro-2,6,2-terpyridine (L): ethyl sulfate salts of [H ₂ L] ₂ ⁺ and the single crystal structures of [H ₂ L][EtOSO ₃]Cl·H ₂ O and [ML ₂][PF ₆] ₂ with M=Fe and Ru. <i>Inorganic Chemistry Communication</i> , 2008, 11, 1006-1008. | 3.9 | 17 |
| 304 | A new polymorph of 4-tolyl-2,6,2-terpyridine (ttpy) and the single crystal structures of [Fe(tpy) ₂][PF ₆] ₂ and [Ru(tpy) ₂][PF ₆] ₂ . <i>Inorganic Chemistry Communication</i> , 2008, 11, 1009-1011. | 3.9 | 27 |
| 305 | Expanding the 4,4-bipyridine ligand: Structural variation in {M(pytpy) ₂ } ²⁺ complexes (pytpy=4-(4-pyridyl)-2,6,2-terpyridine, M=Fe, Ni, Ru) and assembly of the hydrogen-bonded, one-dimensional polymer. <i>Inorganica Chimica Acta</i> , 2008, 361, 2582-2590. | 2.4 | 55 |
| 306 | An element of surprise - efficient copper-functionalized dye-sensitized solar cells. <i>Chemical Communications</i> , 2008, , 3717. | 4.1 | 252 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 307 | The aryl-phen and phen-phen embraces new supramolecular motifs. <i>CrystEngComm</i> , 2008, 10, 1063. | 2.6 | 10 |
| 308 | A one-dimensional copper(ii) coordination polymer containing [Fe(pytpy) ₂] ₂ +(pytpy =) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 707 Td (4) penetrated by rod-like polymers. <i>CrystEngComm</i> , 2008, 10, 344-348. | 2.6 | 45 |
| 309 | Homoleptic metal complexes of 4-(5-pyrimidinyl)-2,6-terpyridine: tetrafurcated expanded ligands. <i>CrystEngComm</i> , 2008, 10, 986. | 2.6 | 21 |
| 310 | Controlling silica nanoparticle properties for biomedical applications through surface modification. <i>New Journal of Chemistry</i> , 2008, 32, 588. | 2.8 | 16 |
| 311 | Metal-mediated thiol-disulfide interconversion a new tool for metallosupramolecular chemistry. <i>Dalton Transactions</i> , 2008, , 3795. | 3.3 | 9 |
| 312 | Wiring terpyridine: approaches to alkynylthienyl 2,6-terpyridines. <i>Dalton Transactions</i> , 2008, , 6752.3.3 | | 12 |
| 313 | Curly curly, loop loop: homoleptic metal(ii) complexes of pyridinecarbaldehyde 4-(2,6-terpyridyl)hydrazones and their coordination polymers. <i>Dalton Transactions</i> , 2008, , 6742.3.3 | 3.3 | 19 |
| 314 | A new twist to 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine complexes of silver(i). <i>CrystEngComm</i> , 2008, 10, 991. | 2.6 | 22 |
| 315 | Vectorial property dependence in bis{4-(n-pyridyl)-2,6-terpyridine}iron(ii) and ruthenium(ii) complexes with n = 2, 3 and 4. <i>Dalton Transactions</i> , 2008, , 386-396. | 3.3 | 64 |
| 316 | A Supramolecularly-Caged Ionic Iridium(III) Complex Yielding Bright and Very Stable Solid-State Light-Emitting Electrochemical Cells. <i>Journal of the American Chemical Society</i> , 2008, 130, 14944-14945. | 13.7 | 138 |
| 317 | A metallopolymer case-history: polymer, ring or ligand reaction?. <i>Chemical Communications</i> , 2008, , 5360. | 4.1 | 16 |
| 318 | 4-Substituted 3,6-Bis(2-pyridyl)pyridazines: Silver(I) Complexes of 4-Cyano- and 4-(4-Bromophenyl)-3,6-bis(2-pyridyl)pyridazine and Pseudopolymorphs of 1,3,5-Tris{3,6-bis(2-pyridyl)pyridazin-4-yl}benzene. <i>Australian Journal of Chemistry</i> , 2008, 61, 847. | 0.9 | 14 |
| 319 | The Structure of 4,7-Bis((trimethylsilyl)ethynyl)benzo[c][1,2,5]thiadiazole and Identification of a Widespread S-N Structural Motif. <i>Australian Journal of Chemistry</i> , 2008, 61, 755. | 0.9 | 7 |
| 320 | [n + n]-Heterometallomacrocyclic complexes (n ≠ 2) prepared from platinum(ii)-centred ditopic 2,6-terpyridine ligands: dimensional cataloguing by pulsed-field gradient spin-echo NMR spectroscopy. <i>Dalton Transactions</i> , 2007, , 1593-1602. | 3.3 | 17 |
| 321 | Metal-directed assembly of combinatorial libraries principles and establishment of equilibrated libraries with oligopyridine ligands. <i>New Journal of Chemistry</i> , 2007, 31, 1437. | 2.8 | 31 |
| 322 | The conjugate acid of bis{4-(4-pyridyl)-2,6-terpyridine}iron(ii) as a self-complementary hydrogen-bonded building block. <i>CrystEngComm</i> , 2007, 9, 1073. | 2.6 | 34 |
| 323 | The Midas touch: a gold rich metallodendritic wedge. <i>Dalton Transactions</i> , 2007, , 2631. | 3.3 | 11 |
| 324 | Self-assembled monolayers as two-dimensional crystals: relationship to three-dimensional crystals. <i>CrystEngComm</i> , 2007, 9, 176-180. | 2.6 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 325 | Expanded ligands: bis(2,2'-6'-2''-terpyridine carboxylic acid)ruthenium(ii) complexes as metallosupramolecular analogues of dicarboxylic acids. Dalton Transactions, 2007, , 4323. | 3.3 | 111 |
| 326 | A palladium(II) complex of 4''-(4-pyridyl)-2,2'-6'-2''-terpyridine: Lattice control through an interplay of stacking and hydrogen bonding effects. Inorganic Chemistry Communication, 2007, 10, 1185-1188. | 3.9 | 24 |
| 327 | pH-sensitive Ru(II) and Os(II) bis(2,2'-6'-2''-terpyridine) complexes: A photophysical investigation. Inorganica Chimica Acta, 2007, 360, 1102-1110. | 2.4 | 63 |
| 328 | Selective addressing of heteroditopic ligands by iron(II) and platinum(II). Inorganica Chimica Acta, 2007, 360, 4069-4076. | 2.4 | 8 |
| 329 | Nanoscale octadecacobalta- and hexacosacobaltaclusters: Synthesis and spectroscopic fingerprinting. Polyhedron, 2007, 26, 1222-1228. | 2.2 | 2 |
| 330 | Tris-chelate complexes with chiral ligands: In search of diastereoisomeric selectivity with remote stereogenic centres. Polyhedron, 2007, 26, 5519-5526. | 2.2 | 7 |
| 331 | [1/4-Ferrocene-1,1''-diylbis(diphenylphosphine)]''P''bis[chloridogold(I)]. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, m1697-m1697. | 0.2 | 7 |
| 332 | Bis[1/42-bis(diphenylphosphino)methane]-1:2''P'';2:3''P''-dichlorido-1''Cl,3''Cl-triangulo-trigold(I) hexafluorophosphate. Acta Crystallographica Section E: Structure Reports Online, 2007, 63, m1698-m1699. | 0.2 | 2 |
| 333 | The first example of a coordination polymer from the expanded 4,4''-bipyridine ligand [Ru(pytpy)2]2+(pytpy = 4''-(4-pyridyl)-2,2'-6'-2''-terpyridine). CrystEngComm, 2007, 9, 456-459. | 2.6 | 78 |
| 334 | Quantification of single-stranded nucleic acid and oligonucleotide interactions with metal ions by affinity capillary electrophoresis: part I. Journal of Biological Inorganic Chemistry, 2007, 12, 194-203. | 2.6 | 14 |
| 335 | An evaluation of the relationship between two- and three-dimensional packing in self-organised monolayers and bulk crystals of amphiphilic 2,2'-6'-2''-terpyridines. New Journal of Chemistry, 2006, 30, 1470-1479. | 2.8 | 13 |
| 336 | Copper Complex-Assisted DNA Hybridization. Bioconjugate Chemistry, 2006, 17, 1441-1446. | 3.6 | 23 |
| 337 | Ligands and complexes with supramolecular aromatic''aromatic interactions: iron(ii) and ruthenium(ii) complexes of 2,2'-6'-2''-terpyridines with pendant naphthalene groups. Dalton Transactions, 2006, , 2881-2890. | 3.3 | 34 |
| 338 | Understanding the Structural Properties of a Dendrimeric Material Directly from Powder X-ray Diffraction Data. Journal of Physical Chemistry B, 2006, 110, 11620-11623. | 2.6 | 31 |
| 339 | What is the coordination number of copper(ii) in metallosupramolecular chemistry?. New Journal of Chemistry, 2006, 30, 1740. | 2.8 | 46 |
| 340 | A hydrogen-bonded dimer of 13-hydroxy-13-[(triisopropylsilyl)ethynyl]pentacen-6(13H)-one. Acta Crystallographica Section C: Crystal Structure Communications, 2006, 62, o243-o245. | 0.4 | 7 |
| 341 | trans-Diacetonitriledibromopalladium(II). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, m1059-m1061. | 0.2 | 1 |
| 342 | N2-(2,6-Dibromo-4-nitrophenyl)-N1,N1-diethyl-2-(triisopropylsilyl)ethanamide. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o2297-o2299. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 343 | 4-(2-Chloro-2,6-dimethyl-terpyridine). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o2497-o2498. | 0.2 | 5 |
| 344 | 2,3,5-Tri-O-acetyl-1-(2-chloroethyl)- β -D-ribofuranose. Acta Crystallographica Section E: Structure Reports Online, 2006, 62, o3151-o3153. | 0.2 | 3 |
| 345 | trans-Diiodobis(triisopropylphosphino)platinum(II). Acta Crystallographica Section E: Structure Reports Online, 2006, 62, m2210-m2212. | 0.2 | 0 |
| 346 | Structural characterisation of a 1:1 cobalt(II) π -2,2':6''-2'' ³ -Terpyridine complex. Inorganic Chemistry Communication, 2006, 9, 504-506. | 3.9 | 14 |
| 347 | Preparation and structural characterisation of bis(4-(3-pyridyl)-2,2':6''-2'' ³ -terpyridine)ruthenium(II) hexafluorophosphate. Inorganic Chemistry Communication, 2006, 9, 433-436. | 3.9 | 25 |
| 348 | The solid-state structure of bis(4-(4-pyridyl)-2,2':6''-2'' ³ -terpyridine)ruthenium hexafluorophosphate nitrate π - An expanded 4,4'-bipyridine. Inorganic Chemistry Communication, 2006, 9, 616-619. | 3.9 | 36 |
| 349 | Conventional and metal-directed synthesis of homodinuclear and heterotrinnuclear complexes of homoditopic and heteroditopic ligands incorporating bpy and tpy metal-binding domains. Polyhedron, 2006, 25, 437-458. | 2.2 | 17 |
| 350 | Cobalt decorated metallostars and metallodendrimers: Synthetic strategies and spectroscopic correlations. Polyhedron, 2006, 25, 421-428. | 2.2 | 9 |
| 351 | Linear and macrocyclic ruthenium(II) complexes containing bis(2,2':6''-2'' ³ -terpyridine) ligands with flexible, naphthalene-centred spacers. Polyhedron, 2006, 25, 1831-1843. | 2.2 | 29 |
| 352 | Platinamacrocycles containing 2,5-thiophenediyl and poly(2,5-thiophenediyl)-linked azaaromatic ligands: New structural paradigms for metallosupramolecular chemistry. Polyhedron, 2006, 25, 1844-1863. | 2.2 | 17 |
| 353 | Solid-state structural properties of 2,4,6-trimethoxybenzene derivatives, determined directly from powder X-ray diffraction data in conjunction with other techniques. Journal of Solid State Chemistry, 2006, 179, 3214-3223. | 2.9 | 7 |
| 354 | Structural Development of Free or Coordinated 4-(4-Pyridyl)-2,2':6''-2'' ² -terpyridine Ligands through N-Alkylation: New Strategies for Metallamacrocycle Formation. Chemistry - A European Journal, 2006, 12, 4600-4610. | 3.3 | 71 |
| 355 | A Planar Silver(I) Complex with a 'Simple' 2,2'-Bipyridine Ligand. Australian Journal of Chemistry, 2006, 59, 30. | 0.9 | 15 |
| 356 | Switching on Hydrogen Bonding in Oligopyridine Ligands. Supramolecular Chemistry, 2006, 18, 305-309. | 1.2 | 7 |
| 357 | Where Did All the bpy Go? π - Synthesis, Crystal and Molecular Structure of 4-Nitropicolinic Acid Monohydrate. Supramolecular Chemistry, 2006, 18, 299-303. | 1.2 | 3 |
| 358 | In-Strand Metallated Nucleic Acids π - Novel Bioinorganic Constructs. Chimia, 2005, 59, 832-835. | 0.6 | 4 |
| 359 | Structural properties of methoxy derivatives of benzyl bromide, determined from powder X-ray diffraction data. Powder Diffraction, 2005, 20, 345-352. | 0.2 | 3 |
| 360 | Preparation and structural characterization of a dicopper prehelicate. Inorganic Chemistry Communication, 2005, 8, 743-745. | 3.9 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 361 | Octyl-Decorated Fr chet-Type Dendrons: A General Motif for Visualisation of Static and Dynamic Behaviour Using Scanning Tunnelling Microscopy?. Chemistry - A European Journal, 2005, 11, 2307-2318. | 3.3 | 50 |
| 362 | Metal-Directed Synthesis and Photophysical Studies of Trinuclear V-Shaped and Pentanuclear X-Shaped Ruthenium and Osmium Metallorods and Metallostars Based upon 4-(3,5-Dihydroxyphenyl)-2,6-terpyridine Divergent Units. Chemistry - A European Journal, 2005, 11, 4024-4034. | 3.3 | 40 |
| 363 | Conducting Polymers Containing In-Chain Metal Centers: Electropolymerization of Oligothieryl-Substituted {M(tpy) ₂ } Complexes and in Situ Conductivity Studies, M = Os(II), Ru(II). Inorganic Chemistry, 2005, 44, 1073-1081. | 4.0 | 109 |
| 364 | Polymorphs of 4-(hex-5-ynoxy)-2,6-terpyridine: structural diversity arising from weak intermolecular interactions in the solid state. CrystEngComm, 2005, 7, 599. | 2.6 | 13 |
| 365 | Supramolecular self-assembly on a solid support: metal-directed complementarity. Chemical Communications, 2005, , 3739. | 4.1 | 15 |
| 366 | Formation of a [2 + 2]-heterotetranuclear macrocycle from reaction of a platina-homoditopic ligand with iron(ii). Dalton Transactions, 2005, , 234. | 3.3 | 26 |
| 367 | Formation of [2 + 2] diruthenium(ii) metallomacrocycles from ligands containing 2,6-terpyridine domains linked through flexible polyethyleneoxy spacers. Dalton Transactions, 2005, , 2259. | 3.3 | 40 |
| 368 | Hairpin helicates: a missing link between double-helicates and trefoil knots. Dalton Transactions, 2005, , 1168. | 3.3 | 10 |
| 369 | 2,6-Terpyridine-4(1H)-thione: a missing link in metallosupramolecular chemistry. New Journal of Chemistry, 2005, 29, 1475. | 2.8 | 42 |
| 370 | Conformational Analysis of Self-Organized Monolayers with Scanning Tunneling Microscopy at Near-Atomic Resolution. Journal of the American Chemical Society, 2005, 127, 4033-4041. | 13.7 | 45 |
| 371 | When electron exchange is chemical exchange assignment of ¹ H NMR spectra of paramagnetic cobalt(ii)-2,6-terpyridine complexes. Dalton Transactions, 2005, , 236-237. | 3.3 | 36 |
| 372 | A Case Study in Direct-Space Structure Determination from Powder X-ray Diffraction Data: Finding the Hydrate Structure of an Organic Molecule with Significant Conformational Flexibility. Crystal Growth and Design, 2005, 5, 2084-2090. | 3.0 | 19 |
| 373 | A Convenient Synthesis of Multitopic 2,6-Terpyridine Ligands. Synthesis, 2004, 2004, 869-874. | 2.3 | 9 |
| 374 | Electropolymerisation dynamics of a highly conducting metallopolymer: poly-[Os(4-(5-(2-bithienyl))-2,6-terpyridine) ₂] ²⁺ . Electrochemistry Communications, 2004, 6, 193-200. | 4.7 | 34 |
| 375 | Efficient syntheses of 4-(2-thienyl)- and 4-(3-thienyl)-2,6-terpyridine: preparation and characterization of Fe(II), Ru(II), Os(II) and Co(II) complexes. Polyhedron, 2004, 23, 135-143. | 2.2 | 28 |
| 376 | Modification of electron transfer properties in photoelectrochemical solar cells by substituting {Ru(tpery) ₂ } ²⁺ dyes with thiophene. Inorganic Chemistry Communication, 2004, 7, 117-121. | 3.9 | 41 |
| 377 | Regioselective metal-directed self-assembly of a prototype double helical hairpin dinuclear complex. Inorganic Chemistry Communication, 2004, 7, 1128-1131. | 3.9 | 11 |
| 378 | Preparation and structural characterisation of terpy-cored dendrimers and dendriplexes. Dalton Transactions, 2004, , 2635. | 3.3 | 26 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 379 | Monitoring conformational diversity in self-organised monolayers with scanning tunnelling microscopy at near atomic resolution. <i>Chemical Communications</i> , 2004, , 928. | 4.1 | 13 |
| 380 | Electrochemical probing of ground state electronic interactions in polynuclear complexes of a new heteroditopic ligand. <i>Dalton Transactions</i> , 2004, , 1918. | 3.3 | 57 |
| 381 | Self-assembly of a novel pentanuclear centred-tetrahedral silver species. <i>Chemical Communications</i> , 2004, , 1056. | 4.1 | 38 |
| 382 | Chiral Induction in a Ribose-Decorated Metallostar through Intrinsic and Interionic Diastereomeric Interactions. <i>Inorganic Chemistry</i> , 2004, 43, 4817-4819. | 4.0 | 34 |
| 383 | Structural Aspects of a Dendrimer Precursor Determined Directly from Powder X-ray Diffraction Data. <i>Crystal Growth and Design</i> , 2004, 4, 451-455. | 3.0 | 8 |
| 384 | Self-Assembled Monolayers of Ru/Os Dinuclear Complexes: Probing Monolayer Structure and Interaction Energies by Electrochemical Means. <i>Langmuir</i> , 2004, 20, 9242-9248. | 3.5 | 32 |
| 385 | Cobalt(II) and iron(II) bis(2,2':6',2''-terpyridine) complexes functionalized with alkynes and cobalt carbonyl clusters. <i>Applied Organometallic Chemistry</i> , 2003, 17, 383-387. | 3.5 | 11 |
| 386 | Functionalised 2,2'-bipyridine ligands for the preparation of metallostars; X-ray structures of free ligands and preparation of copper(I) and silver(I) complexes. <i>Polyhedron</i> , 2003, 22, 93-108. | 2.2 | 38 |
| 387 | 4-(Oxodiphenylphosphino)-2,2':6',2''-terpyridine Co^{II} crystal structure and complexes of cobalt(II) and cobalt(III). <i>Inorganic Chemistry Communication</i> , 2003, 6, 912-915. | 3.9 | 3 |
| 388 | Self-assembly of two discrete polynuclear iron(II) metallomacrocycles from a ligand containing two 2,2':6',2''-terpyridine binding domains. <i>Inorganic Chemistry Communication</i> , 2003, 6, 1011-1013. | 3.9 | 56 |
| 389 | Conducting Polymers Containing In-Chain Metal Centers: Homogeneous Charge Transport through a Quaterthienyl-Bridged $\{\text{Os}(\text{tpy})_2\}$ Polymer. <i>Journal of Physical Chemistry B</i> , 2003, 107, 10431-10439. | 2.6 | 40 |
| 390 | Spontaneous resolution of a diastereomeric ruthenium(II) complex with an atropisomeric 4,4'-biquinazoline ligand. <i>Dalton Transactions</i> , 2003, , 4565-4567. | 3.3 | 12 |
| 391 | Metal-directed assembly of a conformationally restricted metallomacrocycle. <i>Dalton Transactions</i> , 2003, , 4568. | 3.3 | 32 |
| 392 | Fine tuning of the photoinduced energy transfer rate in trinuclear Ru/Os 2,2':6',2''-terpyridine complexes through structural modification of the periphery. Electronic supplementary information (ESI) available: characterisation data for 1, 2 and 5. See http://www.rsc.org/suppdata/dt/b3/b300966a/ . <i>Dalton Transactions</i> , 2003, , 1220-1222. | 3.3 | 28 |
| 393 | Metal-directed assembly of cyclometallopeptides. <i>Dalton Transactions</i> , 2003, , 2112. | 3.3 | 13 |
| 394 | Structural Diversity in Silver(I) Complexes of 3,6-Di(2-pyridyl)pyridazines. <i>Australian Journal of Chemistry</i> , 2003, 56, 653. | 0.9 | 27 |
| 395 | A rod-like polymer containing $\{\text{Ru}(\text{terpy})_2\}$ units prepared by electrochemical coupling of pendant thienyl moieties. <i>Chemical Communications</i> , 2002, , 284-285. | 4.1 | 52 |
| 396 | Formation of a $[\text{M}_2\text{L}_3]$ metallomacrocycle from a heterotopic ligand containing two terpy and one bipy metal-binding domains. <i>Chemical Communications</i> , 2002, , 2068-2069. | 4.1 | 30 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 397 | Electronic Energy Transfer and Collection in Luminescent Molecular Rods Containing Ruthenium(II) and Osmium(II) 2,2',6',6'-Terpyridine Complexes Linked by Thiophene-2,5-diyl Spacers. Chemistry - A European Journal, 2002, 8, 137-150. | 3.3 | 158 |
| 398 | How well do we understand self-assembly algorithms? From prototype grid to polymers. Comptes Rendus Chimie, 2002, 5, 425-430. | 0.5 | 30 |
| 399 | A near planar disilver complex of 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine. Inorganic Chemistry Communication, 2002, 5, 199-202. | 3.9 | 59 |
| 400 | A polymeric sodium complex of 3,6-bis(2-pyridyl)-1,2,4,5-tetrazine. Chemical Communications, 2001, , 2134-2135. | 4.1 | 22 |
| 401 | Redistribution of terpy ligands approaches to new dynamic combinatorial libraries. Dalton Transactions RSC, 2001, , 2864-2871. | 2.3 | 65 |
| 402 | Dicobalt cluster functionalized 2,2',6',6'-terpyridine ligands and their ruthenium(II) complexes. Polyhedron, 2001, 20, 483-492. | 2.2 | 26 |
| 403 | Pentaruthenium-Based Borides Stabilized by Gold(I) Phosphine Units. Journal of Cluster Science, 2001, 12, 89-98. | 3.3 | 10 |
| 404 | Structural characterisation of rac-bis(2,2'-bipyridine)(2,5-dipyridylpyrazine)ruthenium(II) hexafluorophosphate; a key building block for metallodendrimers. Inorganic Chemistry Communication, 2001, 4, 749-752. | 3.9 | 11 |
| 405 | Programmed assembly of heteromultinuclear complexes using 4'-diphenylphosphino-2,2',6',6'-terpyridine. Inorganica Chimica Acta, 2000, 300-302, 49-55. | 2.4 | 15 |
| 406 | Metallostars containing {Ru(bpy) ₃ } motifs. Inorganica Chimica Acta, 2000, 300-302, 158-168. | 2.4 | 21 |
| 407 | The clusters HRu ₃ W(̂-5-Cp)(CO) ₁₁ ̂ ^x (PPh ₃) _x BH (x=1, 2): preparations, characterizations and the crystal structure of HRu ₃ W(̂-5-Cp)(CO) ₁₀ (PPh ₃)BH. Journal of Organometallic Chemistry, 2000, 609, 89-94. | 1.8 | 6 |
| 408 | Boride cluster fusion through copper and silver. Crystal structure of [(Ph ₃ P) ₂ N][(HRu ₄ (CO) ₁₂ BH) ₂ Ag]. Journal of Organometallic Chemistry, 2000, 614-615, 202-207. | 1.8 | 5 |
| 409 | Regio- and diastereo-selective formation of dicopper(I) and disilver(I) double helicates with chiral 6-substituted 2,2',6',6'-terpyridines. Dalton Transactions RSC, 2000, , 945-959. | 2.3 | 71 |
| 410 | Development of supramolecular structure through alkylation of pendant pyridyl functionality. Dalton Transactions RSC, 2000, , 2219-2228. | 2.3 | 122 |
| 411 | A clash of cultures: metal carbonyl functionalized Werner complexes. Journal of Organometallic Chemistry, 1999, 573, 101-108. | 1.8 | 10 |
| 412 | Metallostars and metallodendrimers based upon hexaphenylbenzene cores. Inorganic Chemistry Communication, 1999, 2, 431-433. | 3.9 | 13 |
| 413 | Convergent synthesis of a heptaruthenium metallostar. Inorganic Chemistry Communication, 1999, 2, 565-568. | 3.9 | 15 |
| 414 | Preferential formation of monogold(I) derivatives of [HRu ₃ W(̂-5-C ₅ H ₅)(CO) ₁₁ BH] permits specificity in cluster linkage reactions: the crystal structure of [HRu ₃ W(̂-5-C ₅ H ₅)(CO) ₁₁ B(AuPPh ₃)]. Polyhedron, 1999, 18, 2415-2421. | 2.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 415 | The versatile nature of [ClAu(L)AuCl] (L=bis(diphenylphosphino)methane (dppm) or -butane (dppb)) in reactions with [Rh ₂ Ru ₄ (CO) ₁₆ B] ⁻ : crystal structures of [{Rh ₂ Ru ₄ (CO) ₁₆ B} ₂ {1/4-Au(dppb)Au}] and [RhRu ₄ (CO) ₁₄ B{Au(dppm)Au}]. <i>Inorganica Chimica Acta</i> , 1999, 289, 149-157. | 2.4 | 13 |
| 416 | Stereoselective Double-Helicate Assembly from Chiral 2,2':6''':2''':6'''-Quaterpyridines and Tetrahedral Metal Centres. <i>Chemistry - A European Journal</i> , 1999, 5, 1862-1873. | 3.3 | 104 |
| 417 | Chiral 1,2-ethanediyI-spaced quaterpyridines give a library of cyclic and double helicates with copper(I). <i>Chemical Communications</i> , 1999, , 195-196. | 4.1 | 19 |
| 418 | Luminescent molecular wires with 2,5-thiophenediyI spacers linking {Ru(terpy) ₂ } units. <i>Chemical Communications</i> , 1999, , 869-870. | 4.1 | 60 |
| 419 | High-nuclearity cobaltadendrimers. <i>Journal of the Chemical Society Dalton Transactions</i> , 1999, , 1363-1364. | 1.1 | 18 |
| 420 | Annular Heterometallic Stars. <i>Organometallics</i> , 1999, 18, 2565-2567. | 2.3 | 23 |
| 421 | Bucky Ligands: Synthesis, Ruthenium(II) Complexes, and Electrochemical Properties. <i>Chemistry - A European Journal</i> , 1998, 4, 723-733. | 3.3 | 92 |
| 422 | Carborane-functionalised 2,2':6''':2''':6'''-terpyridine ligands for metallosupramolecular chemistry: Syntheses, complex formation, and the crystal and molecular structures of 4''-(ortho-carboranyl)-2,2':6''':2''':6'''-terpyridine and 4''-(ortho-carboranylpropoxy)-2,2':6''':2''':6'''-terpyridine. This paper is dedicated to Professor Ken Wade on the occasion of his 65th birthday. <i>Journal of Organometallic Chemistry</i> , 1998, 550, 193-206. | 1.1 | 1 |
| 423 | Towards linked clusters: reactions of [Ru ₆ (CO) ₁₇ B] ⁻ with dppm and [ClAu(L)AuCl] | | |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 433 | Gold 1994. Coordination Chemistry Reviews, 1997, 164, 161-182. | 18.8 | 5 |
| 434 | Scandium 1995. Coordination Chemistry Reviews, 1997, 164, 183-188. | 18.8 | 3 |
| 435 | Preparation and characterization of $[\text{HRu}_4(\text{CO})_{12}\text{L}_x(\text{PPh}_2)_x\text{BH}_2]$ ($x = 1-3$) and the oxidative addition of a $\text{P}-\text{H}$ bond in $[\text{HRu}_4(\text{CO})_{10}(\text{PPh}_2)_2\text{BH}_2]$. Inorganica Chimica Acta, 1997, 259, 85-90. | 2.4 | 8 |
| 436 | Carboranyl cluster-functionalised ligands for metallocsupramolecular chemistry. Supramolecular Chemistry, 1996, 7, 97-100. | 1.2 | 16 |
| 437 | Reactions of $[\text{RhRu}_3\text{H}(\text{I}^5\text{-C}_5\text{Me}_5)(\text{CO})_9\text{BH}_2]$ with didentate phosphines and the synthesis and crystal structure of $[\text{RhRu}_3\text{H}_2(\text{I}^5\text{-C}_5\text{Me}_5)(\text{CO})_8(\mu\text{-dppf-P}, \text{P}^{\text{Au}})\text{AuB}]$ [$\text{dppf} = 1,1'$ -bis(diphenylphosphino)ferrocene]. Journal of the Chemical Society Dalton Transactions, 1996, , 2917-2922. | 1.1 | 13 |
| 438 | Cluster core geometrical variation in heterometallic boride clusters containing RhRu_4 skeletons: crystal structures of $[\text{RhRu}_4\text{H}_2(\text{I}^5\text{-C}_5\text{Me}_5)(\mu\text{-Cl})(\text{CO})_{12}\text{B}]$ and $[\text{RhRu}_4\text{H}(\text{nbd})(\text{CO})_{12}\text{B}(\text{AuPPh}_3)]$ ($\text{nbd} = \text{Tj ETQqO} \text{ rgBT } \text{lock}$) | | |
| 439 | Boron-rich metal dendrimers – mix-and-match assembly of multifunctional metallocsupramolecules. Chemical Communications, 1996, , 1823-1824. | 4.1 | 71 |
| 440 | 2. Silver 1993. Coordination Chemistry Reviews, 1996, 152, 87-105. | 18.8 | 7 |
| 441 | 3. Rhodium 1993. Coordination Chemistry Reviews, 1996, 152, 107-139. | 18.8 | 7 |
| 442 | 4. Iridium 1993. Coordination Chemistry Reviews, 1996, 152, 141-156. | 18.8 | 8 |
| 443 | 12. Scandium 1994. Coordination Chemistry Reviews, 1996, 152, 467-472. | 18.8 | 4 |
| 444 | Preparation and characterization of the square-based pyramidal cluster anion $[\text{H}_2\text{Ru}_5(\text{CO})_{14}(\text{I}^4\text{-COH})]$. Journal of Organometallic Chemistry, 1995, 492, 211-216. | 1.8 | 5 |
| 445 | Transition metal boride clusters at the molecular level. Coordination Chemistry Reviews, 1995, 143, 297-330. | 18.8 | 85 |
| 446 | 4. Yttrium 1993. Coordination Chemistry Reviews, 1995, 146, A155-A165. | 18.8 | 5 |
| 447 | 6. Technetium 1993. Coordination Chemistry Reviews, 1995, 146, A191-A206. | 18.8 | 4 |
| 448 | 10. Gold 1993. Coordination Chemistry Reviews, 1995, 146, A385-A408. | 18.8 | 4 |
| 449 | 2. Yttrium 1992. Coordination Chemistry Reviews, 1995, 138, 27-37. | 18.8 | 5 |
| 450 | 2. Technetium 1992. Coordination Chemistry Reviews, 1995, 142, 21-41. | 18.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 451 | Gold 1992. Coordination Chemistry Reviews, 1995, 142, 101-121. | 18.8 | 5 |
| 452 | 6. Scandium 1992. Coordination Chemistry Reviews, 1995, 142, 147-152. | 18.8 | 5 |
| 453 | 3. Scandium 1993. Coordination Chemistry Reviews, 1995, 146, 37-41. | 18.8 | 3 |
| 454 | 8. Silver 1992. Coordination Chemistry Reviews, 1995, 146, 211-233. | 18.8 | 4 |
| 455 | 9. Rhodium 1992. Coordination Chemistry Reviews, 1995, 146, 235-267. | 18.8 | 7 |
| 456 | 10. Iridium 1992. Coordination Chemistry Reviews, 1995, 146, 269-281. | 18.8 | 6 |
| 457 | Denuding the boron atom of B-H interactions in transition metal-boron clusters. Chemical Society Reviews, 1995, 24, 215-222. | 38.1 | 27 |
| 458 | Heterometallic boride clusters: formation of octahedral $[M_2Ru_4(CO)_{16}B]$ (M = Rh or Ir) and gold(I) phosphine derivatives. Crystal structures of $[N(PPh_3)_2][trans-Ir_2Ru_4(CO)_{16}B]$, $trans-[Rh_2Ru_4(CO)_{16}B\{\mu_3-AuP(C_6H_{11})_3\}]$ and $cis-[Ir_2Ru_4(CO)_{16}B\{\mu_3-AuP(C_6H_{11})_3\}]$. Journal of the Chemical Society Dalton Transactions, 1995, , 549-557. | 1.1 | 17 |
| 459 | Unexpected gold-containing boride clusters formed from the reactions of $[RhRu_3H(\eta^5-C_5Me_5)(CO)_9BH]$ with gold(I) phosphine derivatives: crystal structures of $[RhRu_3H(\eta^5-C_5Me_5)(CO)_9B\{\mu_2(Au(PPh_3))_2(AuCl)\}]\cdot CH_2Cl_2$ and $[RhRu_3H(\eta^5-C_5Me_5)(CO)_9B\{\mu_2(Au(dppf))(AuCl)\}]\cdot CH_2Cl_2$ [dppf = 1,1'-bis(diphenylphosphino)ferrocene]. Journal of the Chemical Society Dalton Transactions, 1995, , 2639-2647. | 1.1 | 16 |
| 460 | Mono- and di-dentate tertiary phosphine and monodentate tertiary phosphite derivatives of $[Ru_4H(CO)_{12}BH_2]$. Journal of the Chemical Society Dalton Transactions, 1995, , 3789. | 1.1 | 10 |
| 461 | A spiked-butterfly cluster: crystal and electronic structures of $[RhRu_4H(\eta^5-C_5Me_5)(CO)_{13}BH_2]$. Journal of the Chemical Society Dalton Transactions, 1995, , 2935-2939. | 1.1 | 7 |
| 462 | Technetium. Coordination Chemistry Reviews, 1994, 131, 153-175. | 18.8 | 6 |
| 463 | Iridium. Coordination Chemistry Reviews, 1994, 131, 177-210. | 18.8 | 3 |
| 464 | Boron-nitrogen coupling in a ruthenium-rich ruthenaborane cluster: synthesis, and molecular and electronic structures of $[Ru_4H(CO)_{12}BH(\mu-NCHMe)]$. Journal of the Chemical Society Dalton Transactions, 1994, , 3273-3277. | 1.1 | 8 |
| 465 | Contrasting pathways for the reactions of triruthenaborane cluster anions with $[M(\eta^5-C_5Me_5)_3]^-$. Journal of the Chemical Society Dalton Transactions, 1994, , 2359-2367. | 1.1 | 22 |
| 466 | Syntheses and molecular structures of two boride cluster anions: octahedral $[Rh_2Ru_4(CO)_{16}B]^-$ and double-prismatic $[Rh_3Ru_6(CO)_{23}B_2]^-$. Journal of the Chemical Society Dalton Transactions, 1994, , 2359. | 1.1 | 12 |
| 467 | Scandium. Coordination Chemistry Reviews, 1993, 124, 41-49. | 18.8 | 2 |
| 468 | Yttrium. Coordination Chemistry Reviews, 1993, 124, 51-62. | 18.8 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 469 | Osmium. Coordination Chemistry Reviews, 1993, 124, 183-216. | 18.8 | 7 |
| 470 | Scandium. Coordination Chemistry Reviews, 1993, 127, 131-137. | 18.8 | 4 |
| 471 | Yttrium. Coordination Chemistry Reviews, 1993, 127, 139-154. | 18.8 | 3 |
| 472 | Triphenylphosphine-substituted triruthenaborane clusters: a route to $[\text{Ru}_3(\text{CO})_9\text{a}^{\text{x}}(\text{PPh}_3)_x\text{BH}_5]$ ($x=0, 1, 2$). Journal of the Chemical Society Dalton Transactions, 1993, , 2727-2734. | 1.1 | 17 |
| 473 | Trigonal-prismatic and octahedral hexaruthenium boride clusters: molecular structures of $[\text{N}(\text{PPh}_3)_2][\text{Ru}_6\text{H}_2(\text{CO})_{18}\text{B}]$, $[\text{Ru}_6(\text{CO})_{17}\text{B}\{\text{AuP}(\text{C}_6\text{H}_4\text{Me}-2)_3\}]$, $[\text{Ru}_6\text{H}(\text{CO})_{16}\text{B}\{\text{Au}(\text{PPh}_3)_2\}]$ and $[\text{Ru}_6(\text{CO})_{16}\text{B}\{\text{Au}(\text{PPh}_3)_3\}]$. Journal of the Chemical Society Dalton Transactions, 1993, , 3059. | 1.1 | 23 |
| 474 | A spiked-butterfly ruthenium borido cluster: synthesis and molecular structure of $\text{H}_2\text{Ru}_5(\text{CO})_{13}\text{Cp}^*\text{BH}_2$. Organometallics, 1993, 12, 4167-4171. | 2.3 | 13 |
| 475 | Transition Metal Main Group Cluster Compounds. , 1992, , 73-178. | | 17 |
| 476 | $\text{HRu}_3(\text{CO})_8(\text{PPh}_3)_2\text{B}_2\text{H}_5$: crystallographic confirmation of the first M ₃ B ₂ -containing analogue of pentaborane(9). Journal of the Chemical Society Chemical Communications, 1992, , 323. | 2.0 | 10 |
| 477 | The first trigonal prismatic discrete transition-metal boride cluster: preparation and molecular structure of $[\text{PPN}][\text{Ru}_6(\text{H})_2(\text{CO})_{18}\text{B}][\text{PPN}=(\text{Ph}_3\text{P})_2\text{N}^+]$. Journal of the Chemical Society Chemical Communications, 1992, , 842. | 2.0 | 18 |
| 478 | Boride cluster fusion via an M ₄ -unit (M = Cu or Ag): molecular structure of $[\text{ppn}][\{\text{Ru}_4\text{H}(\text{CO})_{12}\text{B}\}_2\text{Cu}_4(\mu\text{-Cl})_2][\text{Cl}][\text{ppn}=(\text{PPh}_3)_2\text{N}]$. Journal of the Chemical Society Chemical Communications, 1992, . | 2.0 | 16 |
| 479 | Metal fragment addition and substitution reactions of $[\text{Ru}_3(\text{CO})_9\text{BH}_5]$ and $[\text{Ru}_3\text{H}(\text{CO})_9(\text{B}_2\text{H}_5)]$: molecular structures of $[\text{WRu}_3(\text{cp})\text{H}(\text{CO})_{11}(\text{BH})]$ and $[\text{MoRu}_3(\text{cp})\text{H}_3(\text{CO})_{11}](\text{cp}=\text{i-C}_5\text{H}_5)$. Journal of the Chemical Society Dalton Transactions, 1992, , 2855-2864. | 1.1 | 19 |
| 480 | Preparation and characterisation of some dimeric η^2 -diyne complexes of cobalt. Journal of the Chemical Society Dalton Transactions, 1992, , 3171-3178. | 1.1 | 42 |
| 481 | Alkyne addition to the semiinterstitial boron atom in homometallic and heterometallic butterfly clusters: molecular and electronic structures of $\text{HRu}_4(\text{CO})_{12}\text{BHC}(\text{Ph})\text{CPhH}$ and $\text{H}(\text{CpW})\text{Ru}_3(\text{CO})_{11}\text{BC}(\text{Ph})\text{CPhH}$. Organometallics, 1992, 11, 4048-4056. | 2.3 | 13 |
| 482 | $\text{Ru}_5(\text{CO})_{15}\text{B}(\text{AuPPh}_3)$: a novel boride cluster formed by the degradation of $\text{Ru}_6(\text{CO})_{17}\text{B}(\text{AuPPh}_3)$. Organometallics, 1992, 11, 2959-2961. | 2.3 | 23 |
| 483 | To fuse or not to fuse? Reactions of $[\text{HM}_4(\text{CO})_{12}\text{BH}]^-$ (M = iron, ruthenium) with (phosphine)gold(I) chlorides. Molecular structures of $\text{HFe}_4(\text{CO})_{12}\text{BHAuP}(\text{2-MeC}_6\text{H}_4)_3$, $[\text{Au}(\text{PMePh}_2)_2][[\text{HFe}_4(\text{CO})_{12}\text{BH}]_2\text{Au}]$, and $[\text{PPN}][[\text{HRu}_4(\text{CO})_{12}\text{BH}]_2\text{Au}]$. Organometallics, 1992, 11, 2356-2367. | 2.3 | 31 |
| 484 | $\text{Ru}_3(\text{CO})_9\text{BH}_5$ and $[\text{Ru}_3(\text{CO})_9\text{BH}_4]^-$ as precursors to higher nuclearity homo- and heterometallic clusters: molecular structure of a second isomer of $\text{HRu}_6(\text{CO})_{17}\text{B}$. Journal of Organometallic Chemistry, 1992, 423, 241-254. | 1.8 | 38 |
| 485 | Synthesis and solution properties of the boron-containing clusters $\text{HM}_4(\text{CO})_{12}\text{BAu}_2(\text{dppf})$ (M \rightarrow Fe or Ru). Journal of Organometallic Chemistry, 1992, 435, 9-20. | 1.8 | 36 |
| 486 | The coordination of benzene in clusters: The face-capping mode. Journal of Molecular Catalysis, 1992, 74, 61-72. | 1.2 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 487 | Iridium. Coordination Chemistry Reviews, 1992, 115, 163-189. | 18.8 | 7 |
| 488 | Rhodium. Coordination Chemistry Reviews, 1992, 115, 191-230. | 18.8 | 9 |
| 489 | Competition between triborane as a ligand and a hydride donor at platinum centres containing chelating phosphines: molecular structures of $[\{\text{Ph}_2\text{P}(\text{CH}_2)_2\text{PPh}_2\}\text{PtB}_3\text{H}_7]$, $[\{\text{Ph}_2\text{P}(\text{CH}_2)_4\text{PPh}_2\}\text{PtB}_3\text{H}_7]$ and $[\text{Pt}_2\text{H}_3\{(\text{Ph}_2\text{PC}_5\text{H}_4)_2\text{Fe}\}_2]\text{Cl}$. Journal of the Chemical Society Dalton Transactions, 1991, , 2175. | 1.1 | 32 |
| 490 | Static and dynamic structure of the ruthenium cluster $\text{Ru}_3(\text{CO})_9(\mu_3\text{-}\eta^2\text{-}\eta^2\text{-}\eta^2\text{-C}_6\text{H}_6)$ at room temperature and 193 K. Organometallics, 1991, 10, 1260-1268. | 2.3 | 63 |

491

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 505 | Ligand reactivity in coordination compounds; A molecular orbital investigation of the quaternisation-coordination analogy. <i>Transition Metal Chemistry</i> , 1988, 13, 19-21. | 1.4 | 5 |
| 506 | An X-ray crystal and electronic structural investigation of the interstitial phosphide cluster [Os ₆ (CO) ₁₈ PCl]. <i>Polyhedron</i> , 1988, 7, 1759-1765. | 2.2 | 11 |
| 507 | Electronic structure of Os ₃ (CO) ₈ (C ₂ Ph ₂) ₂ : deformation of a trimetal framework by acetylene ligands. <i>Journal of Organometallic Chemistry</i> , 1988, 339, 139-149. | 1.8 | 2 |
| 508 | The preparation of the metal-rich ruthenaborane, Ru ₃ (CO) ₉ BH ₅ : a case of isomerisation involving endo-hydrogen migration.. <i>Journal of Organometallic Chemistry</i> , 1988, 349, C17-C21. | 1.8 | 24 |
| 509 | 3. Cobalt. <i>Coordination Chemistry Reviews</i> , 1988, 90, 111-241. | 18.8 | 4 |
| 510 | An appraisal of the steric versus electronic requirements of gold(I) phosphine substituents in clusters: the crystal structure of [HFe ₄ (CO) ₁₂ {AuPEt ₃ } ₂ B]. <i>Organometallics</i> , 1988, 7, 1885-1887. | 2.3 | 17 |
| 511 | A metal encapsulated boron atom: preparation and structure of [Fe ₄ (CO) ₁₂ B{AuPPh ₃ } ₃]. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 965. | 2.0 | 28 |
| 512 | A novel fused metallaborane cluster formed via gold-phosphorus bond cleavage: the crystal structure of [{HFe ₄ (CO) ₁₂ BH}2Au][Au(PPh ₂ Me) ₂]. <i>Journal of the Chemical Society Chemical Communications</i> , 1988, , 1630. | 2.0 | 14 |
| 513 | Structural and molecular orbital probes into the H/AuPR ₃ isolobal and isostructural analogy: Fe ₄ (CO) ₁₂ (AuPPh ₃) ₂ BH vs. Fe ₄ (CO) ₁₂ BH ₃ . <i>Organometallics</i> , 1987, 6, 1332-1340. | 2.3 | 40 |
| 514 | Synthesis, characterization and ligand substitution of [HFe ₄ (CO) ₁₂ BH]-: an isoelectronic and isoprotonic inorganometallic analog of HFe ₄ (CO) ₁₂ CH. <i>Journal of the American Chemical Society</i> , 1987, 109, 3323-3329. | 13.7 | 32 |
| 515 | From metallaboranes to transition metal borides: The chemistry of metal-rich metallaborane clusters. <i>Polyhedron</i> , 1987, 6, 1935-1958. | 2.2 | 40 |
| 516 | Main group chemistry on a metal framework. Reactions of [(μ-H)Fe ₃ (CO) ₉ BH ₂ R]- (R = H, CH ₃) with Lewis bases. <i>Journal of the American Chemical Society</i> , 1986, 108, 4867-4873. | 13.7 | 24 |
| 517 | Characterization of hexacarbonyl(hexahydrotriborato)diferrate(1-): a comment on the dynamic structure of hexacarbonyl(heptahydrotriborato)diiron. <i>Inorganic Chemistry</i> , 1986, 25, 3108-3110. | 4.0 | 11 |
| 518 | Preparation, characterization, and structure of Fe ₄ (CO) ₁₂ [Au(PPh ₃) ₂ BH]. An iron-gold borido cluster violating the H/AuPR ₃ structural analogy. <i>Journal of the American Chemical Society</i> , 1986, 108, 6420-6421. | 13.7 | 28 |
| 519 | Electronic charge control of stable sites and mobilities of hydrogen atoms on a main-Group transition metal cluster surface. A comparison of [HFe ₄ (CO) _{12-n} (PPhMe ₂) _n BH]PPN (n = 0-2) and HFe ₄ (CO) ₁₂ CH. <i>Organometallics</i> , 1986, 5, 1279-1281. | 2.3 | 12 |
| 520 | Ferraborane cluster chemistry: reactions of [(μ-H)Fe ₃ (CO) ₉ BH ₃]- with Lewis bases leading to substitution via hydrogen elimination or to cluster degradation. <i>Inorganic Chemistry</i> , 1986, 25, 404-405. | 4.0 | 17 |
| 521 | Synthesis of [(μ-H)Fe ₄ (CO) ₁₂ BH]- from [(μ-H)Fe ₃ (CO) ₉ BH ₃]- via cluster expansion involving hydrogen elimination. <i>Organometallics</i> , 1986, 5, 379-380. | 2.3 | 19 |
| 522 | The structure and properties of HFe ₃ (CO) ₉ BH ₃ R and the conjugate bases [HFe ₃ (CO) ₉ BH ₂ R]- (R = H and) <i>Journal of the American Chemical Society</i> , 1986, 108, 3304-3310. | 13.7 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 523 | Cluster bonding and energetics of the borane anions, $B_nH_n2^{n-}$ ($n = 5-12$): A comparative study using bond length vs bond enthalpy. <i>Polyhedron</i> , 1985, 4, 1875-1881. | 2.2 | 14 |
| 524 | The borane analogy: CH ligand orientation in arachno- and closo-butterfly clusters. <i>Journal of Organometallic Chemistry</i> , 1984, 276, 297-309. | 1.8 | 9 |
| 525 | The unusual bonding capabilities of a tetrametal butterfly cluster fragment: electronic structures of $HFe_4(CO)_{12}CH$ and $HFe_4(CO)_{13}$. <i>Organometallics</i> , 1984, 3, 764-774. | 2.3 | 11 |
| 526 | Cluster mimetics. 2. The preparation and characterization of $(\mu-H)(\mu-CO)Fe_3(CO)_9BH_2$, $(\mu-CO)Fe_3(CO)_9BH_2$, and $Fe_3(CO)_9BH_4$. <i>Organometallics</i> , 1984, 3, 1591-1593. | 2.3 | 29 |
| 527 | Relative energies of deltahedral clusters: comments on the use of the birciprocal length-energy relationship $U = d^{-2}d^{-1}$. <i>Inorganic Chemistry</i> , 1983, 22, 1391-1393. | 4.0 | 5 |
| 528 | Hydrocarbon-hydrogen interactions with metals. A molecular orbital analysis of $HFe_4(CO)_{12}(\eta^2-CH)$. <i>Organometallics</i> , 1983, 2, 690-692. | 2.3 | 11 |
| 529 | Metalloboranes: Their Relationships to Metal-Hydrocarbon Complexes and Clusters. <i>Advances in Organometallic Chemistry</i> , 1982, 21, 57-112. | 1.0 | 65 |
| 530 | Triborane. A transition metal ligand or heterocluster fragment?. <i>Inorganic Chemistry</i> , 1982, 21, 1739-1743. | 4.0 | 29 |
| 531 | Bond-order dependent bond enthalpy terms in simple compounds of boron. <i>Polyhedron</i> , 1982, 1, 701-706. | 2.2 | 14 |
| 532 | Metal-metal and metal-ligand bond strengths in metal carbonyl clusters. <i>Journal of Organometallic Chemistry</i> , 1981, 213, 35-43. | 1.8 | 27 |
| 533 | Bond length-based bond enthalpies for nido and arachno boranes B_nH_n+4 and B_nH_n+6 . <i>Inorganic and Nuclear Chemistry Letters</i> , 1979, 15, 339-342. | 0.7 | 11 |
| 534 | Bond enthalpies of borane anions $B_nH_n2^{n-}$. <i>Inorganic and Nuclear Chemistry Letters</i> , 1979, 15, 343-347. | 0.7 | 10 |
| 535 | The relationship between cyclic hydrocarbons and boranes: Cyclobutane as a hydro cluster. <i>Tetrahedron Letters</i> , 1979, 20, 3175-3178. | 1.4 | 6 |
| 536 | Reorganisation Energies and Site Preferences of Carbonyl Ligands: Bond Energies of the Bridging and Terminal Carbonyl Groups of the Iron Carbonyls $Fe_2(CO)_9$ and $Fe(CO)_5$. <i>Journal of Organometallic Chemistry</i> , 1979, 170, C1-C5. | 1.8 | 21 |
| 537 | Bond strengths in metal carbonyl clusters. <i>Journal of the Chemical Society Chemical Communications</i> , 1978, , 765. | 2.0 | 28 |
| 538 | Clusters with interstitial atoms from the p-block: How do Wade's rules handle them?. , 1977, , 137-156. | | 1 |
| 539 | Dye Precursor Molecules on NiO(001) Studied by Non-Contact Atomic Force Microscopy. , 0, , . | | 0 |
| 540 | Dye Precursor Molecules on NiO(001) Studied by Non-Contact Atomic Force Microscopy. , 0, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 541 | High Refractive Index Dielectric Nanoparticles for Optically Enhanced Activity of Water Splitting Photoanodes. ChemPhotoChem, 0, , . | 3.0 | 0 |