
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6260336/publications.pdf Version: 2024-02-01



LINKA FINNE

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Design of a Cytotoxic Neuroblastoma-Targeting Agent Using an Enzyme Acting on Polysialic Acid Fused to a Toxin. Molecular Cancer Therapeutics, 2021, 20, 1996-2007.  | 4.1  | 1         |
| 2  | The binding mechanism of the virulence factor Streptococcus suis adhesin P subtype to<br>globotetraosylceramide is associated with systemic disease. Journal of Biological Chemistry, 2020,<br>295, 14305-14324.     | 3.4  | 10        |
| 3  | Rationally Designed Chemically Modified Glycodendrimer Inhibits <i>Streptococcus suis</i> Adhesin<br>SadP at Picomolar Concentrations. Chemistry - A European Journal, 2018, 24, 1905-1912.                          | 3.3  | 11        |
| 4  | Internalization of a polysialic acid-binding Escherichia coli bacteriophage into eukaryotic neuroblastoma cells. Nature Communications, 2017, 8, 1915.   | 12.8 | 88        |
| 5  | Expression of neural cell adhesion molecule and polysialic acid in human bone marrow-derived mesenchymal stromal cells. Stem Cell Research and Therapy, 2016, 7, 113.  | 5.5  | 20        |
| 6  | Changes in polysialic acid expression on myeloid cells during differentiation and recruitment to sites of inflammation: Role in phagocytosis. Glycobiology, 2014, 24, 864-879.                                       | 2.5  | 40        |
| 7  | Polysialic acid is associated with better prognosis and IDH1-mutation in diffusely infiltrating astrocytomas. BMC Cancer, 2014, 14, 623.   | 2.6  | 6         |
| 8  | Multivalent glycoconjugates as anti-pathogenic agents. Chemical Society Reviews, 2013, 42, 4709-4727.  | 38.1 | 464       |
| 9  | Expression, purification and crystallization of the C-terminal LRR domain ofStreptococcus<br>pyogenesprotein 0843. Acta Crystallographica Section F: Structural Biology Communications, 2013, 69,<br>559-561.        | 0.7  | 1         |
| 10 | Use of Tetravalent Galabiose for Inhibition of Streptococcus Suis Serotype 2 Infection in a Mouse<br>Model. Biology, 2013, 2, 702-718.   | 2.8  | 9         |
| 11 | Bacterial Adhesion of Streptococcus suis to Host Cells and Its Inhibition by Carbohydrate Ligands.<br>Biology, 2013, 2, 918-935.   | 2.8  | 17        |
| 12 | Ncam1a and Ncam1b: Two carriers of polysialic acid with different functions in the developing zebrafish nervous system. Glycobiology, 2012, 22, 196-209.   | 2.5  | 14        |
| 13 | Endosialidases: Versatile Tools for the Study of Polysialic Acid. Topics in Current Chemistry, 2012, 367, 29-73.   | 4.0  | 26        |
| 14 | Metabolism of Vertebrate Amino Sugars with N-Glycolyl Groups. Journal of Biological Chemistry, 2012, 287, 28917-28931.   | 3.4  | 46        |
| 15 | Glutamine Synthetase and Glucose-6-Phosphate Isomerase Are Adhesive Moonlighting Proteins of<br>Lactobacillus crispatus Released by Epithelial Cathelicidin LL-37. Journal of Bacteriology, 2012, 194,<br>2509-2519. | 2.2  | 96        |
| 16 | The salivary scavenger and agglutinin binds MBL and regulates the lectin pathway of complement in solution and on surfaces. Frontiers in Immunology, 2012, 3, 205.   | 4.8  | 29        |
| 17 | Magnetic properties and structural characterization of iron oxide nanoparticles formed by Streptococcus suis Dpr and four mutants. Journal of Biological Inorganic Chemistry, 2011, 16, 799-807.                     | 2.6  | 12        |
| 18 | ldentification of a Novel Streptococcal Adhesin P (SadP) Protein Recognizing<br>Galactosyl-α1–4-galactose-containing Glycoconjugates. Journal of Biological Chemistry, 2011, 286,<br>38854-38864.                    | 3.4  | 36        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Screening of binding activity of <i>Streptococcus pneumoniae</i> , <i>Streptococcus agalactiae</i> and <i>Streptococcus suis</i> to berries and juices. Phytotherapy Research, 2010, 24, S95-101.  | 5.8 | 17        |
| 20 | Detection of pathogenic Streptococcus suis bacteria using magnetic glycoparticles. Organic and<br>Biomolecular Chemistry, 2010, 8, 2425.   | 2.8 | 46        |
| 21 | Leucine-rich Repeats of Bacterial Surface Proteins Serve as Common Pattern Recognition Motifs of<br>Human Scavenger Receptor gp340. Journal of Biological Chemistry, 2009, 284, 18614-18623.   | 3.4 | 46        |
| 22 | Absence of polysialylated NCAM is an unfavorable prognostic phenotype for advanced stage neuroblastoma. BMC Cancer, 2009, 9, 57.   | 2.6 | 28        |
| 23 | Structural basis of the zinc―and terbiumâ€mediated inhibition of ferroxidase activity in Dps ferritinâ€like<br>proteins. Protein Science, 2008, 17, 1513-1521.   | 7.6 | 18        |
| 24 | Synthesis of multivalent Streptococcus suis adhesion inhibitors by enzymatic cleavage of<br>polygalacturonic acid and †click' conjugation. Organic and Biomolecular Chemistry, 2008, 6, 1425.  | 2.8 | 33        |
| 25 | Deficiency of the Rgg Regulator Promotes H 2 O 2 Resistance, AhpCF-Mediated H 2 O 2 Decomposition, and Virulence in Streptococcus pyogenes. Journal of Bacteriology, 2008, 190, 3225-3235.   | 2.2 | 24        |
| 26 | Differential expression of the polysialyl capsule during blood-to-brain transit of neuropathogenic<br>Escherichia coli K1. Microbiology (United Kingdom), 2008, 154, 2522-2532.  | 1.8 | 38        |
| 27 | Identification of amino acid residues at the active site of endosialidase that dissociate the polysialic acid binding and cleaving activities in <i>Escherichia coli</i> K1 bacteriophages. Biochemical Journal, 2007, 405, 465-472.                                 | 3.7 | 31        |
| 28 | Inhibition of P-fimbriated Escherichia coli adhesion by multivalent galabiose derivatives studied by a<br>live-bacteria application of surface plasmon resonance. Journal of Antimicrobial Chemotherapy, 2007,<br>60, 495-501.                                       | 3.0 | 70        |
| 29 | Generation of Lectins from Enzymes: Use of Inactive Endosialidase for Polysialic Acid Detection. , 2007, , 385-395.  |     | 2         |
| 30 | Iron Incorporation in Streptococcus suis Dps-like Peroxide Resistance Protein Dpr Requires Mobility<br>in the Ferroxidase Center and Leads to the Formation of a Ferrihydrite-like Core. Journal of Molecular<br>Biology, 2006, 364, 97-109.                         | 4.2 | 35        |
| 31 | Use of flow cytometry for the adhesion analysis of Streptococcus pyogenes mutant strains to epithelial cells: investigation of the possible role of surface pullulanase and cysteine protease, and the transcriptional regulator Rgg. BMC Microbiology, 2006, 6, 18. | 3.3 | 37        |
| 32 | Dps/Dpr ferritin-like protein: insights into the mechanism of iron incorporation and evidence for a<br>central role in cellular iron homeostasis in Streptococcus suis. Molecular Microbiology, 2005, 57,<br>1086-1100.  | 2.5 | 43        |
| 33 | Chromogenic in situ hybridization-detected hotspot MYCN amplification associates with Ki-67 expression and inversely with nestin expression in neuroblastomas. Modern Pathology, 2005, 18, 1599-1605.  | 5.5 | 27        |
| 34 | Generation of transposon insertion mutant libraries for Gram-positive bacteria by electroporation of phage Mu DNA transposition complexes. Microbiology (United Kingdom), 2005, 151, 1209-1218.  | 1.8 | 42        |
| 35 | No GIST-type c-kit gain of function mutations in neuroblastic tumours. Journal of Clinical Pathology, 2005, 58, 762-765.   | 2.0 | 9         |
| 36 | Fluid- or Surface-Phase Human Salivary Scavenger Protein gp340 Exposes Different Bacterial<br>Recognition Properties. Infection and Immunity, 2005, 73, 2245-2252.   | 2.2 | 112       |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Structure–activity relationships of galabioside derivatives as inhibitors of E. coli and S. suis adhesins:<br>nanomolar inhibitors of S. suis adhesins. Organic and Biomolecular Chemistry, 2005, 3, 886-900.                                   | 2.8  | 27        |
| 38 | Construction of antibody mimics from a noncatalytic enzyme–detection of polysialic acid. Journal of<br>Immunological Methods, 2004, 295, 149-160.   | 1.4  | 33        |
| 39 | Inhibition ofStreptococcussuisAdhesion by Dendritic Galabiose Compounds at Low Nanomolar<br>Concentration. Journal of Medicinal Chemistry, 2004, 47, 6499-6508.   | 6.4  | 85        |
| 40 | Crystal Structure of Streptococcus suis Dps-like Peroxide Resistance Protein Dpr: Implications for<br>Iron Incorporation. Journal of Molecular Biology, 2004, 338, 547-558.   | 4.2  | 48        |
| 41 | Molecular Basis of H2O2 Resistance Mediated by Streptococcal Dpr. Journal of Biological Chemistry, 2003, 278, 7996-8005.  | 3.4  | 63        |
| 42 | Streptococcus pyogenes Glycoprotein-Binding Strepadhesin Activity Is Mediated by a<br>Surface-Associated Carbohydrate-Degrading Enzyme, Pullulanase. Infection and Immunity, 2003, 71,<br>784-793.  | 2.2  | 48        |
| 43 | High affinity binding of long-chain polysialic acid to antibody, and modulation by divalent cations and polyamines. Molecular Immunology, 2002, 39, 399-411.  | 2.2  | 33        |
| 44 | Expression, purification and crystallization of Dpr, a ferritin-like protein from the Gram-positive<br>meningitis-associated bacteriumStreptococcus suis. Acta Crystallographica Section D: Biological<br>Crystallography, 2002, 58, 1851-1853. | 2.5  | 10        |
| 45 | The SpeB virulence factor of <i>Streptococcus pyogenes</i> , a multifunctional secreted and cell surface molecule with strepadhesin, lamininâ€binding and cysteine protease activity. Molecular Microbiology, 2001, 39, 512-519.                | 2.5  | 91        |
| 46 | Mutant bacteriophage with non-catalytic endosialidase binds to both bacterial and eukaryotic polysialic acid and can be used as probe for its detection. Glycoconjugate Journal, 2001, 18, 751-758.   | 2.7  | 27        |
| 47 | Identification of a novel glycoprotein-binding activity in Streptococcus pyogenes regulated by the mga gene. Microbiology (United Kingdom), 2000, 146, 31-39.   | 1.8  | 18        |
| 48 | Determination of the cell adhesion specificity of Streptococcus suis with the complete set of monodeoxy analogues of globotriose. Glycoconjugate Journal, 1999, 16, 67-71.  | 2.7  | 14        |
| 49 | The Polysialic Acid Units of the Neural Cell Adhesion Molecule N-CAM Form Filament Bundle<br>Networks. Journal of Biological Chemistry, 1998, 273, 28557-28559.   | 3.4  | 31        |
| 50 | Carbohydrate units of nervous tissue glycoproteins. New Comprehensive Biochemistry, 1997, , 55-67.  | 0.1  | 3         |
| 51 | Di-, Tri-, and Tetravalent Dendritic Galabiosides That Inhibit Hemagglutination byStreptococcus suisat<br>Nanomolar Concentration. Journal of the American Chemical Society, 1997, 119, 6974-6979.  | 13.7 | 111       |
| 52 | Identification of a Common Structural Motif in the Disordered N-Terminal Region of Bacterial<br>Flagellins - Evidence for a New Class of Fibril-Forming Peptides. FEBS Journal, 1997, 250, 19-29.   | 0.2  | 11        |
| 53 | The Le <sup>x</sup> Carbohydrate Sequence Is Recognized by Antibody to L5, a Functional Antigen in<br>Early Neural Development. Journal of Neurochemistry, 1996, 66, 834-844.   | 3.9  | 78        |
| 54 | The GALα1–4GAL-Binding Adhesin of Streptococcus Suis, A Gram-Positive Meningitis-Associated<br>Bacterium. Advances in Experimental Medicine and Biology, 1996, 408, 25-34.  | 1.6  | 20        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | The galactosyl-(alpha 1-4)-galactose-binding adhesin of Streptococcus suis: occurrence in strains of different hemagglutination activities and induction of opsonic antibodies. Infection and Immunity, 1996, 64, 3659-3665.                                 | 2.2 | 39        |
| 56 | Immunoblot analysis of bacterial polysaccharides: application to the type-specific polysaccharides of<br>Streptococcus suis and Streptococcus agalactiae. Journal of Immunological Methods, 1995, 187,<br>233-244.   | 1.4 | 11        |
| 57 | Characterization of a Novel Sulfated Carbohydrate Unit Implicated in the<br>Carbohydrate-Carbohydrate-mediated Cell Aggregation of the Marine Sponge Microciona prolifera.<br>Journal of Biological Chemistry, 1995, 270, 5089-5097.                         | 3.4 | 74        |
| 58 | Antibodies to Polysialic Acid and its N-Propyl Derivative: Binding Properties and Interaction with<br>Human Embryonal Brain Glycopeptides. Journal of Infectious Diseases, 1995, 171, 1481-1490.   | 4.0 | 116       |
| 59 | Purification of a Galactosyl-α1-4-galactose-binding Adhesin from the Gram-positive<br>Meningitis-associated Bacterium Streptococcus suis. Journal of Biological Chemistry, 1995, 270,<br>28874-28878.  | 3.4 | 30        |
| 60 | Identification of a major poly-N-acetyllactosamine-containing cell-surface glycoprotein of mouse<br>teratocarcinoma cells. Appearance on cells induced to primitive endoderm but not parietal endoderm<br>differentiation. FEBS Journal, 1994, 220, 385-394. | 0.2 | 10        |
| 61 | Probing of the Receptor-Binding Sites of the H1 and H3 Influenza A and Influenza B Virus<br>Hemagglutinins by Synthetic and Natural Sialosides. Virology, 1993, 196, 111-121.  | 2.4 | 134       |
| 62 | Differential activities of bacteriophage depolymerase on bacterial polysaccharide: binding is essential<br>but degradation is inhibitory in phage infection of K1-defective Escherichia coli. Journal of<br>Bacteriology, 1992, 174, 7757-7761.              | 2.2 | 41        |
| 63 | ABO blood groups and musculoskeletal injuries. Injury, 1992, 23, 131-133.  | 1.7 | 61        |
| 64 | Sugar analysis of glycoproteins and glycolipids after methanolysis by high-performance liquid chromatography with pulsed amperometric detection. Analytical Biochemistry, 1991, 197, 132-136.  | 2.4 | 14        |
| 65 | Identification by immunoblot analysis of major antigenic determinants of the anaerobic beer spoilage<br>bacterium genus Pectinatus. FEMS Microbiology Letters, 1990, 67, 307-311.  | 1.8 | 1         |
| 66 | Lectin-resistant variants and revertants of mouse melanoma cells: Differential expression of a<br>fucosylated cell-surface antigen and altered metastasizing capacity. International Journal of Cancer,<br>1989, 43, 300-304.                                | 5.1 | 17        |
| 67 | Purification of theN-acetylglucosaminide ?(1?3/4) fucosyltransferase of human milk. Glycoconjugate<br>Journal, 1989, 6, 101-114.   | 2.7 | 56        |
| 68 | Structural similarity of the type-specific group B streptococcal polysaccharides and the carbohydrate units of tissue glycoproteins: evaluation of possible cross-reactivity. Vaccine, 1989, 7, 217-224.   | 3.8 | 10        |
| 69 | [20] Specific labeling of cell surface poly-n-acetyllactosamine glycans. Methods in Enzymology, 1989,<br>179, 270-275.   | 1.0 | 4         |
| 70 | [10] Polyacrylamide gel electrophoresis of capsular polysaccharides of bacteria. Methods in<br>Enzymology, 1989, 179, 104-110.   | 1.0 | 11        |
| 71 | Hemagglutination activities of group B, C, D, and G streptococci: demonstration of novel sugar-specific cell-binding activities in Streptococcus suis. Infection and Immunity, 1989, 57, 384-389.  | 2.2 | 36        |
| 72 | Common cleavage pattern of polysialic acid by bacteriophage endosialidases of different properties and origins. Journal of Virology, 1989, 63, 4409-4416.  | 3.4 | 49        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Structural and Biological Properties of the Carbohydrate Units of Nervous Tissue Glycoproteins.<br>Novartis Foundation Symposium, 1989, 145, 173-188.  | 1.1 | 2         |
| 74 | Polyacrylamide gel electrophoresis of the capsular polysaccharides of Escherichia coli K1 and other bacteria. Journal of Bacteriology, 1988, 170, 2646-2653.   | 2.2 | 116       |
| 75 | Biosynthesis, membrane association, and release of N-CAM-120, a phosphatidylinositol-linked form of the neural cell adhesion molecule Journal of Cell Biology, 1987, 105, 2489-2500.                     | 5.2 | 154       |
| 76 | [22] Isolation of sialyl oligosaccharides and sialyl oligosaccharide phosphates from bovine colostrum and human urine. Methods in Enzymology, 1987, 138, 289-300.  | 1.0 | 61        |
| 77 | Polysialic acid units are spatially and temporally expressed in developing postnatal rat kidney<br>Proceedings of the National Academy of Sciences of the United States of America, 1987, 84, 1969-1973. | 7.1 | 95        |
| 78 | A rapid turbidimetric assay for the study of serum sensitivity ofEscherichia coli. FEMS Microbiology<br>Letters, 1987, 42, 53-57.  | 1.8 | 27        |
| 79 | Poly-N-Acetyllactosamine Glycans of Cellular Glycoproteins: Predominance of Linear Chains in Mouse<br>Neuroblastoma and Rat Pheochromocytoma Cell Lines. Journal of Neurochemistry, 1987, 49, 874-883.   | 3.9 | 14        |
| 80 | Physicochemical characteristics of human sex hormone binding globulin: Evidence for two identical subunits. The Journal of Steroid Biochemistry, 1986, 24, 815-824.                                      | 1.1 | 58        |
| 81 | Identification of the O-linked sialyloligosaccharides of glycophorin A as the erythrocyte receptors for S-fimbriated Escherichia coli. Infection and Immunity, 1986, 54, 37-42.                          | 2.2 | 190       |
| 82 | Binding of Escherichia coli S fimbriae to human kidney epithelium. Infection and Immunity, 1986, 54,<br>322-327.   | 2.2 | 111       |
| 83 | The large sialoglycoprotein of human lymphocytes. II. Biochemical features. European Journal of<br>Immunology, 1985, 15, 427-433.  | 2.9 | 24        |
| 84 | Polysialic acid — a glycoprotein carbohydrate involved in neural adhesion and bacterial meningitis.<br>Trends in Biochemical Sciences, 1985, 10, 129-132.  | 7.5 | 63        |
| 85 | Hyperexcretion of free N-acetylneuraminic acid — a novel type of sialuria. Clinica Chimica Acta, 1985,<br>145, 237-242.  | 1.1 | 11        |
| 86 | Specific cell-surface labeling of polyglycosyl chains in human erythrocytes and HL-60 cells using endo-beta-galactosidase and galactosyltransferase. FEBS Journal, 1984, 138, 393-397.                   | 0.2 | 28        |
| 87 | Isolation and characterization of novel phosphate-containing sialyloligosaccharides from normal human urine. FEBS Journal, 1984, 140, 427-431.   | 0.2 | 14        |
| 88 | Exposure of the major human red-cell glycolipid, globoside, to galactose oxidase. FEBS Journal, 1984,<br>145, 77-82.   | 0.2 | 19        |
| 89 | Structural studies on glycoprotein oligosaccharides of chromaffin granule membranes and dopamine<br>β-hydroxylase. Archives of Biochemistry and Biophysics, 1984, 228, 443-449.                          | 3.0 | 24        |
| 90 | Escherichia coli fimbriae recognizing sialyl galactosides. Journal of Bacteriology, 1984, 159, 762-766.  | 2.2 | 236       |

| #   | Article   | lF   | CITATIONS |
|-----|---|------|-----------|
| 91  | Enzymic Properties of an N-Acetylglucosaminide 3-alpha-l-Fucosyltransferase of a Wheat-Germ<br>Agglutinin-Resistant Melanoma Clone. FEBS Journal, 1983, 130, 347-351.   | 0.2  | 19        |
| 92  | Isolation and structural characterization of five major sialyloligosaccharides and a sialylglycopeptide from normal human urine. FEBS Journal, 1983, 136, 355-361.  | 0.2  | 49        |
| 93  | ANTIGENIC SIMILARITIES BETWEEN BRAIN COMPONENTS AND BACTERIA CAUSING MENINGITIS. Lancet, The, 1983, 322, 355-357.   | 13.7 | 751       |
| 94  | Escherichia coli strains binding neuraminyl α2–3 galactosides. Biochemical and Biophysical Research<br>Communications, 1983, 111, 456-461.  | 2.1  | 164       |
| 95  | Occurrence of α2–8 linked polysialosyl units in a neural cell adhesion molecule. Biochemical and<br>Biophysical Research Communications, 1983, 112, 482-487.  | 2.1  | 404       |
| 96  | Novel cell-binding activity specific forN-acetyl-D-glucosamine in anEscherichia colistrain. FEBS<br>Letters, 1983, 159, 233-236.  | 2.8  | 44        |
| 97  | Cell adhesion mediated by a purified fucosyltransferase Proceedings of the National Academy of Sciences of the United States of America, 1983, 80, 3991-3995.   | 7.1  | 34        |
| 98  | Enzymatic basis for a lectin-resistant phenotype: increase in a fucosyltransferase in mouse melanoma cells Journal of Cell Biology, 1982, 92, 277-282.  | 5.2  | 69        |
| 99  | [18] Preparation and fractionation of glycopeptides. Methods in Enzymology, 1982, 83, 269-277.  | 1.0  | 130       |
| 100 | The influence of membrane mutations on metastasis. Bioscience Reports, 1982, 2, 597-599.  | 2.4  | 6         |
| 101 | Blood Group A and H Determinants in Polyglycosyl Peptides of A <sub>1</sub> and A <sub>2</sub><br>Erythrocytes. FEBS Journal, 1982, 126, 401-406.   | 0.2  | 9         |
| 102 | Methylation Techniques in the Structural Analysis of Glycoproteins and Glycolipids. Advances in<br>Carbohydrate Chemistry and Biochemistry, 1981, 38, 389-416.  | 0.9  | 58        |
| 103 | Blood-Group A and B Determinants are Located in Different Polyglycosyl Peptides Isolated from<br>Human Erythrocytes of Blood-Group AB. FEBS Journal, 1981, 113, 259-265.  | 0.2  | 22        |
| 104 | Use of the smith degradation in the study of the branching pattern in the complex-type carbohydrate units of glycoproteins. Carbohydrate Research, 1981, 90, 203-214.   | 2.3  | 26        |
| 105 | Use of potassium tert-butoxide in the methylation of carbohydrates. Carbohydrate Research, 1980, 80, 336-339.   | 2.3  | 127       |
| 106 | Identification of the Blood-Group ABH-Active Glycoprotein Components of Human Erythrocyte<br>Membrane. FEBS Journal, 1980, 104, 181-189.  | 0.2  | 93        |
| 107 | Altered surface glycoproteins in melanoma cell variants with reduced metastasizing capacity selected for resistance to wheat germ agglutinin. Biochemical and Biophysical Research Communications, 1980, 95, 111-117. | 2.1  | 22        |
| 108 | Molecular nature of the blood-group ABH antigens of the human erythrocyte membrane. Revue<br>Française De Transfusion Et Immuno-hématologie, 1980, 23, 545-552.   | 0.1  | 19        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Gangliosides of Brain and of Extraneural Tissues: Structural Relationship to Protein-Linked Glycans.<br>Advances in Experimental Medicine and Biology, 1980, 125, 185-198.   | 1.6 | 3         |
| 110 | FRACTIONATION OF GLYCOPEPTIDES., 1980, , 147-159.  |     | 10        |
| 111 | Structural Features of the Carbohydrate Units of Plasma Glycoproteins. FEBS Journal, 1979, 102, 583-588.   | 0.2 | 31        |
| 112 | Structural similarity of the terminal carbohydrate sequences of glycoproteins and glycolipids. FEBS<br>Letters, 1979, 97, 1-8.   | 2.8 | 102       |
| 113 | Analysis of permethylated hexopyranosyl-2-acetamido-2-deoxyhexitols by g.l.cm.s Carbohydrate<br>Research, 1978, 60, 371-375.   | 2.3 | 14        |
| 114 | Characterization of a Novel Sugar Sequence from Rat-Brain Glycoproteins Containing Fucose and<br>Sialic Acid. FEBS Journal, 1978, 84, 395-403.   | 0.2 | 73        |
| 115 | The Poly(glycosyl) Chains of Glycoproteins Characterisation of a Novel Type of Glycoprotein<br>Saccharides from Human Erythrocyte Membrane. FEBS Journal, 1978, 92, 289-300.   | 0.2 | 177       |
| 116 | Protein-bound oligosaccharides of cell membranes. Trends in Biochemical Sciences, 1978, 3, 110-114.  | 7.5 | 27        |
| 117 | Alkali-stable blood group A- and B-active poly(glycosyl)-peptides from human erythrocyte membrane.<br>FEBS Letters, 1978, 89, 111-115.   | 2.8 | 89        |
| 118 | Mass spectrometric sequence study of the oligosaccharide of human transferrin. FEBS Letters, 1978, 94, 413-417.  | 2.8 | 25        |
| 119 | Disialosyl paragloboside a novel ganglioside isolated from human kidney. Lipids and Lipid Metabolism,<br>1978, 531, 266-274.   | 2.6 | 31        |
| 120 | Occurrence of disialosyl groups in glycoproteins. Biochemical and Biophysical Research<br>Communications, 1977, 74, 405-410.   | 2.1 | 71        |
| 121 | Determination (by methylation analysis) of the substitution pattern of 2-amino-2-deoxyhexitols<br>obtained from O-glycosylic carbohydrate units of glycoproteins. Carbohydrate Research, 1977, 58,<br>57-64.                           | 2.3 | 38        |
| 122 | The Disialosyl Group of Glycoproteins. Occurrence in Different Tissues and Cellular Membranes. FEBS<br>Journal, 1977, 77, 319-323.   | 0.2 | 81        |
| 123 | Structural Features of Tissue Glycoproteins. Fractionation and Methylation Analysis of Glycopeptides<br>Derived from Rat Brain, Kidney and Liver. FEBS Journal, 1977, 78, 369-379.   | 0.2 | 125       |
| 124 | Analysis of hexosaminitol-containing disaccharide alditols from rat brain glycoproteins and<br>gangliosides asO-trimethylsilyl derivatives by gas chromatography mass spectrometry. Biological<br>Mass Spectrometry, 1977, 4, 281-283. | 0.5 | 17        |
| 125 | The structural basis of the different affinities of two types of acidic N -glycosidic glycopeptides for concanavalin a-sepharose. FEBS Letters, 1976, 71, 117-120.   | 2.8 | 280       |
| 126 | O-glycosidic carbohydrate units from glycoproteins of different tissues: Demonstration of a<br>brain-specific disaccharide, α-galactosyl-(1→3)-N-acetylgalactosamine. FEBS Letters, 1976, 66, 94-97.                                   | 2.8 | 56        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Structure of the O-glycosidically linked carbohydrate units of rat brain glycoproteins. Biochimica Et<br>Biophysica Acta (BBA) - Protein Structure, 1975, 412, 317-325. | 1.7 | 86        |
| 128 | Neutral and acidic glycopeptides in adult and developing rat brain. Biochimica Et Biophysica Acta (BBA)<br>- Protein Structure, 1974, 365, 80-92.                       | 1.7 | 84        |