

# Ziqiang Guan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6263227/publications.pdf>

Version: 2024-02-01

131  
papers

7,000  
citations

71102

41  
h-index

66911

78  
g-index

139  
all docs

139  
docs citations

139  
times ranked

9754  
citing authors

#	ARTICLE	IF	CITATIONS
1	Convergent evolution of bacterial ceramide synthesis. <i>Nature Chemical Biology</i> , 2022, 18, 305-312.	8.0	36
2	Identification of a novel cationic glycolipid in <i>Streptococcus agalactiae</i> that contributes to brain entry and meningitis. <i>PLoS Biology</i> , 2022, 20, e3001555.	5.6	7
3	Remodeling <i>Yersinia pseudotuberculosis</i> to generate a highly immunogenic outer membrane vesicle vaccine against pneumonic plague. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2109667119.	7.1	5
4	Hemochromatosis drives acute lethal intestinal responses to hyperyersiniabactin-producing <i>Yersinia pseudotuberculosis</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	6
5	Structural basis of NPR1 in activating plant immunity. <i>Nature</i> , 2022, 605, 561-566.	27.8	64
6	Caulobacter lipid A is conditionally dispensable in the absence of fur and in the presence of anionic sphingolipids. <i>Cell Reports</i> , 2022, 39, 110888.	6.4	8
7	Structural basis for inhibition and regulation of a chitin synthase from <i>Candida albicans</i> . <i>Nature Structural and Molecular Biology</i> , 2022, 29, 653-664.	8.2	34
8	<i>Streptococcus pneumoniae</i> , <i>S. mitis</i> , and <i>S. oralis</i> Produce a Phosphatidylglycerol-Dependent, <i>ItaS</i> -Independent Glycerophosphate-Linked Glycolipid. <i>MSphere</i> , 2021, 6, .	2.9	9
9	Identification of the <i>Flavobacterium johnsoniae</i> cysteine fatty acyl transferase required for capnine synthesis and for efficient gliding motility. <i>Environmental Microbiology</i> , 2021, 23, 2448-2460.	3.8	9
10	Critical Role of 3'-Downstream Region of <i>pmrB</i> in Polymyxin Resistance in <i>Escherichia coli</i> BL21(DE3). <i>Microorganisms</i> , 2021, 9, 655.	3.6	3
11	<i>Streptococcus pneumoniae</i> , <i>S. pyogenes</i> and <i>S. agalactiae</i> membrane phospholipid remodelling in response to human serum. <i>Microbiology (United Kingdom)</i> , 2021, 167, .	1.8	10
12	Recombinant <i>Pseudomonas</i> Bionanoparticles Induce Protection against Pneumonic <i>Pseudomonas aeruginosa</i> Infection. <i>Infection and Immunity</i> , 2021, 89, e0039621.	2.2	8
13	Lipid diversity in clostridia. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2021, 1866, 158966.	2.4	8
14	Distinct regions of the <i>Haloferax volcanii</i> dolichol phosphate-mannose synthase <i>AgID</i> mediate the assembly and subsequent processing of the lipid-linked mannose. <i>Journal of Bacteriology</i> , 2021, , JB0044721.	2.2	0
15	Outer Membrane Vesicles Displaying a Heterologous PcrV-HitA Fusion Antigen Promote Protection against Pulmonary <i>Pseudomonas aeruginosa</i> Infection. <i>MSphere</i> , 2021, 6, e0069921.	2.9	8
16	Identifying Components of a <i>Halobacterium salinarum</i> N-Glycosylation Pathway. <i>Frontiers in Microbiology</i> , 2021, 12, 779599.	3.5	4
17	Outer Membrane Vesiculation Facilitates Surface Exchange and In Vivo Adaptation of <i>Vibrio cholerae</i> . <i>Cell Host and Microbe</i> , 2020, 27, 225-237.e8.	11.0	73
18	Phospholipid distribution in the cytoplasmic membrane of Gram-negative bacteria is highly asymmetric, dynamic, and cell shape-dependent. <i>Science Advances</i> , 2020, 6, eaaz6333.	10.3	81

#	ARTICLE	IF	CITATIONS
19	MESH1 is a cytosolic NADPH phosphatase that regulates ferroptosis. <i>Nature Metabolism</i> , 2020, 2, 270-277.	11.9	106
20	Quantifying lipofuscin in retinal pigment epithelium in vivo by visible-light optical coherence tomography-based multimodal imaging. <i>Scientific Reports</i> , 2020, 10, 2942.	3.3	5
21	A2E Distribution in RPE Granules in Human Eyes. <i>Molecules</i> , 2020, 25, 1413.	3.8	5
22	Ornithine Lipids in Burkholderia spp. Pathogenicity. <i>Frontiers in Molecular Biosciences</i> , 2020, 7, 610932.	3.5	6
23	Human UDP-galactose 4-epimerase (GALE) is required for cell-surface glycome structure and function. <i>Journal of Biological Chemistry</i> , 2020, 295, 1225-1239.	3.4	19
24	Regulation of glial size by eicosapentaenoic acid through a novel Golgi apparatus mechanism. <i>PLoS Biology</i> , 2020, 18, e3001051.	5.6	6
25	Lipidomic Analysis of Clostridium cadaveris and Clostridium fallax. <i>Lipids</i> , 2019, 54, 423-431.	1.7	5
26	Investigation of the conserved reentrant membrane helix in the monotopic phosphoglycosyl transferase superfamily supports key molecular interactions with polyprenol phosphate substrates. <i>Archives of Biochemistry and Biophysics</i> , 2019, 675, 108111.	3.0	11
27	The Lipid A 1-Phosphatase, LpxE, Functionally Connects Multiple Layers of Bacterial Envelope Biogenesis. <i>MBio</i> , 2019, 10, .	4.1	11
28	Visualizing conformation transitions of the Lipid II flippase MurJ. <i>Nature Communications</i> , 2019, 10, 1736.	12.8	51
29	Phosphatidylcholine Biosynthesis in Mitis Group Streptococci via Host Metabolite Scavenging. <i>Journal of Bacteriology</i> , 2019, 201, .	2.2	26
30	Ether lipid metabolism by AADACL1 regulates platelet function and thrombosis. <i>Blood Advances</i> , 2019, 3, 3818-3828.	5.2	7
31	Caulobacter crescentus Adapts to Phosphate Starvation by Synthesizing Anionic Glycoglycerolipids and a Novel Glycosphingolipid. <i>MBio</i> , 2019, 10, .	4.1	25
32	The Mammalian UDP-Galactose 4-Epimerase (GalE) Is Required for Cell Surface Glycome Structure and Function. <i>FASEB Journal</i> , 2019, 33, 798.6.	0.5	0
33	Gene deletions leading to a reduction in the number of cyclopentane rings in Sulfolobus acidocaldarius tetraether lipids. <i>FEMS Microbiology Letters</i> , 2018, 365, .	1.8	6
34	The phospholipid-repair system LpIT/Aas in Gram-negative bacteria protects the bacterial membrane envelope from host phospholipase A2 attack. <i>Journal of Biological Chemistry</i> , 2018, 293, 3386-3398.	3.4	31
35	Nonsyndromic Retinitis Pigmentosa in the Ashkenazi Jewish Population. <i>Ophthalmology</i> , 2018, 125, 725-734.	5.2	30
36	Reduced Chlorhexidine and Daptomycin Susceptibility in Vancomycin-Resistant Enterococcus faecium after Serial Chlorhexidine Exposure. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	95

#	ARTICLE	IF	CITATIONS
37	Identifying a novel connection between the fungal plasma membrane and pH sensing. <i>Molecular Microbiology</i> , 2018, 109, 474-493.	2.5	18
38	<i>Streptococcus mitis</i> and <i>S. oralis</i> Lack a Requirement for CdsA, the Enzyme Required for Synthesis of Major Membrane Phospholipids in Bacteria. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	34
39	Editorial for Special Issue on lipid methodology. <i>Analytical Biochemistry</i> , 2017, 524, 1-2.	2.4	0
40	Knowns and unknowns of membrane lipid synthesis in streptomycetes. <i>Biochimie</i> , 2017, 141, 21-29.	2.6	13
41	Lipid sugar carriers at the extremes: The phosphodolichols Archaea use in N-glycosylation. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017, 1862, 589-599.	2.4	22
42	1,2-Diacylglycerol choline phosphotransferase catalyzes the final step in the unique <i>Treponema denticola</i> phosphatidylcholine biosynthesis pathway. <i>Molecular Microbiology</i> , 2017, 103, 896-912.	2.5	8
43	Methionine metabolism is essential for SIRT1-regulated mouse embryonic stem cell maintenance and embryonic development. <i>EMBO Journal</i> , 2017, 36, 3175-3193.	7.8	71
44	Assembling Glycan-Charged Dolichol Phosphates: Chemoenzymatic Synthesis of a <i>Haloferax volcanii</i> N-Glycosylation Pathway Intermediate. <i>Bioconjugate Chemistry</i> , 2017, 28, 2461-2470.	3.6	6
45	Long-Chain Polyprenols Promote Spore Wall Formation in <i>Saccharomyces cerevisiae</i> . <i>Genetics</i> , 2017, 207, 1371-1386.	2.9	18
46	Discovery of the Elusive UDP-Diacylglucosamine Hydrolase in the Lipid A Biosynthetic Pathway in <i>Chlamydia trachomatis</i> . <i>MBio</i> , 2016, 7, e00090.	4.1	19
47	The cellular lipids of <i>Romboutsia</i> . <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016, 1861, 1076-1082.	2.4	15
48	N-glycosylation in the thermoacidophilic archaeon <i>Sulfolobus acidocaldarius</i> involves a short dolichol pyrophosphate carrier. <i>FEBS Letters</i> , 2016, 590, 3168-3178.	2.8	19
49	NgBR is essential for endothelial cell glycosylation and vascular development. <i>EMBO Reports</i> , 2016, 17, 167-177.	4.5	35
50	In Vivo and in Vitro Synthesis of Phosphatidylglycerol by an <i>Escherichia coli</i> Cardiolipin Synthase. <i>Journal of Biological Chemistry</i> , 2016, 291, 25144-25153.	3.4	47
51	Structure of the polyisoprenyl-phosphate glycosyltransferase GtrB and insights into the mechanism of catalysis. <i>Nature Communications</i> , 2016, 7, 10175.	12.8	33
52	Substrate Selectivity of Lysophospholipid Transporter LpIT Involved in Membrane Phospholipid Remodeling in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2016, 291, 2136-2149.	3.4	31
53	Lipidomic Analysis of Bacteria by Thin-Layer Chromatography and Liquid Chromatography/Mass Spectrometry. <i>Springer Protocols</i> , 2015, , 125-139.	0.3	10
54	Biomarkers of NAFLD progression: a lipidomics approach to an epidemic. <i>Journal of Lipid Research</i> , 2015, 56, 722-736.	4.2	264

#	ARTICLE	IF	CITATIONS
55	Discovery of a bifunctional acyltransferase responsible for ornithine lipid synthesis in <i>Serratia proteamaculans</i> . <i>Environmental Microbiology</i> , 2015, 17, 1487-1496.	3.8	44
56	Chemoenzymatic Assembly of Bacterial Glycoconjugates for Site-Specific Orthogonal Labeling. <i>Journal of the American Chemical Society</i> , 2015, 137, 12446-12449.	13.7	12
57	N-Linked Glycans Are Assembled on Highly Reduced Dolichol Phosphate Carriers in the Hyperthermophilic Archaea <i>Pyrococcus furiosus</i> . <i>PLoS ONE</i> , 2015, 10, e0130482.	2.5	23
58	Substrate Promiscuity: AgIB, the Archaeal Oligosaccharyltransferase, Can Process a Variety of Lipid-Linked Glycans. <i>Applied and Environmental Microbiology</i> , 2014, 80, 486-496.	3.1	33
59	Mutation of Nogo-B Receptor, a Subunit of cis-Prenyltransferase, Causes a Congenital Disorder of Glycosylation. <i>Cell Metabolism</i> , 2014, 20, 448-457.	16.2	104
60	Kdo hydroxylase is an inner core assembly enzyme in the Ko-containing lipopolysaccharide biosynthesis. <i>Biochemical and Biophysical Research Communications</i> , 2014, 452, 789-794.	2.1	6
61	<i>Clostridium difficile</i> contains plasmalogen species of phospholipids and glycolipids. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014, 1841, 1353-1359.	2.4	32
62	Characterization of the <i>Vibrio cholerae</i> VolA Surface-Exposed Lipoprotein Lysophospholipase. <i>Journal of Bacteriology</i> , 2014, 196, 1619-1626.	2.2	11
63	<i>Agrobacteria</i> lacking ornithine lipids induce more rapid tumour formation. <i>Environmental Microbiology</i> , 2013, 15, 895-906.	3.8	30
64	The polar lipids of <i>Clostridium psychrophilum</i> , an anaerobic psychrophile. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2013, 1831, 1108-1112.	2.4	22
65	The Outer Surface Lipoprotein VolA Mediates Utilization of Exogenous Lipids by <i>Vibrio cholerae</i> . <i>MBio</i> , 2013, 4, e00305-13.	4.1	30
66	Two Distinct N-Glycosylation Pathways Process the <i>Haloferax volcanii</i> S-Layer Glycoprotein upon Changes in Environmental Salinity. <i>MBio</i> , 2013, 4, e00716-13.	4.1	69
67	Crystal Structure of MraY, an Essential Membrane Enzyme for Bacterial Cell Wall Synthesis. <i>Science</i> , 2013, 341, 1012-1016.	12.6	194
68	Aberrant dolichol chain lengths as biomarkers for retinitis pigmentosa caused by impaired dolichol biosynthesis. <i>Journal of Lipid Research</i> , 2013, 54, 3516-3522.	4.2	28
69	Mutants Resistant to LpxC Inhibitors by Rebalancing Cellular Homeostasis*. <i>Journal of Biological Chemistry</i> , 2013, 288, 5475-5486.	3.4	56
70	AgIQ Is a Novel Component of the <i>Haloferax volcanii</i> N-Glycosylation Pathway. <i>PLoS ONE</i> , 2013, 8, e81782.	2.5	9
71	Lipid diversity among botulinum neurotoxin-producing clostridia. <i>Microbiology (United Kingdom)</i> , 2012, 158, 2577-2584.	1.8	17
72	Discovery of a cardiolipin synthase utilizing phosphatidylethanolamine and phosphatidylglycerol as substrates. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 16504-16509.	7.1	195

#	ARTICLE	IF	CITATIONS
73	Diversity in prokaryotic glycosylation: an archaeal-derived N-linked glycan contains legionaminic acid. <i>Molecular Microbiology</i> , 2012, 84, 578-593.	2.5	42
74	Protein glycosylation as an adaptive response in <i>Archaea</i> : growth at different salt concentrations leads to alterations in <i>Haloferax volcanii</i> S-layer glycoprotein N-glycosylation. <i>Environmental Microbiology</i> , 2012, 14, 743-753.	3.8	79
75	Is the eukaryotic cis-prenyltransferase a heteromer? The role of NgBR and its yeast ortholog Nus1 in protein glycosylation. <i>FASEB Journal</i> , 2012, 26, 787.5.	0.5	0
76	Mitochondrial Phosphatase PTPMT1 Is Essential for Cardiolipin Biosynthesis. <i>Cell Metabolism</i> , 2011, 13, 690-700.	16.2	176
77	Structural characterization of the polar lipids of <i>Clostridium novyi</i> NT. Further evidence for a novel anaerobic biosynthetic pathway to plasmalogens. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011, 1811, 186-193.	2.4	27
78	Liquid chromatography/tandem mass spectrometry of dolichols and polyprenols, lipid sugar carriers across evolution. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011, 1811, 800-806.	2.4	23
79	The thermoacidophilic archaeon <i>Sulfolobus acidocaldarius</i> contains an unusually short, highly reduced dolichyl phosphate. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011, 1811, 607-616.	2.4	30
80	Non-enzymatically derived minor lipids found in <i>Escherichia coli</i> lipid extracts. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2011, 1811, 827-837.	2.4	12
81	Remodelling of the <i>Vibrio cholerae</i> membrane by incorporation of exogenous fatty acids from host and aquatic environments. <i>Molecular Microbiology</i> , 2011, 79, 716-728.	2.5	63
82	Hydroxylated ornithine lipids increase stress tolerance in <i>Rhizobium tropici</i> CIAT899. <i>Molecular Microbiology</i> , 2011, 79, 1496-1514.	2.5	71
83	Different routes to the same ending: comparing the N-glycosylation processes of <i>Haloferax volcanii</i> and <i>Haloarcula marismortui</i> , two halophilic archaea from the Dead Sea. <i>Molecular Microbiology</i> , 2011, 81, 1166-1177.	2.5	40
84	Glyco-engineering in <i>Archaea</i> : differential N-glycosylation of the S-layer glycoprotein in a transformed <i>Haloferax volcanii</i> strain. <i>Microbial Biotechnology</i> , 2011, 4, 461-470.	4.2	22
85	Identification of a chloroform-soluble membrane miniprotein in <i>Escherichia coli</i> and its homolog in <i>Salmonella typhimurium</i> . <i>Analytical Biochemistry</i> , 2011, 409, 284-289.	2.4	8
86	Three Phosphatidylglycerol-phosphate Phosphatases in the Inner Membrane of <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2011, 286, 5506-5518.	3.4	89
87	Pathway for lipid A biosynthesis in <i>Arabidopsis thaliana</i> resembling that of <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 11387-11392.	7.1	48
88	Identification of Self-lipids Presented by CD1c and CD1d Proteins. <i>Journal of Biological Chemistry</i> , 2011, 286, 37692-37701.	3.4	38
89	New Evidence for a Novel Biosynthetic Pathway to Plasmalogens in Anaerobic Bacteria. <i>FASEB Journal</i> , 2011, 25, .	0.5	0
90	Plasticity of lipid-protein interactions in the function and topogenesis of the membrane protein lactose permease from <i>Escherichia coli</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 15057-15062.	7.1	91

#	ARTICLE	IF	CITATIONS
91	Application of electrospray ionization mass spectrometry to characterize glycerophospholipids in <i>Francisella tularensis</i> subsp. <i>novicida</i> . <i>International Journal of Mass Spectrometry</i> , 2010, 293, 45-50.	1.5	2
92	Distinct granuloma responses in C57BL/6J and BALB/cByJ mice in response to pristane. <i>International Journal of Experimental Pathology</i> , 2010, 91, 460-471.	1.3	9
93	Distinct glycan-charged phosphodolichol carriers are required for the assembly of the pentasaccharide N-linked to the <i>Haloferax volcanii</i> S-layer glycoprotein. <i>Molecular Microbiology</i> , 2010, 78, 1294-1303.	2.5	75
94	Expression of functional bacterial undecaprenyl pyrophosphate synthase in the yeast <i>rer2</i> mutant and CHO cells. <i>Glycobiology</i> , 2010, 20, 1585-1593.	2.5	12
95	AgIj Adds the First Sugar of the N-Linked Pentasaccharide Decorating the <i>Haloferax volcanii</i> S-Layer Glycoprotein. <i>Journal of Bacteriology</i> , 2010, 192, 5572-5579.	2.2	57
96	Application of Proteomic Marker Ensembles to Subcellular Organelle Identification. <i>Molecular and Cellular Proteomics</i> , 2010, 9, 388-402.	3.8	49
97	<i>Sinorhizobium meliloti</i> phospholipase C required for lipid remodeling during phosphorus limitation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 302-307.	7.1	92
98	A phosphoethanolamine-modified glycosyl diradylglycerol in the polar lipids of <i>Clostridium tetani</i> . <i>Journal of Lipid Research</i> , 2010, 51, 1953-1961.	4.2	30
99	A Mouse Macrophage Lipidome. <i>Journal of Biological Chemistry</i> , 2010, 285, 39976-39985.	3.4	260
100	Subcellular organelle lipidomics in TLR-4-activated macrophages. <i>Journal of Lipid Research</i> , 2010, 51, 2785-2797.	4.2	180
101	Molecular characterization of the cis-prenyltransferase of <i>Giardia lamblia</i> . <i>Glycobiology</i> , 2010, 20, 824-832.	2.5	22
102	Lipidomics reveals a remarkable diversity of lipids in human plasma. <i>Journal of Lipid Research</i> , 2010, 51, 3299-3305.	4.2	1,071
103	SRD5A3 Is Required for Converting Polyprenol to Dolichol and Is Mutated in a Congenital Glycosylation Disorder. <i>Cell</i> , 2010, 142, 203-217.	28.9	253
104	A Eukaryote-like Cardiolipin Synthase Is Present in <i>Streptomyces coelicolor</i> and in Most Actinobacteria. <i>Journal of Biological Chemistry</i> , 2009, 284, 17383-17390.	3.4	45
105	Discovering novel brain lipids by liquid chromatography/tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2814-2821.	2.3	27
106	Identification of Undecaprenyl Phosphate- <sup>12</sup> -Galactosamine in <i>Francisella novicida</i> and Its Function in Lipid A Modification. <i>Biochemistry</i> , 2009, 48, 1162-1172.	2.5	55
107	Phosphorylation Analysis of G Protein-Coupled Receptor by Mass Spectrometry: Identification of a Phosphorylation Site in V2 Vasopressin Receptor. <i>Analytical Chemistry</i> , 2008, 80, 6034-6037.	6.5	21
108	Dolichyl-Phosphate-Glucose Is Used To Make O-Glycans on Glycoproteins of <i>Trichomonas vaginalis</i> . <i>Eukaryotic Cell</i> , 2008, 7, 1344-1351.	3.4	12

#	ARTICLE	IF	CITATIONS
109	An Undecaprenyl Phosphate-Aminoarabinose Flippase Required for Polymyxin Resistance in <i>Escherichia coli</i> . <i>Journal of Biological Chemistry</i> , 2007, 282, 36077-36089.	3.4	138
110	Identification and quantification of dolichol and dolichoic acid in neuromelanin from substantia nigra of the human brain. <i>Journal of Lipid Research</i> , 2007, 48, 1457-1462.	4.2	31
111	Attenuated virulence of a <i>Francisella</i> mutant lacking the lipid A 4 $\beta$ -phosphatase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 4136-4141.	7.1	120
112	The Lipid Lysyl-Phosphatidylglycerol Is Present in Membranes of <i>Rhizobium tropici</i> CIAT899 and Confers Increased Resistance to Polymyxin B Under Acidic Growth Conditions. <i>Molecular Plant-Microbe Interactions</i> , 2007, 20, 1421-1430.	2.6	94
113	Identification of <i>N</i> -Acylphosphatidylserine Molecules in Eukaryotic Cells. <i>Biochemistry</i> , 2007, 46, 14500-14513.	2.5	65
114	Analysis of Ubiquinones, Dolichols, and Dolichol Diphosphate $\rightarrow$ Oligosaccharides by Liquid Chromatography $\rightarrow$ Electrospray Ionization $\rightarrow$ Mass Spectrometry. <i>Methods in Enzymology</i> , 2007, 432, 117-143.	1.0	35
115	Expression Cloning of Three <i>Rhizobium leguminosarum</i> Lipopolysaccharide Core Galacturonosyltransferases. <i>Journal of Biological Chemistry</i> , 2006, 281, 12865-12878.	3.4	23
116	Extraction and identification by mass spectrometry of undecaprenyl diphosphate-MurNAc-pentapeptide-GlcNAc from <i>Escherichia coli</i> . <i>Analytical Biochemistry</i> , 2005, 345, 336-339.	2.4	43
117	Modulation of human nuclear receptor LXR-1 activity by phospholipids and SHP. <i>Nature Structural and Molecular Biology</i> , 2005, 12, 357-363.	8.2	189
118	Solution structure of the Set2-Rpb1 interacting domain of human Set2 and its interaction with the hyperphosphorylated C-terminal domain of Rpb1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17636-17641.	7.1	122
119	Electron capture dissociation mass spectrometry in characterization of post-translational modifications. <i>Biochemical and Biophysical Research Communications</i> , 2005, 334, 1-8.	2.1	33
120	Detection and characterization of methionine oxidation in peptides by collision-induced dissociation and electron capture dissociation. <i>Journal of the American Society for Mass Spectrometry</i> , 2003, 14, 605-613.	2.8	109
121	Identification and localization of the fatty acid modification in ghrelin by electron capture dissociation. <i>Journal of the American Society for Mass Spectrometry</i> , 2002, 13, 1443-1447.	2.8	35
122	Solvation of acylium fragment ions in electrospray ionization quadrupole ion trap and Fourier transform ion cyclotron resonance mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2001, 36, 264-276.	1.6	45
123	Gaseous Conformational Structures of Cytochrome c. <i>Journal of the American Chemical Society</i> , 1998, 120, 4732-4740.	13.7	255
124	Broadband Quadrupolar Axialization of Large Multiply Charged Ions to Enhance Measurement and Minimize Conformational Restrictions. , 1996, 31, 555-559.		11
125	Charge state assignment from schiff-base adducts in low resolution electrospray mass spectra of protein mixtures and dissociation products. <i>Journal of Mass Spectrometry</i> , 1995, 30, 119-123.	1.6	4
126	Remeasurement at high resolving power in fourier transform ion cyclotron resonance mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , 1995, 6, 564-570.	2.8	13



#	ARTICLE	IF	CITATIONS
127	High performance detection of biomolecules using a high magnetic field electrospray ionization source/Fourier transform ion cyclotron resonance mass spectrometer. <i>Review of Scientific Instruments</i> , 1995, 66, 4507-4515.	1.3	11
128	Real-Time Monitoring of the Gas Phase Reactions of a Single Ion Population Using the Remeasurement Experiment in Fourier Transform Ion Cyclotron Resonance Mass Spectrometry. <i>Analytical Chemistry</i> , 1995, 67, 1453-1458.	6.5	11
129	Cell Geometry Considerations for the Fourier Transform Ion Cyclotron Resonance Mass Spectrometry Remeasurement Experiment. <i>Analytical Chemistry</i> , 1995, 67, 420-425.	6.5	18
130	Selective generation of charge-dependent/independent ion energy distributions from a heated capillary electrospray source. <i>Journal of the American Society for Mass Spectrometry</i> , 1994, 5, 221-229.	2.8	19
131	Remeasurement of electrosprayed proteins in the trapped ion cell of a Fourier transform ion cyclotron resonance mass spectrometer. <i>Analytical Chemistry</i> , 1993, 65, 1588-1593.	6.5	44