

Harukazu Suzuki

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6265407/publications.pdf>

Version: 2024-02-01

156
papers

24,534
citations

24978

57
h-index

7931

149
g-index

178
all docs

178
docs citations

178
times ranked

32002
citing authors

#	ARTICLE	IF	CITATIONS
1	SkewC: Identifying cells with skewed gene body coverage in single-cell RNA sequencing data. <i>IScience</i> , 2022, 25, 103777.	1.9	4
2	Prediction of transcription factors associated with DNA demethylation during human cellular development. <i>Chromosome Research</i> , 2022, 30, 109-121.	1.0	4
3	GATA6 is predicted to regulate DNA methylation in an in vitro model of human hepatocyte differentiation. <i>Communications Biology</i> , 2022, 5, 414.	2.0	7
4	Development of p53 knockout U87MG cell line for unbiased drug delivery testing system using CRISPR-Cas9 and transcriptomic analysis. <i>Journal of Biotechnology</i> , 2021, 332, 72-82.	1.9	0
5	Discovery of widespread transcription initiation at microsatellites predictable by sequence-based deep neural network. <i>Nature Communications</i> , 2021, 12, 3297.	5.8	11
6	Spliceostatin A interaction with SF3B limits U1 snRNP availability and causes premature cleavage and polyadenylation. <i>Cell Chemical Biology</i> , 2021, 28, 1356-1365.e4.	2.5	8
7	Evaluation of Berberine as an Adjunct to TB Treatment. <i>Frontiers in Immunology</i> , 2021, 12, 656419.	2.2	8
8	IL-4i1 Regulation of Immune Protection During <i>Mycobacterium tuberculosis</i> Infection. <i>Journal of Infectious Diseases</i> , 2021, 224, 2170-2180.	1.9	3
9	Functional annotation of human long noncoding RNAs via molecular phenotyping. <i>Genome Research</i> , 2020, 30, 1060-1072.	2.4	109
10	Transcriptome analysis reveals inadequate spermatogenesis and immediate radical immune reactions during organ culture in vitro spermatogenesis. <i>Biochemical and Biophysical Research Communications</i> , 2020, 530, 732-738.	1.0	10
11	Recounting the FANTOM CAGE-Associated Transcriptome. <i>Genome Research</i> , 2020, 30, 1073-1081.	2.4	35
12	Combinatorial perturbation analysis reveals divergent regulations of mesenchymal genes during epithelial-to-mesenchymal transition. <i>Npj Systems Biology and Applications</i> , 2019, 5, 21.	1.4	65
13	C1 CAGE detects transcription start sites and enhancer activity at single-cell resolution. <i>Nature Communications</i> , 2019, 10, 360.	5.8	102
14	Transcriptionally induced enhancers in the macrophage immune response to <i>Mycobacterium tuberculosis</i> infection. <i>BMC Genomics</i> , 2019, 20, 71.	1.2	16
15	OVOL2 induces mesenchymal-to-epithelial transition in fibroblasts and enhances cell-state reprogramming towards epithelial lineages. <i>Scientific Reports</i> , 2019, 9, 6490.	1.6	38
16	Differential Targeting of c-Maf, Bach-1, and Elmo-1 by microRNA-143 and microRNA-365 Promotes the Intracellular Growth of <i>Mycobacterium tuberculosis</i> in Alternatively IL-4/IL-13 Activated Macrophages. <i>Frontiers in Immunology</i> , 2019, 10, 421.	2.2	37
17	A framework for identification of on- and off-target transcriptional responses to drug treatment. <i>Scientific Reports</i> , 2019, 9, 17603.	1.6	29
18	Batf2 differentially regulates tissue immunopathology in Type 1 and Type 2 diseases. <i>Mucosal Immunology</i> , 2019, 12, 390-402.	2.7	19

#	ARTICLE	IF	CITATIONS
19	Transcriptional landscape of Mycobacterium tuberculosis infection in macrophages. Scientific Reports, 2018, 8, 6758.	1.6	92
20	Shared activity patterns arising at genetic susceptibility loci reveal underlying genomic and cellular architecture of human disease. PLoS Computational Biology, 2018, 14, e1005934.	1.5	17
21	An atlas of human long non-coding RNAs with accurate 5' ends. Nature, 2017, 543, 199-204.	13.7	898
22	RUNX1 induces DNA replication independent active DNA demethylation at SPI1 regulatory regions. BMC Molecular Biology, 2017, 18, 9.	3.0	7
23	Transcriptome Analysis Uncovers a Growth-Promoting Activity of Orosomucoid-1 on Hepatocytes. EBioMedicine, 2017, 24, 257-266.	2.7	24
24	FANTOM5 CAGE profiles of human and mouse samples. Scientific Data, 2017, 4, 170112.	2.4	195
25	Genome-scale regression analysis reveals a linear relationship for promoters and enhancers after combinatorial drug treatment. Bioinformatics, 2017, 33, 3696-3700.	1.8	6
26	A Transcriptional Switch Point During Hematopoietic Stem and Progenitor Cell Ontogeny. Stem Cells and Development, 2017, 26, 314-327.	1.1	4
27	Global analysis of pre-mRNA subcellular localization following splicing inhibition by spliceostatin A. Rna, 2017, 23, 47-57.	1.6	61
28	Next-generation sequencing-based small RNA profiling of cerebrospinal fluid exosomes. Neuroscience Letters, 2017, 636, 48-57.	1.0	93
29	RUNX1 regulates site specificity of DNA demethylation by recruitment of DNA demethylation machineries in hematopoietic cells. Blood Advances, 2017, 1, 1699-1711.	2.5	64
30	Genome-wide profiling of transcribed enhancers during macrophage activation. Epigenetics and Chromatin, 2017, 10, 50.	1.8	41
31	A screening system to identify transcription factors that induce binding site-directed DNA demethylation. Epigenetics and Chromatin, 2017, 10, 60.	1.8	48
32	Single-Nucleotide Resolution Mapping of Hepatitis B Virus Promoters in Infected Human Livers and Hepatocellular Carcinoma. Journal of Virology, 2016, 90, 10811-10822.	1.5	27
33	Fungus-Derived Neoechinulin B as a Novel Antagonist of Liver X Receptor, Identified by Chemical Genetics Using a Hepatitis C Virus Cell Culture System. Journal of Virology, 2016, 90, 9058-9074.	1.5	27
34	Loss of variation of state detected in soybean metabolic and human myelomonocytic leukaemia cell transcriptional networks under external stimuli. Scientific Reports, 2016, 6, 35946.	1.6	4
35	IRNdb: the database of immunologically relevant non-coding RNAs. Database: the Journal of Biological Databases and Curation, 2016, 2016, baw138.	1.4	12
36	Enhanced Identification of Transcriptional Enhancers Provides Mechanistic Insights into Diseases. Trends in Genetics, 2016, 32, 76-88.	2.9	87

#	ARTICLE	IF	CITATIONS
37	A predictive computational framework for direct reprogramming between human cell types. <i>Nature Genetics</i> , 2016, 48, 331-335.	9.4	263
38	Asymmetric Regulation of Peripheral Genes by Two Transcriptional Regulatory Networks. <i>PLoS ONE</i> , 2016, 11, e0160459.	1.1	3
39	System-wide analysis of the transcriptional network of human myelomonocytic leukemia cells predicts attractor structure and phorbol-ester-induced differentiation and dedifferentiation transitions. <i>Scientific Reports</i> , 2015, 5, 8283.	1.6	3
40	Mapping Mammalian Cell-type-specific Transcriptional Regulatory Networks Using KD-CAGE and ChIP-seq Data in the TC-YIK Cell Line. <i>Frontiers in Genetics</i> , 2015, 6, 331.	1.1	13
41	IL-4R α -Dependent Alternative Activation of Macrophages Is Not Decisive for Mycobacterium tuberculosis Pathology and Bacterial Burden in Mice. <i>PLoS ONE</i> , 2015, 10, e0121070.	1.1	23
42	Transcribed enhancers lead waves of coordinated transcription in transitioning mammalian cells. <i>Science</i> , 2015, 347, 1010-1014.	6.0	517
43	Batf2/Irf1 Induces Inflammatory Responses in Classically Activated Macrophages, Lipopolysaccharides, and Mycobacterial Infection. <i>Journal of Immunology</i> , 2015, 194, 6035-6044.	0.4	83
44	Redefining the transcriptional regulatory dynamics of classically and alternatively activated macrophages by deepCAGE transcriptomics. <i>Nucleic Acids Research</i> , 2015, 43, 6969-6982.	6.5	54
45	Targeting Batf2 for infectious diseases and cancer. <i>Oncotarget</i> , 2015, 6, 26575-26582.	0.8	31
46	A transient disruption of fibroblastic transcriptional regulatory network facilitates <i>trans</i> -differentiation. <i>Nucleic Acids Research</i> , 2014, 42, 8905-8913.	6.5	35
47	PAPD5-mediated 3' adenylation and subsequent degradation of miR-21 is disrupted in proliferative disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 11467-11472.	3.3	130
48	A promoter-level mammalian expression atlas. <i>Nature</i> , 2014, 507, 462-470.	13.7	1,838
49	An atlas of active enhancers across human cell types and tissues. <i>Nature</i> , 2014, 507, 455-461.	13.7	2,269
50	The enhancer and promoter landscape of human regulatory and conventional T-cell subpopulations. <i>Blood</i> , 2014, 123, e68-e78.	0.6	77
51	Deep transcriptome profiling of mammalian stem cells supports a regulatory role for retrotransposons in pluripotency maintenance. <i>Nature Genetics</i> , 2014, 46, 558-566.	9.4	271
52	Transcription and enhancer profiling in human monocyte subsets. <i>Blood</i> , 2014, 123, e90-e99.	0.6	157
53	CCL2 enhances pluripotency of human induced pluripotent stem cells by activating hypoxia related genes. <i>Scientific Reports</i> , 2014, 4, 5228.	1.6	21
54	Statin Therapy Reduces the Mycobacterium tuberculosis Burden in Human Macrophages and in Mice by Enhancing Autophagy and Phagosome Maturation. <i>Journal of Infectious Diseases</i> , 2014, 209, 754-763.	1.9	245

#	ARTICLE	IF	CITATIONS
55	Repositioning Monocyte TFRN into Fibroblasts. <i>Methods in Molecular Biology</i> , 2014, 1164, 211-218.	0.4	0
56	Direct reprogramming based on transcriptional regulatory network analysis. <i>Inflammation and Regeneration</i> , 2014, 34, 224-232.	1.5	0
57	Identification of ZNF395 as a novel modulator of adipogenesis. <i>Experimental Cell Research</i> , 2013, 319, 68-76.	1.2	32
58	Temporal dynamics and transcriptional control using single-cell gene expression analysis. <i>Genome Biology</i> , 2013, 14, R118.	13.9	43
59	Simvastatin Enhances Protection against <i>Listeria monocytogenes</i> Infection in Mice by Counteracting <i>Listeria</i> -Induced Phagosomal Escape. <i>PLoS ONE</i> , 2013, 8, e75490.	1.1	39
60	Establishment of single-cell screening system for the rapid identification of transcriptional modulators involved in direct cell reprogramming. <i>Nucleic Acids Research</i> , 2012, 40, e165-e165.	6.5	10
61	CpG site-specific alteration of hydroxymethylcytosine to methylcytosine beyond DNA replication. <i>Biochemical and Biophysical Research Communications</i> , 2012, 426, 141-147.	1.0	6
62	Reconstruction of Monocyte Transcriptional Regulatory Network Accompanies Monocytic Functions in Human Fibroblasts. <i>PLoS ONE</i> , 2012, 7, e33474.	1.1	36
63	Conservation and divergence in Toll-like receptor 4-regulated gene expression in primary human versus mouse macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E944-53.	3.3	332
64	LRRN4 and UPK3B Are Markers of Primary Mesothelial Cells. <i>PLoS ONE</i> , 2011, 6, e25391.	1.1	71
65	Two-step cleavage of hairpin RNA with 5' overhangs by human DICER. <i>BMC Molecular Biology</i> , 2011, 12, 6.	3.0	21
66	CC Chemokine Ligand 2 and Leukemia Inhibitory Factor Cooperatively Promote Pluripotency in Mouse Induced Pluripotent Cells. <i>Stem Cells</i> , 2011, 29, 1196-1205.	1.4	17
67	Update of the FANTOM web resource: from mammalian transcriptional landscape to its dynamic regulation. <i>Nucleic Acids Research</i> , 2011, 39, D856-D860.	6.5	49
68	Deep-sequencing of human Argonaute-associated small RNAs provides insight into miRNA sorting and reveals Argonaute association with RNA fragments of diverse origin. <i>RNA Biology</i> , 2011, 8, 158-177.	1.5	273
69	Nuclear Pore Complex Protein Mediated Nuclear Localization of Dicer Protein in Human Cells. <i>PLoS ONE</i> , 2011, 6, e23385.	1.1	40
70	The combination of gene perturbation assay and ChIP-chip reveals functional direct target genes for IRF8 in THP-1 cells. <i>Molecular Immunology</i> , 2010, 47, 2295-2302.	1.0	31
71	Core promoter structure and genomic context reflect histone 3 lysine 9 acetylation patterns. <i>BMC Genomics</i> , 2010, 11, 257.	1.2	34
72	Reversible hydrogel formation driven by protein-peptide-specific interaction and chondrocyte entrapment. <i>Biomaterials</i> , 2010, 31, 58-66.	5.7	55

#	ARTICLE	IF	CITATIONS
73	Reduction of non-insert sequence reads by dimer eliminator LNA oligonucleotide for small RNA deep sequencing. <i>BioTechniques</i> , 2010, 49, 751-755.	0.8	32
74	Building promoter aware transcriptional regulatory networks using siRNA perturbation and deepCAGE. <i>Nucleic Acids Research</i> , 2010, 38, 8141-8148.	6.5	17
75	Cross-mapping and the identification of editing sites in mature microRNAs in high-throughput sequencing libraries. <i>Genome Research</i> , 2010, 20, 257-264.	2.4	126
76	A comprehensive survey of 3' animal miRNA modification events and a possible role for 3' adenylation in modulating miRNA targeting effectiveness. <i>Genome Research</i> , 2010, 20, 1398-1410.	2.4	309
77	An Atlas of Combinatorial Transcriptional Regulation in Mouse and Man. <i>Cell</i> , 2010, 140, 744-752.	13.5	667
78	Beyond the FANTOM4. <i>Genome Biology</i> , 2010, 11, O11.	13.9	0
79	Role of Survival Motor Neuron Complex Components in Small Nuclear Ribonucleoprotein Assembly. <i>Journal of Biological Chemistry</i> , 2009, 284, 14609-14617.	1.6	20
80	Data-driven normalization strategies for high-throughput quantitative RT-PCR. <i>BMC Bioinformatics</i> , 2009, 10, 110.	1.2	86
81	Ligand-specific sequential regulation of transcription factors for differentiation of MCF-7 cells. <i>BMC Genomics</i> , 2009, 10, 545.	1.2	45
82	Deciphering the transcriptional circuitry of microRNA genes expressed during human monocytic differentiation. <i>BMC Genomics</i> , 2009, 10, 595.	1.2	65
83	High-resolution analysis of aberrant regions in autosomal chromosomes in human leukemia THP-1 cell line. <i>BMC Research Notes</i> , 2009, 2, 153.	0.6	30
84	Nanoscale elongating control of the self-assembled protein filament with the cysteine-introduced building blocks. <i>Protein Science</i> , 2009, 18, 960-969.	3.1	24
85	Development of a high-throughput method for the systematic identification of human proteins nuclear translocation potential. <i>BMC Cell Biology</i> , 2009, 10, 69.	3.0	5
86	Tiny RNAs associated with transcription start sites in animals. <i>Nature Genetics</i> , 2009, 41, 572-578.	9.4	327
87	The regulated retrotransposon transcriptome of mammalian cells. <i>Nature Genetics</i> , 2009, 41, 563-571.	9.4	731
88	The transcriptional network that controls growth arrest and differentiation in a human myeloid leukemia cell line. <i>Nature Genetics</i> , 2009, 41, 553-562.	9.4	408
89	Genome-wide investigation of in vivo EGR-1 binding sites in monocytic differentiation. <i>Genome Biology</i> , 2009, 10, R41.	13.9	62
90	FANTOM4 EdgeExpressDB: an integrated database of promoters, genes, microRNAs, expression dynamics and regulatory interactions. <i>Genome Biology</i> , 2009, 10, R39.	13.9	67

#	ARTICLE	IF	CITATIONS
91	The FANTOM web resource: from mammalian transcriptional landscape to its dynamic regulation. <i>Genome Biology</i> , 2009, 10, R40.	13.9	73
92	Transcriptional features of genomic regulatory blocks. <i>Genome Biology</i> , 2009, 10, R38.	13.9	90
93	Towards defining the nuclear proteome. <i>Genome Biology</i> , 2008, 9, R15.	13.9	29
94	Integrative Genome-Wide Expression Analysis Bears Evidence of Estrogen Receptor-Independent Transcription in Heregulin-Stimulated MCF-7 Cells. <i>PLoS ONE</i> , 2008, 3, e1803.	1.1	6
95	Development of a DNA barcode tagging method for monitoring dynamic changes in gene expression by using an ultra high-throughput sequencer. <i>BioTechniques</i> , 2008, 45, 95-97.	0.8	29
96	Gemin2 Plays an Important Role in Stabilizing the Survival of Motor Neuron Complex*. <i>Journal of Biological Chemistry</i> , 2007, 282, 11122-11134.	1.6	51
97	Dynamic Force Spectroscopy of the Specific Interaction between the PDZ Domain and Its Recognition Peptides. <i>Langmuir</i> , 2007, 23, 2668-2673.	1.6	24
98	Transcriptional network dynamics in macrophage activation. <i>Genomics</i> , 2006, 88, 133-142.	1.3	125
99	Constructing ORFeome resources with removable termination codons. <i>BioTechniques</i> , 2006, 41, 44-50.	0.8	30
100	Subcellular Localization of Mammalian Type II Membrane Proteins. <i>Traffic</i> , 2006, 7, 613-625.	1.3	19
101	Genome-wide analysis of mammalian promoter architecture and evolution. <i>Nature Genetics</i> , 2006, 38, 626-635.	9.4	1,201
102	Protein-protein interactions in the mammalian brain. <i>Journal of Physiology</i> , 2006, 575, 373-377.	1.3	16
103	PhosphoregDB: the tissue and sub-cellular distribution of mammalian protein kinases and phosphatases. <i>BMC Bioinformatics</i> , 2006, 7, 82.	1.2	18
104	Predicting 5-fluorouracil chemosensitivity of liver metastases from colorectal cancer using primary tumor specimens: Three-gene expression model predicts clinical response. <i>International Journal of Cancer</i> , 2006, 119, 406-413.	2.3	68
105	Clusters of Internally Primed Transcripts Reveal Novel Long Noncoding RNAs. <i>PLoS Genetics</i> , 2006, 2, e37.	1.5	148
106	Complex Loci in Human and Mouse Genomes. <i>PLoS Genetics</i> , 2006, 2, e47.	1.5	290
107	LPS regulates proinflammatory gene expression in macrophages by altering histone deacetylase expression. <i>FASEB Journal</i> , 2006, 20, 1315-1327.	0.2	210
108	Antisense Transcription in the Mammalian Transcriptome. <i>Science</i> , 2005, 309, 1564-1566.	6.0	1,553

#	ARTICLE	IF	CITATIONS
109	Solution Structure of the Mouse Enhancer of Rudimentary Protein Reveals a Novel Fold. <i>Journal of Biomolecular NMR</i> , 2005, 32, 329-334.	1.6	17
110	Experimental validation of the regulated expression of large numbers of non-coding RNAs from the mouse genome. <i>Genome Research</i> , 2005, 16, 11-19.	2.4	461
111	Force Measurement for Antigen-Antibody Interaction by Atomic Force Microscopy Using a Photograft-Polymer Spacer. <i>Biomacromolecules</i> , 2005, 6, 2776-2784.	2.6	25
112	Expression analysis of genes responsible for serotonin signaling in the brain. <i>Neurobiology of Disease</i> , 2005, 19, 378-385.	2.1	9
113	LPS regulates a set of genes in primary murine macrophages by antagonising CSF-1 action. <i>Immunobiology</i> , 2005, 210, 97-107.	0.8	58
114	High-Throughput Mapping of a Dynamic Signaling Network in Mammalian Cells. <i>Science</i> , 2005, 307, 1621-1625.	6.0	651
115	Protein-protein interactions of the hyperthermophilic archaeon <i>Pyrococcus horikoshii</i> OT3. <i>Genome Biology</i> , 2005, 6, R98.	13.9	12
116	In vitro pull-down assay without expression constructs. <i>BioTechniques</i> , 2004, 37, 918-920.	0.8	6
117	Identification of region-specific transcription factor genes in the adult mouse brain by medium-scale real-time RT-PCR. <i>FEBS Letters</i> , 2004, 573, 214-218.	1.3	18
118	A genome-wide and nonredundant mouse transcription factor database. <i>Biochemical and Biophysical Research Communications</i> , 2004, 322, 787-793.	1.0	137
119	Construction of representative transcript and protein sets of human, mouse, and rat as a platform for their transcriptome and proteome analysis. <i>Genomics</i> , 2004, 84, 913-921.	1.3	23
120	Solution structure of a BOLA-like protein from <i>Mus musculus</i> . <i>Protein Science</i> , 2004, 13, 545-548.	3.1	49
121	Global insights into protein complexes through integrated analysis of the reliable interactome and knockout lethality. <i>Biochemical and Biophysical Research Communications</i> , 2003, 301, 633-640.	1.0	2
122	The PDZ Protein Tax-interacting Protein-1 Inhibits β -Catenin Transcriptional Activity and Growth of Colorectal Cancer Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 38758-38764.	1.6	86
123	Inferring Higher Functional Information for RIKEN Mouse Full-Length cDNA Clones With FACTS. <i>Genome Research</i> , 2003, 13, 1520-1533.	2.4	14
124	CDS Annotation in Full-Length cDNA Sequence. <i>Genome Research</i> , 2003, 13, 1478-1487.	2.4	69
125	The Mammalian Protein-Protein Interaction Database and Its Viewing System That Is Linked to the Main FANTOM2 Viewer. <i>Genome Research</i> , 2003, 13, 1534-1541.	2.4	23
126	Construction of reliable protein-protein interaction networks with a new interaction generality measure. <i>Bioinformatics</i> , 2003, 19, 756-763.	1.8	108

#	ARTICLE	IF	CITATIONS
127	Interaction generality, a measurement to assess the reliability of a protein-protein interaction. <i>Nucleic Acids Research</i> , 2002, 30, 1163-1168.	6.5	128
128	T2BP, a Novel TRAF2 Binding Protein, Can Activate NF- κ B and AP-1 without TNF Stimulation. <i>Biochemical and Biophysical Research Communications</i> , 2002, 290, 1108-1113.	1.0	60
129	NF- κ B activator Act1 associates with IL-1/Toll pathway adaptor molecule TRAF6. <i>FEBS Letters</i> , 2002, 532, 241-246.	1.3	38
130	Analysis of the mouse transcriptome based on functional annotation of 60,770 full-length cDNAs. <i>Nature</i> , 2002, 420, 563-573.	13.7	1,548
131	Functional annotation of a full-length mouse cDNA collection. <i>Nature</i> , 2001, 409, 685-690.	13.7	653
132	Protein-Protein Interaction Panel Using Mouse Full-Length cDNAs. <i>Genome Research</i> , 2001, 11, 1758-1765.	2.4	100
133	Corrigendum to: Prediction of human cDNA from its homologous mouse full-length cDNA and human shotgun database. <i>FEBS Letters</i> , 2000, 471, 261-261.	1.3	0
134	Scanning gene expression during neuronal cell death evoked by nerve growth factor depletion. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999, 1489, 293-302.	2.4	13
135	Molecular cloning of rat GADD45 β , gene induction and its role during neuronal cell death. <i>FEBS Letters</i> , 1999, 446, 313-317.	1.3	25
136	Prediction of human cDNA from its homologous mouse full-length cDNA and human shotgun database. <i>FEBS Letters</i> , 1999, 464, 129-132.	1.3	4
137	TrkB mutant lacking the amino-terminal half of the extracellular portion acts as a functional brain-derived neurotrophic factor receptor. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1999, 1420, 104-110.	1.4	5
138	Identification of a Novel Kinase-like Gene Induced during Neuronal Cell Death. <i>Biochemical and Biophysical Research Communications</i> , 1999, 258, 260-264.	1.0	73
139	Improved restriction landmark cDNA scanning and its application to global analysis of genes regulated by nerve growth factor in PC12 cells. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1998, 1399, 10-18.	2.4	9
140	Human and Mouse Chromosomal Mapping of Stac, a Neuron-Specific Protein with an SH3 Domain. <i>Genomics</i> , 1998, 47, 140-142.	1.3	7
141	RLCS, Restriction Landmark cDNA Scanning. , 1997, , 129-156.		1
142	Stac, a Novel Neuron-Specific Protein with Cysteine-Rich and SH3 Domains. <i>Biochemical and Biophysical Research Communications</i> , 1996, 229, 902-909.	1.0	36
143	Restriction landmark cDNA scanning (RLCS): a novel cDNA display system using two-dimensional gel electrophoresis. <i>Nucleic Acids Research</i> , 1996, 24, 289-294.	6.5	33
144	A spot cloning method for restriction landmark genomic scanning. <i>Electrophoresis</i> , 1995, 16, 203-209.	1.3	23

#	ARTICLE	IF	CITATIONS
145	Accessibility to tissue-specific genes from methylation profiles of mouse brain genomic DNA. Electrophoresis, 1995, 16, 218-226.	1.3	24
146	Doc2: A Novel Brain Protein Having Two Repeated C2-like Domains. Biochemical and Biophysical Research Communications, 1995, 206, 439-448.	1.0	123
147	Correspondence of RLGS-M Spot Behavior with Tissue Expression on Mouse Homologue of DP1/TB2 Gene. Biochemical and Biophysical Research Communications, 1995, 213, 967-974.	1.0	8
148	Genomic analysis of a NF1 -related pseudogene on human chromosome 21. Gene, 1994, 147, 277-280.	1.0	23
149	An exon-trapping system with a newly constructed trapping vector pEXT2; its application to the proximal region of the human chromosome 21 long arm. FEBS Letters, 1993, 325, 303-308.	1.3	8
150	Primary structure of the virus activating protease: from chick embryo Its identity with the blood clotting factor Xa. FEBS Letters, 1991, 283, 281-285.	1.3	30
151	Structural parts involved in activation and inactivation of the sodium channel. Nature, 1989, 339, 597-603.	13.7	1,184
152	A single point mutation confers tetrodotoxin and saxitoxin insensitivity on the sodium channel II. FEBS Letters, 1989, 259, 213-216.	1.3	321
153	Functional expression of cloned cDNA encoding sodium channel III. FEBS Letters, 1988, 228, 195-200.	1.3	149
154	Existence of distinct sodium channel messenger RNAs in rat brain. Nature, 1986, 320, 188-192.	13.7	945
155	Expression of functional sodium channels from cloned cDNA. Nature, 1986, 322, 826-828.	13.7	525
156	Primary structure of the β -subunit of transducin and its relationship to ras proteins. Nature, 1985, 315, 242-245.	13.7	307