
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6265903/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Outâ€ofâ€hospital cardiac arrest and differential risk of cardiac and nonâ€cardiac QTâ€prolonging drugs in 37 000 cases. British Journal of Clinical Pharmacology, 2022, 88, 820-829.	2.4	7
2	Multiple categories of non-cardiac QT-prolonging drugs are associated with increased risk of out-of-hospital cardiac arrest: real-world data from a population-based study. Europace, 2022, 24, 630-638.	1.7	2
3	An inherited sudden cardiac arrest syndrome may be based on primary myocardial and autonomic nervous system abnormalities. Heart Rhythm, 2022, 19, 244-251.	0.7	4
4	Alert system-supported lay defibrillation and basic life-support for cardiac arrest at home. European Heart Journal, 2022, 43, 1465-1474.	2.2	35
5	Harmonization of the definition of sudden cardiac death in longitudinal cohorts of the European Sudden Cardiac Arrest network – towards Prevention, Education, and New Effective Treatments (ESCAPE-NET) consortium. American Heart Journal, 2022, 245, 117-125.	2.7	9
6	Rare Variation in Drug Metabolism and Long QT Genes and the Genetic Susceptibility to Acquired Long QT Syndrome. Circulation Genomic and Precision Medicine, 2022, 15, CIRCGEN121003391.	3.6	7
7	Acetylsalicylic acid use is associated with reduced risk of out-of-hospital cardiac arrest in the general population: Real-world data from a population-based study. PLoS ONE, 2022, 17, e0267016.	2.5	0
8	Health data research on sudden cardiac arrest: perspectives of survivors and their next-of-kin. BMC Medical Ethics, 2021, 22, 7.	2.4	8
9	Discovery of predictors of sudden cardiac arrest in diabetes: rationale and outline of the RESCUED (REcognition of Sudden Cardiac arrest vUlnErability in Diabetes) project. Open Heart, 2021, 8, e001554.	2.3	5
10	European first responder systems and differences in return of spontaneous circulation and survival after out-of-hospital cardiac arrest: A study of registry cohorts. Lancet Regional Health - Europe, The, 2021, 1, 100004.	5.6	21
11	Management of first responder programmes for out-of-hospital cardiac arrest during the COVID-19 pandemic in Europe. Resuscitation Plus, 2021, 5, 100075.	1.7	22
12	Sulfonylurea antidiabetics are associated with lower risk of outâ€ofâ€hospital cardiac arrest: Realâ€world data from a populationâ€based study. British Journal of Clinical Pharmacology, 2021, 87, 3588-3598.	2.4	10
13	Description of call handling in emergency medical dispatch centres in Scandinavia: recognition of out-of-hospital cardiac arrests and dispatcher-assisted CPR. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2021, 29, 88.	2.6	11
14	Is the Association Between Education and Sympathovagal Balance Mediated by Chronic Stressors?. International Journal of Behavioral Medicine, 2021, , 1.	1.7	0
15	Sex differences in the association of comorbidity with shockable initial rhythm in out-of-hospital cardiac arrest. Resuscitation, 2021, 167, 173-179.	3.0	7
16	The effect of the localisation of an underlying ST-elevation myocardial infarction on the VF-waveform: A multi-centre cardiac arrest study. Resuscitation, 2021, 168, 11-18.	3.0	3
17	Socioeconomic Differences in Sympathovagal Balance: The Healthy Life in an Urban Setting Study. Psychosomatic Medicine, 2021, 83, 16-23.	2.0	7
18	Opioid use is associated with increased outâ€ofâ€hospital cardiac arrest risk among 40,000â€cases across two countries. British Journal of Clinical Pharmacology, 2021, , .	2.4	2

#	Article	IF	CITATIONS
19	Stakeholders' perspectives on the post-mortem use of genetic and health-related data for research: a systematic review. European Journal of Human Genetics, 2020, 28, 403-416.	2.8	15
20	Differential effects on out-of-hospital cardiac arrest of dihydropyridines: real-world data from population-based cohorts across two European countries. European Heart Journal - Cardiovascular Pharmacotherapy, 2020, 6, 347-355.	3.0	21
21	Association of beta-blockers and first-registered heart rhythm in out-of-hospital cardiac arrest: real-world data from population-based cohorts across two European countries. Europace, 2020, 22, 1206-1215.	1.7	1
22	Comorbidity and survival in the pre-hospital and in-hospital phase after out-of-hospital cardiac arrest. Resuscitation, 2020, 153, 58-64.	3.0	12
23	The contribution of comorbidity and medication use to poor outcome from out-of-hospital cardiac arrest at home locations. Resuscitation, 2020, 151, 119-126.	3.0	2
24	European Resuscitation Council COVID-19 guidelines executive summary. Resuscitation, 2020, 153, 45-55.	3.0	236
25	Ventricular fibrillation waveform characteristics in out-of-hospital cardiac arrest and cardiovascular medication use. Resuscitation, 2020, 151, 173-180.	3.0	6
26	Transfer of essential AED information to treating hospital (TREAT). Resuscitation, 2020, 149, 47-52.	3.0	3
27	High haemoglobin A1c level is a possible risk factor for ventricular fibrillation in sudden cardiac arrest among non-diabetic individuals in the general population. Europace, 2020, 22, 394-400.	1.7	5
28	Occurrence of shockable rhythm in out-of-hospital cardiac arrest over time: A report from the COSTA group. Resuscitation, 2020, 151, 67-74.	3.0	25
29	Sex differences in out-of-hospital cardiac arrest. Aging, 2020, 12, 5588-5589.	3.1	2
30	Non-steroidal anti-inflammatory drugs and the risk of out-of-hospital cardiac arrest: a case–control study. Europace, 2019, 21, 99-105.	1.7	1
31	Increased prevalence of ECG suspicious for Brugada Syndrome in recent onset schizophrenia spectrum disorders. Schizophrenia Research, 2019, 210, 59-65.	2.0	12
32	Socio-economic differences in incidence, bystander cardiopulmonary resuscitation and survival from out-of-hospital cardiac arrest: A systematic review. Resuscitation, 2019, 141, 44-62.	3.0	57
33	Women have lower chances than men to be resuscitated and survive out-of-hospital cardiac arrest. European Heart Journal, 2019, 40, 3824-3834.	2.2	108
34	First-response treatment after out-of-hospital cardiac arrest: a survey of current practices across 29 countries in Europe. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 112.	2.6	49
35	Resuscitation for out-of-hospital cardiac arrest in adults with congenital heart disease. International Journal of Cardiology, 2019, 278, 70-75.	1.7	5
36	Determinants of occurrence and survival after sudden cardiac arrest–A European perspective: The ESCAPE-NET project. Resuscitation, 2018, 124, 7-13.	3.0	33

#	Article	IF	CITATIONS
37	A comprehensive evaluation of the genetic architecture of sudden cardiac arrest. European Heart Journal, 2018, 39, 3961-3969.	2.2	59
38	Ethical aspects of sudden cardiac arrest research using observational data: a narrative review. Critical Care, 2018, 22, 212.	5.8	18
39	Different defibrillation strategies in survivors after out-of-hospital cardiac arrest. Heart, 2018, 104, 1929-1936.	2.9	18
40	Predictive value of amplitude spectrum area of ventricular fibrillation waveform in patients with acute or previous myocardial infarction in out-of-hospital cardiac arrest. Resuscitation, 2017, 120, 125-131.	3.0	24
41	The impact of serum potassiumâ€influencing antihypertensive drugs on the risk of outâ€ofâ€hospital cardiac arrest: A case–control study. British Journal of Clinical Pharmacology, 2017, 83, 2541-2548.	2.4	8
42	Reply to Letter: The importance of comorbidity and illness severity scores in cardiac arrest research. Resuscitation, 2016, 102, e4.	3.0	0
43	Minimizing pre- and post-shock pauses during the use of an automatic external defibrillator by two different voice prompt protocols. A randomized controlled trial of a bundle of measures. Resuscitation, 2016, 106, 1-6.	3.0	14
44	Conduction disorders in bradyasystolic out-of-hospital cardiac arrest. Resuscitation, 2016, 106, 113-119.	3.0	8
45	Sudden Cardiac Arrest and Rare Genetic Variants in the Community. Circulation: Cardiovascular Genetics, 2016, 9, 147-153.	5.1	27
46	Improving usual care after sudden death in the young with focus on inherited cardiac diseases (the) Tj ETQq0 0 () rgBT /Ov 1.7	erlock 10 Tf 5
47	Reduced pre-hospital and in-hospital survival rates after out-of-hospital cardiac arrest of patients with type-2 diabetes mellitus: an observational prospective community-based study. Europace, 2015, 17, 753-760.	1.7	13
48	Comorbidity and favorable neurologic outcome after out-of-hospital cardiac arrest in patients of 70 years and older. Resuscitation, 2015, 94, 33-39.	3.0	54
49	Sudden cardiac arrest in people with epilepsy in the community. Neurology, 2015, 85, 212-218.	1.1	56
50	Causes for the declining proportion of ventricular fibrillation in out-of-hospital cardiac arrest. Resuscitation, 2015, 96, 23-29.	3.0	28
51	Sudden cardiac death is associated both with epilepsy and with use of antiepileptic medications. Heart, 2015, 101, 17-22.	2.9	66
52	Improved Survival After Out-of-Hospital Cardiac Arrest and Use of Automated External Defibrillators. Circulation, 2014, 130, 1868-1875.	1.6	281
53	Atrial Fibrillation Is an Independent Risk Factor for Ventricular Fibrillation. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 1033-1039.	4.8	47
54	Cardiac sodium channels and inherited electrophysiological disorders: an update on the pharmacotherapy. Expert Opinion on Pharmacotherapy, 2014, 15, 1875-1887.	1.8	8

#	Article	IF	CITATIONS
55	Brugada Syndrome ECG Is Highly Prevalent in Schizophrenia. Circulation: Arrhythmia and Electrophysiology, 2014, 7, 384-391.	4.8	35
56	Reduced in-hospital survival rates of out-of-hospital cardiac arrest victims with obstructive pulmonary disease. Resuscitation, 2013, 84, 569-574.	3.0	16
57	Sudden cardiac arrest associated with use of a non-cardiac drug that reduces cardiac excitability: evidence from bench, bedside, and community. European Heart Journal, 2013, 34, 1506-1516.	2.2	47
58	Slow Delayed Rectifier Potassium Current Blockade Contributes Importantly to Drug-Induced Long QT Syndrome. Circulation: Arrhythmia and Electrophysiology, 2013, 6, 1002-1009.	4.8	41
59	Implantable Cardioverter-Defibrillators Have Reduced the Incidence of Resuscitation for Out-of-Hospital Cardiac Arrest Caused by Lethal Arrhythmias. Circulation, 2012, 126, 815-821.	1.6	77
60	SCN5A Mutations in Brugada Syndrome Are Associated with Increased Cardiac Dimensions and Reduced Contractility. PLoS ONE, 2012, 7, e42037.	2.5	66
61	Epilepsy Is a Risk Factor for Sudden Cardiac Arrest in the General Population. PLoS ONE, 2012, 7, e42749.	2.5	75
62	Incidence, Causes, and Outcomes of Out-of-Hospital Cardiac Arrest in Children. Journal of the American College of Cardiology, 2011, 57, 1822-1828.	2.8	141
63	Impact of Onsite or Dispatched Automated External Defibrillator Use on Survival After Out-of-Hospital Cardiac Arrest. Circulation, 2011, 124, 2225-2232.	1.6	210
64	Identification of a Sudden Cardiac Death Susceptibility Locus at 2q24.2 through Genome-Wide Association in European Ancestry Individuals. PLoS Genetics, 2011, 7, e1002158.	3.5	117
65	Differential Changes in QTc Duration during In-Hospital Haloperidol Use. PLoS ONE, 2011, 6, e23728.	2.5	29
66	Genome-wide association study identifies a susceptibility locus at 21q21 for ventricular fibrillation in acute myocardial infarction. Nature Genetics, 2010, 42, 688-691.	21.4	170
67	Cardiac sodium channels and inherited electrophysiologic disorders: a pharmacogenetic overview. Expert Opinion on Pharmacotherapy, 2008, 9, 537-549.	1.8	13