

# Xiang Chen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6266487/publications.pdf>

Version: 2024-02-01

35  
papers

665  
citations

687363

13  
h-index

610901

24  
g-index

37  
all docs

37  
docs citations

37  
times ranked

1210  
citing authors

#	ARTICLE	IF	CITATIONS
1	Interactions between nuclear receptors glucocorticoid receptor $\beta$ and peroxisome proliferator-activated receptor $\beta$ form a negative feedback loop. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2022, , 1.	5.7	3
2	The Multiple Biological Functions of Dipeptidyl Peptidase-4 in Bone Metabolism. <i>Frontiers in Endocrinology</i> , 2022, 13, 856954.	3.5	6
3	Alcoholism and Osteoimmunology. <i>Current Medicinal Chemistry</i> , 2021, 28, 1815-1828.	2.4	10
4	Decreased Sclerostin Secretion in Humans and Mice With Nonalcoholic Fatty Liver Disease. <i>Frontiers in Endocrinology</i> , 2021, 12, 707505.	3.5	7
5	Bone marrow adipocytes enhance osteolytic bone destruction by activating 1q21.3(S100A7/8/9-IL6R)-TLR4 pathway in lung cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 2241-2253.	2.5	11
6	A paternally inherited non-sense variant c.424G>T (p.G142*) in the first exon of <i>XLI±s</i> in an adult patient with hypophosphatemia and osteopetrosis. <i>Clinical Genetics</i> , 2020, 97, 712-722.	2.0	3
7	The Distinct Role of the Extra-Large G Protein $\epsilon$ -Subunit XL $\epsilon$ s. <i>Calcified Tissue International</i> , 2020, 107, 212-219.	3.1	2
8	The relationship between bone marrow adipose tissue and bone metabolism in postmenopausal osteoporosis. <i>Cytokine and Growth Factor Reviews</i> , 2020, 52, 88-98.	7.2	94
9	MicroRNA-17-92 Regulates Beta-Cell Restoration After Streptozotocin Treatment. <i>Frontiers in Endocrinology</i> , 2020, 11, 9.	3.5	12
10	&lt;p&gt;Lung Cancer Cells Derived Circulating miR-21 Promotes Differentiation of Monocytes into Osteoclasts&lt;/p&gt;. <i>OncoTargets and Therapy</i> , 2020, Volume 13, 2643-2656.	2.0	15
11	Interleukin-6 Knockout Inhibits Senescence of Bone Mesenchymal Stem Cells in High-Fat Diet-Induced Bone Loss. <i>Frontiers in Endocrinology</i> , 2020, 11, 622950.	3.5	39
12	Correction: Non-toxic dose of liposomal honokiol suppresses metastasis of hepatocellular carcinoma through destabilizing EGFR and inhibiting the downstream pathways. <i>Oncotarget</i> , 2020, 11, 3350-3351.	1.8	1
13	A novel heterozygous mutation c.680A>G (p. N227S) in SLC34A1 gene leading to autosomal dominant hypophosphatemia. <i>Medicine (United States)</i> , 2019, 98, e15617.	1.0	2
14	The paradoxical coexistence of hypophosphatemic rickets and increased bone density in spine of a subject carrying a novel splice site mutation in PHEX. <i>Chinese Medical Journal</i> , 2019, 132, 2376-2377.	2.3	0
15	Ovariectomy-induced bone loss in TNF $\beta$ and IL6 gene knockout mice is regulated by different mechanisms. <i>Journal of Molecular Endocrinology</i> , 2018, 60, 185-198.	2.5	34
16	Novel Functions of MicroRNA-17-92 Cluster in the Endocrine System. <i>Current Drug Targets</i> , 2018, 19, 191-200.	2.1	9
17	A Review of the Clinical, Radiological and Biochemical Characteristics and Genetic Causes of High Bone Mass Disorders. <i>Current Drug Targets</i> , 2018, 19, 621-635.	2.1	5
18	Non-toxic dose of liposomal honokiol suppresses metastasis of hepatocellular carcinoma through destabilizing EGFR and inhibiting the downstream pathways. <i>Oncotarget</i> , 2017, 8, 915-932.	1.8	22

#	ARTICLE	IF	CITATIONS
19	MicroRNAs in Osteoclastogenesis and Function: Potential Therapeutic Targets for Osteoporosis. <i>International Journal of Molecular Sciences</i> , 2016, 17, 349.	4.1	77
20	Enhanced but hypofunctional osteoclastogenesis in an autosomal dominant osteopetrosis type II case carrying a c.1856C>T mutation in CLCN7. <i>Bone Research</i> , 2016, 4, 16035.	11.4	16
21	VEGF-D-enhanced lymph node metastasis of ovarian cancer is reversed by vesicular stomatitis virus matrix protein. <i>International Journal of Oncology</i> , 2016, 49, 123-132.	3.3	10
22	High-Fat Diet Induces Distinct Metabolic Response in Interleukin-6 and Tumor Necrosis Factor- $\beta$ Knockout Mice. <i>Journal of Interferon and Cytokine Research</i> , 2016, 36, 580-588.	1.2	12
23	Reduced femoral bone mass in both diet-induced and genetic hyperlipidemia mice. <i>Bone</i> , 2016, 93, 104-112.	2.9	27
24	MicroRNA-17-92 cluster regulates pancreatic beta-cell proliferation and adaptation. <i>Molecular and Cellular Endocrinology</i> , 2016, 437, 213-223.	3.2	35
25	Interleukin-6 gene knockout antagonizes high-fat-induced trabecular bone loss. <i>Journal of Molecular Endocrinology</i> , 2016, 57, 161-170.	2.5	19
26	Effects of acetyl-L-carnitine and methylcobalamin for diabetic peripheral neuropathy: A multicenter, randomized, double-blind, controlled trial. <i>Journal of Diabetes Investigation</i> , 2016, 7, 777-785.	2.4	37
27	Novel mutation 928G>C of <i>MEN1</i> gene in a familial multiple endocrine neoplasia type 1 case (<sc>MEN1</sc>) with coexistence of insulinoma and glucagonoma	1.8	2
28	Expression of Nfic during root formation in first mandibular molar of rat. <i>Journal of Molecular Histology</i> , 2014, 45, 619-626.	2.2	14
29	Osteocalcin is inversely associated with glucose levels in middle-aged Tibetan men with different degrees of glucose tolerance. <i>Diabetes/Metabolism Research and Reviews</i> , 2014, 30, 476-482.	4.0	12
30	Bone Delivers Its Energy Information to Fat and Islets Through Osteocalcin. <i>Orthopaedic Surgery</i> , 2012, 4, 114-117.	1.8	7
31	Bone functions as a novel endocrine organ in energy metabolism. <i>Chinese Medical Journal</i> , 2012, 125, 4117-21.	2.3	3
32	Improved tumor-targeting drug delivery and therapeutic efficacy by cationic liposome modified with truncated bFGF peptide. <i>Journal of Controlled Release</i> , 2010, 145, 17-25.	9.9	92
33	Peroxisome proliferator-activated receptor $\beta$ agonist-induced down-regulation of hepatic glucocorticoid receptor expression in SD rats. <i>Biochemical and Biophysical Research Communications</i> , 2008, 368, 865-870.	2.1	12
34	Association of serum apolipoprotein C III levels and apolipoprotein C III gene Sst I polymorphism with carotid intima-media thickness in Chinese type 2 diabetic patients. <i>Diabetes Research and Clinical Practice</i> , 2004, 66, 41-47.	2.8	9
35	Association between fasting and postprandial triglyceride levels and carotid intima-media thickness in type 2 diabetes patients. <i>Chinese Medical Journal</i> , 2003, 116, 1933-5.	2.3	5